

Sr. No.	Category	No. of Industry
1	Aluminium Smelter	0
2	Basic Drugs & Pharmaceuticals Mfg.	18
3	Chlor Alkali/Caustic Soda	0
4	Cement (200 TPD and above)	1
5	Copper Smelting	0
6	Dyes & Dye Intermediate	7
7	Fermentation (Distillery)	0
8	Fertilizer	2
9	Integrated Iron & Steel	2
10	Leather Processing including Tanneries	0
11	Oil Refinery	0
12	Pesticide Formulation & Mfg.	6
13	Pulp & Paper (30 TPD and above)	0
14	Petrochemical	7
15	Sugar	0
16	Thermal Power Plants	0
17	Zinc Smelting	0
Total		43

1. Aluminium Smelter

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

2. Basic Drugs & Pharmaceuticals Mfg.

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Alta Laboratory Ltd., Khopoli, Tal Khalapur, Dist. Raigad	PU	R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.04.2014		LSI	HOD	Operation	30.11.2013 applied for Renewal	Generally complied with consent conditions
2	Cipla Ltd., Plot no. A-33, MIDC Patalganga Dist. Raigad	PU	R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.04.2014	1) P.D. issued vide no. MPCB/ROR/30 2 Dated 14/07/2011.	LSI	CAC	Operation	30.06.2016	Complied with consent conditions
3	KDL Biotech Ltd., Sonaroli, Tal Khalapur, Dist. Raigad	PU	R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	Presently not working	Presently not working.	ADQ	Presently not in operation	yes	N. A.	SCN issued MPCB/ROR/22 8, Dated 23/04/2013 for operating unit without valid consent.	LSI	CC	Not in Operation	31.12.2016	unit closed since june 2013.
4	Wanbury Ltd., A-15, MIDC, Patalganga, Dist. Raigad.	PU	R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.04.2014	1) P.D. issued vide no. 110622/FT2050 dated 22.08.2011. 2)SCN issued MPCB/ROR/36 2, Dated 01.07.2013 for exceeding yes result3) P.D. issued vide no. 140417/FTC150 Dated 19/04/2014.	LSI	CC	Operation	30.09.2015	It is under observations
5	Indco Remedies, Plot No. A- 28/1,2, MIDC, Patalganga, Dist. Raigad.	PU	R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.04.2014		MSI	HOD	Operation	31.01.2014, applied for Renewal	Generally complied with consent conditions
6	Cipla Ltd., Plot no. A-42, MIDC Patalganga Dist. Raigad	PU	R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.04.2014		LSI	CAC	Operation	30.06.2016	Generally complied with consent conditions
7	Cipla Ltd., Plot no. A-2, MIDC Patalganga Dist. Raigad		R-60 Pharmaceutica s (Excluding Formulations)	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.04.2014		LSI	CAC	Operation	30.04.2015	Generally complied with consent conditions

8	BEC Chemicals Pvt. Ltd, Plot No. 24, Dhatav Raha, Dist Raigad	PU	R60 Pharmaceutical s (excluding formulation)	Collection, Neutralization, Settling, Bio-creation, Secondary Settling, SDB.	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	No	16.04.2014	-	MSI	HOD	Operation	31/12/2016	Complied
9	Raptakes Breet & Co. Ltd, 100/2, MIDC Dhatav Raha, Dist- Raigad	PU	R60 Pharmaceutical s (excluding formulation)	Neutralization, Settling, Bio-creation, Secondary settling, SDB	Scrubber for nitration and ammonia storage.	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	19.04.2014	-	MSI	HOD	Operation	31/12/2013, Applied for renewal	Complied
10	Kores (I) Ltd, 59-A, 65-B, 65-C, 58/2, 66A, MIDC Dhatav Raha, Dist- Raigad	PU	R60 Pharmaceutical s (excluding formulation)	Cynde reduction, Neutralization, Bio-creation, Secondary settling & SDB.	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	16.04.2014	BG of Rs. 1 Lac forfeited and fresh BG of Rs. 2 Lacs obtained towards O & M and Rs. 2 Lacs towards submission of Board Resolution as per consent issued by Board vide dt. 23.01.2013 valid up to 31.12.2017.	LSI	CC	Operation	31/12/2017	Under observation
11	FDC Ltd, Plot No. 19, 20/2, MIDC Raha, Dist- Raigad	PU	R60 Pharmaceutical s (excluding formulation)	Collection, Neutralization, Bio-creation, Secondary settling & SDB	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	11.04.2014	-	LSI	CC	Operation	30/05/2013 Applied for renewal	Upgraded ETP is under stabilisation
12	Unionem Laboratories Ltd, Plot No. 99, MIDC Raha, Dist- Raigad	PU	R60 Pharmaceutical s (excluding formulation)	Collection, Neutralization, Bio-creation, Secondary settling & SDB	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	15.04.2014	-	LSI	CC	Operation	31.12.2014	Complied
13	M/s. Emmellen Biotech Pharmaceutical Ltd, Plot No E-21, MIDC, Mahad Dist:- Raigad.	PU	R-60 Pharmaceutical s (Excluding Formulations)	Fined film Anaerobic digester followed by Plate Tube Reverse Osmosis, 5 stage Multiple Effect Evaporator followed by Spray dryer & Rotary dryer.	Settling chamber provided for Bio gas fired boiler, Common Packed Wet scrubber for HCL storage tank.	Member of CHWTSDF	OPRS	OPRS	ADQ	OPRS	No	21/04/2014	Warning Notice by SRO 04/10/13	LSI	CAC	Operating	31/12/2013 & applied for Renewal	Partially Complied. Sometimes JWS results are exceeding the consented limits

14	M/S. Kapran Limited, Plot No K-4/A, Additional MIDC, Bhandal, Tal. Mahad Dist :- Raigad - 402302	PU	R-60 Pharmaceuticals (Excluding Formulations)	Oil & Grease Trap, Equalization cum neutralization tank, Chemical Dosing tank, Shallow Tray Air stripper unit, Anaerobic filter unit, Settler, Bio reactor 1st, Bioreactor 2nd, SDO, Carbon Filter & Sand filter.	Common Dust collection consisting of Bag Filters.	Member of CHWTSDF	OPRS	OPRS	ADQ	OPRS	No	21/04/2014	AJ Non-compliance letter issued 05/03/14 by SRO.	LSI	HOD	Operating	31/05/2014	Partially Complied. Sometimes JVS results are exceeding the consented limits
15	M/s. Sandoz Pvt. Ltd, Plot No L-1, MIDC, Mahad Dist :- Raigad	PU	R-60 Pharmaceuticals (Excluding Formulations)	Equalization Tanks, Neutralization Tanks, Flash Mixer, Flocculation Tank (Dissolved Air Flotation Unit), Aeration Tank, Settler, Clarifier, Reaction Clarifier, Sludge Thickener, Decanter, Sand Filter, SDB For High COD, Triple Effect Evaporator	Common Packed scrubber	Member of CHWTSDF	OPRS	OPRS	ADQ	OPRS	Yes	21/04/2014	Warning notice issued by SRO on 16/12/2013	LSI	CAC	Operating	30/05/2015	Partially Complied. Sometimes JVS results are exceeding the consented limits
16	M/s. Sequent Scientific Ltd (Formerly known as M/s. P.J. Drugs & Pharmaceuticals Ltd), Plot No. 0-32, G-2 & G-3, MIDC, Mahad Dist :- Raigad.	PU	R-60 Pharmaceuticals (Excluding Formulations)	Equalization tank, Pre Clarifier, Buffer Tank, 1st stage bio reactor, Settling Tank, Sec. Stage Bio reactor, Sec. Settling Tank, Holding tank, Sand & Carbon Filter SDO, For High COD, Multiple Effect Evaporator followed by Reverse Osmosis.	Dust collector for Briquette fire boiler, 3 Nos. Packed Wet Scrubber provided in process.	Member of CHWTSDF	OPRS	OPRS	ADQ	OPRS	No	19/04/2014	Interim Direction issued by RO Raigad on 21/12/13. Bank Guarantee of Rs 50 Lacs is obtained	LSI	HOD	Operating	30/05/2015	-

17	M/s. Exon Laboratories Pvt. Ltd. Plot No. C-82/695 MIDC, Mahad Dist :- Raigad	PU	R-60 Pharmaceutical (Excluding Formulations)	Oil Trap, Equalization/ neutralization tank, Pitt. Clarifier, 1st stage bio reactor, primary clarifier, 2nd Stage Bio reactor, Sec. clarifier, SDB., Sand & Carbon Filter. For High COD Collectio n Tank, MEE, Decanter centrifuge.	Ventury Scrubber. Cyclone dust collector for Boiler	Member of CHWTSCF	OPRS	OPRS	ADQ	OPRS	Yes	21/04/2014	Warning Notice issued 2/10/13	LSI	HOD	Operating	31/12/2017	Partially Complied. Sometimes JWS results are exceeding the consented limits
18	M/s. Vasundhara Rasayan Ltd. Plot No. C-104, MIDC, Mahad Dist :- Raigad.	PU	R-60 Pharmaceutical (Excluding Formulations)	Equalization tank, Neutralization tank, Fiber Press, settling tank, sand filter, storage tank	Packed Scrubber . Cyclone for Boiler	Member of CHWTSCF	OPRS	OPRS	Inadequate	OPRS	No	21/04/2014	Interim Direction issued dd	LSI	HOD	Operating	30/06/2013 & applied for Renewal	

3. Chlor Alkali/ Caustic Soda

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

4. Cement (200 TPD and above)																		
Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C PSU	17-Category Type	Pollution Control System		Provision s of HW Managem ent	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	JSW Steel Ltd. (Formerly known as Heidelberg Cement India Ltd.), M. Kharkari, Post-Gadga, Tal. Pen, Dist-Rajgarh	PU	R? Cement	For D. E - Septic tank, Sack pit.	Dust collector, Bag filter	ADQ	---	OPRS	ADQ	OPRS	Yes	25.01.2014	---	LSI	CAC	Operation	31/07/2015	Complied

5. Copper Smelting

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

6. Dyes & Dye Intermediate

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Managem ent	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Lona Industries Ltd., Lodkhal, Tal. Panvel, Dist. Raigad	PU	R-45 Pigment Manufacturing	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	OPRS	OPRS	ADQ	OPRS	yes	29.04.2014	1) P.D. issued vide no. MPCB/ROR/1 2031FT0214 Dated 13/03/2013 due to leakage of treated Effluent carrying pipeline.	LSI	CC	Operation	31.12.2013	Complied with consent conditions and direction issued
2	Rathi Dye Chem Pvt.Ltd, 40, MIDC, Chhatav Raha, Dist- Raigad	PU	R16 Dyes and Dye- intermediates	Collection, Neutralization, Bio-aeration, Secondary settling &SDB	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	No	15.04.2014	-	MSI	HOD	Operation	31/12/2016	Complied
3	Ganesh Chemicals (I) Ltd, 113/114, MIDC Chhatav Raha, Dist- Raigad	PU	R16 Dyes and Dye- intermediates	Equalization, Neutralization, Clarifier, Bioaeration, Secondary Setting, SCB	Scrubber, Dust Collector.	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	07.04.2014	Proposal submitted for initiating action On 03.04.2014	LSI	CAC	Operation	31/12/2014	-
4	Vishu Dyestuff Mfg. Ltd. Plot No.55/B, MIDC Chhatav, Tal-Raha, Dist- Raigad	PU	R16 Dyes and Dye- intermediates	Neutralization, Settling, Bioaeration Secondary Settling, SDF	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	15.04.2014	-	LSI	CC	Operation	31.07.2013	Complied
5	Neelkon Food Dyes & Chemicals, Unit-I, Plot No.67, MIDC Chhatav, Tal-Raha, Dist- Raigad.	PU	R16 Dyes and Dye- intermediates	Collection Reaction Tank, Settling, Filter, SD Beds	Scrubber	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	11.04.2014	-	LSI	CC	Operation	31.12.2015	Complied
6	Neelkon Food Dyes & Chemicals, Unit-II, Plot No.17, MIDC Chhatav, Tal-Raha, Dist- Raigad.	PU	R16 Dyes and Dye- intermediates	Equalization, Oxidation, Neutralization Clarifier, Sand Filter, Carbon Filter	Scrubber, Dust Collector.	Adequate	OPRS	OPRS	ADQ	OPRS	Yes	11.04.2014	-	LSI	CC	Operation	30.05.2017	Complied

7	M/s. Siddharth Colourchem Ltd., A-5 & A-6, MIDC Mahad	PU	R16 Dyes and Dye- intermediates	Collection tank, Equalisation Tank, Primary Clarifier, Primary Aeration Tank, Secondary Clarifier, Secondary Aeration Tank, Filter press, Root Blower, RO system & Spray Dryer	Scrubber & Dust collector Provided.	Member of CHWTSDF	OPRS	OPRS	Adequate	OPRS	Yes	21/04/2014	Warning Notice issued dtd. 4/10/13, 5/3/14	LSI	HOD	Operating	31/12/2015	Partially Complied. Sometimes JvS results are exceeding the consented limits
---	---	----	---------------------------------------	--	-------------------------------------	-------------------	------	------	----------	------	-----	------------	--	-----	-----	-----------	------------	--

7. Fermentation (Distillery)

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

8. Fertilizer

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Liberty Phosphate Resol. Tal-Sudhaged, Dist Rargad	PU	R20 Fertiliser	For D.E. Septic Tank and Soak Pit	Scrubber, Dust Collector, Bag Filter	Adequate	OPRS	OPRS	ADQ	OPRS	yes	25.03.2014	Direction issued on dtd. 03.06.2013. Industry have submitted BG (3 nos.) of Rs. 5 Lacs each.	LSI	CAC	Operation	30.09.2013 Applied for renewal	The study by NEERI is recently completed.
2	M/s. Deepat Fertilizers & Petrochemicals Plot No. K-1 to K-8, MIDC Talaja	PU	Fertilizers & Petrochemical	Primary & Secondary Treatment system provided. Member of CETP	Dust Collector, Scrubber provided.	Disposal to common treatment facility at M/ML Talaja.	OPRS	OPRS	ADQ	OPRS	Yes	23.04.2014	----	LSI	CAC	Operating	31/08/2016	Ind. is complied with respect to air pollution, water pollution and HW management.

9. Integrated Iron & Steel

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Ispat Industries Ltd, V4-Geeta puram , Dowl Tal Pen, Dist-Raigad.	PU	R37 Iron and Steel (Involving processing from ore/integrated steel plants and sponge iron units	Classifier, Gravity Filter etc.	Dust Separation, Scrubber, Bag filter etc.	Adequate	Operational	Operational	Adequate	OPRS	No	17.04.2014	Direction issued	LSI	CAC	Operation	31.12.2017	upgraded APC system is under observatio
2	Welspun Masters Ltd, V4- Sakar, Tal. Murad-Janki, Dist-Raigad	PU	R37 Iron and Steel (Involving processing from ore/integrated steel plants and sponge iron units	STP & ETP provided	Scrubber, Dust collector, Bag filter	Adequate	Operational	Operational	Adequate	OPRS	Yes	29.04.2014	-	LSI	CAC	Operation	Applied for renewal	complied

10. Leather Processing including Tanneries

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/CPSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

11. Oil Refinery

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PUC P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Nil

12. Pesticide Formulation & Mfg.

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C PSU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Hindustan Insecticides Limited, Ransarni, Tal. Parwadi, Dist. Raigad	PU	R-58 pesticides (Technical) Excluding Formulation	Primary Secondary & Tertiary Treatment	Scrubbers provided to Reactor.	Adequate	OPRS	OPRS	ADQ		NO	30.04.2014	11 P.D. issued vide no. 110622FT260 Dated 22.05.2011 2/SCN issued MPCB/ROR/8 09, Dated 06.09.2012 for not operating ETP.	LSI	CC	Operation	31.12.2015	complied with consent conditions
2	Excel industries Ltd, 112, 201, 03.2 MDC Dhatav Raha, Dist- Raigad	PU	R58 Pesticides (Technical) (excluding formulation)	Equalization, Neutralization, Flash Mixer, Bioaeration, Secondary Settling, SDB	Scrubber	Adequate	Operational	Operational	Adequate	OPRS	Yes	11.04.2014	Interim Direction issued to the industry on 25.06.2012	LSI	CAC	Operation	31/12/2015	Complied
3	Sudashan Chemicals Ltd, Plot No. 46, MDC/Raha, Dist- Raigad	PU	R58 Pesticides (Technical) (excluding formulation)	Neutralization, Bio-aeration, Secondary settling & SDB	Scrubber /Absorber	Adequate	Operational	Operational	Adequate	OPRS	Yes	16.04.2014	-	LSI	CAC	Operation	31/12/2015	Complied
4	M/s Astec Life Sciences Pvt. Ltd, Plot No B-16, 17, 18 and 21, MDC Mahad, Dist Raigad	PU	R58 Pesticides (Technical) (excluding formulation)	Oil & Grease trap, Equalization tank, Primary Bio Reactor, Primary clarifier, Secondary Bio reactor, secondary Clarifier, Tertiary clarifier, SDB, Carbon & Sand filter.	Cyclone separator & Scrubber provided.	Member of CHWTSDF	OPRS	OPRS	Adequate	OPRS	Yes	21/04/2014	Warning Notice issued dtd. 5/3/14	LSI	HOD	Operating	30/06/2016	Partially Complied. Sometimes JVS results are exceeding the consented limits.
5	M/s Astec Life Sciences Pvt. Ltd, Plot No K-2/1/1 Additional MDC Mahad, Dist Raigad	PU	R58 Pesticides (Technical) (excluding formulation)	NA (No Trade Effluent)	Dust Collector and Scrubber Provided	Applied for CHWTSDF	NA	OPRS	Applied for CHWTSDF	OPRS	Yes	13/03/2014	-	LSI	HOD	Operating	30/07/2014	1st consent to operate is granted on 24.03.2014

6	M/s. Hikal Ltd., A-18, MCC Mahad	PJ	Pesticide	Collection tank (2 Nos.), Neutralization Tank (2 Nos.), Equalization Tank (2 Nos.), Borewells (3 Nos.), Settling Tank (3 Nos.), Polishing Tank, Carbon filter, sand filter	Scrubber & dust collector provided	Member of CHVTSDP	OPRS	OPRS	Adequate	OPRS	Yes	17/04/2014	A) Non-compliance issued dtd. 31/5/13. B) Warning Notice issued dtd. 4/10/13. 5/3/14	LSI	HOD	Operating	30/11/2014	Partially Complied. Sometimes JWS results are exceeding the consented limits
---	-------------------------------------	----	-----------	--	------------------------------------	-------------------	------	------	----------	------	-----	------------	--	-----	-----	-----------	------------	--

13. Pulp & Paper (30 TPD and above)

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.)/ MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

14. Petrochemical

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ JIOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Rama petrochemicals Ltd., Vadholi, Tal. Khalepur, Dist. Rajgad.	PU	R-59 Petrochemicals (Manufacture of and not merely use of as raw material)	Primary Secondary & Tertiary Treatment	boiler stack	Adequate	not in operation	not in operation	ADQ	Presently not in operation				LSI	CC	Not in Operation	31.03.2014 Applied for Renewal	Presently closed
2	Bombay Dyeing and Manufacturing. Ltd., A-1, MIDC Patalganga, Dist. Rajgad	PU	R-59 Petrochemicals (Manufacture of and not merely use of as raw material)	Primary Secondary & Tertiary Treatment	boiler stack	Adequate	OPRS	OPRS	ADQ	OPRS	yes	21.04.2014		LSI	CAC	Operation	30.09.2014	Generally complied with consent conditions
3	Reliance Industries Ltd., Polymer Division, Plot no. B-4/5, MIDC Patalganga Dist. Rajgad	Pu	R-59 Petrochemicals (Manufacture of and not merely use of as raw material)	Primary Secondary & Tertiary Treatment	boiler stack	Adequate	OPRS	OPRS	ADQ	OPRS	yes	21.04.2014	1) P.D. issued vide no. 110622FT211 Dated 22.05.2011. 2)SOCN issued MPCB/ROR/354, Dated 25.05.2013 for Exceeding JVS Result.	LSI	CAC	Operation	31.11.2013 Applied for renewal.	Now Complied with consent conditions and directions issued.
4	Reliance Industries Ltd., PTA Division, Plot no. B-4, MIDC Patalganga Dist. Rajgad	Pu	R-59 Petrochemicals (Manufacture of and not merely use of as raw material)	Primary Secondary & Tertiary Treatment	boiler stack	Adequate	OPRS	OPRS	ADQ	OPRS	yes	21.04.2014		LSI	CAC	Operation	31.11.2013 Applied for renewal.	Complied with consent conditions
5	Reliance Industries Ltd., Lab Division, Plot no. B-1 to B/3, MIDC Patalganga Dist. Rajgad	Pu	R-59 Petrochemicals (Manufacture of and not merely use of as raw material)	Primary Secondary & Tertiary Treatment	boiler stack	Adequate	OPRS	OPRS	ADQ	OPRS	yes	21.04.2014		LSI	CAC	Operation	31.11.2013 Applied for renewal.	Complied with consent conditions
6	Reliance Industries Ltd., Maharashtra Gas, Nagothane, Dist-Rajgad	PU	Petrochemical	Collection, Oil Trap, Neutralization, Biotreatment, Secondary Settling SDB	Scrubber	Adequate	Operational	Operational	Adequate	OPRS	Yes	30.04.2014	-	LSI	CAC	Operation	31/12/2014	Complied

7	Supreme Petrochem Ltd, V&A-Andolsu, Tal. Raha, Cin. Ragad	PU	Petrochemical	Neutralizati on, Settling Basin, Secondary Settling, Pressure Filter, SCB.	NA	Adequate	Operational	Operational	Adequate	CPRS		17.04.2014	SCN issued	LSI	CAC	Operation	31/03/2014, Applied for renewal	—
---	---	----	---------------	---	----	----------	-------------	-------------	----------	------	--	------------	------------	-----	-----	-----------	---------------------------------------	---

924

Sr.No.	Name of Industry with Complete Address	Sector whether CU/TU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECS Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

200

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PIU/PSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSH(>10 Crs.) / MSII(\$ to 10 Crs.)	Consent Granting Authority (CAC/CC/IOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/CPSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
1	2	3	4	ETP Unit	Emission Control System (ECS)	7	ETP Status	ECU Status	Hazardous Waste Management Provision	11	12	13	14	15	16	17	18	19
Nil																		

P411