

**MONITORING, SAMPLING AND ANALYSIS FOR
AMBIENT AIR QUALITY, SURFACE WATER
QUALITY AND GROUND WATER QUALITY IN
CRITICALLY/SEVERELY/OTHER POLLUTED AREAS**

TARAPUR

Pre-Monsoon (April 2025 – June 2025)



MAHARASHTRA POLLUTION CONTROL BOARD

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Index

ABBREVIATIONS.....	3
Executive Summary	4
1. Introduction	5
2. Scope of Work.....	8
Table 3.1 Sampling Details of Tarapur.....	8
Table 3.2 Frequency of Sampling.....	9
3. Methodology	11
4. Air Environment.....	13
Table 5.1 Details of Sampling Location of Ambient Air Quality Monitoring	13
Table 5.2 Details of Sampling Location of Volatile Organic Compounds (VOCs) Monitoring	13
Table 5.3 Ambient Air Quality Monitoring Results.....	15
Table 5.4 Volatile Organic Compounds (VOCs) in Ambient Air Results	16
5. Water Environment.....	21
Table 6.1 Details of Sampling Location of Surface Water	21
Table 6.2 Results of Surface Water	23
6. Land Environment.....	29
Table 7.1 Details of Sampling Location of Ground Water.....	29
Table 7.2 Results of Groundwater	30
7. Health Related Data	37
8. CEPI Score	38
Table 8.1 CEPI score of the Pre-monsoon season 2025.....	38
Table 8.2 Comparison of CEPI Scores.....	38
9. Conclusion	42
10. Efforts Taken by MPCB to Control and Reduce Environmental Pollution Index.....	44
11. Photographs	48

ABBREVIATIONS

APHA	American Public Health Association
ASTM	American Society for Testing and Materials
BIS	Bureau of Indian Standards
BLQ	Below the Limit of Quantification
CAAQMS	Continuous Ambient Air Quality Monitoring Station
CEMS	Continuous Emission Monitoring System
CEPI	Comprehensive Environmental Pollution Index
CETP	Common Effluent Treatment Plant
CPA	Critically Polluted Area
CPCB	Central Pollution Control Board
EPA	Environmental Protection Act, 1986
GDP	Gross Domestic Product
MIDC	Maharashtra Industrial Development Corporation
MPCB	Maharashtra Pollution Control Board
NAAQS	National Ambient Air Quality Standard
NWMP	National Water Quality Monitoring Program
SPA	Severely Polluted Area
VOCs	Volatile Organic Compounds
WHO	World Health Organisation
ZLD	Zero Liquid Discharge

Executive Summary

Tarapur was monitored for Ambient Air Quality, Ground and Surface Water quality. Based on the data collected by monitoring, a Comprehensive Environmental Pollution Index (CEPI) Score [as per latest directions 120 of Letter No. B-29012/ESS (CPA)/2015-16 dated 26th April 2016 of Central Pollution Control Board (CPCB)] was calculated. Maharashtra Pollution Control Board (MPCB) has carried out monitoring at CPCB location with the additional locations of sampling for ambient air, surface and ground water in consideration with the previous CEPI monitoring and covering the entire CEPI Impact Zone. The pre-monsoon monitoring was carried out during the period of April to June 2025 to assess the ambient air quality, surface water quality and ground water quality.

In the current study, Ambient Air Quality Monitoring (AAQM) was carried out at eight locations, selected based on upwind and crosswind directions within the CEPI impact area. The concentration levels of all monitored air pollutants were found to be within the limits prescribed under the National Ambient Air Quality Standards (NAAQS). PM₁₀ concentrations ranged between 47–72 µg/m³, while PM_{2.5} levels ranged between 13–19 µg/m³. For water quality assessment, six locations each were identified for surface water and groundwater monitoring. While most water quality parameters were within standard limits, elevated concentrations of Total Nitrogen and Total Dissolved Solids were observed in two surface water samples. In CEPI methodology, the land pollution index is represented through groundwater quality, which in this study was found to comply with IS 10500:2012 drinking water standards.

According to the CEPI study conducted by CPCB in March 2018 (based on the revised 2016 methodology), the Tarapur industrial region was categorized as critically polluted, with a CEPI score of 93.69 (Air: 72.0, Water: 89.0, Land: 59.25). In contrast, the present assessment for the pre-monsoon season of April 2025 shows a significant decline, with an overall CEPI score of 51.9. The sub-index scores were recorded as Air: 35.0, Water: 46.5, and Land: 29.0. This improvement indicates a substantial reduction in pollution levels across all three environmental components.

The CEPI score is calculated based on four components: A (pollutant concentration), B (impact), C (health data), and D (pollution control initiatives). Factor D reflects the efforts taken by the MPCB regional office and other authorities, including the installation of Continuous Ambient Air Quality Monitoring Stations (CAAQMS), establishment of Common Effluent Treatment Plants (CETPs), and deployment of online VOC analysers. These collective measures have contributed significantly to reducing pollution.

As a result, the CEPI score has decreased from 93.69 in 2018 to 51.9 in June 2025, shifting the Tarapur industrial cluster's status from critically polluted' to severely polluted'.

1. Introduction

The industrial sector plays a critical role in driving national economic growth by significantly contributing to production, fixed investment, exports, employment generation, and capacity utilization. Industries act as powerful engines of economic development, enhancing government revenue, expanding international trade, supporting social services, and creating jobs. The sector's growth rate directly influences a country's overall economic performance, making industrial development essential for achieving long-term economic objectives and national prosperity. According to the World GDP Ranking 2024, India is now the fifth-largest economy globally. Several Sustainable Development Goals (SDGs), including Goal 8 (Decent Work and Economic Growth) and Goal 9 (Industry, Innovation, and Infrastructure), emphasize the importance of inclusive and sustainable industrial advancement.

However, the environmental cost of industrial growth is substantial. Industrial activities have severely impacted air, water, and soil quality. The discharge of untreated industrial effluents has led to the contamination of drinking water sources with hazardous chemicals, posing serious health threats to humans, animals, and aquatic ecosystems. Air pollution from industrial emissions is linked to a surge in respiratory and cardiovascular diseases, particularly among children, contributing to higher rates of infant mortality and chronic health conditions later in life. The World Health Organization (WHO) estimates that environmental pollution results in approximately 9 million premature deaths annually. Moreover, over 90% of the global population breathes air that exceeds WHO's safe pollution thresholds, while nearly 2 billion people consume drinking water contaminated with faecal matter, increasing the spread of diseases like cholera and dysentery.

The ecological consequences are equally dire. Industrial pollution has caused extensive habitat destruction, biodiversity loss, and the breakdown of ecosystems. Toxic emissions and effluents can lead to genetic mutations, reproductive failures, and behavioural disruptions in wildlife, pushing many species toward extinction. Plants exposed to contaminated air and water suffer from stunted growth, reduced photosynthesis, and heightened disease susceptibility, ultimately undermining food security and ecological balance.

To address these challenges, strong and adaptive environmental policies are essential. These policies must establish clear standards and regulations for industries, enforced by competent authorities. Key elements include continuous pollution monitoring, strict enforcement through fines and penalties for violators, and mandatory environmental impact assessments (EIA) for new projects. Conservation strategies to protect biodiversity should be integrated into industrial planning. Moreover, policies must evolve to keep pace with emerging environmental issues. A comprehensive approach—combining robust legal frameworks, international cooperation, modern monitoring technologies, and a firm commitment from both industry and government to adopt sustainable practices—is crucial to preserving natural resources and ensuring a sustainable future.

Simultaneously, the Comprehensive Environmental Pollution Index (CEPI) has emerged as a beacon of assessment and action in India's environmental landscape. Introduced as a standardized

methodology for evaluating and addressing pollution in industrial clusters across the nation, the CEPI represents a significant step towards achieving the delicate balance between economic growth and environmental sustainability. Developed through collaborative efforts between environmental scientists, regulatory authorities, and community stakeholders, the CEPI serves as a vital instrument for identifying, prioritizing, and mitigating pollution in industrial areas. By systematically monitoring, sampling, and analysing pollution parameters such as ambient air quality, surface water quality, and groundwater quality, the CEPI empowers policymakers and regulators to make informed decisions and allocate resources effectively.

In Maharashtra, where industrial activities drive economic growth and employment opportunities, the importance of the CEPI cannot be overstated. Through strategic monitoring, sampling, and analysis efforts, the CEPI aims to provide a comprehensive assessment of pollution levels and their impacts on environmental health in critically, severely, and other polluted industrial areas across the state.

Moreover, the application of the CEPI extends beyond mere assessment, serving as a catalyst for targeted interventions and regulatory enforcement in polluted industrial areas. By identifying pollution hotspots and vulnerable communities, the CEPI enables authorities to implement remedial measures, enforce pollution control norms, and monitor progress towards environmental sustainability.

Environmental pollution is a major concern in industrial areas, affecting air, water, and land quality. The present study focuses on the Comprehensive Environmental Pollution Index (CEPI) assessment and the monitoring, sampling, and analysis of ambient air quality, surface water quality, and groundwater quality in the polluted industrial areas of Tarapur, Mumbai, Maharashtra. Tarapur, an industrial town located approximately 45 km north of Virar on the Western Railway line of Mumbai Suburban Division, is home to various industries, including chemicals, pharmaceuticals, petrochemicals, textiles, and engineering units.

The Surya River, a crucial drinking water source for the region, flows through Tarapur, highlighting the significance of monitoring pollution levels. Unlike many other industrial estates, Tarapur has a structured layout with roads crossing at right angles and green spaces near industrial units. However, industrial activities, along with transport and construction emissions, contribute to environmental pollution.

This report follows the revised CEPI methodology (2016) to assess pollution levels based on various environmental factors. CEPI is a numerical index that characterizes environmental quality by analysing sources, pathways, and receptors of pollution. The findings of this study serve as a guideline for targeted interventions, regulatory measures, and community involvement to mitigate pollution and promote sustainable development in Tarapur. Despite ongoing challenges, efforts based on CEPI assessments provide a roadmap for improving environmental conditions and ensuring public health protection in the region.



Fig. Tarapur Region CEPI Monitoring Zone

2. Scope of Work

The major scope of work includes:

- I. The scope of the present study is to perform three (3) rounds of "Monitoring, Sampling and Analysis for Ambient Air Quality, VOCs in Ambient Air, Surface Water Quality & Ground Water Quality in selected Pollution Industrial Areas (PIAs) of Tarapur, Maharashtra" with a gap of one or two days. The analysis of the collected samples was carried out by the standard methods (CPCB, BIS, APHA, USEPA).
- II. To Collect health-related data in the CEPI region.
- III. To calculate the Comprehensive Environmental Pollution Index (CEPI) Score as per Revised CEPI-2016 issued by Central Pollution Control Board (CPCB).

The sampling details and frequency of sampling in Ambient Air, VOCs, Surface Water and Ground Water are given in Table 3.1 and Table 3.2 respectively.

Table 3.1 Sampling Details of Tarapur

Sampling Criteria	Total Sites	Monitoring Parameters
Ambient Air Quality	08	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , NH ₃ , O ₃ , C ₆ H ₆ , CO, BAP, Pb, Ni, As
Volatile Organic Compounds (VOCs)	02	Dichloromethane, Chloroform, Carbon Tetrachloride, Trichloroethylene, Bromodichloromethane, 1,3-Dichloropropane, 1,4-Dichlorobenzene, 1,3-Dichlorobenzene, 1,2-Dichlorobenzene, 1,2-Dibromo-3-Chloropropane, Naphthalene, Bromobenzene, 1,2,4-Trimethylbenzene, 2-Chlorotoluene, Tert-Butylbenzene, SEC-Butylbenzene, P-Isopropyl toluene, M-Xylene, P-Xylene, Styrene, Cumene 1,2,3-Trichloropropane, N-Propyl benzene, Dibromochloromethane, 1,2-Dibromoethane, Chlorobenzene, 1,1,1,2-Tetrachloroethane, Ethylbenzene, 1,1-Dichloropropylene, 1,2-Dichloroethane, 1,2-Dichloropropane, Trans-1,3-Dichloropropene, CIS 1,3-Dichloropropene, 1,1,2-Trichloroethane, Tetrachloroethylene, 1,3,5-Trimethylbenzene, N-Butylbenzene, 1,2,3-Trichlorobenzene, Hexachlorobutadiene, 1,2,4-Trichlorobenzene, 2,2-Dichloropropane, Dibromo methane, Toluene, O-Xylene, Bromoform, 1,1,2,2-Tetrachloroethane, 4-Chlorotoluene, 1,1-Dichloroethylene, Trans-1,2-Dichloroethylene, 1,1-Dichloroethane, CIS-1,2-Dichloroethylene, Bromochloromethane, 1,1,1-Trichloroethane

Sampling Criteria	Total Sites	Monitoring Parameters
Water Quality Monitoring	Surface water - 06	<p>(i) Simple Parameters Sanitary Survey, General Appearance, Colour, Smell, Transparency and Ecological</p> <p>(ii) Regular Monitoring Parameters pH, O & G, Suspended Solids, DO, COD, BOD, TDS, Electrical Conductivity, Total Dissolved Solids, Nitrite-Nitrogen, Nitrate-Nitrogen, (NO₂+NO₃) total nitrogen, Free Ammonia, Total Residual Chlorine, Cyanide, Fluoride, Chloride, Sulphate, Sulphides, Total Hardness, Dissolved Phosphates, SAR, Total Coliforms, Faecal Coliform</p> <p>(iii) Special Parameters Total Phosphorous, TKN, Total Ammonia (NH₄+NH₃)-Nitrogen, Phenols, Surface Active Agents, Anionic detergents, Organo-Chlorine Pesticides, PAH, PCB and PCT, Zinc, Nickel, Copper, Hexa-valent Chromium, Chromium (Total), Arsenic (Total), Lead, Cadmium, Mercury, Manganese, Iron, Vanadium, Selenium, Boron</p> <p>(iv) Bioassay (zebra Fish) Test – For specified samples only.</p>
	Ground water - 06	


Table 3.2 Frequency of Sampling

	Parameter	Round of Sampling	Frequency in Each Round
A	Ambient Air Quality Monitoring		
1.	Particulate Matter (size less than 10 µm) or PM ₁₀	03	3 Shifts of 8 hrs each
2.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	03	1 Shift of 24 hrs
3.	Sulphur Dioxide (SO ₂)	03	6 Shifts of 4 hrs each
4.	Nitrogen Dioxide (NO ₂)	03	6 Shifts of 4 hrs each
5.	Ammonia (NH ₃)	03	6 Shifts of 4 hrs each
6.	Ozone (O ₃)	03	24 Shifts of 1 hr each
7.	Benzene (C ₆ H ₆)	03	1 Shifts of 24 hrs
8.	Carbon Monoxide (CO)	03	24 Shifts of 1 hr each
9.	Benzo (a) Pyrene (BaP) – particulate phase only	03	3 Shifts of 8 hrs each
10.	Lead (Pb)	03	3 Shifts of 8 hrs each
11.	Arsenic (As)	03	3 Shifts of 8 hrs each

	Parameter	Round of Sampling	Frequency in Each Round
12.	Nickel (Ni)	03	3 Shifts of 8 hrs each
B	Volatile Organic Compounds (VOCs)		
	As mentioned in Table 3.1	03	3 Shifts of 24 hrs each
C	Ground Water		
	As mentioned in Table 3.1	03	01 sample at each round
D	Surface Water		
	As mentioned in Table 3.1	03	01 sample at each round

3. Methodology

The present report is based on the revised Comprehensive Environmental Pollution Index (CEPI) version 2016. The index captures the various dimensions of the environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI) is a rational number, which is used to characterize the environmental quality at a given location. It is a three-step process based on the algorithm of Source, Pathway and Receptor.



Ambient air stations, Surface water locations and Ground water locations were decided by the respective regional officers. The sampling was done in 3 rounds with an interval of one or two days at each location. Sampling has been done at the potentially polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions.

AIR ENVIRONMENT

4. Air Environment

For studying the Air Environment of the Tarapur area, monitoring stations were identified considering the upwind and cross wind direction and all 12 parameters as per the notification of National Ambient Air Quality Standards (NAAQS) were carried out.

**Kindly note: Volatile Organic Compounds (VOCs) concentration is not detected in most of the Air samples collected; hence it is not shown in the graphs.*

In Tarapur eight locations have been monitored of checking the Ambient Air Quality (AAQ) in triplicate from 02nd June 2025 to 06th June 2025. The concentration of all the parameters at all the studied locations is observed well within the limits. Volatile Organic Compounds (VOCs) were monitored at 2 locations namely Kokuyo Camlin Ltd. and Lupin Ltd.

Table 5.1 Details of Sampling Location of Ambient Air Quality Monitoring

Sr.No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Kokuyo Camlin Ltd.	19.798036°N	72.737654°E	02.06.2025	04.06.2025	06.06.2025
2.	D Docor Export Pvt. Ltd.	19.789417°N	72.752577°E	02.06.2025	04.06.2025	06.06.2025
3.	Sumitomo Chemical India Pvt. Ltd.	19.790828°N	72.718491°E	02.06.2025	04.06.2025	06.06.2025
4.	MPCB SRO Office	19.8098767°N	72.7435753°E	02.06.2025	04.06.2025	06.06.2025
5.	Loba Chemical Pvt Ltd	19.809545°N	72.734732°E	02.06.2025	04.06.2025	06.06.2025
6.	Unitec Fibres Pvt Ltd	19.804582°N	72.729414°E	02.06.2025	04.06.2025	06.06.2025
7.	Lupin Ltd	19.79615°N	72.720105°E	02.06.2025	04.06.2025	06.06.2025
8.	MPIL Steel Structure Ltd	19.797829°N	72.746503°E	02.06.2025	04.06.2025	06.06.2025

Table 5.2 Details of Sampling Location of Volatile Organic Compounds (VOCs) Monitoring

S r.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Kokuyo Camlin Ltd.	19.798036°N	72.737654°E	02.06.2025	04.06.2025	06.06.2025
2.	Lupin Ltd	19.79615°N	72.720105°E	02.06.2025	04.06.2025	06.06.2025



Fig: Geographical Locations of Ambient Air Quality Sampling




Fig: Geographical Locations of VOCs Monitoring

Table 5.3 Ambient Air Quality Monitoring Results

Parameters	Unit	Results			
		Kokuyo Camlin Ltd.	D Docor Export Pvt. Ltd.	Sumitomo Chemical India Pvt. Ltd	MPCB SRO Office
Sulphur Dioxide (SO ₂)	µg/m ³	BLQ	BLQ	BLQ	BLQ
Nitrogen Dioxide (NO ₂)	µg/m ³	45	45	48	28
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	49	50	47	52
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	13	14	13	14
Ozone (O ₃)	µg/m ³	BLQ	BLQ	BLQ	BLQ
Lead (Pb)	µg/m ³	BLQ	BLQ	BLQ	0.028
Carbon Monoxide (CO) (1h)	mg/m ³	1.3	1.4	1.5	1.3
Carbon Monoxide (CO) (8 h)	mg/m ³	1.5	1.6	1.7	1.5
Ammonia (NH ₃)	µg/m ³	29	34	25	31
Benzene (C ₆ H ₆)	µg/m ³	2	2	2	2
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	BLQ	BLQ	BLQ	BLQ
Arsenic (As)	ng/m ³	BLQ	BLQ	BLQ	BLQ
Nickel (Ni)	ng/m ³	12.6	10.7	14.5	13.8

Parameters	Unit	Results			
		Loba Chemical Pvt Ltd.	Unitec Fibres Pvt Ltd.	Lupin Ltd.	MPIL Steel Structure Ltd.
Sulphur Dioxide (SO ₂)	µg/m ³	BLQ	BLQ	BLQ	BLQ
Nitrogen Dioxide (NO ₂)	µg/m ³	39	32	52	63
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	55	54	54	72
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	14	15	15	19
Ozone (O ₃)	µg/m ³	BLQ	BLQ	BLQ	BLQ
Lead (Pb)	µg/m ³	BLQ	BLQ	BLQ	BLQ
Carbon Monoxide (CO) (1h)	mg/m ³	1.5	1.4	1.4	1.4
Carbon Monoxide (CO) (8 h)	mg/m ³	1.6	1.6	1.8	1.5
Ammonia (NH ₃)	µg/m ³	25	25	31	31
Benzene (C ₆ H ₆)	µg/m ³	2	2	2	2


Parameters	Unit	Results			
		Loba Chemical Pvt Ltd.	Unitec Fibres Pvt Ltd.	Lupin Ltd.	MPIL Steel Structure Ltd.
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	BLQ	BLQ	BLQ	BLQ
Arsenic (As)	ng/m ³	BLQ	BLQ	BLQ	BLQ
Nickel (Ni)	ng/m ³	13.3	12.2	13.8	12.9

Table 5.4 Volatile Organic Compounds (VOCs) in Ambient Air Results


Parameters	Unit	Results	
		Kokuyo Camlin Ltd.	Lupin Ltd.
Dichloromethane	µg/m ³	BLQ	BLQ
Chloroform	µg/m ³	BLQ	BLQ
Carbon Tetrachloride	µg/m ³	BLQ	BLQ
Trichloroethylene	µg/m ³	BLQ	BLQ
Bromodichloromethane	µg/m ³	BLQ	BLQ
1,3-Dichloropropane	µg/m ³	BLQ	BLQ
1,4-Dichlorobenzene	µg/m ³	BLQ	BLQ
1,3-Dichlorobenzene	µg/m ³	BLQ	BLQ
1,2-Dichlorobenzene	µg/m ³	BLQ	BLQ
1,2-Dibromo-3-Chloropropane	µg/m ³	BLQ	BLQ
Naphthalene	µg/m ³	BLQ	BLQ
Bromobenzene	µg/m ³	BLQ	BLQ
1,2,4-Trimethylbenzene	µg/m ³	BLQ	BLQ
2-Chlorotoluene	µg/m ³	BLQ	BLQ
Tert-Butylbenzene	µg/m ³	BLQ	BLQ
SEC-Butylbenzene	µg/m ³	BLQ	BLQ
P-Isopropyl toluene	µg/m ³	BLQ	BLQ
M-Xylene	µg/m ³	BLQ	BLQ
P-Xylene	µg/m ³	BLQ	BLQ
Styrene	µg/m ³	BLQ	BLQ
Cumene	µg/m ³	BLQ	BLQ
1,2,3-Trichloropropane	µg/m ³	BLQ	BLQ
N-Propyl benzene	µg/m ³	BLQ	BLQ
Dibromochloromethane	µg/m ³	BLQ	BLQ



Parameters	Unit	Results	
		Kokuyo Camlin Ltd.	Lupin Ltd.
1,2-Dibromoethane	µg/m ³	BLQ	BLQ
Chlorobenzene	µg/m ³	BLQ	BLQ
1,1,1,2-Tetrachloroethane	µg/m ³	BLQ	BLQ
Ethylbenzene	µg/m ³	BLQ	BLQ
1,1-Dichloropropylene	µg/m ³	BLQ	BLQ
1,2-Dichloroethane	µg/m ³	0.66	BLQ
1,2-Dichloropropane	µg/m ³	BLQ	BLQ
Trans-1,3-Dichloropropene	µg/m ³	BLQ	BLQ
CIS 1,3-Dichloropropene	µg/m ³	BLQ	BLQ
1,1,2-Trichloroethane	µg/m ³	BLQ	BLQ
Tetrachloroethylene	µg/m ³	BLQ	BLQ
1,3,5-Trimethylbenzene	µg/m ³	BLQ	BLQ
N-Butylbenzene	µg/m ³	BLQ	BLQ
1,2,3-Trichlorobenzene	µg/m ³	BLQ	BLQ
Hexachlorobutadiene	µg/m ³	BLQ	BLQ
1,2,4-Trichlorobenzene	µg/m ³	BLQ	BLQ
2,2-Dichloropropane	µg/m ³	BLQ	BLQ
Dibromo methane	µg/m ³	BLQ	BLQ
Toluene	µg/m ³	6.31	BLQ
O-Xylene	µg/m ³	BLQ	BLQ
Bromoform	µg/m ³	BLQ	BLQ
1,1,2,2-Tetrachloroethane	µg/m ³	BLQ	BLQ
4-Chlorotoluene	µg/m ³	BLQ	BLQ
1,1-Dichloroethylene	µg/m ³	BLQ	BLQ
Trans-1,2-Dichloroethylene	µg/m ³	BLQ	BLQ
1,1-Dichloroethane	µg/m ³	BLQ	BLQ
CIS-1,2-Dichloroethylene	µg/m ³	BLQ	BLQ
Bromochloromethane	µg/m ³	BLQ	BLQ
1,1,1-Trichloroethane	µg/m ³	BLQ	BLQ

Ambient Air- Tarapur




Ambient Air - Tarapur





Ambient Air - Tarapur



5. Water Environment

For studying the water environment of Tarapur area, surface water was collected from Nallah, Lake and River. To understand the quality of treated effluent, samples were collected from six locations.

- No floating matter was observed in the water samples collected. However, the smell was not agreeable for all the water samples.
- pH was observed in the range of 7.8 to 8.2.
- The concentrations of Biological Oxygen Demand (BOD) and Total Kjeldahl Nitrogen (TKN) were found to exceed the permissible limits in all water samples, except for the TKN level in the sample collected from the open drain near Sump-3, which remained within the acceptable range.
- In the fish bioassay, 83% survival was observed in water samples collected from Over Flow of Sump No-1 and Nalla to Dandi Village.
- Metals like Arsenic, Nickel, Copper, Hexavalent Chromium (Cr^{6+}) etc. were also observed either below the limit of quantification.
- Parameters like Total Residual Chlorine, Nitrogen, Cyanide, Sulphide, Dissolved Phosphate, Total Ammonical Nitrogen and Phenolic compounds also met the criteria as prescribed by CPCB.
- Organo Chlorine Pesticides, Polynuclear aromatic hydrocarbons (PAH) and Polychlorinated Biphenyls (PCB) are also observed below the limit of quantification (BLQ) in all the studied samples.

Table 6.1 Details of Sampling Location of Surface Water

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	BPT Navapur out Fall	19.790747°N	72.743416°E	03.06.2025	05.06.2025	07.06.2025
2.	Over Flow of Sump No-1	19.785157°N	72.738008°E	03.06.2025	05.06.2025	07.06.2025
3.	Nallah Near sump 2 Tarapur CETP	19.805635°N	72.724122°E	03.06.2025	05.06.2025	07.06.2025
4.	Open Drain Near Sump 3 Node	19.782267°N	72.721677°E	03.06.2025	05.06.2025	07.06.2025
5.	Nallah to Dandi	19.79258°N	72.690175°E	03.06.2025	05.06.2025	07.06.2025

Sr. No .	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
6.	Nallah Carrying Domestic Sewage at Saravali	19.770204°N	72.751514°E	03.06.2025	05.06.2025	07.06.2025



Fig: Geographical Locations of Surface Water Sampling



Table 6.2 Results of Surface Water

Parameters	Unit	Results					
		BPT Navapur Out Fall	Over Flow of Sump No-1	Nallah Near Sump- 2	Open drain near sump- 3	Nallah to Dandi	Nallah Carrying Domestic Sewage at Saravali
Sanitary Survey	-	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Generally clean neighbourhood	Generally clean neighbourhood
General Appearance	-	No Floating matter Evident	No Floating matter Evident	No Floating matter Evident	No Floating matter Evident	No Floating matter Evident	No Floating matter Evident
Transparency	M	0	1	0	0	1	1
Temperature	°C	27	27	28	26	27	28
Colour	Hazen	174	5	4	2	2	9
Smell	-	Not Agreeable	Not Agreeable	Not Agreeable	Not Agreeable	Not Agreeable	Not Agreeable
pH	-	7.8	7.9	7.9	7.9	8.2	8.0
Oil & Grease	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Suspended Solids	mg/L	68	27	24	35	31	37
Total Dissolved Solids	mg/L	1039	251	4629	1579	1147	3688
Dissolved Oxygen (% Saturation)	%	59	64	65	59	62	57
Chemical Oxygen Demand	mg/L	58	32	36	35	44	49
Biochemical Oxygen Demand (3 days,27°C)	mg/L	15	8	9	9	12	12
Electrical Conductivity (at 25 °C)	µmho/cm	1858	447	8267	2821	2049	6588
Nitrite Nitrogen (as NO ₂)	mg/L	0.12	0.11	0.26	0.29	0.25	0.26
Nitrate Nitrogen (as NO ₃)	mg/L	4.6	1.8	7.1	5.3	2.4	5.3
(NO ₂ + NO ₃)-Nitrogen	mg/L	4.8	1.9	7.3	5.5	2.5	5.5
Free Ammonia (as NH ₃ -N)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ


Parameters	Unit	Results					
		BPT Navapur Out Fall	Over Flow of Sump No-1	Nallah Near Sump- 2	Open drain near sump- 3	Nallah to Dandi	Nallah Carrying Domestic Sewage at Saravali
Total Residual Chlorine	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cyanide (as CN)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Fluoride (as F)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Sulphide (as H ₂ S)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Dissolved Phosphate (as P)	mg/L	0.53	0.22	2.03	2.09	3.10	1.28
Sodium Adsorption Ratio	-	3.28	1.55	4.36	2.50	2.76	3.52
Total Coliforms	MPN Index/ 100 ml	81.5	22.5	7.8	<1.8	<1.8	<1.8
Faecal Coliforms	MPN Index/ 100 ml	11	4.5	BLQ	<1.8	<1.8	<1.8
Total Phosphate (as P)	mg/L	0.75	0.29	2.72	2.69	3.80	2.02
Total Kjeldahl Nitrogen (as N)	mg/L	6.99	0.28	10.93	14.00	9.80	7.60
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	BLQ	BLQ	0.85	2.4	1.2	BLQ
Total Nitrogen	mg/L	11.7	2.16	18.2	22.7	14.8	13.1
Phenols (as C ₆ H ₅ OH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Anionic Detergents (as MBAS Calculated as LAS, mol.wt.288.38)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Organo Chlorine Pesticides	µg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Polynuclear aromatic hydrocarbons (as PAH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ

Parameters	Unit	Results					
		BPT Navapur Out Fall	Over Flow of Sump No-1	Nallah Near Sump- 2	Open drain near sump- 3	Nallah to Dandi	Nallah Carrying Domestic Sewage at Saravali
Polychlorinated Biphenyls (PCB)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Zinc (as Zn)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Nickel (as Ni)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Copper (as Cu)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Hexavalent Chromium (as Cr ⁶⁺)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Chromium (as Cr)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Arsenic (as Ar)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Lead (as Pb)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cadmium (as Cd)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Mercury (as Hg)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Manganese (as Mn)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Iron (as Fe)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Vanadium (as V)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Selenium (as Se)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Boron (as B)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Bioassay Test on fish	% survival	37	83	60	77	83	73


Graphs - Surface Water Quality of Tarapur




Surface water - Tarapur




Surface water - Tarapur



Surface water - Tarapur



Surface water - Tarapur



6. Land Environment

For studying the land Environment of Tarapur area, ground water was collected from Bore well, Dug well, and Hand Pump. A total of 6 samples were collected and analysed to check the concentration of different parameters.

Six groundwater samples were collected from Tarapur region.

- All the water samples collected were acceptable in general appearance, colour and smell.
- General parameters like pH and suspended solids were also well within the limits in all six samples collected.
- Total dissolved solids are also observed within the acceptable limit of 2000mg/l in all the water samples.
- All six water samples achieved 90-100% survival in Fish Bioassay.
- Parameters like Total Residual Chlorine, Cyanide, Fluoride, Sulphide, Dissolved Phosphate, Total Ammoniacal Nitrogen and Phenolic compounds also met the criteria as prescribed by CPCB.
- Organo Chlorine Pesticides, Polynuclear aromatic hydrocarbons (PAH) and Polychlorinated Biphenyls (PCB) are below the limit of quantification in all studied samples.

Table 7.1 Details of Sampling Location of Ground Water

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1	Handpump water, besides Sai complex	19.80961°N	72.74466°E	03.06.2025	05.06.2025	07.06.2025
2	Dhodi Pooja Borewell Water	19.79777°N	72.752702°E	03.06.2025	05.06.2025	07.06.2025
3	Open well, near nalla Sump 1	19.785158°N	72.738027°E	03.06.2025	05.06.2025	07.06.2025
4	Borewell at Shivaji Nagar, Boisar Tarapur	19.804566°N	72.753556°E	03.06.2025	05.06.2025	07.06.2025
5	Borewell at Gharat Wadi	19.811848°N	72.740713°E	03.06.2025	05.06.2025	07.06.2025
6	Ramji Nagar, Tarapur	19.782236°N	72.723859°E	03.06.2025	05.06.2025	07.06.2025




Fig: Geographical Locations of Ground Water Sampling

Table 7.2 Results of Groundwater


Parameters	Unit	Results					
		Handpump water, besides Sai complex	Dhodi Pooja Borewell Water	Open well, near nallah Sump 1	Borewell at Shivaji Nagar, Boisar	Gharat	Ramji Nagar
Sanitary Survey	-	Reasonably clean neighbourhood	Generally clean neighbourhood	Reasonably clean neighbourhood	Generally clean neighbourhood	Generally clean neighbourhood	Generally clean neighbourhood
General Appearance	-	No floating matter	No floating matter	No floating matter	No floating matter	No floating matter	No floating matter
Transparency	m	NA	NA	0.8	NA	NA	NA
Temperature	°C	29	30	29	28	28	28
Colour	Hazen	2	2	1	1	2	1
Smell	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
pH	-	8.2	8.2	8.3	8.3	8.4	8.2
Oil & Grease	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Suspended Solids	mg/L	31	37	20	22	27	33

Parameters	Unit	Results					
		Handpump water, besides Sai complex	Dhodi Pooja Borewell Water	Open well, near nallah Sump 1	Borewell at Shivaji Nagar, Boisar	Gharat	Ramji Nagar
Total Dissolved Solids	mg/L	290	194	483	224	235	324
Chemical Oxygen Demand	mg/L	40	50	29	37	42	50
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	11	13	7	9	10	13
Electrical Conductivity (at 25 °C)	µmho/cm	520	348	864	401	421	580
Nitrite Nitrogen (as NO ₂)	mg/L	0.04	0.03	0.03	0.02	0.03	0.13
Nitrate Nitrogen (as NO ₃)	mg/L	1.29	0.86	1.83	0.86	1.23	1.44
(NO ₂ + NO ₃)-Nitrogen	mg/L	1.31	0.88	1.85	0.86	1.24	1.49
Free Ammonia (as NH ₃ -N)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Residual Chlorine	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cyanide (as CN)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Fluoride (as F)	mg/L	BLQ	BLQ	BLQ	BLQ	0.06	BLQ
Sulphide (as H ₂ S)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Dissolved Phosphate (as P)	mg/L	0.43	0.18	0.29	0.16	0.19	0.29
Sodium Adsorption Ratio	-	1.07	1.12	1.34	1.69	2.02	1.66
Total Coliforms	MPN Index/100 ml	27.5	<1.8	<1.8	22	9.3	4
Faecal Coliforms	MPN Index/100 ml	8.75	<1.8	<1.8	6.8	<1.8	<1.8
Total Phosphate (as P)	mg/L	0.6	0.28	0.6	0.25	0.25	0.31
Total Kjeldahl Nitrogen (as N)	mg/L	1.23	0.45	1.12	0.67	1.01	1.12


Parameters	Unit	Results					
		Handpump water, besides Sai complex	Dhodi Pooja Borewell Water	Open well, near nallah Sump 1	Borewell at Shivaji Nagar, Boisar	Gharat	Ramji Nagar
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Nitrogen	mg/L	3.0	1.3	3.2	2.1	3.5	4.3
Phenols (as C ₆ H ₅ OH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Anionic Detergents (as MBAS Calculated as LAS, mol.wt.288.38)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Organo Chlorine Pesticides	µg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Polynuclear aromatic hydrocarbons (as PAH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Polychlorinated Biphenyls (PCB)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Zinc (as Zn)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Nickel (as Ni)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Copper (as Cu)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Hexavalent Chromium (as Cr ⁶⁺)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Chromium (as Cr)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Arsenic (as As)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Lead (as Pb)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cadmium (as Cd)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Mercury (as Hg)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Manganese (as Mn)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Iron (as Fe)	mg/L	0.20	0.29	0.20	0.25	0.26	0.27
Vanadium (as V)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ

Parameters	Unit	Results					
		Handpump water, besides Sai complex	Dhodi Pooja Borewell Water	Open well, near nallah Sump 1	Borewell at Shivaji Nagar, Boisar	Gharat	Ramji Nagar
Selenium (as Se)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Boron (as B)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Bioassay Test on fish	% survival	90	97	97	100	100	100


Graphs - Ground Water Quality of Tarapur




Groundwater - Tarapur




Groundwater - Tarapur




Groundwater - Tarapur



Groundwater - Tarapur





7. Health Related Data

C: Receptor

Component C (Impact on Human Health) 10	
Main - 10	
% increase in cases	Marks
<5%	0
5-10%	5
>10%	10

- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, total no. of causes related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/ ground water Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

Annexure – I Health Related Data enclosed.

8. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as an early warning tool which helps in the categorization of industrial clusters/ areas in terms of priority of needing attention. The CEPI score have been calculated based on CPCB Letter No. B-29012/ESS (CPA)/2015-16 dated 26th April 2016. The scoring system involves an algorithm that considers the basic selection criteria. It is proposed to develop the CEPI based on sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.

Table 8.1 CEPI score of the Pre-monsoon season 2025

	A1	A2	A	B	C	D	CEPI
Air Index	3	4	12	3	10	10	35.00
Water Index	1.5	4	6	20.5	10	10	46.50
Land Index	1.5	4	6	3	10	10	29.00
Aggregated CEPI							51.90

Table 8.2 Comparison of CEPI Scores

	Air Index	Water Index	Land Index	CEPI
CEPI score June 2025	35.00	46.50	29.00	51.90
CEPI score March 2025	31.00	47.75	44.00	54.90
CEPI score June 2024	21.00	57.25	35.50	60.40
CEPI score March 2024	21.00	53.00	54.80	59.80
CEPI score June 2023	24.00	56.50	56.00	62.30
CEPI Score March 2023	21.00	63.00	50.75	66.94
CEPI score June 2021	31.00	61.50	60.00	68.66
CEPI Score March 2021	31.00	65.00	30.75	68.34
CEPI score March 2020	47.00	65.30	36.50	71.30
CEPI score June 2019	37.07	51.10	54.40	54.56

	Air Index	Water Index	Land Index	CEPI
CEPI score June 2025	35.00	46.50	29.00	51.90
CEPI score March 2019	34.75	45.00	45.00	53.60
CEPI score June 2018	26.00	39.25	45.00	50.61
CEPI score March 2018	32.50	38.50	45.00	51.88
CPCB CEPI score March 2018	72.00	89.00	59.25	93.69

CEPI Score Calculation:

Tarapur, Maharashtra - CEPI - JUNE 2025

Ambient Air Analysis report

Pollutant	Group	A1	A2	A (A1 X A2)
PM ₁₀	B	2	Large	
CO	B	0.5		
PM _{2.5}	B	0.5		
		3	4	12

Pollutant	Avg (1)	Std (2)	EF (3) [(3)=(1)/(2)]	No. of samples Exceeding (4)	Total no. of samples (5)	SNLF Value (6) [(6)=(4)/(5)x(3)]	SNLF score (B)	
PM ₁₀	54.25	100	0.54	0	8	0.00	L	0
CO	1.61	2	0.81	0	8	0.00	L	3
PM _{2.5}	14.58	60	0.24	0	8	0.00	L	0
							B	3

B score = (B1+B2+B3)

C	10	>10%
D	10	A-A-IA

Air EPI	(A+B+C+D)	35.0
----------------	------------------	-------------

Water Quality Analysis report

Pollutant	Group	A1	A2	A (A1 X A2)
TN	A	1	Large	

Total Ammonia	A	0.25		
TDS	A	0.25		
		1.5	4	6

Pollutant	Avg (1)	Std (2)	EF (3) [(3)=(1)/(2)]	No. of samples Exceeding (4)	Total no. of samples (5)	SNLF Value (6) [(6)=(4)/(5)x(3)]	SNLF score (B)	
TN	13.78	15	0.92	2	6	0.31	M	12.75
Total Ammonia	1.48	1.5	0.99	1	6	0.16	M	3.5
TDS	2055.44	2000	1.03	2	6	0.34	M	4.25
B score = (B1+B2+B3)							B	20.5

C	10	>10%
D	10	A-A-IA

Water EPI	(A+B+C+D)	46.5
------------------	------------------	-------------

Ground Water Quality Analysis report

Pollutant	Group	A1	A2	A (A1 X A2)
Fe	A	1	Large	
TDS	A	0.25		
F	A	0.25		
		1.5	4	6

Pollutant	Avg (1)	Std (2)	EF (3) [(3)=(1)/(2)]	No. of samples Exceeding (4)	Total no. of samples (5)	SNLF Value (6) [(6)=(4)/(5)x(3)]	SNLF score (B)	
Fe	0.24	0.3	0.80	0	6	0.00	L	3
TDS	291.83	2000	0.15	0	6	0.00	L	0
F	0.06	1.5	0.04	0	6	0.00	L	0
B score = (B1+B2+B3)							B	3

C	10	>10%
D	10	A-A-IA

Land EPI	(A+B+C+D)	29.0
-----------------	------------------	-------------

Water EPI Score (im) 46.5

Land EPI Score (i2) 29.0

Air EPI Score (i3)

35.0

Aggregated CEPI Score =

$im + \{(100-im)*i2/100\}*i3/100\}$

where, im = maximum sub index; and i2 and i3
are sub-indices for other media

CEPI Score

51.9

9. Conclusion

Ambient Air Quality

- In the present study, 08 AAQ stations were identified in the CEPI impact area to cover both upwind and cross wind directions and AAQ survey was conducted.
- All air quality parameters were observed well within the limits as per NAAQS.
- Concentration of PM₁₀ was observed in the range of 47µg/m³ to 72µg/m³ and PM_{2.5} in the range of 13 to 19µg/m³ at the studied locations.
- In the CEPI score calculated for Air Environment by CPCB in March 2018, the concentration of PM₁₀ has exceeded at all the studied locations and PM_{2.5} has exceeded at 10 locations out of 12, which contributed to higher air index (72.00). However, in the present report, concentration of both PM₁₀ and PM_{2.5} are found below permissible levels resulted in less exceedance factor, hence lower Air Environmental Pollution Index (EPI) i.e. 35.0.

Surface Water Quality

- To understand the quality of treated effluent, samples were collected from six industries
- Higher concentration of TDS and Total Nitrogen (TN) was observed in the two surface water samples collected which may be due to domestic wastewater, sewage, other localized activities.
- All the industries in the Tarapur region are either reusing the treated trade effluent as sewage in their process or gardening.
- The present score for Water Environmental Pollution Index (EPI) is observed as 46.5

Ground Water Quality

- Six ground water samples were collected from different Dug well, well and Bore well in the region.
- All the parameters of ground water analysis were found within the permissible limits.
- In the CEPI score calculated for Land Environment by CPCB in March 2018, concentration of TKN and Total hardness was found to exceed in most of the water sample.
- In the present study, Land Environmental Pollution Index (EPI) is observed as 29.0

CEPI Score

- The CEPI Score Pre-monsoon season is 51.9.
- While calculating the CEPI score, the Water Pollution Index was found to be the highest at 46.5, followed by the Air Pollution Index at 35.0 and the Land Pollution Index at 29.0. In the Tarapur region, the parameters for air and groundwater were observed to be well within the prescribed limits. As a result, the aggregated CEPI score was calculated as 51.9, which is significantly lower

than the CPCB CEPI score of 93.69 reported in March 2018. In CEPI score of CPCB 2018, all the indices i.e. Air index, water index and land index were higher as compared to the present (March 2025) indices.

- As per the CPCB CEPI calculation revised in 2016, Health statistics represented by Receptor C in CEPI Calculation, also play an important role.
- For the analysis of health data collected from hospitals, there was an increase of greater than 10% in cases of both air and water-borne diseases in 2024 compared to 2023. As a result, the score for receptor C is considered 10 for air, water, and land environments, which is similar to the CEPI score calculated by CPCB in 2018, the receptor C score for the water and land environment was also 10.
- However, the combined efforts of the MPCB regional office, NMMC, local administration, and environmental organizations have led to a significant reduction in pollution levels.
- Efforts taken to reduce the pollution level is represents factor D in CEPI Calculation, which also affects the overall CEPI score.
- In conclusion, an approximate 45% decrease in the CEPI score is observed, from 93.69 (critically polluted) in 2018 to 51.9 in June 2025.

10. Efforts Taken by MPCB to Control and Reduce Environmental Pollution Index

Efforts Taken to Control Water Pollution

- Issued closure direction to Old 25 MLD CETP towards continuous non-performance.
- Commissioned New CETP Diversion of the entire effluent of old CETP to new CETP of 50 MLD (25 MLD partly in operation).
- Improved CETP Inlet Standards which resulted in improved outlet standards
- As per MPC Board directives positive discharge system, 2-way SCADA, NRV & Autosampler installed by CETP members.
- Chamber numbering helps to identify defaulter areas and industries.
- Industry-wise Segregation of high COD/TDS effluent stream.
- Persuasion towards commissioning of common High COD Treatment Facility. 1st on-site common HCOD/TDS reduction Facility in Maharashtra (300 CMD) established in MIDC Tarapur & in operation.
- Establishment of eight monitoring stations under the National Water Quality Monitoring Program (NWMP).
- Steps are taken for industrial area/other units to recycle 100% treated effluent to achieve zero liquid discharge (ZLD) -120
- Installation of CEMS installed for Air and Water in Large and Medium scale RED category industries: Two-way SCADA installed by industries

Efforts Taken to Control Air Pollution

- Introduction of Cleaner fuel PNG instead of Coal. 130 industries switched fuel from Coal to PNG. The use of clean fuel (PNG) will reduce dust emissions by industries.
- Which improves air quality in the vicinity.
- Increase Air monitoring vigilance to verify the Air pollution Control system.
- Establishment of three Continuous Ambient Air Quality Monitoring (CAAQM) with meteorological data in the Tarapur industrial area is also proposed by the regional office.
- M/s JSW Steel Ltd has installed a CAAQM station with an AQI display to be aware of Air Quality
- Established 3 manual Air monitoring stations.
- Procurement of electric buses.
- Installation of public charging stations.
- Retro fitment of auto-rickshaws
- Procurement of electric vehicles for transportation of MSW/C&D waste

Efforts Taken to Control Land Pollution

- Persuasion with CHWTSDf to increase the frequency of collecting HW and its transportation.
- Removed and disposed of Sludge lying in Sump No.2 during the COVID period.
- Repeated directives to CETP for Sludge removal and disposal at CHWTSDf which resulted in CETP having disposed of more than 25000 MT of Sludge from 2019 to till date.

- Increase HW disposal quantum

Other Efforts taken to Control Pollution:


- Total 978 trees are planted in last one year.
- Action taken against non-complied industries as mentioned in the below table:

YEAR	2019	2020	2021	2022
SCN	169	70	328	230
PD	22	36	6	3
CD	30	78	280	16
Total	221	184	614	249

- Procurement of Dust Suppression Vehicles with Multi-Purpose Sprayer.
- Installation of Stationary/Movable Cannon Dust Suppression Systems.



Tyre Washing



Sensor Based Air Pollution Monitoring on Sites



Covering of Debris with Tarpaulin



Procurement of Electric Buses & EV Charging Stations



Continuous Ambient Air Quality Monitoring Station (CAAQMS)



Ambient Air Quality Monitoring (AAQM) Van

11. Photographs



Ambient Air Sampling MIDC Boisar Tarapur.



Ambient Air Sampling MIDC Boisar Salwad, Tarapur



Ambient Air Quality Monitoring Unitec Fibres Pvt Ltd




Ambient Air Quality Monitoring Sampling MIDC Boisar




Surface water sampling Khairpada Nalla




Surface water sampling Palghar road Boisar



Surface water sampling Banganga River




Surface water sampling Nalla to Dandi



Ground water sampling MIDC Road Boisar



Ground water sampling Bhagwan Nagar, Navapur Rd, Pratapgargh



Ground water sampling Gharat Tarapur



Ground water sampling MIDC Tarapur Boisar


Annexure – I Health Related Data


HEALTH STATISTICS
Required for Comprehensive Environmental Pollution Index (CEPI)
Maharashtra Pollution Control Board (MPCB), MAHARASHTRA

Name of the Polluted Industrial Area (PIA)	TARAPUR
Name of the major health center/organization	Gramin Mantralaya
Name and designation of the Contact person	Jayashree C. Khayche Staff Nurse - 18806925278
Address	At. R. H. Boisar.

S No.	Diseases	No. of Patients Reported	
		Year 2023	Year 2024
AIRBORNE DISEASES			
1.	Asthma	01	24.
2.	Acute Respiratory Infection	152	171
3.	Bronchitis	01	34.
4.	Cancer	01	02
WATERBORNE DISEASES			
1.	Gastroenteritis	06	49
2.	Diarrhea	16	52
3.	Renal diseases	0	0
4.	Cancer	01	02

Date: _____


 Signature



HEALTH STATISTICS

Required for Comprehensive Environmental Pollution Index (CEPI)

Maharashtra Pollution Control Board (MPCB), MAHARASHTRA

Name of the Polluted Industrial Area (PIA)	TARAPUR
Name of the major health center/ organization	Thunga HOSPITAL
Name and designation of the Contact person	SANTHOSHIA SHETTY 2380005944
Address	AM-32, Tarapur M.I.D.C., Boisar, Maharashtra 401506

S No.	Diseases	No. of Patients Reported	
		Year 2023	Year 2024
AIRBORNE DISEASES			
1.	Asthma	345	384
2.	Acute Respiratory Infection	3	6
3.	Bronchitis	21	34
4.	Cancer	3	7
WATERBORNE DISEASES			
1.	Gastroenteritis	160	196
2.	Diarrhea	12	43
3.	Renal diseases	43	68
4.	Cancer	-	2

Date: 06-02-2025



HEALTH STATISTICS

Required for Comprehensive Environmental Pollution Index (CEPI)

Maharashtra Pollution Control Board (MPCB), MAHARASHTRA

Name of the Polluted Industrial Area (PIA)	TARAPUR
Name of the major health center/organization	Shaileela Hospital
Name and designation of the Contact person	Dr - Jitendra Patil
Address	Boisar - Palghar

S No.	Diseases	No. of Patients Reported	
		Year 2023	Year 2024
AIRBORNE DISEASES			
1.	Asthma	4-5 OPD	7-8 OPD
2.	Acute Respiratory Infection	10-15 OPD	15-16 OPD
3.	Bronchitis	1-2 OPD	2-3 - OPD
4.	Cancer	Nil	Nil
WATERBORNE DISEASES			
1.	Gastroenteritis	8-10 OPD	9-10 OPD
2.	Diarrhea		
3.	Renal diseases	Nil	Nil
4.	Cancer		

Date:



Signature