

**List of Cases to be submitted before 23rd Consent Committee Meeting (Part-I) of 2014
scheduled on 11.03.2014 at 3:00 p.m.**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
	Resubmission					
1	Gemini Housing "Grandbay" Sr. No. 65/2A + 2B + A/2C/1 +1 + 2C/2 TO 65A/4/2/1B/1, Manjari BK, Talka Haveli, Dist - Pune	116.71 Crs.	Establish	RO(HQ)	1 to 18	
2	Teerth Technospace IT Park , S. No. 103, H. No. -103/2 to 14, Off Mumbai-Bangalore Highway, Behind Mercedes Benz Showroom, Baner, Pune	72.73 Crs.	Establish	RO(HQ)	19 to 36	
3	Privi Organics Limited (Unit - I & II) , Plot No. A-7, MIDC Mahad, Dist - Rigad	28.54 Crs.	Establish (Expansion)	AS(T)	37 - 59	
4	Manikchand Kumar Properties "Kumar Princetown" , S. No. 9/1(P), Undri, Tal - Haveli, Dist - Pune	51.46 Crs.	1st Operate (Part)	RO(HQ)	60 - 80	
5	Kumar Properties & Real Estate Pvt. Ltd. , Sr. No. 214(P), 220(P), 221(P), Village - Phursungi, Tal - Haveli, Dist - Thane	104.98 Crs.	1st Operate (Part)	RO(HQ)	81 - 99	
6	Bombay Forging Ltd. , E-14, MIDC Area, Chikalthana, Aurangabad	44.19 Crs	Renewal	JD(APC)	100 - 116	
7	Manjari Stud Farm Pvt. Ltd. , S. P. Info City, S. No. 209 Saswad Road, Phursungi, Pune	327 Crs.	Renewal	RO(HQ)	117 - 131	
8	Shraddha Energy & Infra Projects (Maa Bageshwari Sugar Unit-I) (Formerly Known as Shri Bageshwari SSK Ltd.), Tal - Partur, Dist- Jalna	45.12 Crs.	Renewal	JD(WPC)	132 - 150	
9	Rallis India Ltd. , 15A, TTC MIDC Turbhe, Navi Mumbai	5.92 Crs.	Renewal (decrease in CI)	AS(T)	151 - 170	
	Fresh Agenda					
1	Empire Properties "Empire Square" CTS No. 4746(P), 4751(P), 4752(P), Chinchwad, Tal - Haveli, Dist - Pune	126.37 Crs.	Establish	RO(HQ)	171 - 184	
2	Vikas Altech Pvt. Ltd. , E-85, MIDC Ranjangaon, Vill- Karegaon, Tal- Shirur, Dist - Pune	29.65 Crs	Establish	JD(APC)	185 - 211	
3	Ashapura Housing Pvt. Ltd. , CTS No. 1839, 1852, 1853, Overipad, Dahisar (E), Mumbai	105.48 Crs.	Establish	RO(HQ)	212 - 224	
4	Kumar Kering Properties Pvt. Ltd., "Palmspring" , S. No. 12/1/2, 12/1/3, 12/1/4, 12/2, 12/3A, 12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1, Village - Undri, Tal - Haveli, Dist - Pune	113.79 Crs.	Establish	RO(HQ)	225 - 237	
5	Vilas Javdekar Eco Shelter Pvt. Ltd. , S. No. 173/2/2A/3, 173/2/2A/4, 173/2/2B/2, 173/2/2B/3, 173/2/2B/4, Wakad, Pune	94 Crs.	Establish	RO(HQ)	238 - 250	
6	Vilas Javdekar Eco Homes, "Yashwin" , S. No. 25(P) + 26/2 + 26/2 + 26/4 + 26/5, Village - Sus, Tal - Mulshi, Dist - Pune	76 Crs.	Establish	RO(HQ)	251 - 263	
7	Global Buildcon Pvt. Ltd. , CTS No. 36(pt), 38/1-3, 40/1-64, 40/73-129, 462(pt) of village ville Parle, Andheri (E), Mumbai	52.29 Crs.	Establish	RO(HQ)	264 - 277	

8	GRP Ltd. , Plot No. D-9, Chincholi MIDC, Tal - Mohol, Dist - Solapur	42.81 Crs.	Establish (Expansion)	AS(T)	278 - 300	
9	Ador Welding Ltd. , Chinchwad Plant, CTC No. 5222, Akurdi, Chinchwad gaon, Dist - Pune	24.88 Crs.	Establish & Operate (Expansion)	JD(APC)	301 - 326	
10	Chitrall Properties Pvt. Ltd., Westend Center , S. No. 169/1, Sector 1 & 2(p), Aundh, Pune	22.52 Crs.	1st Operate (Part)	RO(HQ)	327 - 336	
11	Hi-Rock Construction Pvt. Ltd. , CTS No. 1870(pt), Gell Street, Agripad, Byculla, Mumbai	60.48 Crs.	1st Operate (Part)	RO(HQ)	337 - 350	
12	Endurance Technoloies Ltd. , B-2, MIDC Waluj, Aurangabad	70.92 Crs	Renewal (Expansion)	JD(APC)	351 - 362	
13	Taikisha Engineering India Ltd. , Gut No. 321/323, Kondhapuri, Tal- Shirur, Dist - Pune	37.70 Crs	Renewal (Amalgamation)	JD(APC)	363 - 386	
14	Jolly Board Limited , Gut No. 276/1, A/p - Deshingh, Tal - Kavthe Mhankal, Dist - Sangli	59.31 Crs.	Renewal (Amalgamation)	JD(WPC)	387 - 399	
15	Anshul Speciality Molecules Ltd. , MIDC Dhataav, Tal - Roha, Dist - Raigad	31.54 Crs.	Renewal (With increase in C.I.)	AS(T)	400 - 420	
16	Shree Hari Chemicals Exports Ltd. , Plot No. A/8, A-15/1, 15/2 & A-9 MIDC Mahad, Dist - Raigad	30.68 Crs.	Renewal	AS(T)	421 - 456	
17	Appasaheb Nalawade Gadhinglaj Taluka S.S.K. Ltd. , Harali, Tal - Gadhinglaj, Dist - Kolhapur	56.18 Crs.	Renewal	JD(WPC)	457 - 466	
18	Nagreeka Exports Ltd. , Plot No. T-48, Five Star Industrial Estate, Kagal-Hatkanangale.	66.48 Crs.	Renewal	JD(WPC)	467 - 482	
19	Pratap Industries Ltd. , Plot No. 80 to 93, Five Star MIDC Kagal-Hatkanangale, Tal - Kagal, Dist- Kolhapur.	35 Crs.	Renewal	JD(WPC)	483 - 494	
20	Shivamruth Dudh Utpadak Sahakari Sangh Maryadit , Vijaynagar, Vizori, Post - Yashwanthnagar, Tal - Malshiras, Dist - Solapur	41.59 Crs.	Renewal	JD(WPC)	495 - 504	
21	Kumuda Sugar & Agro Products Ltd., Unit No. -2 , Udasingrao Gaikwad SSK Ltd., (Sugar), Sonawade-Bambawade, Tal - Shahuwadi, Dist - Kolhapur	49.99 Crs.	Renewal	JD(WPC)	505 - 522	

JD(WPC)	7
AS(T)	5
RO(HQ)	13
JD(APC)	5
PSO	0
Total	30

CC-Resubmission

Agenda no. 1

Region : RO PUNE	Section :RO(HQ)			Date :
Name & Address	M/s Gemini Housing " GRANDBAY" Sr. No. 65/2A + 2B + A/2C/1 + 1 +2C/2 + A/2C/3 + A/2C/4 + 2D + 2E + 2F + 2G + 3/1 + 3/2, 65A/4/2/1A/2, 65A/4/2/1A/1A, 65A/4/2/1B/1, Manjari BK, Talika Haveli, Dist : Pune			
Consent For	C to E			
Capital Investment	116.71 Cr.			
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :-Water Consumption: 523.53 CMD, Effluent generated 448.67 CMD. STP Proposed of Capacity : 445 CMD			
Other Relevant Information	Applied for	Establish	Project type	Residential & commercial
	Plot area	42100 sq.mt	Builtup Area	68507.42 Sq.mt.
	EC obtained	Not obtained	EC application	07/06/2012
	Capital investment	116.71 Cr	Fees paid	2,30,000/-
	Water consumption	523.53 CMD	Effluent generation	448.67 CMD
	STP Capacity	445 CMD	water recycle	172.0 CMD
	Bio-degradable waste	1017.90 Kg/D	Non-biodegradable	733.0 Kg/D
	No of DG Set	3	Capacity	160 +125x2
<ol style="list-style-type: none"> 1. Site visited by field officer and observed that PP has started construction of 4 building and completed 5th slab and excavation of remaining building is in progress. 2. The site located about 3km from Mula Mutha River. 				

Maharashtra Pollution Control Board

	<p>Resubmission</p> <ul style="list-style-type: none">• The case was discussed in CC meeting held on 31/01/2014 during discussion it was decided to issue SCN for refusal as PP has started construction without C to E and EC. Board has issued SCN on 11/02/2014• Applicant has submitted reply on 21/02/2014 in reply PP stated that “we have started construction as per sanction plan below 20,000 m² for expansion phase we already apply for EC. Environment department also withdrawal the SCN for violation of EIA notification on 15/10/2013”• In view of above as Environment Department withdrawal SCN and as per letter this is no Case of Violation, hence we may consider consent to Establish with BG BR + affidavit for not to take any effective step prior to EC.
Recommendation of SRO/RO	RO, Pune has recommended the decision for grant of consent to establish may be taken at HQ level.

Maharashtra Pollution Control Board

Agenda no. 2

Region : RO PUNE	Section :RO(HQ)	SRO:-20/11/2013 RO HQ:-24/01/2013
Name & Address	Teerth Technospace IT Park, S.No. 103, H.No.-103/2 to 14, off Mumbai-Bangalore Highway, Behind Mercedes Benz Showroom, Baner, Pune.	
Consent For	C to E	
Capital Investment	72.73 Cr.	
Previous Consent Validity	----	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 116.0 CMD, Effluent generated 90.0 CMD. STP Proposed of Capacity : 100.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

<p>Other Relevant Information</p>	<ol style="list-style-type: none"> 1. PP has applied for consent to Establish for construction of IT park project. 2. The construction project covering total area of around 9736.0 Sq. mt with total built up area of 33922.31 sq mtrs 3. PP has applied for environment clearance environment clearance From SEIAA on 11/12/2012. 4. Capital investment of the project is <u>72.73 Cr.</u> 5. Total water consuming 116.0 m3/day & generating about 90.0 m3/day of sewage, which PP has proposed to provide STP of capacity 100.0 m3/day. 6. PP has proposed to provide organic waste convertor for bio-degradable waste, Non-biodegradable waste send to authorized vender. 7. 4 no. of DG sets having capacity of 630.0 KVA each. 8. Proposed site is located more than 500 mtrs from Mutha river (A-II,Class). 9. The site is visited by SRO & field officer and observed that the project proponent has completed construction upto 9th floors 10. After visit of SRO Applicant has submitted undertaking on 100Rs Stamp paper about stopped construction activity. 11. RO, Pune has recommended the decision for grant of consent to establish may be taken at HQ level 12. In view of above Applicant has already submitted affidavit we may consider consent to establish with BG for not to take any effective step (10 lakh)+Compliance of consent condition (5Lakh) + BR (2 Lakh)
<p>Recommendation of SRO/RO</p>	<p>RO, Pune has recommended the decision for grant of consent to establish may be taken at HQ level.</p>

Maharashtra Pollution Control Board

Agenda no. 3

Region : Raigad	Section :AST		Date :
Name & Address	Privi Organics Limited (Unit-I &III), Plot No A-7, MIDC Mahad, Dist Raigad.		
Consent For	C to E exp		
Capital Investment	Existing-24.04 Cr, proposed -4.50 Cr.		
Previous Consent Validity	31/08/2014.		
Industry Type	Bulk-drugs		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES (√)		
	Details :-common ETP for plot A-3 & A-7 located in plot no-A-3 consisting of Oil & grease trap, collection tank, equalization tank, primary clarifier, aeration tank, sand and carbon filters followed by reverse Osmosis plant(200 m ³ /day capacity) & Multiple effect Evaporator (capacity 27 m ³ /day)..		
Compliance Of Air Pollution Related Conditions	YES (√)		
	Existing coal fired boiler of 8 TPH with stack height of 42 mtrs & cyclone dust collector provided.		
Water Cess	Assessment Done :	Paid Upto :March-2013	
BG Details	Amount : NA	Validity :	
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	Industry has applied for C to E expansion in the existing plant with additional investment of Rs.4.50 Cr. Industry has applied for increase in existing production quantity and additional 6 new products and also had applied for E.C to MoEF vide letter dtd-25/02/2013.E.C is awaited. The case was placed before CC dtd-15/1/2014.It was decided to keep case in abeyance and put up in next CC after getting clarification regarding applicability of Western Ghat area prohibition directions issued by MoEF.		

Maharashtra Pollution Control Board

Recommendation of SRO/RO	C to E may be granted subject to obtaining E.C.
-------------------------------------	---

Maharashtra Pollution Control Board

Agenda no. 4

CC Agenda →

(1)

Region : RO Pune	Section :RO(HQ)	Date :
Name & Address	M/s. Manikchand Kumar Properties "Kumar Princetown" S. No. 9/1 (P), Undri, Taluka : Haveli, Dist : Pune 411001.	
Consent For	C to O (Part)	
Capital Investment	51.46 Cr	
Previous Consent Validity	COU	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES () NO () Details :-Water Consumption;- 119 CMD, Effluent generated 95 CMD Proposed STP capacity 100 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
Other Relevant Information	<ol style="list-style-type: none"> 1. PP has applied for consent to 1st Operate 2. The Residential project covering total area of around 101600.0 sq.mtrs with total built up area of 94413.45 sq mtrs 3. PP has obtained environment clearance From MoEF on 24th Dec 2007 for same area but at present EC not valid 4. PP has obtained consent to establish from Board for the same area on dated 07.08.2009. 5. Total water consumption for part project 119 m3/day of water out of which 79.0 m3/day fresh water will be supplied by Local Body & generating about 95.0 m3/day of sewage, which PP has provided STP of capacity 100.0 m3/day, Treated 40 m3/day waste water will be used for utilities, and partially of which 14 m3/day will be used for gardening. 6. PP has provided vermi composting facility for bio-degradable waste, Non-biodegradable waste will send to authorized vender. 7. 1 no. of DG set having capacity, 125 KVA. 8. The total cost of the project is Rs 51.46 Crore for which they have paid Rs. 1,00,000-as consent fees for 1st Operate 9. PP has completed construction of built up area 22216.06 sq. meter out of total built up area 94413.45 sq. meter. 10. RO, Pune has recommended for grant of part consent to operate, if approved In view of above we may not consider consent to operate part as EC is not valid. <ul style="list-style-type: none"> • The application for consent to operate was discussed in CC meeting held on 13/12/13, during discussion it was decided to issue SCN for refusal of consent to operate as environment clearance is not valid as per EIA notification 2006. • Board has issued SCN on 17/01/2014, applicant has submitted reply on 30/01/2014, In reply applicant stated that we have already applied for 	

Maharashtra Pollution Control Board

	<p>extension of Environment clearance on 15/05/2013. Applicant also stated that we have obtained Occupancy certificate during the validity period of the EC and operate applied for the same buildings</p> <ul style="list-style-type: none">• As per records submitted PP obtained OC for A-1,A-2,A-3 building on 07/09/2011 & for A-4 Building on 08/09/2011• Environment clearance valid for period 24/12/2012• Applicant has completed construction work of 4 building within the valid period of EC hence we may consider Consent to operate from 2011 .
Recommendation of SRO/RO	RO, Pune has recommended for grant of renewal of Consent, subject to compliance.

Maharashtra Pollution Control Board

Agenda no. 5

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s. Kumar Properties & Real Estate Pvt. Ltd. Sr.No. 214 (P), 220(P), 221(P) Village:- Phursungi, Taluka:- Haveli, Dist. Thane.	
Consent For	C to O (Part)	
Capital Investment	104.98 Cr.	
Previous Consent Validity	COU [Consent to Establish issued on 25/06/2009 valid upto 24/06/2014]	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption:-382 CMD, Effluent generated 286.0 CMD STP Provided capacity 300 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Other Relevant Information	<p>1. PP has applied for consent to 1st Operate (part)</p> <p>2. The Residential project covering total area of around 160387.0 sq.mtrs with total built up area of 141318.0 sq mtrs</p> <p>3. PP has obtained environment clearance From MoEF on 04/02/2008.[Valid upto 3.2.13]</p> <p>4. Consent to establish from Board for the same area on 25/06/2009.</p> <p>5. For part project, Total water consuming 382 m3/day & generating about 286.0 m3/day of sewage, which PP has provided STP of capacity 300.0 m3/day.</p> <p>6. Organic waste convertor of 500 Kg/D capacity installed by PP for bio-degradable waste, Non-biodegradable waste will send to authorized vender.</p> <p>7. 2 no. of DG sets each having capacity, 125 & 160 KVA.</p> <p>8. Proposed site is located near about 4.0 Km from Mula-Mutha River (A-IV,Class).</p> <p>9. The total cost of the project is Rs 104.98 Crore for which they have paid Rs. 2,10,060/- as consent fees for 1st Operate (Part)</p> <p>10. PP has completed phase-I having BUA 57639.75 sq.mtrs out of 141318.00 sq.mtrs.</p> <p>11. RO, Pune has recommended for grant of part consent to operate, if approved for period upto 31/04/2015. In view of above part consent to operate may be grant for period upto 31/01/2015</p> <p>Resubmission:</p> <ul style="list-style-type: none"> • The application for part consent to operate was discussed in CC meeting held on 	

Maharashtra Pollution Control Board

	<p>27/11/2013 during discussion it was decided to issue SCN for refusal of consent to operate (part) as PP has invalid Environment Clearance. SCN issued on 24/12/13.</p> <ul style="list-style-type: none">• Applicant has submitted reply on 16/01/2013 in reply applicant stated that “we have already applied for the Extension of Environment clearance copy of minutes of meeting attached with the reply”.• From the part completion certificate attached with the application PP has completed Building No A-14 to A-17 & A-8 to A-12 before 23/11/2012 same was verified by town planning department.• In view of above as PP has completed above building during valid EC and applied for extension for EC we may consider part operate for above buildings
Recommendation of SRO/RO	RO, Pune has recommended that decision for grant of consent to establish may be taken at HQ level.

Maharashtra Pollution Control Board

Agenda no. 6

Region : SRO Aurangabad I		Section : JD APC		Date :
Name & Address	Bombay Forging Ltd , E-14, MIDC Area, Chikalhana			
Consent For	CR			
Capital Investment	4419.8 Lacs			
Previous Consent Validity	30/09/2013			
Industry Type	R72 Steel and steel products using various furnaces like blast			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES			
	Details :- Infl effluent is NIL			
Compliance Of Air Pollution Related Conditions	Yes			
	Forging section furnaces are provided with ducting and common chimney of 25 mtrs height. The heat treatment furnaces are provided with two no. of 25 mtrs chimneys. The furnace oil is used as fuel. Shot blasting section is provided with Bag filters. Asbestos sheets are provided in forging area.			
Water Cess	Assessment Done : 31/1/2013		Paid Upto : 31/1/2013	
<u>BG Details</u>	<u>Amount :</u> nil		<u>Validity :--</u>	
	<u>BG Obtained against : ---</u>			
	<u>Details of BG forfeited/encashed , if any :--</u>			
Submission of Environmental Statement	Period	2012-2013		
Other Relevant Information	Case discussed in Cc meeting held on 15/1/2014, it was decided to keep the case in abeyance and to get the clarification regarding starting of new VMC milling activity and to obtain clarification on VMC milling activity. Now industry's reply dated 6/2/2014 is received by this office and stated that they have stopped use of EDM machine and started use of VMC milling machine, VMC has advantages over EDM machine as no use of kerosin in VMC machine and gives better results.			
Recommendation of SRO/RO	SRO recommended grant of consent renewal.			

Maharashtra Pollution Control Board

Recommendation of HQ	We may consider grant of consent renewal for period upto 31/5/2015 with operational BG of Rs. 5.0 lacs.
Consent Recommended Upto	31/5/2015

Maharashtra Pollution Control Board

Agenda no. 7

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s The Manjari Stud Farm Pvt. Ltd. S. P. Info City, S. no. 209 Saswad Road, Phursungi, Pune. 412308	
Consent For	C to R	
Capital Investment	327.00 Cr.	
Previous Consent Validity	31/03/2013	
Industry Type	IT & ITES Activity	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 1204.00 CMD, Effluent generated 723.00 CMD. STP Proposed of Capacity : 750.0 CMD	
BG Details	Amount : 10,00,000	Validity :17/10/2018
	BG Obtained against : Consent to operate condition	

Maharashtra Pollution Control Board

63

Other Relevant Information

1. PP has applied for **plain renewal of consent.**
2. Earlier consent was valid upto 31/03/2013 for IT & ITES activity.
3. The project covering total area of around **1,57,816.56 sq.mtrs** with total built up area of **1,31,566.41 sq.mt.**
4. PP has **obtained environment clearance** From MoEF on 22/08/2007 for the same area.
5. For pert project Total water consuming **1204.0 m3/day** & generating about 723.0 m3/day of sewage, which PP has provided **STP of capacity 750.0 m3/day.**
6. PP has provided vermi composting pits for wet waste, Dry waste send to local body for further treatment.
7. **16 no. of DG** sets each having capacity, 1010 x14 KVA + 500x2 Kva.
8. The total cost of the project is **Rs. 327.0 Crore** for which they have paid Rs.6,54,000.0/-as consent fees for renewal
9. PP has not submitted bank guarantee of Rs.10 lakh as per consent to operate condition.

Application for renewal of consent was discussed in CC meeting held on 31/01/2014 during discussion it was decided to issue SCN for refusal of renewal of consent as PP has not submitted BG as per consent to operate condition.

PP has submitted reply along with copy of submission of BG to RO Pune office on dated 22/10/2013.

We may consider plain renewal as PP has submitted BG of Rs 10 lakh

[BG valid for period upto 17/10/2018 and consent applied for period upto 28/02/2015]

Maharashtra Pollution Control Board

Agenda no. 8

Region : Auranagbad		Section : JD (WPC)		Date : 18.02.2014	
Name & Address		M/s. Shraddha Engery & Infra Projects (Maa Bageshwari Sugar Unit-I) (Formerly Known as Shri Bageshwari S.S.K. Ltd.), Tq. Partur Dist. Jalna.			
Consent For		Applied for renewal of consent. Capacity of sugar unit is 2500 TCD.			
Capital Investment		C.I. of Rs. 45.12 Cr.			
Previous Consent Validity		31/10/2007			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red/LSI.			
Compliance Of Water Pollution Related Conditions		<p>YES</p> <p>Details :- SRO reported that the new management of the industry has dismantled the old ETP and started construction work of new ETP which is in progress & new ETP will be commissioned before starting of crushing season.</p> <p>Industry has provided 70 acre land for disposal of treated effluent.</p>			
Compliance Of Air Pollution Related Conditions		Boiler, fly ash arrestor provided.			
Water Cess		Assessment Done :-		Paid Upto : Pending cess paid by the indsurty.	
BG Details		Amount : --- ___		Validity :-----	
		<u>BG Obtained against :</u>			
		<u>Details of BG forfeited/encashed , if any :</u>			
Submission of Environmental Statement		Period		-----	

Maharashtra Pollution Control Board

Other Relevant Information	<p>SRO reported that industry is not in operation since 2008 and is to be started present season with change in management.</p> <p>As per CREP guidelines close pipe line will be provided for carrying effluent to the ETP.</p>
Recommendation of SRO/RO	<p>RO/SRO recommended to consent to renewal may be granted for the period up to 31.07.2014 with obtaining BG for O & m of ETP, for providing covered effluent carrying pipeline to ETP & APC as per legal matrix.</p>

Maharashtra Pollution Control Board

Agenda no. 9

CC Item –		
Region : Navi Mumbai	Section : AST	Date: 21/02/2014
Name & Address	M/s. Rallis India Ltd, 15A, TTC MIDC Turbhe, Navi Mumbai	
Consent for	Renewal of Consent with decrease in CI	
Capital Investment	As per previous consent Rs. 48.53 Crore & Now applied with CI of Rs. 5.92 Crore	
Consent Valid up to	Previous Consent valid up to – 31.12.2012	
Industry Type	R-58 Pesticides	
Industry Category	RED	
Compliance of Water Pollution Related Conditions	NO (√)	
	Details: Manufacturing Unit closed	
Compliance of Air Pollution Related Conditions	NO (√)	
	Details: - Manufacturing Unit Closed	
Water Cess	Assessment Done: June 2012	Paid up to: Not Mentioned
BG Details	Amount: NA	Validity: NA
	BG obtained against: NA	
	Details of BG forfeited/ enchased, if any: NA	
Submission of Environmental Statement	Period	2011-2012
Other Relevant Information	<p>Application is for renewal of consent with decrease in CI. Capital Investment decreases from Rs. 48.53 Cr to Rs. 5.92 Cr due to plant and m/c dismantling. Industry is engaged in manufacturing of Pesticides. Previous consent was granted by CC. Industry vide letter dtd. 09/12/2011 informed that they have suspended manufacturing activity due to stiff competition and slow market growth opportunities for the products manufactured at Turbhe unit. As per the visit report dated 14/01/2013, the manufacturing activity was found to be closed. Dismantling of plant and machinery was found in process. ETP & its machinery were dismantled and the sludge from the tanks has already been</p>	

Maharashtra Pollution Control Board

	<p>sent to CHWTSDF. Industry is a member of CETP & CHWTSDF.</p> <p>The case was discussed in CC meeting dated 28/06/2013 and it was decided to keep the case in abeyance and obtain closure plan of the industry and revert back to CC. This office has repeatedly requested PP to submit the closure plan as per decision of CC. SRO Navi Mumbai 1 vide their E-mail dated 18/02/2014 submitted that, the building is demolished, they have sent the Hazardous waste to CWTSDF and the plant & machinery is dismantled and shifted to other place.</p>
Recommendation of SRO/RO	<p>RO has recommended to grant renewal of consent without any change except reduced CI and with the condition of due diligence certificate & not to start any other activity without Board's prior permission.</p>

CC-Fresh Agenda

Agenda no. 1

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s Empire Properties “Empire Square” C.T. S. No. 4746 (P), 4751 (P), 4752 (P), Chinchwad, Tal: Haveli, Dist: Pune 411019	
Consent For	C to E	
Capital Investment	126.37 Cr.	
Previous Consent Validity	----	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 769.20 CMD, Effluent generated 596.73 CMD. STP Proposed of Capacity : 600.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. PP has applied for consent to Establish2. The Residential project covering total area of around 47,045.96 Sq. mt with total built up area of 1,43,529.44 sq mt.3. PP has obtained environment clearance From SEIAA on 18/10/2012th May 2013 for same plot area and Builtup area for which C to E Applied.4. Capital investment of the project is <u>126.37 Cr.</u>5. Total water consuming 769.20 m3/day & generating about 596.73 m3/day of sewage, which PP has proposed to provide STP of capacity 600.0 m3/day..6. PP has proposed to provide organic waste convertor for bio-degradable waste, Non-biodegradable waste send to authorized vender.7. 5 no. of DG sets having capacity of 960KVA.8. Project located more than 1 Km from Pawana River (A-IV,Class).9. The site is visited by SRO & field officer and observed that the project proponent has started construction activity.10. We may consider consent to establish with BG with BR.
Recommendation of SRO/RO	PP has started construction work without C to E and submitted declaration in which reported that they have stopped the construction work In view of above decision of grant of consent to establish may be taken at HQ level.

Maharashtra Pollution Control Board

Agenda no. 2

Region : SRO Pune II	Section : JD(APC) Section		Date: 14.02.2014.
Name & Address	M/s Vikas Altech Pvt.Ltd., Plot no.E-85,MIDC Ranjangaon, Village :Karegaon, Tal Shirur, Dist: Pune		
Consent For	Consent to establish.		
Capital Investment	Rs.29.65 Crs		
Previous Consent Validity	-----		
Industry Type	R27 Heavy engineering including ship building (With investment o		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes (<input checked="" type="checkbox"/>)		
	Details: - Dom. Eff: 3.25 CMD, Septic tank proposed. - Ind. Eff.: 33 CMD, ETP proposed. Industry has proposed to treat industrial total effluent 33 CMD [6 CMD from Pranav +27 CMD from Vikas industry] in the common ETP [having capacity 40 CMD].		
Compliance Of Air Pollution Related Conditions	Yes (<input checked="" type="checkbox"/>) Stack proposed to the electric furnace.		
Water Cess	Assessment Done : --	Paid Upto : --	
BG Details	Amount : NA	Validity :NA	
	BG Obtained against : NA		
	Details of BG forfeited/encashed , if any : NA		
Submission of Environmental Statement	Period	-----	
Other Relevant Information	- There are two industries are set up on same plot no.i.e.1] M/s Pacific Alloyed Ltd.[Allotment of land on 10.11.2005 issued by MIDC on 27.06.2013, Establish obtained 2] M/s Pranav Vikas (India) Ltd.[Sub letting order was issued by MIDC on 27.06.2013] , C TO O obtained valid up to 31.10.2016. Now applied for establish for this plant. - Industry has submitted undertaking dated 13.12.2013 stating that all three		

Maharashtra Pollution Control Board

	companies belong to one group and if any company from these three unit observed non complied MPCB is entitled to take legal action against respective company which may lead to cutting of electricity and water connection.
Recommendation of SRO/RO	- Decision may be taken at H.Q.level after receipt of reply from industry

Maharashtra Pollution Control Board

Agenda no. 3

Region : RO Mumbai	Section :RO(HQ)	Date :
Name & Address	M/s.Ashapura Housing Pvt.Ltd , CTS no.1839, 1848,1849,1850/1 to 11, 1851, 1852,1853, Ovaripad, Dahisar (E), Mumbai	
Consent For	C TO E	
Capital Investment	Rs.105.48 Cr	
Previous Consent Validity	--	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water consumption - 287 CMD. Effluent Generation- 225 CMD STP Proposed - 250 CMD	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	
<p>Other Relevant Information</p>		<p>Application for grant of Consent to Establish for construction of residential project under SRA Scheme for</p> <p>Total Plot area - 8,556.1 Sq. mtrs</p> <p>Total Construction BUA - 48,997.472 Sq.mtrs</p> <p>PP has not obtained EC from GOM but applied for same 26/7/2013.</p> <p>Nonhazardous waste –</p> <p>Wet garbage:508 Kg/Day(will be treated in organic waste converter)</p> <p>Dry garbage:334 Kg/Day(will be handed over to authorized party)</p> <p>STP Sludge: 56 Kg/Day(manure)</p> <p>Said project consist of total 3 Nos of buildings.</p> <p>Bldg No.1 (Rehab)-B+st+21 Floor,</p> <p>Bldg No.2 (Rehab)- St+9th Floor</p> <p>Bldg No.3 (Sale)- 2B+st+Parking Podium+ 31t Floor</p> <p><u>During the visit on 17.12.2013 it was observed that they have started demolishing work of tenant structure</u></p> <p>Applicant has submitted LOI from SRA dated 16/10/2012.</p> <p>Applicant has not submitted</p> <p>1)architecture map</p> <p>2)affidavit for compliance of Environmental Clearance/CRZ Clearance</p>
<p>Recommendation of SRO/RO</p>		<p>RO Recommended the grant of C to E with condition of obtaining EC.</p>

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune	Section : RO(HQ)		Date :SRO Date of receipt;- 18/11/2013	
			Ro (HQ) Date of receipt;- 24/01/2014	
Name & Address	M/s. Kumar Kering Properties Pvt. Ltd. "Palmspring" S.No. 12/1/2,12/1/3,12/1/4,12/2,12/3A,12/3B, 12/4, 12/5A/1, 12/5B, 12/6/1, 12/7, 12/8, 12/12/1, 12/12/3, 13/1/2/1 Village Undri, Taluka Haveli, Dist. Pune			
Consent For	C to E			
Capital Investment	113.79 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 308 CMD , Effluent Generated :- 277.0 Proposed STP Capacity :-300.0 CMD			
Water Cess	Assessment Done :-		Paid Upto :	
BG Details	Amount :		Validity :	
	<u>BG Obtained against :</u>			
	<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information	Applied for	C to E	Residential	
	Plot Area	78,600 sq.mt	Built up area	91168.16 sq.mt
	EC Status	Obtained	Dated	25/07/2013
	River Distance	@ 4.0 Km	Name of River	Mutha (A-II)
	Water Consumption	308 CMD	Effluent Generated	277.0 CMD
	STP Capacity	300.0 CMD	Recycle water	197 CMD

Maharashtra Pollution Control Board

	Bio-degradable	616 Kg/D		Treatment	OWC
	Non-Boi degradable	410.0 Kg/D		Treatment	Local Body
	No of DG Sets	4		Capacity (Total)	1625 KVA
	Construction status	Started		Date of Visit	11/12/2013
	<p>PP has constructed 44 Nos of Bungalows/ Row houses in 2005 having BUA 8465.0 sq.mtrs are incorporated Environment clearance. Proposed construction of 9 buildings not started.</p>				
<p>In view of above PP has obtained Environment clearance & started construction we may consider consent to Establish with following condition</p> <p style="text-align: center;">1) BG of Rs 5 lakh for compliance of Consent condition 2) BG of Rs 2 Lakh for submission of BR for</p>					
Recommendation of SRO/RO	<p>RO Pune has recommended that PP has not started construction activity in view of above case is recommended for grant of consent to establish.</p>				

Maharashtra Pollution Control Board

Agenda no. 5

Region : Pune	Section : RO(HQ)		Date :SRO Date of receipt:- 27/12/2013	
			Ro (HQ) Date of receipt:- 02/02/2013	
Name & Address	M/s. Vilas Javdekar Eco Shelter Pvt. Ltd, S.No. 173/2/2A/3, 173/2/2A/4, 173/2/2B/2, 173/2/2B/3, 173/2/2B/4, Wakad, Pune.			
Consent For	C to E			
Capital Investment	94.0 Crore			
Previous Consent Validity	-			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :-344.70CMD , Effluent Generated :-310.23 Proposed STP Capacity :-265.0 + 65.0 CMD			
Water Cess	Assessment Done :-		Paid Upto :	
BG Details	Amount :		Validity :	
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement	Period	--		
Other Relevant Information	Applied for	C to E	Residential cum Commercial	
	Plot Area	19,130.0 sq.mt	Built up area	51401.65 sq.mt
	EC Status	Applied	Dated	18/12/2013
	River Distance	@ 1.0 Km	Name of River	Mula (A-II)

Maharashtra Pollution Control Board

	Water Consumption	345.0 CMD		Effluent Generated	310.23 CMD
	STP Capacity	365.0 CMD		Recycle water	121.30 CMD
	Bio-degradable	580.60 Kg/D		Treatment	OWC
	Non-Boi degradable	262.72 Kg/D		Treatment	Local Body
	No of DG Sets	2		Capacity	600 +75 KVA
	Construction status	Not started		Date of Visit	09/01/2014
	<p>We may consider consent to Establish with following condition</p> <p style="padding-left: 40px;">3) BG of Rs 5 lakh for compliance of Consent condition</p> <p style="padding-left: 40px;">4) Affidavit & BG for Not to take any effective steps prior to EC.</p>				
Recommendation of SRO/RO	RO Pune has recommended that PP has not started construction activity in view of above case is recommended for grant of consent to establish.				

Maharashtra Pollution Control Board

Agenda no. 6

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 20/12/2013		
		Ro (HQ) Date of receipt;- 05/02/2013		
Name & Address	M/s. Vilas Javdekar Eco Homes, "Yashwin" S.No. 25(P) + 26/1 + 26/2 + 26/4 + 26/5 Vallage:- Sus, Tehsil :-Mulshi, Dist. Pune.			
Consent For	C to E			
Capital Investment	76.0 Crore			
Previous Consent Validity	-			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :- Water Consumption :-174.0 CMD , Effluent Generated :- 157.0 CMD Proposed STP Capacity :-160.0 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
BG Details	Amount :	Validity :		
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Applied for	C to E	Residential	
	Plot Area	20,500 sq.mt	Built up area	33,885.22 sq.mt
	EC Status	Applied	Dated	24/12/2013
	River Distance	@ 1.5 Km	Name of River	Mula (A-II)
	Water Consumption	174.0 CMD	Effluent Generated	157.0 CMD
	STP Capacity	160.0 CMD	Recycle water	108.0 CMD

Maharashtra Pollution Control Board

	Bio-degradable	701.0 Kg/D	Treatment	OWC
	Non-Boi degradable	466.0 Kg/D	Treatment	Local Body
	No of DG Sets	1	Capacity	125.0 KVA
	Construction status	<u>Started</u>	Approved For BUA	16140.0 sq.mt
	<p>1) PP has purchase 15,100 sq.mtrs plot in 2010 and plan was approved for the same plot having BUA 16140 sq.mtrs. and construction started (approved plan attached with application.</p> <p>2) PP has purchased adjacent plot having area 5400 sqmtrs in 2012-2013.</p> <p>3) Total plot area becomes 20500sq.mt & construction area will be 33,885.22 sq.mt</p> <p>4) Applicant has submitted undertaking for ot carry out any construction work above 20,000 sq.mtrs in the mentioned project without obtaining consent to establish and Environment Clearance.</p> <p>We may consider with BG+BR+Affidavit for not to take any effective step prior to EC.</p>			
Recommendation of SRO/RO	RO Pune has recommended that PP has not started construction activity in view of above case is recommended for grant of consent to establish.			

Maharashtra Pollution Control Board

Agenda no. 7

Region : RO Mumbai		Section :RO(HQ)		Date :
Name & Address	M/s.GLOBAL BUILDCON PVT.LTD. , CTS no.36(pt),38/1-3,40/1-64,40/73-129,462(pt)of village ville parle,Andheri(E),Mumbai			
Consent For	C to E			
Capital Investment	Rs.52.29 Cr			
Previous Consent Validity	--			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water consumption - 318 CMD. Sewage Generation -254 CMD Capacity of STP Praposed - 275 CMD			
Water Cess	Assessment Done :		Paid Upto :	
<u>BG Details</u>	<u>Amount :</u>		<u>Validity :</u>	
	<u>BG Obtained against :</u>			
	<u>Details of BG forfeited/encashed , if any :</u>			

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	
<p>Other Relevant Information</p>		<p>Application for grant of Consent to Establish for construction of residential project under SRA Scheme for</p> <p>Total Plot area - 7,572.58 Sq. mtrs</p> <p>Total Construction BUA - 30,232.89 Sq.mtrs</p> <p>Board has not obtained EC from GOM dated 16/4/2013 for</p> <p>Total Plot area - 7,572.58 Sq. mtrs</p> <p>Total Construction BUA - 30,232.89 Sq.mtrs</p> <p>Nonhazardous waste</p> <p>Wet garbage: 498 Kg/Day(treated in organic waste converter)</p> <p>Dry garbage:747 Kg/Day(will be handed over to MCGM) .</p> <p>Said project consist of 2 buildings ie. Rehab component 4 buildings G+7 floor and Sale component double Basement + G+10 Floor s</p> <p>SRO reported that,fencing of plot area done and 4 rehab buildings are completed the sale building construction work is under progress</p>
<p>Recommendation of SRO/RO</p>		<p>RO Recommended the grant of C to E with condition of obtaining EC.</p>

Maharashtra Pollution Control Board

Agenda no. 8

Region : RO Pune		Section : AS (T)		Date : March-2014
Name & Address		M/s GRP Ltd. , Plot No-D-9,Chincholi MIDC,Tal-Mohol,Dist-Solapur		
Consent For		Consent to establish for expansion.		
Capital Investment		Existing : Rs. 37.95 Cr , Proposed : Rs. 4.86 Cr Total : Rs. 42.81 Cr		
Previous Consent Validity		Existing consent valid up to 31.12.2014		
Industry Type		R-(New) –Reclaim Rubber		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		<p>Yes</p> <p>Details :- Proposed IE -2.6 CMD ,DE-4.0 CMD. Existing IE-5.2 CMD ,DE-2.0 CMD.</p> <p>The effluent generation is @ 7.8 CMD (existing +Proposed) for which proposed to provided MEE in addition to existing primary followed by tertiary treatment to achieve zero discharge , Also submitted proposal for installation of MEE & STP.</p>		
Water Cess		Assessment Done : June 2013	Paid Upto :	
Compliance Of Air Pollution Related Conditions		<p>Yes</p> <p>To reduce smell nuisance PP has proposed to installed fume extraction system at autoclave section & refiner section .in addition to existing double packed bed scrubbing followed by double stage activated carbon column & water absorbing tank .</p>		
BG Details		Amount : Nil		Validity : NIL
		BG Obtained against : Nil		
		Details of BG forfeited/encashed , if any : Nil		
Submission of Environmental Statement		Period	2011-12	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. Applied for C to E for Expansion for mfg of reclaim rubber by shifting old plant from non confirming zone to MIDC zone.2. Performance of chincholi CETP is not satisfactory,JVS results marginally exceeding.3. Industry has submitted revised water budget vide email dated 01.03.2014.4. The effluent generation is @ 7.6 CMD (existing +Proposed) for which proposed to provided MEE in addition to existing primary followed by tertiary treatment to achieve zero discharge , Also submitted proposal for installation of MEE & STP.5. Total Built up area 9480 Sq.mtr (Existing 7680 Sq.Mtr Proposed 1800 Sq.mtr)
Recommendation of RO	RO has recommended for grant of consent to establish (Expansion) subject to achieve zero discharge.

Maharashtra Pollution Control Board

Agenda no. 9

Region : SRO Pimpri Chinchwad	Section : JD(APC) Section		Date : 28.02.2014.
Name & Address	M/s Ador Welding Ltd., Chinchwad Plant ,CTC No.5222, Akurdi,Chinchwadgaon,Dist:Pune		
Consent For	Consent to Establish /operate expansion activity		
Capital Investment	Rs.24.88 Crs		
Previous Consent Validity	31.08.2014		
Industry Type	R27 Heavy engineering including ship building (With investment o		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES (<input checked="" type="checkbox"/>)		
	<ul style="list-style-type: none"> - Details :- Industrial effluent: 3.0 CMD, ETP provided, - Domestic Effluent: 29.60 CMD STP provided. 		
Water Cess	Assessment Done : ----	Paid Upto : -----	
Compliance Of Air Pollution Related Conditions	Dust collector bag filtration system provided to powder coating section.		
BG Details	Amount : -----	Validity : -----	
	BG Obtained against : Rs.5.0 Lakhs		
	Details of BG forfeited/encashed , if any : -----		
Submission of Environmental Statement	Period	-----	
Other Relevant Information	<ul style="list-style-type: none"> - Earlier this case was discussed in the CC [C.I. was considered Rs.26.35 Crs(Rs.22.65 + Rs.4.99)] meeting held on 13.06.2013 and 17.08.2013.In the CC meeting it was decided to issue refusal and revocation of consent 		

Maharashtra Pollution Control Board

	<p>as industry has failed to submit Board Resolution as per earlier consent condition no.10.</p> <ul style="list-style-type: none">- Board has issued refusal order to the industry on 23.08.2013 for expansion for non submission of Board resolution as per earlier consent condition no.10.- RO Pune has issued closer direction on 16.09.2013.Board has issued conditional direction to the industry on 17.10.2013 with condition that industry shall submit fresh application for consent to establish/operate for expansion for powder coating. Also industry has submitted copy of Board resolution and BG of Rs.5 Lakhs.- Industry is located in the catchment of Pawana River [2.50 Km, A-4 Class] satisfy RRZ.- This location of proposed unit does not comes under the list of districts /villages in ESA identified by HLWG of Western Ghat and published by MoEF on 13.11.2013
Recommendation of SRO/RO	<ul style="list-style-type: none">- SRO –Nashik has recommended case for grant of renewal of consent to operate up to 31.12.2014.

Agenda no. 10

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s. Chitrali Properties Pvt. Ltd., Westend Center, S.No. 169/1, Sector 1 & 2 (p), Aundh, Pune.	
Consent For	C to O (P)	
Capital Investment	22.82 Cr.	
Previous Consent Validity	----	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 45.0 CMD, Effluent generated 43.0 CMD. STP Proposed of Capacity : 50.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Other Relevant Information	<p>13. PP has applied for consent to 1st Operate (Part) for IT & commercial building.</p> <p>14. The Residential project covering total area of around 76295.0 Sq. mt with total built up area of 91000.0 sq mtrs, part operate builtup area is 19302.52 Sq.mtrs.</p> <p>15. PP has obtained environment clearance from MoEF on 07/12/2007 for construction of IT Park, Mall, Hotel (412 rooms) on total plot area 29,500.0 sq.mt and BUA 91,000.0 sq. mt.</p> <p>16. PP has applied for consent to establish dated 19/09/2008 and paid consent fees of rs 2,00,000.0, RO Pune has forwarded the application to RO(P&P) on 30/12/2013. But till date PP has not obtained consent.</p> <p>17. Project proponent has submitted he letter of deemed consent to establish dated 05/03/2011 as they have not received any communication from Board.</p> <p>18. Capital investment of the part project is <u>22.82 Cr.</u></p> <p>19. Total water consuming 45.0 m3/day & generating about 43.0 m3/day of sewage, which PP has provided STP of capacity 50.0 m3/day.</p>	

Maharashtra Pollution Control Board

	<p>20. PP has provided Composting pit for bio-degradable waste, Non-biodegradable waste send to authorized vender.</p> <p>21. 1 no. of DG sets having capacity 625 KVA each.</p> <p>22. Project site located near about 400 mtrs from river Mula (A-II) class.</p> <p>23. SRO Pune-I has visited the project and observed that Project proponent has completed construction of IT building and commercial building Both the buildings are in operation. Construction of mall building is found in operation</p>
Recommendation of SRO/RO	Decision of grant of consent to operate may be taken at HQ level as EC has expired and unit has not received C to E and attracts RRZ distance criteria after receipt of reply to letter issued by SRO.

Maharashtra Pollution Control Board

Agenda no. 11

Region : RO Mumbai	Section : RO(HQ)		Date :
Name & Address	M/s.Hi-Rock Construction Pvt.Ltd , CTS no.1870(pt),Gell street,Agripad,Byculla, Mumbai.		
Consent For	C to O(part)		
Capital Investment	Rs.60.48 Cr		
Previous Consent Validity	COU		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details : Water consumption- 217 CMD. Sewage Generation-174 CMD As per EC, PP has proposed to provide 3 Nos of STP for each 3 building having capacity Rehab A:85 KLD,Rehab B:95 KLD and Sale Building:40 KLD. <u>PP has provided 2 Nos of STP having capacity 100 CMD each for rehab building.</u>		
Water Cess	Assessment Done :	Paid Upto :	
BG Details	Amount : Rs.5 Lakh	Validity :10.9.2018	
	BG Obtained against : Compliance of C to E Conditions		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period		
Other Relevant Information	Application for grant of Consent to Operate (part) for construction of residential redevelopment of municipal tenanted property for BIT chawls No.6,8,10,12 & Survey no.1870(pt). Total Plot area - 3,332.75 Sq. mtrs Proposed BUA as per FSI -10,224.92 Sq.mtrs. Total Construction BUA - 22,029.92 Sq.mtrs		

Maharashtra Pollution Control Board

	<p>Applicant has obtained C to E dated 12/1/2012 for</p> <p>Total Plot area - 3,332.75 Sq. mtrs</p> <p>Proposed BUA(as per FSI) -15,246.87 Sq.mtrs.</p> <p>Total Construction BUA - 38,245.82 Sq.mtrs</p> <p>With condition of obtaining EC from Competent authority (In C to E BIT Chwals No.6,8,10,12 was not mentioned)</p> <p>PP has obtained EC from GOM dated 1/3/2012 for BIT Chaws No. 6,8,10,12 & Survey No.1870(pt)</p> <p>Total Plot area - 3,332.75 Sq. mtrs</p> <p>Proposed BUA as per FSI -15,250.815 Sq.mtrs.</p> <p>Total Construction BUA - 38,245.82 Sq.mtrs</p> <p>Said project consist of 3 Nos of buildings</p> <p>2 rehab building A & B having 21 flrs and</p> <p>1 sale building having 24 flrs.</p> <p>SRO reported that work of 2 rehab building is completed for which PP has applied for part Operate.and work of sale building upto plinth level completed.</p> <p>Nonhazardous waste</p> <p>Wet garbage :384 Kg/Day</p> <p>Dry garbage :256 Kg/Day</p> <p>STP Sludge:43 Kg/Day</p> <p><u>PP has not provided OWC for rehab buildings.</u></p> <p>SRO reported that PP has proposed to provide OWC Plant for sale building. Applicant has submitted commencement Certificate dated 23/4/2012 for rehab bldg No.2 &3.Applicant has not submitted affidavit for part C to O.</p>
<p>Recommendation of SRO/RO</p>	<p>SRO Recommended the grant of C to O(Part) for rehab building may granted for period upto 31.12.2015</p>

Maharashtra Pollution Control Board

Agenda no. 12

Region : SRO Aurangabad I		Section : JD APC		Date :
Name & Address	Endurance Technologies Ltd. B 2 , MIDC Waluj			
Consent For	CR with first operate for expansion			
Capital Investment	7092.0 Lacs			
Previous Consent Validity	30/11/2013			
Industry Type	R21 Ferrous and Non ferrous metal extraction involving different			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES			
	Details :- Indl effluent 4.0 CMD provided primary, secondary & tertiary treatment. Domestic effluent is 37 CMD, provided STP			
Compliance Of Air Pollution Related Conditions	Yes			
	Provided wet scrubber to both the furnaces.			
Water Cess	Assessment Done : March-2012		Paid Upto : march-2012	
<u>BG Details</u>	<u>Amount :</u> NIL		<u>Validity :</u> NA	
	<u>BG Obtained against :</u> NA			
	<u>Details of BG forfeited/encashed , if any :</u> NA			
Submission of Environmental Statement	2012-2013			
	Period			
Other Relevant Information	Applied for renewal of consent, with first operate for expansion. had obtained consent to establish for expansion. Carrying out Aluminium pressure die casting activity, existing qty is 850 MT/M and expansion qty is 350 MT/M. Now total is 1200 MT/M. CI shown is Rs. 70.92 crores. Existing including expansion was 71.21 crores. Indl effluent is 4.0 CMD & domestic is 37 CMD. Provided ETP & STP. JVS results of STP are within limit and JVS reports of ETP for month of Oct-2013 and are exceeding for month of July-2013. Provided wet scrubber to the furnaces. SRO reported that industry have started expansion activity and have not submitted the board resolution as per consent condition of c to E.			
Recommendation of SRO/RO	Grant of renewal with expansion after submission of Board resolution.			

Maharashtra Pollution Control Board

Agenda no. 13

Region : SRO Pune-II.	Section : JD(APC) Section		Date : 22.02.2014.
Name & Address	M/s Taikisha Engineering India Ltd., Gut no.321/323, Kondhapuri Tal: Shirur, Dist: Pune- 412 209.		
Consent For	Renewal of consent to operate with amalgamation.		
Capital Investment	Rs.37.70 Crs		
Previous Consent Validity	31.08.2013 and consent to Establish obtained.		
Industry Type	Engineering		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES (<input checked="" type="checkbox"/>)		
	Details :- Ind. Effluent: 1.0, Dom Eff: 4.0 CMD, ETP & septic tank soak pit provided.		
Compliance Of Air Pollution Related Conditions	Industry has provided air pollution control system to paint booth section.		
Water Cess	Assessment Done : ---	Paid Upto : ----	
BG Details	Amount : -----	Validity : -----	
	BG Obtained against : ----		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	-----	
Other Relevant Information	-		
Recommendation of SRO/RO	Decision may be taken at H.Q.level.		

Maharashtra Pollution Control Board

Agenda no. 14

Region : SRO Sangli	Section : JD(WPC)		Date : 20.02.2014
Name & Address	Jolly Board Limited , Gut. No. 276/1, A/p-Deshingh, Tal.- Kavthe Mahankal, Dist.- Sangli		
Consent For	CR with amalgamation		
Capital Investment	5931 Lacs		
Previous Consent Validity	i) For mfg. of Fiber Board 2500 MT/M -30/11/2013. ii) For mfg. of Fiber Board 2000 MT/M- 31/12./2016.		
Industry Type	R61 Pulp and Paper (Paper manufacturing with or without		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- I.E generation (amalgamated) – 28.2 CMD, D.E is 26 CMD For I.E. -ETP is provided with Secondary treatment of capacity 30 CMD. Treated effluent is partially reused in the process and partially disposed on the land about 20 acres for gardening/ irrigation, which seems to be adequate.For D.E- Septic tank followed by Soak pit is provided.JVS analysis results are exceeding.		
Compliance Of Air Pollution Related Conditions	Multicyclone dust collector followed by Bag filters are provided as an APC system.		
Water Cess	Assessment Done : August 2013	Paid Upto : August 2008	
BG Details	Amount :	Validity :	
	BG Obtained against : N.A.		
	Details of BG encashed , if any :		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	JVS analysis results dtd.26.02.2013, 28.03.2013 & 17.06.2013 are exceeding w.r.t. pH, SS, BOD, COD & TDS.		
Recommendation of SRO/RO	Recommended for grant of renewal with amalgamation for period upto 30.11.2017.		

Maharashtra Pollution Control Board

Agenda no. 15

CC Item		
Region :Raigad	Section : AST	Date:
Name & Address	Anshul Speciality Molecules Ltd, MIDC Dhatav, Tq-Roha Dist- Raigad.	
Consent for	Renewal with increase in C.I & H.W quantity.	
Capital Investment	31.54 Cr (earlier C.I 24.54 Cr)	
Consent Valid upto	31/10/2013.	
<u>Industry Type</u>	<u>R05 Basic Chemicals & electro chemicals & its derivatives.</u>	
<u>Industry Category</u>	<u>RED</u>	
Compliance of Water Pollution Related Conditions	YES (✓)	NO ()
	Details: Oil separator, Primary collection tank, equalization tank, Primary settling tank, Bio reactor, Secondary settling tank, Guard tank. Treated effluent is discharge to RIA CETP. Design capacity of ETP is 54.0 CMD. has provided on line pH meter with data logger, also installed separate energy meter for pollution control equipments.	
Compliance of Air Pollution Related Conditions	YES ()	NO ()
	Details :- Multicyclone dust collector and wet scrubber for boiler, Process scrubbers provided to process reactors-6 nos.	
Water Cess	Assessment Done: July-13	Paid upto: Feb-13
BG Details	Amount:1) 1.0 lakh & 2) B.G -5.0 lakh	Validity:- 11/12/14 & 26/8/14
	BG obtained against: 1) Interim direction by RO dtd-8/11/2012. 2) Against consent condition for no increase in pollution load from boilers.	
	Details of BG forfeited/ enchased, if any:	
Submission of Environmental Statement	Period	2012-13
Other Relevant Information	Industry has applied for renewal of Consent with increase in H.W quantity of distillation residue cat-20.3 from 41.0 kg/day to 400 kg/day ,cat 20.2 spend solvent 1 MT/M & cat 5.1 used/spent oil-0.250 MT/M is newly added. Industry has submitted that the consented quantity of distillation residue is based on the results obtained by initial few trails batches in pilot plant, but it is actually	

Maharashtra Pollution Control Board

	<p>increased in plant level. The reason of increase in quantity is due to quality of distillation input which varies with reaction parameters of process, interruption in power supply causes deteriorating in the quality of distillation input which generates more impurities from distillation. Industry is sending the distillation residue to CHWTSDF. The increase in C.I is from 24.54 Cr to 31.015 Cr due to up gradation of ETP, installation of new D.G set, Change in plant as per quality control department, purchase of Lab's monitoring & measuring devices, atomization of plant equipments.</p>
Recommendation of SRO/RO	<p>Clarification in respect of increase in C.I & extra generation of H.W quantity is submitted by industry. In view of it, recommended for grant of consent.</p>

Maharashtra Pollution Control Board

Agenda no. 16

CC Item		
Region : Raigad	Section : AST	Date:
Name & Address	Shree Hari Chemicals Exports Ltd, Plot No-A/8, A-15/1, 15/2 & A-9 MIDC Mahad, Dist-Raigad.	
Consent for	Renewal.	
Capital Investment	30.68 Cr	
Consent Valid upto	31/12/2012.	
Industry Type	Chemicals	
Industry Category	RED	
Compliance of Water Pollution Related Conditions	YES ()	NO ()
	Details: Industry has provided full fledge ETP with design capacity of 100 CMD for dilute/weak stream & for strong /concentrated stream provided M.E.E of capacity 3200 kg/hrs.	
Compliance of Air Pollution Related Conditions	YES ()	NO ()
	Details: - Industry has provided mechanical dust collector, bag filters and scrubbers as APC arrangement.	
Water Cess	Assessment Done:	Paid upto: March-2012.
BG Details	Amount: 5.0 lakh	Validity: 1/9/14
	BG obtained against: Towards compliance of conditional direction dtd-19/8/2013.	
	Details of BG forfeited/ enchased, if any:	
Submission of Environmental Statement	Period	

Maharashtra Pollution Control Board

Other Relevant Information	1) Industry was closed since Feb 2012 & resumed its manufacturing activity in the month of sept.2013 at 50% Capacity. 2) Accordingly board official visit on 18/10/2013 it is notice that the unit is manufacturing products below 50% capacity. 3) It is notice that the increase of 5 MTD coal consumption is used for recovery of glaubers salt from the strong stream effluent & for MEE operation. 4) Industry has submitted irrevocable Bank Guarantee of Rs. 500000/- towards the compliance of Board direction & consent condition. 5) Industry was issued closure direction in Feb-2012 & matter was pending at Mumbai Honorable High Court PIL No-17/2011. The Honorable High Court has subsequently granted Trial-Run as per recommendation of NEERI in July-2012. NEERI has submitted its report during trial run period in Dec-2012 & recommended that the industry may be allowed to restart manufacturing activity at 50% capacity with existing plant & accordingly Honorable High Court has granted permission the said unit to operate to 50 % capacity with existing plant vide order passed by Honorable High Court dtd. 29/07/2013. (Copy enclosed) 6) The unit has paid consent fees for the period of 3 years.
Recommendation of SRO/RO	The renewal of consent may be granted subject to 50% production capacity as per Hon'ble High Court Order.

Maharashtra Pollution Control Board

Agenda no. 17

Region : SRO Kolhapur		Section : JD(WPC)		Date : 25.02.2014
Name & Address	Appasaheb Nalawade Gadhinglaj Taluka S.S.K Ltd , Harali,Tal-Gadhinglaj,Dist-Kolhapur			
Consent For	CR			
Capital Investment	5618 Lacs			
Previous Consent Validity	31/12/2013			
Industry Type	R74 Sugar (excluding Khandsari)			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Industrial effluent generation is 274 CMD. ETP is provided with secondary treatment. The JVS analysis results dtd.21.01.2013, 21.02.25013 are submitted which are exceeding			
Water Cess	Assessment Done : April 2013		Paid Upto : Nov 2013	
BG Details	Amount :		Validity :	
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement	Period	2012-13		
Other Relevant Information	<ul style="list-style-type: none"> • Industry has not submitted Bank Guarantees of Rs.5.0 Lakhs, Rs. 2.0 Lakhs and Rs.2.0 Lakhs imposed in the previous consent for O & M of ETP and APC system, to avoid ingress of bagasse and towards CREP compliance respectively. • SRO, Kolhapur has issued letter to Industry on dt.30.12.2013 for Non compliances of consent conditions and Industry replied vide letter dt.04.01.2014. 			
Recommendation of SRO/RO	SRO has recommended that the decision of the consent may be taken at higher level.			

Maharashtra Pollution Control Board

Agenda no. 18

Region : SRO Kolhapur	Section : JD(WPC) Section		Date : 03.03.2014
Name & Address	Nagreeka Exports Ltd. , Plot No. T-48, Five Star Industrial Estate, Kagal-Hatkanangale		
Consent For	CR		
Capital Investment	6648 Lacs		
Previous Consent Validity	31.01.2014		
Industry Type	R84 Yarn/ textile processing involving any effluent/ emission		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Total Water consumption 1405 CMD. I.E generation is 1213 CMD. D.E generation is 8 CMD. CETP allotted capacity is –, The JVS analysis results dtd.26.08.2013 & 21.10.2013 are exceeding the consented parameters w.r.t BOD & COD		
Compliance Of Air Pollution Related Conditions	Multicyclone dust collector is provided as an APC system to coal fired boiler.		
Water Cess	Assessment Done : -----	Paid Upto : Nov 2013	
BG Details	Amount : Rs. 5.0 Lakhs	Validity : 31.05.2014	
	BG Obtained against : For O & M of PCS as per the previous consent condition.		
	Details of BG forfeited/encashed , if any : Separate note of Regional Officer dtd.27.01.2014 for forfeiture of BG is enclosed.		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	<ul style="list-style-type: none"> • C.I of the unit is increased from Rs.37.88 Crs to Rs.66.48 Crs. i.e by Rs.28.6 Crs. • The I.E generation is shown as 1213 CMD; previously consented I.E was 1450 CMD. • The disposal of the treated effluent is to Kagal Hatkangale CETP through MIDC Drainage Network. 		
Recommendation of SRO/RO	Consent to plain renewal may be considered valid upto 31.01.2017		

Maharashtra Pollution Control Board

Agenda no. 19

Region : SRO Kolhapur	Section : JD(WPC)		Date : 04.03.2014
Name & Address	Partap Industries Ltd. , Plot No-80 to 93, Five Star MIDC, Kagal-Hatkanangale, Tal-Kagal, Dist.- Kolhapur.		
Consent For	CR		
Capital Investment	3500 Lacs		
Previous Consent Validity	31/01/2014		
Industry Type	G27 Cotton and woolen hosiery making (Warping & Sizing activity)		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details: - Total water consumption is 38 CMD. Effluent generation is 2 CMD which is semi solid residue generated from sizing and warping activity. The Industrial effluent is disposed to CHWT SDF Ranjangaon being semi solid in nature.		
Compliance Of Air Pollution Related Conditions	Multicyclone dust collector is provided as an APC system to wood/bagasse fired Boiler.		
Water Cess	Assessment Done : Dec-13	Paid Upto :	
BG Details	Amount : Rs.5.0 Lakhs	Validity : 31.01.2014	
	BG Obtained against : Previous consent condition for O & M of PCS.		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2012-13	

Maharashtra Pollution Control Board

Other Relevant Information	<p>SRO's Kolhapur vide email dtd.05.03.2014 reported that being the effluent is of semi solid form it is collected in the collection tank and then sun dried residue is sent to CHWTSDF, Ranjangaon.</p> <p>Therefore the condition No. 3 (iii) and (iv) of previous consent needs to be corrected as "Industrial effluent shall be collected in the collection tank and then sent to CHWTSDF to achieve Zero Discharge, and Industry shall regularly submit the copies of the manifest to the Board." if approved.</p>
Recommendation of SRO/RO	Consent to plain renewal may be considered.

Maharashtra Pollution Control Board

Agenda no. 20

Region : RO Pune		Section : JD (WPC)		Date : 03.03.2014.
Name & Address		M/s. Shivamruth Dudh Utpadak Sahakari Sangh Maryadit , Vijaynagar, Vizori, Post. Yashwanthnagar, Tal. Malshiras, Dist- Solapur		
Consent For		Applied for renewal of consent with increase in C.I		
Capital Investment		Previous C.I. of Rs. 30.69 Cr. <u>Enhanced C.I. of Rs. 10.9 Cr. (reason not given)</u> Total C.I. of Rs.41.59 Cr.		
Previous Consent Validity		Upto: 30/09/2012		
Industry Type		R47 Milk processing and dairy products (Integrated project)		
Industry Category		Red/LSI.		
Compliance Of Water Pollution Related Conditions		YES Details :- ETP comprising, Screen/Grit Chamber, fat removal trap, surge tank, aerobic reactor, aeration tank, Clarifier, sludge sump & SDB provided. JVS results dated 20.04.2013, 8.05.2013 & 16.08.2013 BOD & COD are on higher side.		
Compliance Of Air Pollution Related Conditions		Boiler- Not provided adequate APC system to boiler. Boiler stack has broken into pieces, thereby stack height almost reduced by 12 mtr. And industry has not revamped the same.		
		Assessment Done : Cess return not submitted		Paid Upto : --
		<u>Amount</u> : Rs. 1.0/- Lakh		<u>Validity</u> : 26.12.2013.
		<u>BG Obtained against</u> : Consent conditions.		
		<u>Details of BG forfeited/encashed , if any :</u>		

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	
Other Relevant Information		<p>JVS results dated 20.04.2013, 8.05.2013 & 16.08.2013 BOD & COD are on higher side.</p> <p>Boiler- Not provided adequate APC system to boiler. Boiler stack has broken into pieces, thereby stack height almost reduced by 12 mtr. And industry has not revamped the same.</p> <p>Additional consent fees of Rs. 100,000/- for C to E & C to O for increased in C.I. not submitted.</p>
Recommendation of SRO/RO		Decision regarding grant of consent may be taken at HQ level.

Maharashtra Pollution Control Board

Agenda no. 21

Region : SRO Kolhapur		Section : JD(WPC)		Date : 24.02.2013	
Name & Address		M/s. Kumuda Sugar & Agro Products Ltd., Unit No.- 2, Udaysingarao Gaikwad SSK Ltd (Sugar) , Sonawade-Bambawade, Tal.- Shahuwadi, Dist.- Kolhapur.			
Consent For		CR			
Capital Investment		Rs. 4999 Lacs			
Previous Consent Validity		31/10/2008			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details: - Total water consumption is 700 CMD. Industrial effluent generation is 250 CMD. Domestic effluent generation is 100 CMD. For I.E. – ETP is provided with secondary treatment. For D.E.- Septic tank and Soak pit is provided. JVS analysis results dtd.31.01.2013 & 28.02.2013 are submitted which are exceeding the consented limits w.r.t. pH, BOD, COD & SS.			
Compliance Of Air Pollution Related Conditions		Multicyclone Dust collector is provided as an APC system.			
Water Cess		Assessment Done : 31.01.2013		Paid Upto : ----	
BG Details		Amount : Rs.2.0 Lakhs		Validity : 31.01.2014	
		BG Obtained against : Called from SRO vide email dtd.28.02.2014.			
		Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement		Period		2012-13	
Other Relevant Information		<ul style="list-style-type: none"> • Applied for the renewal of consent with change in name and change in effluent quantity, reduction in effluent quantity as per CREP. • Previous consent granted in the Name of M/s. Udaysingarao Gaikwad SSK Ltd., valid upto 31.10.2008. • In the year 2009 -12 taken on Lease by M/s. Vishwasrao Naik SSK Ltd., now from 			

Maharashtra Pollution Control Board

	<p>Nov. 2012 it is taken on lease by M/s. Kumuda Sugar & Agro Products Ltd.</p> <ul style="list-style-type: none">• CREP Compliance is as follows;<ol style="list-style-type: none">a. Effluent generation to the tune of 100 litres/ Ton of cane crushed – Complied.b. Provision of 15 Days storage tank – Not complied.c. Provision of Emission Control system i.e ESP/Bag filter/Venture scrubber – Not complied. (However industry has provided Multi cyclone dust collector as an APC system.)
Recommendation of SRO/RO	Consent may be decided at Higher level.