

**List of Cases to be submitted before 22nd Consent Committee Meeting
(Part-II) of 2014 scheduled on 24.02.2014 at 11:00 a.m.**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
1	Rao Nursing Home , Sr. No. 61 A, 1A, CC No. 187-B, Pune Satara Road, Bibwewadi, Pune	44.63 Crs	Establish & Operate	PSO	1 to 23	
2	Sai Snehadeep Hospital , Sector 20, Kopar Khairane, Navi Mumbai	15.46 Crs	1st Operate	PSO	24 to 44	
3	Kokan mitra Mandal Medical Trust Sahyadri Speciality Hospital , Plot No. 30 C, Erandawane, Karve Road, Pune	23.12 Crs	Operate	PSO	45 - 64	
4	Shri Ganpati Netralaya , S. No. 204, Devalgaon-Mantha Road, Jalna	32.49 Crs	Operate	PSO	65 - 80	
5	Central Hospital , Ulhasnagar, Dist- Thane	N.P.	Operate	PSO	81 - 94	
6	Mumbai Port Trust Hospitl , Wadala, Mumbai	N.P.	Operate	PSO	95 - 110	
7	Kulloli Hospital , CS No. 8162, Near Railway Gate, Vishrambaug, Sangli	3.42 Crs	Operate	PSO	111 - 132	
8	Seth Nandlal Dhoot Hospital , A-1 & A-2, MIDC Chikhalthane, Aurangabad	23.12 Crs	Operate	PSO	133 - 148	
9	Ayurved Prasarak Mandal Hospital, Dr. M. N. Agashe Hospital and Maternity Home 6, Shukrawar Peth, Satara	2.22 Crs	Operate	PSO	149 - 170	
10	Pimpri Chinchwad Municipal Corporation , S. No. 101 Part Ward No. 29, NehruNagar, Pimpri, Pune	41.47 Lakh	Operate	PSO	171 - 188	

JD(WPC)	0
AS(T)	0
RO(HQ)	0
JD(APC)	0
PSO	10
Total	10

Maharashtra Pollution Control Board

CC-Resubmission

Agenda no. 1

CC Item		
Region : Mumbai	Section : PSO	Date :-
Name & Address	M/s. Rao Nursing Home, Sr. No. 691 A, -1A, CTC No. 1897- B, Pune Satara Road, Bibwewadi, Pune -37.	
Consent for	Fresh application for C to E and C to O of the hospital having 123 beds.	
Capital Investment	Rs. (44.63 Crore)	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 31.12.2014	
Industry Type	RED/Hospital bed (123 nos.)	
Compliance of Water Pollution Related Conditions	Details:- Packed type ETP provided of capacity 50 m ³ /day	
Water Cess	Assessment Done: --	Paid upto- Rs. 2,25,000=00
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set of capacity 500 KVA provided	
Other Relevant Information	<ol style="list-style-type: none"> 1) This is a fresh application for C to E and C to O of the hospital having 123 beds. 2) Hospital has obtained BMW authorization from Board valid upto 31.12.2014 for 123 beds and also member of CBMWTSDF for treatment and disposal of BMW <u>See page C- 17</u> 3) They have submitted Consent fees of Rs. 2,25,000=00 <u>See page- NS -4.</u> 	

Maharashtra Pollution Control Board

	<p>4) As per the report submitted by SRO- Pune-II the hospital is in process of installation of ETP of capacity 50 m³/day for treatment of effluent and treated effluent is used for gardening. The flow diagram and description is submitted. <u>See page C-21 to C-30</u></p> <p>5) Hospital authority has submitted C.A. certificate dated 19.02.2013 of Rs. 44.63 Crore. <u>See page- C-16.</u></p> <p>6) Bombay Nursing Home registration copy is submitted which is valid upto 31.03.2013 <u>See page- C-10.</u></p> <p>7) Annual report of BMW for the year 2012 certified by the facility operator is not submitted.</p> <p>8) They have provided D.G.Set of capacity 500 KVA as mentioned in the application.</p> <p>9) Water budget supported by water bill is not submitted by the hospital authority.</p> <p>10) Membership of CHWTSDF is not obtained for disposal of ETP sludge.</p> <p>11) In view of above SRO- Pune – I and RO- Pune has recommended to grant Consent to operate.</p> <p style="text-align: center;">Submitted for information and order, for placing before CC, please.</p>
Recommendation of SRO/RO	In view of above SRO- Pune – I and RO- Pune has recommended to grant Consent to operate.

Maharashtra Pollution Control Board

Agenda no. 2

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	Sai Snehadeep Hospital, Sector 20, Kopar khairane, Navi Mumbai.	
Consent for	Fresh application for C to O of the hospital having 127 beds.	
Capital Investment	Rs. (15.46 Crore)	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 30.09.2015	
Industry Type	RED/Hospital bed (127 nos.)	
Compliance of Water Pollution Related Conditions	Details:- ETP provided of capacity 20 m ³ /day	
Water Cess	Assessment Done: --	Paid upto- Rs. 1,50,000=00
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set of capacity 500 KVA & 250 KVA are provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for Consent to operate of hospital having 127 beds. 2. Hospital has obtained BMW authorization from Board valid upto 30/09/2015 for 127 beds and also member of CBMWTSDf for treatment and disposal of BMW – <u>See page - C-35 and C-32.</u> 3. They have submitted consent fee of Rs. 1,50,000/- <u>See page - NS-3.</u> 4. As per report submitted by SRO, Navi Mumbai-II and RO, Navi Mumbai. <u>See page - NS-4</u> <p style="margin-left: 20px;">- Hospital has provided ETP with primary and tertiary</p>	

Maharashtra Pollution Control Board

	<p>system for the treatment of effluent.</p> <ul style="list-style-type: none">- From the analysis report dated 13/02/2013 it is noted that all parameters are within prescribed limit – <u>See page -C-33.</u>- As per the authorization condition the hospital authority has submitted bank guarantee of Rs. 1.0 Lakh.- Bombay Nursing Home Registration copy is enclosed which is valid upto 31/03/2014 – <u>See page -C-14.</u>- ETP of capacity 20 m³/day is provided. Detail flow diagram and process is enclosed – <u>See page -C-15 to C-29.</u>- Undertaking dated 08/04/2013 is submitted for fixed assets i.e. 15.46 Crore – <u>See page -C-10.</u>- SRO, Navi Mumbai-II and RO, Navi Mumbai has recommended to grant Consent to Operate upto 01/01/2014. <p>5. They have provided 2 nos. of D.G. Set of capacity 500 KVA and 250 KVA as mentioned in the application – <u>See page -C-5.</u></p> <p>6. Membership of CHWTSDF for disposal of ETP sludge is not provided.</p> <p>Submitted for information and order for placing before Consent Committee.</p>
Recommendation of SRO/RO	In view of above SRO- Navi Mumbai -II and RO- Navi Mumbai has recommended to grant Consent to operate.

Maharashtra Pollution Control Board

Agenda no. 3

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	M/s. Kokan Mitra Mandal Medical Trust Sahyadri Specialty Hospital, Plot No. 30 C, Erandawane, Karve Road, Pune	
Consent for	Fresh application for C to O of the hospital having 151 beds.	
Capital Investment	23.12 Crore	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 31.01.2014	
Industry Type	RED/Hospital bed (151 nos.)	
Compliance of Water Pollution Related Conditions	Details:- ETP/ STP is not provided.	
Water Cess	Assessment Done: --	Paid upto- 50,000/-
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - Not mentioned	
Other Relevant Information	<p>1. This is a fresh application for Consent to operate for 151 beded hospital.</p> <p>2. As per report submitted by SRO, Pune-I and RO, Pune,</p> <ul style="list-style-type: none"> - Hospital has obtained bio-medical waste authorization for 151 bed valid upto 31/01/2014. However, now they are operating 202 beds and have applied for the same. - The effluent generated is disposed off in PMC sewerline. - They have paid fees of Rs. 50,000/- for one year period. - Hospital has not submitted water budget, location plan, details of DG set, Additional consent fees. Hence, query letter is issued for the same on 25.04.2013. However, reply is awaited till date. 	

Maharashtra Pollution Control Board

Recommendation of SRO/RO	- SRO, Pune-I and RO, Pune has recommended to grant consent to operate subject to submission of satisfactory reply and imposing condition for installation of STP and ETP in time bound manner and appropriate bank guarantee.
---------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Maharashtra Pollution Control Board

Agenda no. 4

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	Shri Ganpati Netralaya, S. No. 204, Devalgaon-Mantha Road, Jalna.	
Consent for	Fresh application for C to O of the hospital having 141 beds.	
Capital Investment	32.49 Crore	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 31.08.2014	
Industry Type	RED/Hospital bed (141 nos.)	
Compliance of Water Pollution Related Conditions	Details:- STP is provided. However, capacity is not mentioned.	
Water Cess	Assessment Done: --	Paid upto- 1,50,000/-
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set of capacity 250 KVA is provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for consent to operate for 141 bedded hospital. 2. As per report submitted by SRO, Aurangabad-II and RO, Aurangabad – <u>NS-3.</u> <ul style="list-style-type: none"> - Capital investment certified by C.A. dated 20/03/2013 of Rs.32.49 Crore –<u>C-9.</u> - They have submitted consent fee of Rs. 1,50,000/- <u>C-1.</u> - Authorisation granted by Board for 141 beds is valid upto 31/08/2014 – <u>C-16.</u> - The hospital has provided sewage treatment plant. 	
Recommendation of SRO/RO	- SRO, Aurangabad-II and RO, Aurangabad has recommended to grant consent to operate for a period upto 31/05/2014.	

Maharashtra Pollution Control Board

Agenda no. 5

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	Central Hospital, Ulhasnagar, Dist. Thane	
Consent for	Fresh application for C to O of the hospital having 202 beds.	
Capital Investment	Not provided	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 31.12.2014	
Industry Type	RED/Hospital bed (202 nos.)	
Compliance of Water Pollution Related Conditions	Details:- ETP not provided	
Water Cess	Assessment Done: --	Paid upto- Not paid
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set of capacity 62.5 KVA is provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for consent to establish and consent to operate for 202 bedded Govt. hospital. 2. The hospital has submitted application to RO- Kalyan on 24.05.2013, which is received at HQ on 16.09.2013. <u>NS-1</u> 3. As per remark submitted by SRO, Kalyan -II and RO, Kalyan, <ul style="list-style-type: none"> - The previous authorization granted by Board for 202 beds and is valid upto 31/12/2014 with condition to install ETP within six month – <u>C-16</u>. - BMW annual report certified by facility operator is not provided - In spite of repeated communication made by SRO- Kalyan –II the applicant has not provided copy of Capital Investment certified by C.A., Consent fees, details of ETP/ STP as per condition incorporated in their authorization and details of application form from Sr. No. 29 to 51. <u>C-11, C-12 & C-13</u> 	

Maharashtra Pollution Control Board

Recommendation of SRO/RO	- SRO- Kalyan-II and RO- Kalyan has submitted the case for further decision at HQ

Maharashtra Pollution Control Board

Agenda no. 6

CC Item		
Region : Mumbai	Section : PSO	Date :-
Name & Address	Mumbai Port Trust Hospital, Wadala, Mumbai	
Consent for	Fresh application for C to O of the hospital having 241 beds.	
Capital Investment	Not provided	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 29.08.2013	
Industry Type	RED/Hospital bed (241 nos.)	
Compliance of Water Pollution Related Conditions	Details:- ETP/ STP not provided	
Water Cess	Assessment Done: --	Paid upto- 33,100/-
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set of capacity 160 KVA is provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for consent to establish and consent to operate for 241 bedded Govt. hospital. 2. The hospital has submitted application to SRO- Mumbai-I on 14.03.2013, which is received at HQ through RO-Mumbai on 04.09.2013. <u>NS-1</u> 3. As per remark submitted by SRO, Mumbai-I & RO-Mumbai, <ul style="list-style-type: none"> - The previous authorization granted by Board was valid upto 29/08/2013. <u>C-9</u> - Hospital has not provided STP nor have they provided proposal of ETP. - They have obtained membership of M/s. SMS Envoclean Pvt. Ltd., CBMWTSDF, Mumbai for treatment and disposal of BMW. Copy of membership is not enclsed. - C.A. certificate is not submitted. - Water budget submitted is not representative. 	

Maharashtra Pollution Control Board

	- RO- Mumbai has issued SCN on 06.08.2013 for the above non compliances. C -12
Recommendation of SRO/RO	- SRO- Mumbai - I and RO- Mumbai has recommended to grant authorization stipulating condition of B.G. and also considering the compliances of point raised in SCN

Maharashtra Pollution Control Board

Agenda no. 7

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	M/s. Kulloli Hospital, CS No.8162, Near Railway Gate, Vishrambag, Sangli	
Consent for	Fresh application for C to O of the hospital having 100 beds.	
Capital Investment	3.42 Crore	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 30.06.2015	
Industry Type	RED/Hospital bed (100 nos.)	
Compliance of Water Pollution Related Conditions	Details:- STP provided of capacity 20.0 m ³ /day	
Water Cess	Assessment Done: --	Paid upto- 30,000/-
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set capacity not provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for consent to establish and consent to operate for 100 bedded Govt. hospital. 2. The hospital has submitted application to SRO- Sangli on 24.09.2013, which is received at HQ through RO- Kolhapur on 17.10.2013. <u>NS-10</u> 3. As per remark submitted by SRO, Sangli & RO- Kolhapur , <ul style="list-style-type: none"> - The previous authorization granted by Board for 100 beds is valid upto 30/06/2015 – <u>C-21</u>. - Capital Investment certified by C.A. is Rs. 3.42 crore as per C.A. certificate dt. 24.07.2013. Accordingly, they have paid fees of Rs.30,000/- for two years period <u>C-30</u> - They have obtained membership of M/s. Surya Central Treatment facility, CBMWTsdf, Sangli for treatment and disposal of BMW. <u>C-25</u> - The total water consumption is 10.0 CMD. - They have provided STP for domestic effluent. 	

Maharashtra Pollution Control Board

Recommendation of SRO/RO	- SRO- Sangli and RO- Kolhapur has recommended to grant consent imposing B.G. with condition for installing ETP
---------------------------------	-----------------------------------------------------------------------------------------------------------------

Maharashtra Pollution Control Board

Agenda no. 8

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	M/s. Seth Nandlal Dhoot Hospital, A-1 & A-2, MIDC, Chikhalthana, Aurangabad.	
Consent for	Fresh application for C to O of the hospital having 200 beds.	
Capital Investment	23.12 Crore	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 31.01.2014	
Industry Type	RED/Hospital bed (200 nos.)	
Compliance of Water Pollution Related Conditions	Details:- ETP/ STP is not provided.	
Water Cess	Assessment Done: --	Paid upto- 50,000/-
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - Not mentioned	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for grant of consent to operate for 200 bedded hospital. 2. As per report submitted by SRO, Aurangabad-I and RO, Aurangabad <ul style="list-style-type: none"> - They have paid consent fees for two years. - STP is provided for treatment of waste water generated from the hospital. - Bio-medical waste authorization granted by Board was valid upto 31/10/2013. - Hence, 	
Recommendation of SRO/RO	<ul style="list-style-type: none"> - SRO, Auragabad-I and RO, Aurangabad has recommended to grant consent to operate upto 31/08/2013. 	

Maharashtra Pollution Control Board

Agenda no. 9

CC Item		
Region :Mumbai	Section : PSO	Date :-
Name & Address	M/s. Ayurved Prasarak Mandal Hospital, Dr. M.N.Agashe Hospital ad Maternity Home, 6, Shukrawar Peth Satara	
Consent for	Fresh application for C to O of the hospital having 120 beds.	
Capital Investment	221.86 lakhs	
Consent Valid upto	Hospital has obtained BMW authorization from Board valid upto 31.12.2011	
Industry Type	RED/Hospital bed (120 nos.)	
Compliance of Water Pollution Related Conditions	Details:- Effluent generation 20.0 CMD. They have proposed to install ETP	
Water Cess	Assessment Done: --	Paid upto- Rs. 30,000=00
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - D.G.Set of capacity 40 KVA is provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for consent to establish and consent to operate for 120 bedded hospital. 2. The hospital has submitted application to SRO- Satara on 26.09.2013, which is received at HQ through RO- Pune on 28.10.2013. <u>NS-1</u> 3. As per remark submitted by SRO, Satara & RO- Pune , <ul style="list-style-type: none"> - The previous authorization granted by Board was valid upto 31/12/2011. Copy is not enclosed. – <u>C-16</u>. - Capital Investment certified by C.A. is Rs. 221.86 lakhs as per C.A. certificate dt. 08.07.2013. Accordingly, they have paid fees of Rs.30,000/- for two years period <u>C-11</u> - They have obtained membership of M/s. Nature In Need, CBMWTSDF,Satara for treatment and disposal of BMW. <u>C-14</u> - Generation of effluent is 20.0 CMD for which they have 	

Maharashtra Pollution Control Board

	proposed ETP, flow diagram and description is submitted. <u>C-12 & C-13</u>
Recommendation of SRO/RO	SRO- Satara recommended to grant consent for aperiod upto 31.12.2015

Maharashtra Pollution Control Board

Agenda no. 10

CC Item		
Region : Mumbai	Section : PSO	Date :-
Name & Address	M/s. Pimpri Chinchwad Municipal Corporation, S.No.101 part ward No. 29, Nehru Nagar, Pimpri, Pune.	
Consent for	Fresh application for C to O of PCMC for operating incinerator plant for dead dogs	
Capital Investment	41.47 lakhs	
Consent Valid upto	First C to O	
Industry Type	RED/Hospital bed (incinerator plant for dead dogs)	
Compliance of Water Pollution Related Conditions	Details:- --	
Water Cess	Assessment Done: --	Paid upto- 3,000/-
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: -	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for consent to establish and consent to operate of PCMC for operating incinerator plant for dead dogs 2. The hospital has submitted application to SRO- PCMC on 11.07.2013, which is received at HQ through RO- Pune on 16.08.2013. <u>NS-1</u> 3. As per remark submitted by SRO, PCMC and RO- Pune, <ul style="list-style-type: none"> - They have enclosed the agreement of PCMC and Om Enterprises for installation and operating the said facility. - They have provided Stack of 6.0 meters height. - SRO- PCMC has issued letter on 11.07.2013 to increase the height of stack and to provide APCD. <u>C-23</u> - Proposed site is adjacent to PCMC MIDC and residential area is about 100 meters. 	

Maharashtra Pollution Control Board

	<ul style="list-style-type: none">- Distance of proposed site from river Pawna (Class – A IV) is about 200 km.
Recommendation of SRO/RO	<ul style="list-style-type: none">- SRO, PCMC and RO, Pune has forwarded the case to HQ for further decision