## **MAHARASHTRA POLLUTION CONTROL BOARD**



Minutes of 10<sup>th</sup> Consent Appraisal Committee Meeting of 2023-2024 held on 03.08.2023 at Dalamal House, Nariman Point, Mumbai. Following members of the Consent Appraisal Committee were present:

| 1.     | Shri. Pravin Darade,   | Chairman        |
|--------|--|-----------------|
| 2.     | Chairman, MPCB<br>Shri Avinash Dhakne,<br>Member Secretary, M.P.C. Board.  | Member          |
| 3.     | Shri P. K. Mirashe,<br>Technical Advisor, MIDC.  | Member          |
| 4.     | Dr. Jitendra Sangewar,   | Member Convener |
| 5.     | <ul><li>I/C Joint Director (WPC), M.P.C. Board, Mumbai.</li><li>Additional Chief Secretary, Home (Transport) Dept., Mumbai &amp; Representative fill</li><li>leave of absence was granted.</li></ul> | om NEERI        |
| Follov | ving Officer of MPCB were present for the meeting:   |                 |
| 1.     | Shri V.M. Motghare   | Invitee Member  |
| 2.     | Joint Director (APC), M.P.C. Board, Mumbai.<br>Dr. V.R. Thakur,<br>Principal Scientific Office, M.P.C. Board, Mumbai.  | Invitee Member  |
| 3.     | Shri N.N. Gurav,<br>AS(T), M.P.C. Board, Mumbai.   | Invitee Member  |
| 4.     | Shri. Manish S. Holkar,  | Invitee Member  |
| 5.     | Regional Officer(Head Quarter), M.P.C. Board, Mumbai.<br>Shri. Sagar V. Auti,<br>Regional Officer (Bio Medical Waste), M.P.C. Board, Mumbai  | Invitee Member  |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 10] placed before the committee and following decision were taken:

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address                               | Decision on<br>grant of<br>consent         | Consent<br>granted<br>Up to                         | Remarks / Discussion  |
|------------|-------------------------------------|--|--|---|---|
| Bookle     | t No 10<br>MPCB-                    | MACROTECH  | APPROVED                                   | Commission  | Committee noted that, the case was discussed in CAC meeting held on   |
|            | CONSE<br>NT-<br>000012<br>2694      | DEVELOPERS<br>LIMITED<br>(FORMARLY<br>KNOWN AS<br>LODHA    | Revalidation of<br>Consent to<br>Establish | ing of the<br>project or 5<br>years<br>whichever is | 28/07/2022 and noted that, PP has applied for grant of Revalidation of Consent to Establish for Residential & Commercial project with MCGM Car Parking Lot having Total Plot Area of 69,803.47 Sq.m and Total Construction BUA of 9,80,222.24 Sq.m (as per EC dtd. 15/01/2019).   |
|            |                                     | DEVELOPERS<br>PVT LTD) C. S.<br>No. 464,<br>Senapati Bapat |  | earlier   | Also noted that, PP has not provided permanent STP and not submitted<br>Architect certificate, requisite Consent fees, BG details as per earlier<br>Consent.  |
|            |                                     | Marg, Lower<br>Parel (West),<br>Mumbai 400012.             |  |   | And decided to issue SCN for refusal of Revalidation of Consent to Establish for above mentioned non-compliances.   |
|            |                                     |  |  |   | Accordingly, PP has submitted their reply stating therein that, they have<br>provided STP of capacity 330 KLD with MBR technology for treatment of<br>sewage water generated and organic waste converter provided at site for<br>treatment of biodegradable waste generated. Further, PP has submitted<br>copy of Architect certificate and copy of BG. |
|            |                                     |  |  |   | SRO-Mumbai-I has submitted verified copy of pointwise compliance report of EC conditions.   |
|            |                                     |  |  |   | After due deliberation it was decided to grant Revalidation of Consent to Establish by imposing standard conditions for Infrastructure projects.  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent  | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|--|---|-----------------------------|---|
| 2          | MPCB-<br>CONSE<br>NT-<br>000013<br>9594 | M M Patel<br>Public<br>Charitable<br>Trusts Ashwini<br>Rural Medical<br>College Hospital<br>and Research<br>CentreKumbhari | APPROVED<br>Combined<br>Consent &<br>BMW<br>Authorization,<br>Consent to<br>Renewal | 31.05.2024                  | <ul> <li>Committee noted that PP has applied for renewal of combined consent &amp;<br/>BMW Authorization for Hospital - 560 Beds on total plot area of 1,10,100<br/>Sq.Mtr &amp; total construction BUA of 30,382 Sq.Mtr.</li> <li>Committee also noted that, It is resubmission application to review the<br/>decision of CAC meeting dated 28.07.2022. The case was discussed &amp;<br/>approved in CAC meeting dated 28.07.2022 subject to submission of EC<br/>copy. Accordingly, this office has communicated to HCE vide dated<br/>28.11.2022, for the same HCE has submitted that HCE has applied for EC,<br/>it is under progress, the minutes of meeting of SEIAA held on 02.05.2023<br/>is submitted for ready reference.</li> <li>Committee further noted that as per decision of earlier CAC meeting dated<br/>28.07.2023, the approved period was up to 31.05.2023, however consent<br/>was not issued due to non-submission of EC. Now HCE has submitted the<br/>letter vide dated 22.06.2023 &amp; requested to grant renewal of combine<br/>consent &amp; BMW authorization subject to obtaining of EC. HCE has further<br/>submitted that to obtain the NABH accreditation certificate, HCE wants the<br/>combine consent &amp; BMW authorization.</li> <li>After due deliberation, it was decided to grant renewal of Combined<br/>Consent with BMW authorization for 560 Beds on total plot area of the<br/>project is 110100 sq. mtrs and total BUA of the project is 30382 sq. mtrs.<br/>with CI is Rs. 76.94 Crs by imposing following conditions:</li> <li>1. HCE shall obtain the Environment Clearance within next 6 Months.</li> <li>2. HCE shall properly operate ETP &amp; STP to achieve consented<br/>norms.</li> </ul> |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion   |
|------------|---|---|------------------------------------|-----------------------------|--|
|            |   |   |                                    |                             | <ol> <li>HCE shall submit BGs as per HCE BG regime.</li> <li>Consent shall be issued after submission of latest CA certificate &amp; audited balance sheet and additional consent fees, if any.</li> </ol>   |
| 3          | MPCB-<br>CONSE<br>NT-<br>000014<br>8913 | Marathwada<br>Rail Coach<br>FactoryD-74<br>Additional<br>Industrial Area<br>Latur Latur | APPROVED<br>Renewal of<br>Consent  | 31.03.2024                  | Committee noted that PP has applied for renewal of consent for the manufacturing of rail coach – 250 Nos/Y.<br>Committee also noted that, it is resubmission for review the decision taken in CAC meeting dated 23.11.2022. The case was discussed & approved in CAC meeting held on 23.11.2022 subject to submission of additional consent fees & penal fees as per Boards circular dated 12.07.2022 and after submission of bank guarantee within 1 month, if industry failed to submit bank guarantee, then case shall be put-up in CAC for further action.<br>Committee further noted that PP has submitted the request letter vide dated 03.01.2023, 12.07.2023 to waive off the penal fees of Rs. 26,09,565/- as unit is not in operation due to unavoidable administrative reasons. Even though there was no production, efforts to renew C to O before expiry failed due to transfer of registered occupier & delay in renomination of occupier. This unit belongs to Central Government. Also, PP has not submitted BG of Rs. 25.0 Lakh as this unit is directly comes under the Ministry of Railway, Gol. PP is ready to pay additional fees of Rs. 2,02,400/- towards increased CI only.<br>After due deliberation, it was decided to grant renewal of consent with CI of Rs. 514.86 Crs. for the manufacturing of Rail Coach – 250 Nos/Y by imposing following conditions: |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                       | Consent<br>granted<br>Up to | Remarks / Discussion   |
|------------|---|---|--|-----------------------------|--|
| 4          | MPCB-<br>CONSE<br>NT-<br>000015         | Phoenix<br>Millennium<br>(Previously<br>Phoenix Market  | APPROVED<br>1st Consent to<br>Operate (Part-<br>I)       | 31.07.2028                  | <ol> <li>PP shall properly operate &amp; maintain STP to treat the domestic<br/>effluent generated from unit.</li> <li>PP shall provide separate primary treatment to treat trade effluent<br/>before commissioning of the manufacturing activity.</li> <li>PP shall submit BG of Rs. 25.0 Lakh towards O &amp; M of PCs and<br/>compliance of consent conditions.</li> <li>Consent shall be issued after submission of additional consent fees and<br/>letter from Head/Managing Director regarding nonoperation of the unit.</li> <li>Committee noted that, PP has applied for 1<sup>st</sup> Consent to Operate (Part-I)<br/>of Commercial development project consisting of shopping mall,<br/>Restaurant (F &amp; B), Multiplex Office, Parking &amp; Supporting Services having<br/>Total plot area of 68,465.53 Sq.m and Construction BUA of 1,60,607.72</li> </ol> |
|            | 6729                                    | City) by M/s.<br>Alyssum<br>Developers P∨t.<br>Ltd. Wakad,<br>Tal. Mulshi, Dist.<br>Pune – 411<br>057.    | ')   |                             | <ul> <li>Sq.m out of Total Construction BUA of 3,10,479.51 Sq.m (As per specific condition No. B(4) of EC dtd. 07/12/2022).</li> <li>Committee also noted that PP has valid Environmental Clearance, provided STP &amp; OWC.</li> <li>After due deliberation it was decided to grant of 1<sup>st</sup> Consent to Operate (Part-I) by imposing standard conditions for infrastructure projects.</li> </ul>   |
| 5          | MPCB-<br>CONSE<br>NT-<br>000015<br>7561 | CHLORIDE<br>METALS<br>LIMITED, Plot<br>No-F-219,<br>SUPA MIDC<br>SUPA PARNER<br>INDUSTRIAL<br>PARK PARNER | APPROVED<br>Consent to 1 <sup>st</sup><br>Operate (Part) | 31.07.2023                  | Committee noted that PP has applied for 1 <sup>st</sup> consent to operate for the manufacturing of Lead & Lead Alloys & Cast components – 96000 MT/A vide UAN No. 177561, dated 06.05.2022.<br>Committee also noted that the case was discussed in CAC meeting held on 09.02.2023 & 06.07.2023 Committee also noted that PP has submitted the reply of the SCN on 10.04.2023 mentioning that, Battery breaking plant  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address                  | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to                       | Remarks / Discussion   |
|------------|-------------------------------------|---|------------------------------------|---|--|
|            |                                     |   |                                    |   | will be installed in 2 <sup>nd</sup> part and accordingly application for authorization will be submitted.   |
|            |                                     |   |                                    |   | Committee further noted that mentioned details related to the infrastructure<br>are for the Battery breaking activity that shall be carrying out once industry<br>received the consent and further it will be enhanced with the automated<br>battery breaking machine that will be coming in the upcoming months. PP<br>has requested the CAC committee to consider application for the 1 <sup>st</sup> part<br>consent to operate & grant permission for the same.  |
|            |                                     |   |                                    |   | After dude deliberation, it was decided to grant of 1st consent to operate (part-1) for manufacturing of Lead & Lead Alloys & Cast components by Recycling of Lead Acid Batteries – 96000MT/A by imposing following conditions:  |
|            |                                     |   |                                    |   | <ol> <li>PP shall obtain Authorization from MPCB as Recycler / Repressor of<br/>Hazardous waste as per the provision of Rule 9 of the Hazardous and<br/>other waste (M &amp; TM) Rules, 2016 &amp; comply the same.</li> <li>PP shall obtain Registration under the provisions of Battery Waste<br/>Management Rules, 2022 &amp; comply the same.</li> <li>PP shall submit BG of Rs. 25 Lakh towards operation and maintenance<br/>of pollution control systems and compliance of consent conditions.</li> <li>Consent shall be issued after submission of additional consent fees, if any.</li> </ol> |
| 6          | MPCB-<br>CONSE<br>NT-               | R RETAIL<br>VENTURES<br>PRIVATE<br>LIMITEDCTS | APPROVED                           | Commission<br>ing of the<br>project or 5<br>years | Committee noted that, PP has applied for grant of Consent to Establish for<br>Expansion of proposed Residential & Commercial Township project having<br>Total plot area of 95,516.12 Sq.m and Total construction BUA of  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent   | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|--|--|-----------------------------|---|
|            | 000015<br>4969                          | No. 4510,<br>4510/1, 4523,<br>Chinchwad, Tal.<br>Haveli, Dist.<br>Pune.  | Consent to<br>Establish for<br>Expansion   | whichever is<br>earlier.    | <ul> <li>4,91,315.37 Sq.m (As per Specific condition No. B (6) of EC dtd.</li> <li>15/09/2022).</li> <li>Committee also noted that PP has obtained Environmental Clearance, and proposed to provide STP &amp; OWC.</li> <li>After due deliberation it was decided to grant of Consent to Establish for Expansion by imposing standard conditions for infrastructure projects.</li> <li>Consent may be issued after receipt of requisite Consent fees.</li> </ul>  |
| 7          | MPCB-<br>CONSE<br>NT-<br>000015<br>6573 | Embassy Pune<br>Techzone<br>Private<br>LimitedPlot No.<br>03, Rajiv Gandhi<br>Infotech Park,<br>Phase II, MIDC,<br>Hinjewadi, Tal.<br>Mulshi, Dist.<br>Pune. | APPROVED<br>Renewal of 1st<br>Consent to<br>Operate (Part-<br>I) & Renewal<br>of 1st Consent<br>to Operate<br>(Part-II) and<br>amalgamation<br>of both | 31.08.2026                  | Committee noted that, PP has applied for grant of Renewal of 1 <sup>st</sup> Consent<br>to Operate (Part-I) & Renewal of 1 <sup>st</sup> Consent to Operate (Part-II) and<br>amalgamation of both of IT Park project having Total plot area of 2,72,979<br>Sq.m and Construction BUA of 4,14,691.07 Sq.m out of Total Construction<br>BUA of 8,19,954.64 Sq.m.<br>Committee also noted that PP has valid Environmental Clearance,<br>provided STP & OWC.<br>After due deliberation it was decided to grant Renewal of 1 <sup>st</sup> Consent to<br>Operate (Part-I) & Renewal of 1 <sup>st</sup> Consent to Operate (Part-II) and<br>amalgamation of both by imposing standard conditions for infrastructure<br>projects.<br>Consent may be issued after receipt of additional Consent fees. |
| 8          | MPCB-<br>CONSE<br>NT-<br>000016<br>0088 | Nandedcity<br>development<br>and construction<br>company<br>LimitedS.Nos. 1<br>to 24, 36, 55 to  | APPROVED<br>1st Consent to<br>Operate (Part-<br>III) and<br>Renewal of   | 31.08.2025                  | Committee noted that, PP has applied for grant of 1 <sup>st</sup> Consent to Operate (Part-III) and Renewal of Consent to Operate (Part-II) and amalgamation of both of 'Nanded City' Township project having Total Plot Area of 6,11,147.67 Sq.m and Construction BUA of 15,80,051.25 Sq.m out of Total Construction BUA of 43,04,095.539 Sq.m (as per EC dtd. 09/01/2023).  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent                                 | Consent<br>granted<br>Up to   | Remarks / Discussion  |
|------------|---|--|--|---|---|
|            |   | 81, Village<br>Khadakwasala 1<br>to 5, At.<br>Nanded, Tal.<br>Haveli, Dist.<br>Pune.   | Consent to<br>Operate (Part-<br>II) and<br>amalgamation<br>of both |   | Committee also noted that, PP has obtained valid Environmental Clearance, provided STP & OWC.<br>After due deliberation it was decided to grant of 1 <sup>st</sup> Consent to Operate (Part-III) and Renewal of Consent to Operate (Part-II) and amalgamation of both by imposing standard conditions for infrastructure projects by imposing standard conditions for infrastructure projects.  |
| 9          | MPCB-<br>CONSE<br>NT-<br>000016<br>0032 | Manjri Horse<br>Breeders Farm<br>Pvt. Ltd. (PoAH<br>- M/s. Joyville<br>Shapoorji<br>Housing Pvt.<br>Ltd.)Sr.No. 6/1<br>to 6/6, 7/2/1,<br>9/1, 9/2 to 10/1,<br>Village.<br>Shevalwadi, Tal.<br>Haveli, Dist.<br>Pune. | APPROVED<br>Consent to<br>Establish for<br>Expansion               | Commission<br>ing of the<br>project or 5<br>years<br>whichever is<br>earlier. | Committee noted that, PP has applied for grant of Consent to Establish for<br>Expansion in existing Residential Construction project having Total plot<br>area of 1,65,557.87 Sq.m and Construction BUA of 2,13,605.15 Sq.m<br>(Existing 3,76,394.85 Sq.m + proposed 2,13,605.15 Sq.m = total 5,90,000<br>Sq.m) out of Total construction BUA 5,90,000 Sq.m.<br>Committee also noted that PP has applied for Environmental Clearance,<br>proposed to provide STP & OWC.<br>After due deliberation it was decided to grant of Consent to Establish for<br>Expansion with a condition for not to take effective steps towards<br>implementation of the project before obtaining Environmental Clearance<br>and by imposing standard conditions for infrastructure projects. |
| 10         | MPCB-<br>CONSE<br>NT-<br>000013<br>9131 | Project - Godrej<br>Greens by M/s<br>Dreamworld<br>Landmarks LLP.<br>At. Undri, Tal.   | APPROVED<br>1st Consent to<br>Operate (Part-<br>II)                |   | Granted on 01/08/2023 through circulation agenda.   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent   | Consent<br>granted<br>Up to | Remarks / Discussion   |  |
|------------|---|---|--|-----------------------------|--|--|
|            |   | Haveli, Dist.<br>Pune - 411060.   |  |                             |  |  |
| 11         | MPCB-<br>CONSE<br>NT-<br>000016<br>0236 | Magarpatta<br>Township<br>Development &<br>Construction<br>Company<br>Ltd.S.Nos. 115,<br>116, 126 to 130,<br>138 to 148,<br>149(P), 254,<br>288(P),<br>Hadapsar, Dist.<br>Pune. | APPROVED<br>Renewal of<br>Consent to<br>Operate  | 31.01.2025                  | Committee noted that, PP has applied for grant of Renewal of Consent to<br>Operate for Residential, IT Park, SEZ, Commercial & Amenity 'Magarpatta<br>City' Township project having Total Plot Area of 15,90,299.40 Sq.m and<br>TCBUA of 7,25,347.26 Sq.m.<br>Committee also noted that, PP has valid Environmental Clearance,<br>provided STP & OWC.<br>After due deliberation it was decided to grant Renewal of Consent to<br>Operate by imposing standard conditions for infrastructure projects.  |  |
| 12         | MPCB-<br>CONSE<br>NT-<br>000016<br>2873 | LMMFs<br>Deenanath<br>Mangeshkar<br>Hospital &<br>Research<br>Center8+13/2,<br>Erandawane,<br>Nr. Mhatre<br>Bridge, Pune  | NOT<br>APPROVED<br>Combined<br>Consent &<br>BMW<br>Authorization,<br>Consent to<br>Operate |                             | Committee noted that HCE has applied for Renewal of Combined Consent<br>& BMW Authorization with increase in Cl for 876 beds Hospital on total plot<br>area of 24,000 Sq.Mtr & total BUA of 57,798 Sq.Mtr.<br>Committee also noted that HCE has obtained combine consent & BMW<br>authorization vide dated 12.05.2022 which is valid up to 31.03.2023 with<br>Cl Rs. 471.11 Crs. EC obtained vide No. SEAC-2010/CR.68/TC-2, dated<br>04.09.2010.<br>Committee further noted that HCE has increased the Cl by Rs. 53.78 Crs,<br>installed 4 Nos of DG sets of capacity 1200 KVA without obtaining consent,<br>HCE has not submitted the details of ETP, STP, BG details, as per earlier<br>consent BG of Rs. 50,000/- is forfeited, however its details not submitted,<br>recent audited balance sheet. RO Pune has issued SCN vide dated<br>26.04.2022, however, compliance report not submitted by HCE. |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent              | Consent<br>granted<br>Up to | Remarks / Discussion   |  |
|------------|---|--|---|-----------------------------|--|--|
|            |   |  |   |                             | <ul> <li>After due deliberation, it was decided to issue show cause notice for Renewal of Combined Consent &amp; BMW Authorization with increase in CI due to following conditions:</li> <li>1. HCE has increased the CI by Rs. 53.78 Crs, installed 4 Nos of DG sets of capacity 1200 KVA without obtaining consent.</li> <li>2. HCE has not submitted the details of ETP, STP, BGs &amp; forfeited BG as per earlier consent.</li> <li>3. HCE has not submitted the audited balance sheet.</li> </ul>  |  |
| 13         | MPCB-<br>CONSE<br>NT-<br>000016<br>3797 | ORCHID<br>HOTELS PUNE<br>PRIVATE<br>LIMITEDS No.<br>26, H No. 1B/1c,<br>Shivchatrapati<br>Stadium,<br>Balewadi, Pune-<br>45. | Approved<br>Renewal of<br>Consent to<br>Operate | 31.01.2025                  | Committee noted that PP has applied for grant of Renewal of Consent to<br>Operate for Hotel activity with Restaurant, Banquet Hall & Swimming pool<br>with 389 Rooms having TPA of 38,861 Sq.m and Total Construction Built<br>Up Area of 24,712.98 Sq.M.<br>Committee also noted that PP has not obtained renewal of Consent to<br>Operate with increase in CI & Rooms since 2013, provided STP & OWC.<br>After due deliberation it was decided to grant Renewal of Consent to<br>Operate by imposing standard conditions for Infrastructure projects.<br>Consent may be issued after compliance of mandatory documents and<br>after receipt of additional Consent fees & Penal fees. |  |
| 14         | MPCB-<br>CONSE<br>NT-                   | LILAVATI<br>HOSPITAL AND<br>RESEARCH<br>CENTERA-   | APPROVED<br>Combined<br>Consent &<br>BMW        | 31.03.2028                  | Committee noted that HCE has applied for Renewal of Combined Consent<br>& BMW Authorization with increase in CI for 330 beds Hospital on total plot<br>area of 8600 Sq.Mtr & total BUA of 25,789 Sq.Mtr.   |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent      | Consent<br>granted<br>Up to   | Remarks / Discussion  |
|------------|---|--|---|---|---|
|            | 000016<br>6170                          | 791,Bandra<br>Reclamation,Ba<br>ndra(West).  | Authorization,<br>Consent to<br>Operate |   | Committee also noted that HCE has obtained combine consent & BMW authorization vide dated 01.12.2020, valid up to 31.03.2023 with CI Rs. 332.85 Crs. ETP & STP Details: HCE has provided ETP of capacity 40 CMD comprising primary & tertiary treatment and STP of capacity 300 CMD based on MBR technology. The treated effluent & sewage is recycled to maximum extent for toilet flushing and remaining into MCGM drainage. After due deliberation, it was decided to grant Renewal of Combined Consent & BMW Authorization with increase in CI for 330 beds Hospital on total plot area of 8600 Sq.Mtr & total BUA of 25,789 Sq.Mtr by imposing following conditions:      1. HCE shall properly operate ETP & STP to achieve consented norms. 2. HCE shall submit/extend the BGs as per HCE BG regime. |
| 15         | MPCB-<br>CONSE<br>NT-<br>000016<br>2638 | Starwing Real<br>Estate<br>CompanyC.T.S.<br>No. 47, 48,<br>51/A, 52, 53/A,<br>1702, Village.<br>Marol, Sr. No.<br>156/7 (Pt) &<br>156/11 (Pt),<br>Shivaji Nagar,<br>Andheri (East),<br>Mumbai. | APPROVED<br>Consent to<br>Establish     | Commission<br>ing of the<br>project or 5<br>years<br>whichever is<br>earlier. | Committee noted that, PP has applied for grant of Consent to Establish for<br>proposed SRA scheme project having Total Plot Area of 13,248.98 Sq.m<br>and Total Construction BUA of 1,31,681.93 Sq.m [As per specific condition<br>No B(8) of EC dtd. 18/05/2023].<br>Committee also noted that, PP has obtained Environmental Clearance,<br>proposed to provide STP & OWC.<br>After due deliberation it was decided to grant of Consent to Establish by<br>imposing standard conditions for infrastructure projects.   |
| 16         | MPCB-<br>CONSE                          | Godrej<br>Properties   | APPROVED                                | Commission<br>ing of the  | Committee noted that, PP has applied for grant of Consent to Establish for proposed Residential cum Commercial construction project having Total  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                         | Consent<br>granted<br>Up to                       | Remarks / Discussion   |
|------------|---|---|--|---|--|
|            | NT-<br>000016<br>4530                   | Limited -<br>Proposed<br>Residential &<br>Commercial<br>construction<br>projectSr. No.<br>191(P) to<br>195(P), Plot-C,<br>Village. Pimpri,<br>Tal. Haveli, Dist.<br>Pune. | Consent to<br>Establish                                    | project or 5<br>years<br>whichever is<br>earlier. | <ul> <li>Plot Area of 38,908.87 Sq.m and Total Construction BUA of 2,22,397.94 Sq.m.</li> <li>Committee also noted that PP has applied for Environmental Clearance, proposed to provide STP &amp; OWC.</li> <li>After due deliberation it was decided to grant of Consent to Establish with a condition for not to take effective steps towards implementation of the project before obtaining Environmental Clearance and by imposing standard conditions for infrastructure projects.</li> </ul>   |
| 17         | MPCB-<br>CONSE<br>NT-<br>000016<br>7276 | Sagitarius<br>Ecospaces<br>LLPFP. No. 3/3<br>& FP No. 70/11,<br>Nagar Road,<br>Yeravada, Tal.<br>Haveli, Dist.<br>Pune - 411006.  | APPROVED<br>1st Consent to<br>Operate (Part-<br>I)         | 31.08.2024  | Committee noted that, PP has applied for grant of 1 <sup>st</sup> Consent to Operate<br>(Part-I) for Residential & Commercial building project having Total plot area<br>of 12,360 Sq.m out of TPA of 2,64,913.95 Sq.m and Construction BUA of<br>1,17,067.78 Sq.m out of Total Construction BUA of 2,76,379.82 Sq.m (As<br>per specific condition No. B(5) of EC dtd. 29/08/2022).<br>Committee also noted that, PP has obtained valid Environmental<br>Clearance, provided STP & OWC.<br>After due deliberation it was decided to grant of 1 <sup>st</sup> Consent to Operate<br>(Part-I) by imposing standard conditions for infrastructure projects. |
| 18         | MPCB-<br>CONSE<br>NT-<br>000013<br>8194 | SMBT Institute<br>of Medical<br>Sciences and<br>Research<br>center- SMBT<br>Hospital Nandi<br>Hills,  | APPROVED<br>Combined<br>Consent &<br>BMW<br>Authorization, | 31.03.2024  | Committee noted that HCE has applied for Renewal of Combined Consent<br>& BMW Authorization with an increase in number of beds 650 (Existing) +<br>160 (Increased) = 810 beds Hospital on total plot area of 7858 Sq.Mtr &<br>increase in total BUA from 39,290.08 Sq.Mtr.<br>Committee also noted that the case was discussed in earlier CAC meeting<br>dated 07.07.2023 & decided to issue SCN for refusal of consent due to   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address                         | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|-------------------------------------|--|------------------------------------|-----------------------------|---|
|            |                                     | Dhamangaon-<br>Ghti,<br>Tal:Igatpuri,<br>Dist:Nashik | Consent to<br>Renewal              |                             | HCE has increased 160 beds without consent & delay the application for<br>renewal of consent by 104 days which attracts the penal fees, non-<br>operation of ETP, STP & disposal of BMW beside boundary wall.   |
|            |                                     |  |                                    |                             | Committee further noted that SCN issued on 19.07.2023, HCE has<br>submitted the reply vide dated 21.07.2023 & submitted that HCE has paid<br>penal fees towards delay in application & increase in beds by 160 Nos<br>without obtaining consent to establish, towards non-operation of ETP, HCE<br>has submitted that during the time of visit, ETP was under maintenance &<br>now it is taken in operational, HCE has ensured not to discharge any kind<br>of effluent outside the premises as HCE has provided STP of capacity 400<br>KLD & 100 KLD ETP to treat the domestic & trade effluent generated from<br>hospital, HCE has provided dedicated storage system for BMW & on<br>regular basis, BMW generated is being sent to CBMWTSDF.<br>After due deliberation, it was decided to grant Renewal of Combined<br>Consent & BMW Authorization with increase in number of beds 650<br>(Existing) + 160 (Increased) = 810 beds Hospital on total plot area of 7858<br>Sq.Mtr & total BUA of 39,290.08 Sq.Mtr by imposing following conditions:<br>1. HCE shall properly operate ETP & STP to achieve consented norms.<br>2. HCE shall submit BGs as per HCE BG regime.<br>Consent shall be issued after submission of additional consent fees, if any. |
| 19         | MPCB-<br>CONSE<br>NT-               | MBekaert<br>Industries Pvt.<br>Ltd.Plot No. B-1      | NOT<br>APPROVED                    |                             | Committee noted that PP has applied for Renewal of Consent.   |
|            | 000016<br>3482                      | MIDC<br>Ranjangaon<br>Shirur                         | Renewal of<br>Consent              |                             | Committee also noted that JVS results are slightly exceeding, and disposal of non-Hazardous waste is not as per rule. There are also a need to clarify about ZLD system. PP not submitted recent balance sheet.   |
|            |                                     |  |                                    |                             | After due deliberation, it was decided to issue SCN for refusal of consent for above non-compliances.   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent                             | Consent<br>granted<br>Up to | Remarks / Discussion   |  |
|------------|---|--|--|-----------------------------|--|--|
|            |   |  |  | 00.00.0004                  |  |  |
| 20         | MPCB-<br>CONSE<br>NT-<br>000016<br>6231 | Bajaj Electrical<br>Ltd. Gut. No<br>423-426 Gut No<br>423-426<br>WADIVARHE,<br>MUMBAI-AGRA<br>HIGHWAY, OPP<br>ROTHE ERDE<br>Igatpuri | APPROVED<br>Operate with<br>change in<br>Name and<br>expansion | 30.09.2024                  | Committee noted that it is a resubmission application. PP has applied for<br>applied Renewal of consent to operate for expansion with change in name<br>and increase in Cl. The case was discussed in 9th CAC meeting held on<br>07.07.2023.<br>After due deliberation, it was decided to issue show cause notice for the<br>above-mentioned non-compliances.<br>Committee also noted that Industry informed that M/s. Starlite lighting Ltd.<br>having consent in Green category taken over the unit under NCLT scheme<br>by M/s Bajaj Electricals Ltd and after completion of the procedure of<br>handover they have applied for consent to operate with paying additional<br>fees for consent to establish and submit detail reply.<br>Committee further noted that PP has requested the CAC committee to<br>consider application for consent to operate & grant the permission for the<br>same.<br>After due deliberation, it was decided to grant consent to operate for<br>expansion with change in name of the unit and increase in Cl for LED Bulb<br>with chips (Electric) – 20,00,000 Pcs/M, Mixer Grinder – 10,00,000 Pcs/M,<br>Hand Blender (Electric) – 10,00,000 Pcs/M, OFR Oil Fees Radiator –<br>50,000 Pcs/M, (PTFE) Poly Tetra Fluro Ethylene (Electric) – 1,50,000<br>Pcs/M, SMT Surface Mounting Technology (Electric) – 5,00,000 Pcs/M, |  |
|            |   |  |  |                             | SWH Storage Water Heater – 1,20,000 Pcs/M and IWH (Instant Water Heater) – 50,000 Pcs/M. by imposing following conditions:   |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent   | Consent<br>granted<br>Up to | Remarks / Discussion   |
|------------|---|---|--|-----------------------------|--|
|            |   |   |  |                             | <ol> <li>PP shall submit BG of Rs. 25 Lakh towards operation and<br/>maintenance of pollution control systems and compliance of<br/>consent conditions.</li> <li>PP shall operate &amp; maintain the pollution control system &amp; achieve<br/>consented prescribed standards.</li> <li>Consent shall be issued after submission of additional consent fees, if any.</li> </ol>   |
| 21         | MPCB-<br>CONSE<br>NT-<br>000016<br>7940 | Ashok Sahakari<br>Sakhar<br>Karkhana<br>Limited.,<br>Distillery<br>Division162,172,<br>157P<br>Ashoknagar<br>Shrirampur | APPROVED<br>Consent to 1 <sup>st</sup><br>Operate<br>(Expansion)<br>amalgamation<br>with renewal of<br>consent | 31.07.2024                  | Committee noted that Industry has applied for 1st consent to operate for<br>expansion for 90 KLPD amalgamation with Renewal of consent for 30<br>KLPD molasses base distillery unit.<br>Committee also noted that earlier 30 KLPD distillery unit consent dated<br>10.11.20223 which is valid up to 31.08.2023. C to E obtained on<br>20.08.2021. obtain EC dated 31.03.2022 for 30KLPD to 120KLPD.<br>Committee further noted that for treatment of spent wash provided bio-<br>digester followed by MEE followed by Bio-composting on 05 acres compost<br>yard for existing spent wash and for expansion spent wash industry has<br>provided MEE followed by incineration boiler.<br>Industry has not submitted BG, additional consent fee and SRO verification<br>report regarding completion of expansion unit.<br>After due deliberation it was decided to grant 1st consent to operate for<br>expansion for 90 KLPD amalgamation with Renewal of consent for 30<br>KLPD molasses base distillery unit, by imposing following conditions: |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent  | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|---|---|-----------------------------|---|
|            |   |   |   |                             | <ol> <li>Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards<br/>compliance of consent conditions.</li> <li>Consent shall be issued after submission of bank guarantee, additional fee<br/>and verification from SRO regarding installation of expansion unit.</li> </ol>  |
| 22         | MPCB-<br>CONSE<br>NT-<br>000016<br>3903 | ORDNANCE<br>FACTORY<br>BHANDARA,<br>UNIT OF<br>MUNITIONS<br>INDIA<br>LIMITED105/2 &<br>107/2<br>JAWAHARNAG<br>AR (SAHULI)<br>BHANDARA | NOT<br>APPROVED<br>1st Consent to<br>Operate for<br>expansion                       |                             | Committee noted that, PP applied for 1st Consent to Operate for expansion<br>for the manufacturing of HMX & HMX compounds – 8 MT/M.<br>Committee also noted that, Industry Obtained renewal of consent vide<br>dated 25.02.2020 which is valid up to 31.10.2024 and obtained Consent to<br>Establish for expansion vide dated 04.11.2022.<br>Committee further noted that not obtained EC as condition stipulated in C<br>to E. PP has submitted a request letter to waive off the consent to operate<br>for expansion fees as this activity is already established & the CI is included<br>in the year 2018-2019 and accordingly paid the fees.<br>After due deliberation, it was decided to issue show cause notice for refusal<br>of consent as PP has failed to obtained Environment Clerance and<br>additional consent fees. |
| 23         | MPCB-<br>CONSE<br>NT-<br>000016<br>5872 | LOKMANYA<br>TILAK<br>MUNICIPAL<br>GENERAL<br>HOSPITALLOK<br>MANYA TILAK<br>MUNCIPAL<br>GENERAL  | APPROVED<br>Combined<br>Consent &<br>BMW<br>Authorization,<br>Consent to<br>Operate | 31.05.2026                  | Committee noted that HCE has applied for Combined Consent & BMW<br>Authorization for 1422 + 328 = 1750 beds Hospital on total plot area of<br>52,170 Sq.Mtr & total BUA of 21,830 Sq.Mtr.<br>Committee also noted that HCE has obtained BMW authorization vide<br>dated 26.08.2013, valid up to 31.03.2016.   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address  | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|-------------------------------------|---|------------------------------------|-----------------------------|---|
|            |                                     | HOSPITAL,<br>SION   |                                    |                             | Committee further noted that HCE has applied for 1 <sup>st</sup> combine consent &<br>BMW authorization vide UAN No. 13764 for 1422 beds hospital which was<br>discussed & approved up to 31.05.2023 in CAC meeting dated 20.05.2022.<br>However, consent was not issued due to non-payment of additional<br>consent fees of Rs. 2,39,900/- for grant of 1st Combine consent & BMW<br>Authorization up to 31.05.2023 after taking repeated follow up. Now HCE<br>has applied for 1st Combine consent & BMW Authorization for additional +<br>existing beds = 1750 with CI Rs. 244.46 Crs which is increased by Rs.<br>214.45 Crs. |
|            |                                     |   |                                    |                             | Committee also noted that CE has paid consent fees of Rs. 24,44,630/-,<br>out of this we may recover additional required fees of Rs. 2,39,900/- & fees<br>of Rs. 4,28,900/- towards increased CI & grant of 1st combine consent &<br>BMW authorization for the period up to 31.05.2026 by clubbing the<br>previous consent application vide UAN No. 13764.  |
|            |                                     |   |                                    |                             | After due deliberation, it was decided to grant Combined Consent & BMW<br>Authorization for 1422 + 328 = 1750 beds Hospital on total plot area of<br>52,170 Sq.Mtr & total BUA of 21,830 Sq.Mtr by imposing following<br>conditions:  |
|            |                                     |   |                                    |                             | <ol> <li>HCE shall provide own STP to treat the domestic effluent generated<br/>from hospital within next 6 Months.</li> <li>HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol>   |
| 24         | MPCB-<br>CONSE<br>NT-               | Bhimashankar<br>Sahakari Sakhar<br>Karkhana<br>Ltd.148<br>Dattatryanagar, | APPROVED<br>Renewal of<br>Consent  | 31.07.2026                  | Committee noted that PP has applied for Renewal of Consent for 6000<br>TCD Sugar unit and 29 MW Co-generation unit.   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                    | Consent<br>granted<br>Up to   | Remarks / Discussion   |
|------------|---|---|---|---|--|
|            | 000017<br>0265                          | Pargaon Tarfe<br>Awasari Bk.<br>Ambegaon  |   |   | Committee also noted that, PP Provided full-fledged ETP with CPU and provided wet scrubber & ESP as APC to Boilers. JVS results are slightly exceeding.<br>After due deliberation, it was decided to grant Renewal of Consent for 6000   |
|            |   |   |   |   | <ul> <li>TCD Sugar unit and 29 MW Co-generation unit, by imposing following conditions:</li> <li>1. PP shall submit / Extend total BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems.</li> <li>2. PP shall submit an improvement plan regarding O &amp; M of ETP</li> </ul>  |
| 25         | MPCB-<br>CONSE<br>NT-<br>000017<br>0253 | Sahakar<br>Maharshi<br>Shankarrao<br>Mohite-Patil<br>SSK Ltd28 & 29<br>At-<br>Shankarnagar<br>Po-<br>Yeshwantnagar<br>Malshiras | APPROVED<br>Consent to<br>Establish for<br>expansion. | Commission<br>ing of the<br>project or 5<br>years<br>whichever is<br>earlier. | <ul> <li>within one month period to achieve consented standards.</li> <li>Committee noted that PP has applied for Consent to Establish for Expansion of Sugar Unit from 7500 TCD to 10000 TCD i.e for 2500 TCD.</li> <li>Committee also noted that PP obtain Environmental clearance for expansion on 07.05.2019. Provided full-fledged ETP Provided primary, secondary &amp; tertiary system for industrial effluent and same will be upgraded for expansion.</li> <li>After due deliberation, it was decided to grant Consent to Establish for Expansion of Sugar Unit from 7500 TCD to 10000 TCD i.e for 2500 TCD, by imposing following conditions:</li> <li>PP shall submit BG of Rs. 25 Lakh towards compliance of consent &amp; EC conditions.</li> <li>PP shall submit an improvement plan regarding upgradation and O &amp; M of ETP within three-month period to achieve consented standards.</li> </ul> |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent  | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|--|---|-----------------------------|---|
| 26         | MPCB-<br>CONSE<br>NT-<br>000017<br>0532 | Shri Subhash<br>Sugar Private<br>Limited<br>Hadsani.Gat<br>No.Hadsani<br>64,63,87,89<br>Lahari<br>8,7,6,9,10<br>Village Hadsani<br>Hadgaon | APPROVED<br>Renewal of<br>Consent   | 31.07.2024                  | <ul> <li>Committee noted that Industry has applied for renewal consent for 2500<br/>TCD sugar unit. Renewal of Consent to operate grant on 24.03.2023 which<br/>was valid up to 31.07.2023.</li> <li>Committee also noted that JVS results: 19.02.2023 exceeds consented<br/>standards. BG as per earlier consent conditions not submitted.</li> <li>After due deliberation, it was decided to grant renewal of consent for 2500<br/>TCD sugar unit, by imposing following conditions:</li> <li>1. By forfeiting appropriate bank guarantee for JVS exceedance and top<br/>up with Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution<br/>control system and compliance of consent conditions.</li> <li>2. Industry shall obtain valid NOC from CGWA within 3 months.</li> <li>Consent shall be issued after submission of bank guarantee as per earlier<br/>consent conditions.</li> </ul> |
| 27         | MPCB-<br>CONSE<br>NT-<br>000016<br>4954 | Airports<br>Authority of<br>India (MLCP<br>Building)224,<br>225 & 226 Pune<br>Airport,<br>Lohegaon<br>Haveli                               | Approved<br>Renewal of<br>consent part II<br>with 1st C to<br>O for Dg sets | 31.01.2025                  | Committee noted that PP has applied for renewal of consent to operate<br>(Part II) (UAN No. 164954) & 1st consent to operate for 4 Nos of DG Set (<br>1500 KVA each) ( UAN No. 159932 for Multi-level car parking (MLCP) with<br>integrated commercial building only having TPA- 83244 sq.mt. and BUA –<br>45661 sq.mt.<br>Committee has also noted that PP has submitted two separate consent<br>applications as renewal of consent to operate (Part II) & 1st consent to<br>operate for 4 Nos of DG Set ( 1500 KVA each). Committee also further  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address            | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to              | Remarks / Discussion   |
|------------|-------------------------------------|---|------------------------------------|--|--|
|            |                                     |   |                                    |  | noted that PP has obtained consent to establish for expansion vide 23.04.2019  |
|            |                                     |   |                                    |  | Committee further noted that PP has obtained Environmental Clearance and provided STP and OWC.   |
|            |                                     |   |                                    |  | After due deliberation, it was decided to grant renewal of consent and 1 <sup>st</sup> consent to operate with amalgamation by imposing following conditions:  |
|            |                                     |   |                                    |  | <ol> <li>PP shall comply with conditions stipulated in Environmental<br/>Clearance granted vide dtd. 29.10.2018</li> <li>PP shall properly operate STP to achieve the treated domestic<br/>effluent standard for the parameter BOD-10 mg/lit including<br/>disinfection facility to the treated sewage.</li> <li>The treated sewage shall be 60% recycled for secondary purposes<br/>such as toilet flushing, air-conditioning, cooling tower make up,<br/>firefighting etc. and remaining shall be utilized on land for gardening<br/>and/ or connected to local body sewer line with water metering<br/>system.</li> <li>PP shall properly operate organic waste converter for the<br/>treatment of wet garbage.</li> <li>PP shall make provision of charging ports for electric vehicles at<br/>least 40% of total available parking slots.</li> <li>PP shall amalgamate both consents i.e. Part I &amp; Part II after its<br/>expiry.</li> <li>PP shall submit/extend Existing BG towards O &amp; M of PCS and<br/>compliance of consent conditions for the period upto 31.05.2025.</li> </ol> |
| 28         | MPCB-<br>CONSE<br>NT-               | CUSTOM<br>ENCLAVE,WAD<br>ALAAt. C.S No. | APPROVED<br>Consent to             | Commission<br>ing of the<br>project or 5 | Committee noted that, PP has applied for grant of Consent to Establish for proposed Residential cum Commercial project having Total Plot Area of   |
|            |                                     | 146, Salt Pan                           | Establish                          | years                                    |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |  |
|------------|---|--|------------------------------------|-----------------------------|---|--|
|            | 000016<br>9873                          | Division, F/N<br>Ward, Wadala,<br>Mumbai.  |                                    | whichever is<br>earlier.    | <ul> <li>2,26,013.49 Sq.m and Total Construction BUA of 1,55,853.90 Sq.m [As per specific condition No B(5) of EC dtd. 06/06/2023].</li> <li>Committee also noted that PP has obtained Environmental Clearance, proposed to provide STP &amp; OWC.</li> <li>After due deliberation it was decided to grant of Consent to Establish by imposing standard conditions for infrastructure projects.</li> </ul>  |  |
| 29         | MPCB-<br>CONSE<br>NT-<br>000017<br>0355 | Macrotech<br>Developers<br>LtdAs per<br>attached list<br>Village Nilje<br>katai Kalyan | APPROVED<br>Renewal of<br>Consent  | 31.05.2028                  | Committee noted that PP has applied for Renewal of consent for<br>commercial Tower, amenities and Xperia Mall on total plot area- 14,78,822<br>Sq. Mtr & BUA- 88,786 Sq. Mtr. With C.I. of Rs. 213.3635 Crs.<br>Committee also noted that PP obtained C to 1st operate (Part-V) on<br>17.05.2019. EC obtained on 08.10.2015. Construction work of the Project<br>was in progress. Completed construction work BUA-88,786 sq.mtr. as per<br>Architect Certificate submitted.<br>After due deliberation, it was decided to grant of Renewal of consent for<br>commercial Tower, amenities and Xperia Mall on total plot area- 14,78,822<br>Sq. Mtr & BUA- 88,786 Sq. Mtr., subject to submission of BGs as per earlier<br>consent conditions, by imposing bank guarantee and standard conditions<br>for infrastructure projects and outcome of order pass and being passed by<br>Hon'ble Hight Court, Mumbai. |  |
| 30         | MPCB-<br>CONSE<br>NT-                   | Macrotech<br>Developers Ltd.,<br>As per attached                                       | APPROVED                           | 31.05.2024                  | Committee noted that PP has applied for Renewal of consent for Residential Building of Part-V Siena A, B and Savana A & B on total plot   |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|--|------------------------------------|-----------------------------|---|
|            | 000017<br>0081                          | list Siena A & B<br>Savana A & B<br>Kalyan   | Renewal of<br>Consent              |                             | <ul> <li>area- 14,78,822 Sq. Mtr &amp; BUA- 51167 Sq. Mtr. With C.I. of Rs. 123.42<br/>Crs.</li> <li>Committee also noted that PP obtained C to 1st operate (Part-V) on<br/>17.05.2017. EC obtained on 08.10.2015. Construction work of the Project<br/>was in progress. Completed construction work BUA-51167 sq.mtr. as per<br/>Architect Certificate submitted.</li> <li>Committee further noted that PP has provided STP with MBBR Technology<br/>– 250 CMD capacity.</li> <li>After due deliberation, it was decided to grant of Renewal of consent for<br/>Residential Building of Part-V Siena A, B and Savana A &amp; B on total plot<br/>area- 14,78,822 Sq. Mtr &amp; BUA- 51167 Sq. Mtr., subject to submission of<br/>BGs as per earlier consent conditions, by imposing bank guarantee and<br/>standard conditions for infrastructure projects and outcome of order pass<br/>and being passed by Hon'ble Hight Court, Mumbai.</li> </ul> |
| 31         | MPCB-<br>CONSE<br>NT-<br>000015<br>4213 | Macrotech<br>Developers Ltd.,<br>As per attached<br>list Village Nilje<br>katai Kalyan | APPROVED<br>Renewal of<br>Consent  | 30.11.2024                  | Committee noted that PP has applied for Renewal of consent for<br>(Residential Building of Part-V) on total plot area14,78,822 Sq. Mtr & BUA-<br>411077.52 Sq. Mtr. With C.I. of Rs. 1096.4 Crs.<br>Committee also noted that PP has obtained renewal of consent (Part-III)<br>on 04.06.2022. EC obtained on 08.10.2015 for Residential Cum<br>Commercial Building Project. Completed construction work BUA-<br>411077.52 sq.mtr. as per Architect Certificate submitted.<br>After due deliberation, it was decided to grant of Renewal of consent for<br>(Residential Building of Part-V) on total plot area- 14,78,822 Sq. Mtr &<br>BUA- 411077.52 Sq. Mtr, subject to submission of BGs as per earlier   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent  | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|--|---|-----------------------------|---|
|            |   |  |   |                             | consent conditions, by imposing bank guarantee and standard conditions<br>for infrastructure projects and outcome of order pass and being passed by<br>Hon'ble Hight Court, Mumbai.   |
| 32         | MPCB-<br>CONSE<br>NT-<br>000017<br>1793 | SEVA<br>SUPERSPECIA<br>LITY AND<br>CRITICAL<br>CARE CENTER<br>mission<br>compound ,sakri<br>road | APPROVED<br>Combined<br>Consent &<br>BMW<br>Authorization,<br>Consent to<br>Operate | 31.05.2026                  | <ul> <li>Committee noted that HACE applied for Renewal of Combined Consent &amp;<br/>BMW Authorization with expansion for additional beds for 145 + 85 = 230<br/>beds Hospital on total plot area of 1336.0 Sq.Mtr &amp; total BUA of 2631.0<br/>Sq.Mtr.</li> <li>Committee also noted that obtained combine consent &amp; BMW<br/>authorization vide dated 14.06.2021, valid up to 31.05.2023 with CI Rs.<br/>11.54 Crs. HCE has submitted separate application for consent to establish<br/>for additional 85 beds vide UAN No. 171445, dated 20.05.2023, however,<br/>as per BNH certificate, HCE has installed the same since 21.03.2023 which<br/>attracts the penal fees of Rs. 75,000/</li> <li>After due deliberation, it was decided to grant Renewal of Combined<br/>Consent &amp; BMW Authorization with expansion for additional beds for 145<br/>+ 85 = 230 beds Hospital on total plot area of 1336.0 Sq.Mtr &amp; total BUA<br/>of 2631.0 Sq.Mtr by imposing following conditions:</li> <li>1. HCE shall upgrade the existing STP to treat the domestic effluent<br/>generated from existing &amp; increased beds within next 6 Months &amp;<br/>shall properly operate the same to achieve consented norms.</li> <li>2. HCE shall submit/extend the BGs as per HCE BG regime.</li> <li>Consent shall be issued after submission of additional consent fees, if any</li> </ul> |
| 33         | MPCB-<br>CONSE                          | Gharda<br>Chemicals  | APPROVED  | Commission ing of unit or   | Committee noted that PP has applied for Consent to Establish expansion<br>in respect of additional products falling in Herbicides, Insecticides,  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                 | Consent<br>granted<br>Up to  | Remarks / Discussion   |
|------------|---|---|--|--|--|
|            | NT-<br>000017<br>1816                   | LimitedA-81 to<br>A-84, B-22 to B-<br>24, B-26 to B-29<br>& OS-4 Phase -<br>I, M.I.D.C.<br>Dombivli Kalyan    | Consent to<br>Establish<br>(Expansion)             | 5 years,<br>whichever is<br>earlier.                                 | <ul> <li>Fungicides, Pyrethroids, etc. There will be an increase in production quantity from 7208 MT/A to overall 12975 MT/A.</li> <li>Committee also noted that Industry applied with by-product, however, as per the Boards policy, it will be appropriate to shift to Hazardous Waste and ask to separately apply for classification of material as by-product before by-product committee.</li> <li>Committee further noted that Consent to Operate granted dated 11/8/2021 which is valid up to 31/12/2023. Industry has obtained ToR for Expansion.</li> <li>After due deliberation, it was decided to grant of Consent to Establish expansion in respect of additional products falling in Herbicides, Insecticides, Fungicides, Pyrethroids, etc. increase in production quantity from 7208 MT/A to overall 12975 MT/A., by imposing not to take effective steps prior to obtaining Environment Clearance, standard conditions, and bank guarantee.</li> </ul> |
| 34         | MPCB-<br>CONSE<br>NT-<br>000017<br>1881 | Gharda<br>Chemicals<br>Limited Unit 1,4<br>& 7B-1/6, B-1/7,<br>D-1/2, OS-8<br>MIDC, Lote<br>Parshuram<br>Khed | APPROVED<br>Consent to<br>Establish<br>(Expansion) | Commission<br>ing of unit or<br>5 years,<br>whichever is<br>earlier. | Committee noted that Industry has applied for grant of Consent to Establish<br>(Expansion) for Agrochemicals, Synthetic Organic Chemicals & their<br>Intermediates Manufacturing Plant and Captive Co-Generation Power<br>Plant and Installation of Chlor-Alkali Manufacturing Plant.<br>Committee also noted that Consent to Operate was granted dated<br>11/8/2021 which is valid up to 31/12/2023. Industry has obtained ToR for<br>Expansion.<br>After due deliberation, it was decided to grant of Consent to Establish<br>(Expansion) for Agrochemicals, Synthetic Organic Chemicals & their<br>Intermediates Manufacturing Plant and Captive Cogeneration Power Plant   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent                 | Consent<br>granted<br>Up to  | Remarks / Discussion   |
|------------|---|--|--|--|--|
|            |   |  |  |  | and Installation of Chlor-Alkali Manufacturing Plant, by imposing not to take effective steps prior to obtaining Environment Clearance, standard conditions, and bank guarantee.   |
| 35         | MPCB-<br>CONSE<br>NT-<br>000017<br>2360 | Gharda<br>Chemicals<br>LimitedPlot No.<br>F-1/1 (Unit No.3)<br>MIDC, Lote<br>Parshuram<br>Khed | APPROVED<br>Consent to<br>Establish<br>(Expansion) | Commission<br>ing of unit or<br>5 years,<br>whichever is<br>earlier. | Committee noted that Industry has applied for grant of Consent to Establish<br>(Expansion) for Captive Co-generation Plant- 11 MW (Coal Based Power-<br>7 MW & WHRB-4 MW).<br>Committee also noted that Industry has obtained Consent to Operate<br>granted dated 11/8/2021 which is valid up to 31/12/2023. Industry has<br>obtained ToR for Expansion. Proposed an additional 90 TPH boiler with<br>ESP as APC system.<br>After due deliberation, it was decided to grant Consent to Establish<br>(Expansion) for Captive Cogeneration Plant- 11 MW (Coal Based Power-<br>7 MW & WHRB-4 MW) by imposing not to take effective steps prior to<br>obtaining Environment Clearance, standard conditions, and bank<br>guarantee. |
| 36         | MPCB-<br>CONSE<br>NT-<br>000016<br>8046 | INDIAN<br>INSTITUTE OF<br>MANAGEMENT<br>PLOT NO-1<br>MIHAN<br>NAGPUR(URBA<br>N)                | APPROVED<br>Consent to 1 <sup>st</sup><br>Operate  | 31.07.2025   | Committee noted that PP has applied for Consent to 1st Operate for<br>Educational Institute on total plot area- 533990.887 Sq. Mtr & BUA<br>77029.724 Sq. Mtr. With C.I. of Rs. 402.42 Crs.<br>Committee also noted that PP has obtained consent to establish on<br>26.02.2020 for total plot area 533990.887 Sq mtrs, and Construction BUA<br>– 77029.742 Sqm with CI of Rs. 291.16 Crs.<br>Committee further noted that the project is categorized as an Educational<br>Institute, which does not attract Environment clearance up to 150000 sq.<br>mtrs. As per notification.   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion   |
|------------|---|---|------------------------------------|-----------------------------|--|
|            |   |   |                                    |                             | Construction work of the Project was in progress. Completed construction work BUA-411077.52 sq.mtr. as per Architect Certificate submitted.<br>After due deliberation, it was decided to grant the 1st Operate for Educational Institute on total plot area- 533990.887 Sq. Mtr & BUA77029.724 Sq. Mt., by imposing bank guarantee and standard conditions for infrastructure projects.  |
| 37         | MPCB-<br>CONSE<br>NT-<br>000017<br>2138 | SHRI VITHAL<br>SAHAKARI<br>SAKHAR<br>KHARKHANA<br>LTD.VENUNAG<br>AR145,149A,54<br>3/A,149B,143,29<br>9,300 & OTHER<br>AT-POST-<br>GURSALE<br>PANDHARPUR | APPROVED<br>Renewal of<br>Consent  | 31.07.2024                  | Committee noted that PP applied grant of Renewal of Consent for Cane<br>crushing capacity 7500 TCD.<br>Committee also noted that, PP provided primary, secondary & tertiary<br>treatment for trade effluent and ESP & wet scrubber as Air pollution control<br>system.<br>Committee further noted that, PP already applied for Renewal in last year<br>vide UAN No0000143991 and same is pending for submission of penal<br>charges and lapse period consent fee.<br>PP submitted a request letter for waive the consent fees and penal<br>charges, as per submission Industry was not in operation from year 2021-<br>22 due to financial crises. PP also submitted letter from Sugar<br>Commissioner and Excise department, Pune stating that unit was not in<br>operation in year 2021-22.<br>After due deliberation, it was decided to Consider Renewal of consent<br>and also decided to waive penal fee for period when industry is not in<br>operation and close, by imposing following conditions: |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|---|------------------------------------|-----------------------------|---|
|            |   |   |                                    |                             | <ol> <li>By Forfeiting appropriate BG for exceedance of JVS and shall<br/>submit total BG of Rs. 25 lakh towards compliance of consent<br/>conditions and O &amp; M of pollution control system.</li> <li>PP shall submit time bound improvement plan for upgradation of<br/>ETP and O &amp; M of pollution control system to achieve consented<br/>standards within period of three months.</li> </ol>   |
| 38         | MPCB-<br>CONSE<br>NT-<br>000017<br>2522 | SHRI VITHAL<br>SAHAKARI<br>SAKHAR<br>KHARKHANA<br>LTD.VENUNAG<br>AR174/A,171/2B<br>,172,175/1,167/<br>1 and other AT-<br>VENUNAGAR,P<br>OST-GURSALE<br>PANDHARPUR | APPROVED<br>Renewal of<br>Consent  | 31.08.2024                  | <ul> <li>Committee noted that PP applied grant of Renewal of Consent for 30 KLPD Distillery unit.</li> <li>Committee also noted that, PP provided reboiler &amp; composting on 10 acers.</li> <li>Committee further noted that PP already applied for Renewal in last year vide UAN No0000144306 and same is pending for submission of penal charges and lapse period consent fee.</li> <li>PP submitted a request letter for waive the consent fees and penal charges, as per submission Industry was not in operation from year 2021-22 due to financial crises. PP also submitted letter from Sugar Commissioner and Excise department, Pune stating that unit was not in operation in year 2021-22.</li> <li>After due deliberation, it was decided to Consider Renewal of consent and also decided to waive penal fee for period when industry is not in operation and close, by imposing following conditions:</li> <li>1. Industry shall submit total BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> </ul> |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                   | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|---|---|--|-----------------------------|---|
| 39         | MPCB-<br>CONSE<br>NT-<br>000017<br>2723 | Gharda<br>Chemicals<br>LimitedPlot No.<br>B-22 to B-24, B-<br>26 to B-29, A-81<br>to A-84 Phase-<br>1, MIDC<br>Dombivli Kalyan  | APPROVED<br>Consent to 1st<br>Operate<br>(Expansion) | 31.07.2024                  | Committee noted that Industry has applied for 1st Consent to Operate (Expansion) for mfg of Amid Chloride by purification process only. The manufacturing process mainly consists of mixing & filtration process.<br>Committee also noted that Industry has obtained Establish dated 22.05.2023. The proposed activity involves only the purification process.<br>Committee further noted that existing utilities will be utilized for expansion activity. Only additional fuel is required for Boiler. Source emission monitoring carried out on 12/5/2023 shows TPM-18 mg/Nm3, SO3- 9 mg/Nm3- within limit.<br>After due deliberation, it was decided to grant of 1st Consent to Operate (Expansion) for mfg of Amid Chloride by purification process only, by imposing standard conditions and bank guarantee. |
| 40         | MPCB-<br>CONSE<br>NT-<br>000017<br>1999 | Bhairavnath<br>Sugar Works<br>Ltd. Unit 397-<br>1,98-1,98-<br>/1A,98-2/2B,98-<br>2B,105-2,116-<br>1,116-2,116-<br>3,117-1,117-<br>2,117-3,118-<br>3,127-1 Sawant<br>Nagar, A/p<br>Lavangi,<br>Mangalwedha | APPROVED<br>Renewal of<br>Consent                    | 31.07.2024                  | Committee noted that Industry has applied for Renewal of Consent for total<br>Cane crushing capacity 2500 TCD.<br>Committee also noted that Industrial effluent generation is 260 CMD from<br>the manufacturing process. Factory has provided ETP of 300 M3/day JVS<br>analysis results are well within the limit & meeting with consented norms.<br>Industry has installed boiler of cap 90 TPH capacity along with ESP<br>After due deliberation, it was decided to grant renewal of consent for 2500<br>TCD sugar unit by imposing following conditions:   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion   |
|------------|---|---|------------------------------------|-----------------------------|--|
|            |   |   |                                    |                             | <ol> <li>Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards<br/>O &amp; M of pollution control system and compliance of consent<br/>conditions.</li> </ol>   |
| 41         | MPCB-<br>CONSE<br>NT-<br>000017<br>3429 | Loknete<br>Baburoa Patil<br>Agro Industries<br>Ltd601,592<br>Laxminagar,Ang<br>ar Mohol | APPROVED<br>Renewal of<br>Consent  | 31.08.2024                  | <ul> <li>Committee noted that Industry has applied for plain Renewal of Consent for molasses base distillery activity having capacity 30 KLPD.</li> <li>Committee also noted that effluent/spent wash generation is 295 CMD. For treatment of the same, industry has provided bio-digester followed by bio-composting. For storage of spent wash HDPE lined concrete lagoon of capacity 30 days &amp; 5 days is provided. For composting industry has provided HDPE lined impervious compost yard of 7.5 acres with leachate collection system.</li> <li>After due deliberation, it was decided to grant plain Renewal of Consent for 30 KLPD molasses base distillery unit, by imposing following conditions:</li> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ul> |
| 42         | MPCB-<br>CONSE<br>NT-<br>000017<br>3729 | Shri Ambalika<br>Sugar<br>Pvt.Ltd.Gat.No.2<br>31,392-B<br>Ambika nagar<br>Karjat        | APPROVED<br>Renewal of<br>Consent  | 31.07.2024                  | Committee noted that Industry has applied for renewal consent for 12000<br>TCD sugar & 38 MW Co-generation unit.<br>Committee also noted that Consent to operate grant on 04.11.2022 which<br>was valid up to 31.07.2023 CI of Rs. 420.0640 Crs. Obtained EC on<br>01.12.2020. JVS collected on 06.12.22 are within the consented limit.<br>After due deliberation, it was decided to grant renewal of consent for 12000<br>TCD sugar & 38 MW Co-generation unit by imposing following conditions:   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent                   | Consent<br>granted<br>Up to  | Remarks / Discussion   |
|------------|---|--|--|--|--|
|            |   |  |  |  | <ol> <li>Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards<br/>O &amp; M of pollution control system and compliance of consent<br/>conditions.</li> </ol>   |
| 43         | MPCB-<br>CONSE<br>NT-<br>000017<br>3218 | Lloyds Metals &<br>Energy Ltd., Plot<br>No. A-1,<br>Chamorshi<br>(Konsari)<br>Industrial Area,<br>Konsari, Tal.<br>Chamorshi, Dist.<br>Gadchiroli. | APPROVED<br>Consent to<br>Establish for<br>expansion | Commission<br>ing of unit or<br>5 years,<br>whichever is<br>earlier. | <ul> <li>Committee noted that PP Has applied for Consent to Establish for expansion with CI of Rs. 1900.0 Crs. for manufacturing of Iron ore grinding plant – 9.0 MTPA, thickening &amp; filtration unit – 10.0 MTPA &amp; iron ore pellet plant – 8.0 MTPA.</li> <li>Committee also noted that PP has obtained consent to establish vide dated 06.07.2022 for iron ore beneficiation – 90,000 MT/A, WHRB captive power – 4 MW, sponge iron – 190 MT/d. PP has applied for 1<sup>st</sup> Consent to Operate vide UAN No. 167695 which is under process by APC section as CI is of Rs. 150.0 Crs. Obtained EC for existing activity vide No. EC22B008MH126424, dated 29.08.2022 &amp; applied for EC for expansion, ToR obtained vide dated 27.01.2023.</li> <li>After due deliberation, it was decided to grant Consent to Establish for expansion with CI of Rs. 164.9 Crs for Iron ore pellet plant – 8.0 MTPA, thickening &amp; filtration unit – 10.0 MTPA &amp; iron ore pellet plant – 8.0 MTPA, thickening &amp; filtration unit – 10.0 MTPA &amp; iron ore pellet plant – 8.0 MTPA by imposing following conditions:</li> <li>1. PP shall not take any effective steps towards expansion activity till obtaining EC.</li> <li>2. PP shall install online continuous monitoring system as per CPCB guidelines &amp; data to be transmitted directly from data logger to Boards server.</li> <li>3. PP shall provide adequate air pollution control system to control air pollution.</li> </ul> |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                       | Consent<br>granted<br>Up to | Remarks / Discussion  |  |
|------------|---|---|--|-----------------------------|---|--|
|            |   |   |  |                             | <ul> <li>4. PP shall reuse and recycle all effluent to achieve Zero Liquid Discharge.</li> <li>5. PP shall submit BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions</li> </ul>  |  |
| 44         | MPCB-<br>CONSE<br>NT-<br>000017<br>3563 | Loknete<br>Baburao Patil<br>Agro Industries<br>Ltd310<br>Laxminagr,Anga<br>r Mohol  | APPROVED<br>Renewal of<br>Consent for                    | 31.07.2024                  | Committee noted that Industry has applied for Plain Renewal of Consent<br>for total Sugar Cane crushing capacity 5500 TCD.<br>Committee also noted that Industrial effluent generation is 382 CMD from<br>the manufacturing process. Factory has provided ETP of 600 M3/day<br>capacity. Industry has provided CPU to reuse treated effluent. JVS results<br>are within consented limit.<br>Committee further noted that industry has installed three nos. of boiler of<br>capacity 36 TPH, 36 TPH & 48 TPH capacity each along with Wet<br>Scrubber.<br>After due deliberation, it was decided to grant renewal of consent for 5500  |  |
| 45         | MPCB-<br>CONSE<br>NT-<br>000017<br>3520 | Adani Electricity<br>Mumbai Limited,<br>Adani Dahanu<br>Thermal Power<br>Station<br>(ADTPS)Village-<br>Agwan<br>Dahanu,Dahanu | Approved<br>Renewal of<br>consent with<br>increase in CI | 31.08.2028                  | <ul> <li>TCD sugar unit, by imposing following conditions:</li> <li>1. Industry shall submit bank guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>Committee noted that PP has applied for Renewal of consent to operate for electricity generation-500 MW (2 Units of 250 MW) and Grinded Fine Ash 240 T/Day.</li> <li>Committee has also noted that PP has obtained Environmental Clearance and provided STP and ETP for the treatment of domestic effluent and trade effluent respectively. Further Committee noted that PP has provided APCS as Electrostatic Precipitator (ESP) and Flue Gas desulphurization (FGD)</li> </ul> |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|-------------------------------------|------------------------------|------------------------------------|-----------------------------|---|
|            |                                     | Road, Dist-<br>Palghar.      |                                    |                             | <ul> <li>for So2 removal with stack. PP has also provided OCEMS and CAAQMS with server connectivity.</li> <li>After due deliberation, it was decided to grant renewal of consent to operate by imposing following conditions.</li> <li>Industry shall promote adoption of clean coal (with ash content less than 34%) and clean power generation technologies and comply with the notifications issued by MOEF for utilization of fly ash from coal or lignite based thermal power plants issued by time to time.</li> <li>The applicant shall comply with the recommendations of the task force implementation of CREP recommendations for thermal Power Plants.</li> <li>Industry shall comply with the standards stipulated by the Ministry of Environment, Forest and Climate Change vide Notification dtd.7.12.2015 and its further amendments time to time.</li> <li>The applicant shall comply with the conditions of the Environmental Clearance granted by MOEF &amp; CC, Gol.</li> <li>PP shall comply with the MoEF &amp; CC amended notification no. S.O.1561 (E) dtd. 21.05.2020 for setting up Technology Solution for emission norms, Management of Ash Ponds and Coal Transportation.</li> <li>PP shall comply with the Fly Ash Notification of Fly Ash. PP shall dispose legacy pond ash regularly.</li> <li>PP shall comply MOEF Office memorandum dtd 26.08.2015 by protocol for sampling, analysis of coal and reporting of compliance</li> </ul> |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent   | Consent<br>granted<br>Up to | Remarks / Discussion   |  |
|------------|---|--|--------------------------------------|-----------------------------|--|--|
| 46         | MPCB-<br>CONSE<br>NT-<br>000017<br>4707 | Shri Ambalika<br>sugar<br>Pvt.Ltd.(Distiller<br>y unit)Gat.no-<br>231,312-b<br>Ambikanagar<br>Karjat | APPROVED<br>Renewal of<br>Consent    | 31.08.2024                  | <ul> <li>in respect of implementation of the Gazette Notification on use and<br/>supply of raw or blended of beneficiated coal with ash content not<br/>exceeding 34% on quarterly average basis.</li> <li>9. PP shall install online Real time Coal ash analyzer.</li> <li>10.PP shall dispose chemical sludge arising from wastewater<br/>treatment plant through CHWTSDF.</li> <li>11.PP shall submit/extend Existing BGs towards compliance of<br/>consent conditions for the period up to 31.12.2028.</li> <li>Committee noted that PP has applied for Renewal of consent to operate<br/>for 150 KLPD distillery molasses base distillery unit.</li> <li>Committee also noted that Industry has Renewal of Consent to Operate dt:<br/>14.11.2022 for 150 KLPD molasses base distillery unit which is valid up to<br/>31.08.2023. For treatment of spent wash provided Multiple Effect<br/>Evaporator followed by Incineration Boiler.</li> <li>After due deliberation, it was decided to grant renewal of consent to<br/>operate for 150 KLPD distillery molasses base distillery unit, by imposing<br/>following conditions:</li> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards<br/>O &amp; M of pollution control system and compliance of consent<br/>conditions.</li> <li>Consent shall be issued after submission of additional consent fee</li> </ul> |  |
| 47         | MPCB-<br>CONSE<br>NT-                   | AAYAN<br>MULTITRADE<br>LLP (UNIT-<br>1)240/1/A   | APPROVED<br>Renewal of<br>Consent to | 31.08.2024                  | Committee noted that Industry has applied for: Renewal of Consent to Operate for molasses base distillery activity having capacity 100 KLPD.   |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                           | Consent<br>granted<br>Up to | Remarks / Discussion  |  |
|------------|---|---|--|-----------------------------|---|--|
|            | 000017<br>2747                          | SAMSHERPUR<br>NANDURBAR   | Operate for<br>molasses base<br>distillery                   |                             | <ul> <li>Committee also noted that for treatment of spent wash Indsutry has provided Bio methanation followed by Multiple Effect Evaporator followed by incineration boiler. The spent wash has evaporated in MEE &amp; concentrated spent wash has incinerated in boiler. Installed 28 TPH incineration Boiler, Spent Wash + Bagasse / Coal fired boiler with ESP.</li> <li>After due deliberation, it was decided to grant rRenewal of Consent to Operate for 100 KLPD molasses base distillery by imposing following conditions.</li> <li>Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ul>  |  |
| 48         | MPCB-<br>CONSE<br>NT-<br>000016<br>1815 | Dreamworld<br>Landmarks<br>LLPS. No. 31<br>(P), 32 (P), 33<br>(P), 34 (P), 37<br>(P) & 40 (P) At.<br>Undri, Tal.<br>Haveli, Dist.<br>Pune - 411060. | APPROVED<br>Renewal of<br>Consent to<br>Operate (Part-<br>I) | 31.05.2025                  | Committee noted that, PP has applied for grant of Renewal of Consent to<br>Operate (Part-I) for Residential buildings A, B, C, D, E, F & G of the project<br>'Godrej Prana' having Total plot area of 1,22,547 Sq.m and Construction<br>BUA of 80,474.44 Sq.m out of Total Construction BUA of 2,49,367.09 Sq.m<br>(As per EC dtd. 16/02/2018).<br>Committee also noted that, PP has valid Environmental Clearance,<br>provided STP & OWC.<br>Committee further noted that, PP has not applied for Renewal of Consent<br>to Operate (Part-I) in time. Hence, Penal charges applied.<br>After due deliberation it was decided to grant Renewal of Consent to<br>Operate (Part-I) by imposing standard conditions for infrastructure<br>projects. |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address  | Decision on<br>grant of<br>consent                   | Consent<br>granted<br>Up to  | Remarks / Discussion  |  |
|------------|---|---|--|--|---|--|
|            |   |   |  |  | Consent may be issued after receipt of penal fees.  |  |
| 49         | MPCB-<br>CONSE<br>NT-<br>000017<br>4565 | Quinergy<br>Industries Ltd.<br>(Operative of<br>Bhausaheb<br>Birajdar SSK<br>Ltd.)- S. No.<br>6/1,6/2/1,6/3,6/4<br>,65/1,65/2,65/3,<br>65/4 Village<br>Samudral &<br>15/2/2,18/1,18/3<br>,19/1/1,20/1,20/<br>2,20/3,20/4,20/5<br>,21/1,21/2,21/3,<br>21/4,21/5,22/1,2<br>2/2,29,30/1,31/1<br>/1,31/2,31/3,32/<br>2 village<br>Kondjigad,<br>Taluka Lohara,<br>District<br>Osmanabad,<br>Maharashtra<br>Lohara | APPROVED<br>Consent to<br>establish for<br>expansion | Commission<br>ing of unit or<br>5 years,<br>whichever is<br>earlier. | <ul> <li>Committee noted that PP has applied For Consent to establish for expansion for molasses base distillery having capacity - 500 KLPD.</li> <li>Committee also noted that Industry has obtained TOR accorded vide no. No. IA-J-11011/510/2022-IA-II(I), on 26/12/2022. Spent wash/ effluent generation is 1996.2 CMD &amp; will treat in MEE and the remaining effluent of quantity 3193.39 CMD will treat in CPU.</li> <li>Committee further noted that Industry has proposed to Install Bagasse fired Boiler having capacity 175 TPH along with ESP/Wet scrubber.</li> <li>After due deliberation, it was decided to grant Consent to establish for expansion for molasses base distillery having capacity - 500 KLPD, by imposing following conditions:</li> <li>I. Industry shall not take any effective steps prior to obtaining Environment Clerance and submit bank guarantee of Rs. 25 lakh towards compliance of same and consent conditions.</li> </ul> |  |
| 50         | MPCB-<br>CONSE<br>NT-<br>000017<br>3586 | lora Hotels Pvt<br>Ltd. Plot No.<br>NS- C- 04, GVK<br>Sky City, CTS<br>No. 145 A,   | APPROVED<br>1st Consent to<br>Operate                | 31.07.2028   | Committee noted that, PP has applied for grant of 1 <sup>st</sup> Consent to Operate<br>of Four-Star Hotel activity including Restaurant, Lodging & Boarding,<br>Swimming pool & Laundry activity with 669 Rooms having Total Plot Area   |  |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number     | Industry name<br>and Address   | Decision on<br>grant of<br>consent   | Consent<br>granted<br>Up to | Remarks / Discussion   |
|------------|---|--|--|-----------------------------|--|
|            |   | Village. Sahar,<br>Sahar RoaPlot<br>No. NS- C- 04,<br>GVK Sky City,<br>CTS. No.145 A,<br>Village. Sahar,<br>Sahar Road,<br>CSI Airport,<br>Mumbai-<br>400099.                                    |  |                             | of 9461.55 Sq.m and Total Construction Built Up Area of 63,278.65 Sq.m<br>Four-star category.<br>Committee also noted that, Project has been already completed, provided<br>STP & OWC.<br>After due deliberation it was decided to grant of 1 <sup>st</sup> Consent to Operate of<br>Four-Star Hotel activity by imposing standard conditions for infrastructure<br>projects.  |
| 51         | MPCB-<br>CONSE<br>NT-<br>000017<br>5849 | Goodtime Real<br>Estate<br>Development<br>Private<br>LimitedCS No.<br>707, N.G.E Mill<br>Compound of<br>Mazagaon<br>Division, Off. Dr.<br>Babasaheb<br>Ambedkar<br>Road, Byculla<br>(E), Mumbai. | APPROVED<br>1st Consent to<br>Operate (Part-<br>I)                               | 31.08.2024                  | Committee noted that, PP has applied for grant of 1 <sup>st</sup> Consent to Operate<br>(Part-I) of Residential project with shop line "Salsette 27" having Total Plot<br>Area of 31,316.56 Sq.m and Construction BUA of 1,70,478.36 Sq.m out of<br>Total Construction Built Up Area of 1,73,665.46 Sq.m.<br>Committee also noted that, PP has obtained valid Environmental<br>Clearance, provided STP & OWC.<br>After due deliberation it was decided to grant of 1 <sup>st</sup> Consent to Operate<br>(Part-I) by imposing standard conditions for infrastructure projects. |
| 52         | MPCB-<br>CONSE<br>NT-<br>000017<br>6472 | ADANI POWER<br>LIMITEDPlot<br>No. A-1, Tirora<br>Growth centre,<br>MIDC Area,<br>Tirora, Tal.<br>Tirora Dist.<br>Gondia-441911   | Approved<br>Renewal of<br>consent to<br>operate with<br>amendment in<br>the name | 31.08.2028                  | Committee noted that PP has applied for Renewal of consent to operate<br>for electricity generation-3300 MW (5 Units of 660 MW) Phase -I (Unit 1 &<br>2) and Phase II (Unit 3,4 & 5) and Fly Ash Bricks-10000 Nos/Day.<br>Committee has also noted that previous renewal of consent was granted<br>in the Name of M/s. Adani Power Maharashtra Limited and now applied for<br>change in name as M/s Adani Power Limited for which they have applied<br>for the amendment consent application with required documents   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|-------------------------------------|------------------------------|------------------------------------|-----------------------------|---|
|            |                                     |                              |                                    |                             | (Company Resolution, NCLT Copy. Name change documents from MOEFCC)  |
|            |                                     |                              |                                    |                             | Committee has also noted that PP has obtained Environmental Clearance<br>and provided STP, ETP for the treatment of domestic effluent and trade<br>effluent respectively. Further Committee noted that PP has provided APCS<br>as Electrostatic Precipitator (ESP) of capacity of 99.93 % efficiency are<br>provided to each boiler with Low Nox Burner with SOFA system for control<br>of NOx emission along with stack. Committee has further noted that PP<br>has also provided OCEMS and CAAQMS with server connectivity.   |
|            |                                     |                              |                                    |                             | After due deliberation, it was decided to grant renewal of consent to operate by imposing following conditions.   |
|            |                                     |                              |                                    |                             | <ol> <li>Industry shall promote adoption of clean coal ( with ash content less<br/>than 34%) and clean power generation technologies and comply<br/>with the notifications issued by MOEF for utilization of fly ash from<br/>coal or lignite based thermal power plants issued by time to time.</li> <li>The applicant shall comply with the recommendations of the task<br/>force implementation of CREP recommendations for thermal Power<br/>Plants.</li> <li>Industry shall comply with the standards stipulated by the Ministry<br/>of Environment, Forest and Climate Change vide Notification<br/>dtd.7.12.2015 and its further amendments time to time.</li> <li>The sulfur and ash content in the coal to be used in the Thermal<br/>Power Plant shall not exceed 0.5% and 34 % respectively.</li> <li>The applicant shall comply with the conditions of the Environmental<br/>Clearance granted by MOEF &amp; CC, Gol time to time.</li> </ol> |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address   | Decision on<br>grant of<br>consent              | Consent<br>granted<br>Up to | Remarks / Discussion  |
|------------|-------------------------------------|--|---|-----------------------------|---|
|            |                                     |  |   |                             | <ol> <li>PP shall comply with the MoEF &amp; CC amended notification no.<br/>S.O.1561 (E) dtd. 21.05.2020 for setting up Technology Solution for<br/>emission norms, Management of Ash Ponds and Coal<br/>Transportation.</li> <li>PP shall comply with the Fly Ash Notification, 2016 and as<br/>amendment thereof to achieve 100% utilization of Fly Ash. PP shall<br/>dispose legacy pond ash regularly.</li> <li>Industry shall comply MOEF Office memorandum dtd 26.08.2015<br/>by protocol for sampling, analysis of coal and reporting of<br/>compliance in respect of implementation of the Gazette Notification<br/>on use and supply of raw or blended of beneficiated coal with ash<br/>content not exceeding 34% on quarterly average basis.</li> <li>PP shall submit the time bound improvement action plan for the<br/>100% utilization of fly ash and reduction of S02 within 3 months<br/>period to the Board's office and shall submit the BG of Rs. 10.0<br/>Lakh the compliance of the same.</li> <li>PP shall submit fortnight compliance report towards installation of<br/>Flue Gas Desulphurization system to the Board Office</li> <li>PP shall submit/extend the existing BGs towards O &amp; M of PCS and<br/>compliance of consent conditions up to 31.12.2028.</li> <li>Consent will be issued after receipt of additional Consent fees for<br/>enhancement in capital investment.</li> </ol> |
| 53         | MPCB-<br>CONSE<br>NT-               | Quinergy<br>Industries<br>Ltd.(Operative of<br>Bhausaheb<br>Birajdar SSK | APPROVED<br>Renewal of<br>Consent to<br>operate | 31.07.2024                  | Committee noted that Industry has applied for Renewal of Consent to operate Total Sugar Cane crushing capacity 4000 TCD.<br>Committee also noted that JVS analysis results reports are within the limit & meeting with consented norms. PP has installed 2nos. of Bagasse fired   |

| Sr.<br>No. | Applica<br>tion<br>Unique<br>Number | Industry name<br>and Address   | Decision on<br>grant of<br>consent | Consent<br>granted<br>Up to | Remarks / Discussion  |  |
|------------|-------------------------------------|--|------------------------------------|-----------------------------|---|--|
|            | 000017<br>7061                      | Ltd.)Gat No.<br>Sr.No.18,19,22,<br>23 & 65,<br>Samudral<br>(Kondjigad)<br>Omerga |                                    |                             | <ul> <li>boiler having capacity 32 TPH and 40 TPH. They have provided water scrubber as APCS and common stack having height 65 meters.</li> <li>After due deliberation, it was decided to grant renewal of consent for 4000 TCD sugar unit, by imposing following conditions:</li> <li>2. Industry shall submit bank guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ul> |  |