

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 12<sup>th</sup> Consent Appraisal Committee Meeting of 2023-2024 held on 26.09.2023 at Dalamal House, Nariman Point, Mumbai.

Following members of the Consent Appraisal Committee were present:

- |  |                 |
|--|-----------------|
| 1. Shri. Pravin Darade,<br>Chairman, MPCB  | Chairman        |
| 2. Shri Avinash Dhakne,<br>Member Secretary, M.P.C. Board.   | Member          |
| 3. Shri P. K. Mirashe,<br>Technical Advisor, MIDC.   | Member          |
| 4. Dr. Jitendra Sangewar,<br>Joint Director (WPC), M.P.C. Board, Mumbai.   | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI<br>- leave of absence was granted. |                 |

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.                  | Invitee Member |
| 2. Dr. V.R. Thakur,<br>Principal Scientific Office, M.P.C. Board, Mumbai.             | Invitee Member |
| 3. Shri N.N. Gurav,<br>AS(T), M.P.C. Board, Mumbai.                                   | Invitee Member |
| 4. Shri. Manish S. Holkar,<br>Regional Officer(Head Quarter), M.P.C. Board, Mumbai.   | Invitee Member |
| 5. Shri. Sagar V. Auti,<br>Regional Officer (Bio Medical Waste), M.P.C. Board, Mumbai | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 12] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No 12					
1	MPCB- CONSENT- 0000122489	Shivam Developers Plot bearing CTS No. 163-A(pt) of Village Akurli, Kandivali (E), Mumbai.	APPROVED 1st Consent to Operate (Part)	30.09.2024	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part) for Residential cum Commercial Construction project with SRA Scheme having Total plot area of 38,637.81 Sq.m and Construction BUA 86,215.10 Sq.m.</p> <p>Committee also noted that, Board has issued closure direction dtd. 19/03/2020 and issued Conditional restart direction dtd. 28/08/2023.</p> <p>Committee further noted that PP has obtained Environment Clearance, provided STP and OWC.</p> <p>After due deliberation it was decided to grant 1st Consent to Operate (Part-I) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. BG and standard conditions for Infrastructure projects.</li> <li>2. To comply with the conditions stipulated in Conditional restart directions.</li> </ol>
2	MPCB- CONSENT- 0000145873	Vasantrao Dada Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sakhar Karkhana Ltd. Unit No.Gut No. 799/2 Lohner Deola	APPROVED  Renewal of Consent	31.07.2024	<p>Committee noted that, It is a resubmission application and PP has applied for Renewal of consent to operate for 2500 TCD sugar &amp; 17 MW co-generation unit having total CI of Rs. 243.8656 Crs.</p> <p>Committee also noticed that the case was discussed in 13<sup>th</sup> th CAC meeting of 2022-23 ( Booklet No. 61) held on 18.01.2023 &amp; it was decided to issue SCN but before issuing of SCN for refusal, PP has uploaded reply on the basis of 13th th CAC meeting &amp; informed that CPCB issued revocation order on 14/07/2022 &amp; PP applied for the consent to renewal on 10/08/2022 &amp; PP start crushing season on 15/11/2022. PP further states that they applied for the consent to renewal before to start crushing activity so they didn't make any violation of revocation order.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noticed that PP further mentioned in letter that although previous consent is in the name of Vasantao Dada Patil SSK so PP requested to issue consent to renewal on the name of M/s. Vasantao Dada Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sahakari Karkhana Ltd. Unit No. 2. PP also states that they will submit new Bank Guarantee as per consent to renewal.</p> <p>Committee also noticed that PP has requested the CAC committee to consider application for consent to operate &amp; grant the permission for the same.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate for 2500 TCD sugar &amp; 17 MW co-generation &amp; by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit letter from Sugar Commissioner that industry was not in operation from 2013 to 2018 (I.e up to lease started by Dharashiv Sakhar Karkhana).</li> <li>2. PP shall submit fresh / renew existing BG of Rs. 25 Lakh towards compliance of consent conditions.</li> <li>3. PP shall O &amp; M of pollution control system &amp; to achieve consented prescribed standards.</li> </ol> <p>Consent shall be issued after submission of additional consent fees / penal charges, if any.</p>
3	MPCB- CONSENT- 0000141862	Vornado Hinjewadi Township Pvt. Ltd. C/o TCG Developmen tsPlot no. R- 2/1 & R-2/2,	NOT APPROVED  Revalidation Consent to Establish	-----	<p>Committee noted that, PP has applied for grant of Revalidation of Consent to Establish for proposed Residential cum Commercial project having Total Plot Area of 1,84,432 Sq.m and Total Construction BUA of 5,30,288.51 Sq.m.</p> <p>Committee also noted that, PP has obtained Environment Clearance, provided STP &amp; OWC.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		MIDC Phase-3, Hinjewadi, Tal. Maan, Dist. Pune " 411057.			<p>Committee further noted that, PP has not submitted BG as per earlier Consent condition, delay in applying for Revalidation of Consent to Establish. Hence, penal fees applicable.</p> <p>After due deliberation it was decided to issue Show Cause Notice for refusal of Revalidation of Consent to Establish for above non-compliances.</p>
4	MPCB-CONSENT-0000157376	Dighi Oil Storage Ovt Ltd Dighi Dighi Port Shrivardhan	APPROVED Revalidation of Consent to Establish for expansion	Commissioning of unit or 5 years whichever is earlier.	<p>Committee noted that PP has applied for Revalidation of Consent Establish for the storage &amp; handling of A, B, C chemicals, POL products &amp; non-hazardous liquids like edible oil, etc., - 1,12,447 KL.</p> <p>Committee further noted that, the case was discussed in earlier CAC meeting dated 05.07.2023 &amp; decided to issue SCN for refusal of consent due to non-submission of undertaking/CA certificate, umbrella EC, audited balance sheet, BG &amp; status of EC/CRZ clearance for proposed activity. Accordingly, PP has submitted the reply vide dated 07.08.2023 along with undertaking, balance sheet, details of EC obtained by Dighi Port, BG of Rs. 10.0 Lakh. Also submitted the letter of MMB obtained by Dighi Port towards distance from HTL.</p> <p>After due deliberation, it was decided to consider the case for Revalidation of Consent Establish for the storage &amp; handling of A, B, C chemicals, POL products &amp; non-hazardous liquids like edible oil, etc., - 1,12,447 KL by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall use vapour balancing trucks for transportation of petroleum products.</li> <li>2. Truck filling bays shall be equipped with vapour collection &amp; treatment system.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. PP shall store "A" class petroleum products in an internal floating roof with double seal.</p> <p>4. PP shall prepare &amp; submit onsite &amp; offsite emergency plan.</p> <p>5. PP shall comply with MSIHC Rules, 1989.</p> <p>6. PP shall not take any effective steps without obtaining EC/CRZ clearance, If required.</p> <p>7. The offsite emergency preparedness plan prepared by PP shall have scenario for pipeline leakage, spillage during transfer &amp; handling of petroleum products from jetty to the site as also during movement of tanker to clients site. PP shall also intimate MPCB immediately along with other agencies concerned in case of such leakage/spillage.</p> <p>8. PP shall provide facilities for containing spills during tank/tanker filling operations &amp; in no case shall such spill enter nearby storm drain.</p> <p>9. PP shall submit BG of Rs. 25.0 Lakh towards compliance of consent conditions.</p> <p>Consent shall be issued after submission of approved map obtained from competent authority towards non-applicability of CRZ.</p>
5	MPCB- CONSENT- 0000154897	Kolte Patil I-Ven Township (Pune)LtdS. No, 91(P), Sector R-16 A, B, C, E & F Village. Jambhe Marunji, Nere, Tal.	NOT APPROVED  1st Consent to Operate (Part-VIII)	-----	<p>Committee noted that PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-VIII) for Sector- R9-E building in the project having Total plot area of 15,81,344.18 Sq.m and Construction BUA of 63,053 Sq.m out of Total Construction BUA of 25,00,000 Sq.m.</p> <p>Committee also noted that PP has not submitted Bank Guarantee as per earlier Consent condition.</p> <p>After due deliberation it was decided to issue Show Cause Notice for refusal of 1<sup>st</sup> Consent to Operate (Part-VIII).</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Mulshi, Dist. Pune.			
6	MPCB-CONSENT-0000154273	PURANIK BUILDCON PVT. LTD.S. No. 233/1, 233/2, 233/3, 233/4, 233/5, 233/6, 233/7, 235/1, 235/2/A, 235/2/B & 244/2, At. Bavdhan (Bk), Tal. Mulshi, Dist. Pune.	NOT APPROVED  Consent to Establish for Expansion	-----	<p>Committee noted that, PP has applied for grant of Consent to Establish for Expansion in existing Residential project 'Puranik Abitante' Phase-II having Total plot area of 1,25,897 Sq.m and Construction BUA of 43,922.49 Sq.m out of TCBUA of 1,92,050.49 Sq.m.</p> <p>Committee also noted that PP has obtained Environment Clearance and proposed to provide STP &amp; OWC.</p> <p>Committee further noted that PP has not submitted compliance of earlier EC &amp; Consent to Establish conditions and not submitted CA certificate in Boards prescribed format &amp; ECR.</p> <p>After due deliberation it was decided to issue Show Cause Notice for refusal of Consent to Establish for Expansion for above non-compliances.</p>
7	MPCB-CONSENT-0000159371	SARASWATI EDUCATION SOCIETY DR N Y TASGAONKAR INSTITUTE OF MEDICAL SCIENCE & RAIGAD HOSPITAL	APPROVED  1 <sup>st</sup> Combined Consent & BMW Authorization	31.07.2025	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combined Consent to operate &amp; BMW Authorization for Hospital 300 Beds on total plot area of 67,581 Sq.Mtr &amp; total BUA of 14,929.92 Sq.mtr.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 24.04.2023 &amp; decided to issue SCN for refusal of consent due to establishment of HCE &amp; operation of the same since 2020 which attracts penal fees and non-submission of audited balance sheet, details of BMW generation, source of water supply, clarification in respect of hospital is established &amp; in operation since 2020 without Boards consent.</p> <p>Committee further noted that this office has issued SCN for refusal of consent vide dated 09.05.2023 due to above lapses, accordingly, HCE has submitted</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>the reply vide dated 21.09.2023 and ready to pay requisite consent &amp; penal fees.</p> <p>After due deliberation, it was decided to consider the case for 1<sup>st</sup> Combined Consent to operate &amp; BMW Authorization for Hospital 300 Beds on total plot area of 67,581 Sq.Mtr &amp; total BUA of 14,929.92 Sq.mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE shall properly operate STP to achieve consented norms.</li> <li>2. HCE shall submit BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of additional &amp; penal fees.</p>
8	MPCB- CONSENT- 0000154488	Arshiya Ltd., (Free Trade Warehousing Zone), Vill. Sai, Tal. Panvel, Dist. Raigad.	NOT APPROVED  Renewal of consent under Auto Renewal scheme	-----	<p>Committee noted that PP has applied for renewal of consent with increase in CI for free trade warehouse with container freight station for storage of 176 Nos material along mercury metal on total plot area of 68.78 Hectar &amp; total construction BUA of 32.86 Hectar under Auto-renewal scheme. However, as per the Auto renewal scheme, PP has not submitted the prescribed document &amp; increased CI by Rs. 63.42 Crs without Boards consent. Hence this application is treated as routine application.</p> <p>Committee also noted that, the case was discussed in earlier CAC meeting dated 05.07.2023 &amp; decided to issue SCN for refusal of consent due to non-submission of prescribed document as per autorenewal scheme, OWC details, part BG (Rs. 10.0 Lakh out of 25 Lakh), audited balance sheet along with multi-unit CA certificate &amp; increased CI by 63.42 Crs.</p> <p>Committee further noted this office has issued SCN for refusal of consent vide dated 21.07.2023 due to above lapses &amp; subsequently, PP has submitted the reply vide dated 28.07.2023 in which PP has used the increased CI for</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>construction of warehouse which reveals that PP has taken the effective steps towards expansion without obtaining consent to establish.</p> <p>After due deliberation, it was decided to refuse the case &amp; issue final refusal of refusal of consent due to above lapses and PP shall apply for renewal of consent through routine application process.</p>
9	MPCB- CONSENT- 0000162089	JPFL Films Private Limited 373 28th Km Milestone NH-3 Nasik Mumbai highway Igatpuri	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish for Expansion activity for mfg of Capacitor Grade BOPP Film-416 MT/M vide No. 0000162089 &amp; for mfg of Master Batch vide No. 0000167330. Existing consent to operate which is valid up to 30/9/2025.</p> <p>Committee also noted that JVS are within consent limit. BG of Rs. 50 Lakh submitted. Board issued Closure direction on 02/01/2023 due to a fire accident that took place and subsequently issued restart directions on 05/1/2023 in which allowed to restart activity other than affect Poly plant. Hon'ble order in OA no. 28/2023 on 23.01.2023 for deposition of environmental damage compensation Rs.25 Cr. to SPCB within one month. The said unit has challenged order in Supreme Court of India and Hon'ble Supreme Court stayed the demand of Rs. 25 Cr as imposed by Hon'ble NGT and directed MPCB to submit report regarding the environmental damage, if any caused because of the incident subject matter of the impugned judgement.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Expansion activity for mfg of Capacitor Grade BOPP Film &amp; mfg of Master Batch, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit bank guarantee of Rs. 25 lakh towards compliance of consent conditions.</li> </ol> <p>Consent shall be issued after submission of EPR.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
10	MPCB- CONSENT- 0000160985	BELRISE INDUSTRIE S LIMITED UNIT-IIGUT NO-15 & 16, VILLAGE NAIGAVAN ,TQ. PAITHAN , DIST AURANGAB AD GUT NO-15 & 16, VILLAGE NAIGAVAN ,TQ. PAITHAN , DIST AURANGAB AD PAITHAN	NOT APPROVED  Consent to Establish for expansion	-----	<p>Committee noted that PP has applied for Consent to establish for expansion for manufacturing of auto parts &amp; accessories of two, three, four wheelers, commercial vehicles &amp; tractors from plastic &amp; sheet metal, tools, dies, jigs, fixtures, plastic injection molds &amp; all other engineering goods – 15000 MT/A.</p> <p>Committee also noted that, the case was discussed in earlier CAC meeting dated 05.07.2023 &amp; decided to issue SCN for refusal of consent due to various lapses such as i) PP has not submitted the details of effluent treatment facility of existing activity, ii) JVS result of ETP outlet dated 29.10.2022, 24.11.2022 are not meeting with consented parameters such as TDS – 13150 mg/l, 14103 mg/l, BOD – 115 mg/l, 32 mg/l, total chromium – 16.24 mg/l, 64.36 mg/l, Nickel – 185.7 mg/l, 82.9 mg/l, Chloride – 2209.31 mg/l, sulphate – 10116 mg/l, Iron – 5.29 mg/l, iii) Board has issued PD vide dated 01.11.2022 due to non-compliances such as non-operation of ETP &amp; STP, non-provision of flow meter, recycling facility for treated effluent, discharge of effluent outside factory premises, installation of thermo-pack, boiler &amp; DG set without Boards consent. PP has not submitted compliance report., iv) PP has not submitted the details of BGs as per existing consent and effluent treatment facility for treatment of domestic &amp; trade effluent generated from expansion &amp; existing activity, v) PP has not submitted compliance report as per PD issued by RO Aurangabad due to various non-compliances such as non-operation of ETP &amp; STP, non-provision of flow meter, recycling facility for treated effluent, discharge of effluent outside factory premises, installation of thermos-pack, boiler &amp; DG set without Boards consent, vi) PP has not submitted the details of source of water to be used for expansion activity, vii) PP has not submitted audited balance sheet along with multi-unit CA certificate.</p> <p>Committee further noted that, Board office has issued SCN for refusal of consent vide dated 19.07.2023 &amp; subsequently, PP has submitted reply vide</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>dated 14.08.2023 which is not satisfactory as most of points are not complied as PP has not submitted the details of ETP, BG details, reply towards PD issued, audited balance sheet &amp; multi-unit CA certificate, etc.</p> <p>After due deliberation, it was decided to refuse the case &amp; issue final refusal of consent due to non-submission of satisfactory reply towards SCN issued.</p>
11	MPCB- CONSENT- 0000164230	Sadhu Vaswani Mission's Medical Complex - Blood Center 7-9 Koregaon Park, Pune Haveli	APPROVED  Consent to Establish for expansion	Commissioning of unit or 5 years whichever is earlier.	<p>Committee noted that HCE has applied for Consent to establish for expansion for installation of blood bank in existing 369 beds Hospital.</p> <p>Committee also noted that HCE has obtained combine consent &amp; BMW authorization vide dated 02.12.2021 which is valid up to 31.08.2025 with CI Rs. 75.746 Crs.</p> <p>After due deliberation, it was decided to consider the case for consent to establish for expansion for installation of blood bank in existing 369 beds hospital.</p>
12	MPCB- CONSENT- 0000152749	Khan Bahadur Bhabha Hosiptal Kurla (W)Kurla	APPROVED  Combined Consent & BMW Authorization , Consent to Operate	31.08.2025	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combined Consent &amp; BMW Authorization 306 beds Hospital on total plot area of 5667.8 Sq.Mtr &amp; total BUA of 11,777.14 Sq.Mtr.</p> <p>Committee also noted that, HCE has obtained Authorization vide dated 02.07.2013, valid up to 30.08.2015. HCE has not provided own STP, the sewage is discharged into MCGM drain without any treatment. HCE has not obtained consent since 2012 &amp; BMW authorization since 2015 which attracts penal fees. HCE has paid fees of Rs. 3,75,000/- only. However, total fees required is of Rs. 11,20,000/-. The required additional fee is Rs. 7,45,000/- for grant of 1<sup>st</sup> combine consent &amp; BMW authorization for the period up to 31.08.2025.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for 1<sup>st</sup> combine consent &amp; BMW authorization for 306 beds hospital on total plot area of 5667.8 Sq.Mtr &amp; total BUA of 11,777.14 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide own STP to treat the domestic effluent generated from hospital within next 6 Months.</li> <li>2. This consent is issued subject to decision of Government w.r.t. penal fees for non-obtaining of consent since 2012.</li> <li>3. HCE shall submit BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of additional fees of Rs. 7,45,000/-.</p>
13	MPCB- CONSENT- 0000165671	PES Hospital and research center BhandaraBa nk colony , Sahakar nagar , ravindranath tagore ward, Bhandara	APPROVED  Renewal of Combined Consent & BMW Authorization	31.05.2025	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization with expansion for increase in number of beds 150 + 220 = 370 beds Hospital on total plot area of 10,048 Sq.Mtr &amp; total BUA 7800 Sq.Mtr.</p> <p>Committee also noted that, the case was discussed in CAC meeting dated 07.07.2023 &amp; decided to issue SCN for refusal of consent due to addition of 220 beds, delayed application by 718 days which attracts penal fees, non-submission of ETP, STP details, source of water supply, CA certificate &amp; reply towards SCN for refusal of consent issued vide dated 22.06.2022.</p> <p>Committee further noted that this office has issued SCN for refusal of consent vide dated 19.07.2023 &amp; subsequently HCE has submitted the reply vide dated 06.09.2023 &amp; stated that HCE is ready to pay requisite penal fees, submitted the details of STP, source of water supply &amp; reply as per SCN issued vide dated 15.06.2023.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combined Consent &amp; BMW Authorization with expansion for increase in</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>number of beds 150 + 220 = 370 beds Hospital on total plot area of 10,048 Sq.Mtr &amp; total BUA 7800 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide ETP to treat the trade effluent generated from hospital within next 6 months.</li> <li>2. HCE shall properly operate STP to achieve consented norms.</li> <li>3. HCE shall submit BGs as per HCE BG regime.</li> <li>4. Consent shall be issued after submission of additional &amp; penal fees.</li> </ol>
14	MPCB-CONSENT-0000166519	Synergy Green Industries LtdC-18 C-18, Five Star MIDC Kagal Kagal	APPROVED  Renewal of consent with increase in CI	31.05.2025	<p>Committee noted that PP has applied for Renewal of Consent with increase in CI for the manufacturing of CI, SGI and Steel Casting – 28,800 MT/A.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 07.07.2023 &amp; decided to issue SCN for refusal of consent due to various lapses such as i) PP has taken effective steps towards expansion activity without obtaining EC for expansion activity by way of installation of additional induction furnace, shot blasting &amp; heat treatment, ii) PP has not submitted the audited balance sheet along with notes/schedules., latest CA certificate, iii) PP has not extended the BGs as per earlier consent, iv) The JVS result of stack dated 11.05.2023 &amp; STP outlet dated 04.05.2023 is exceeding the consented limit.</p> <p>Committee further noted that this office has issued SCN for refusal of consent due to above lapses &amp; subsequently, PP has submitted the reply vide dated 22.08.2023 in which submitted that there is an increase in wind turbine size in the market from 2 MW to 5 MW to optimise the efficiency. Accordingly, these turbines require larger castings. Installation of 15 MT facilitate them in increasing the single piece casting weight is from 23 MT to 30 MT to secure the market order without exceeding the consented production of 28,800 MT/A as per previous consent to operate. Whereas the Shot blasting &amp; heat treatment</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>operation is as per consent to operate obtained vide dated 10.06.2022. Also, submitted the audited balance sheet with CA certificate, BG of Rs. 10.0 Lakh &amp; steps taken towards O &amp; M of PCs.</p> <p>After due deliberation, it was decided to consider the case for renewal of consent for manufacturing of CI, SGI and Steel Casting – 28,800 MT/A by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit the undertaking towards not to exceed the consented production quantity.</li> <li>2. By forfeiting the appropriate amount of BG of Rs. 5.0 Lakh towards JVS exceedance &amp; top up with double amount to form the sum of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</li> <li>3. PP shall properly operate pollution control system to achieve consented norms.</li> </ol> <p>Consent shall be issued after submission of additional consent fees.</p>
15	MPCB- CONSENT- 0000167125	Kirloskar Brothers Ltd610 Kirloskarvadi Palus	NOT APPROVED  Renewal of consent with increase in CI	-----	<p>Committee noted that PP has applied for Renewal of Consent with increase in CI for the manufacturing Pumps – 7153 Nos/M, Valves – 5985 Nos/M, Machine tools/turbines – 32 Nos/M.</p> <p>Committee also noted that.</p> <ol style="list-style-type: none"> <li>1. PP has increased CI by Rs. 55.12 Crs without Boards consent.</li> <li>2. PP has not submitted the justification towards increased CI.</li> <li>3. PP has not submitted recent audited balance sheet along with multi-unit CA certificate.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided not to consider the case & issue SCN for refusal of consent due to above lapses.
16	MPCB- CONSENT- 0000162557	Data Centre by Amazon Data Services India Private Limited at Powai, Mumbai, India CTS No. 86 Part, 86/1, 86/2 & 86/3, Village Paspoli & CTS No. 115 Part of Village Tungwa, Tal. Kurla, Powai, Mumbai.	NOT APPROVED  Consent to Establish	-----	<p>Committee noted that, PP has applied for grant of Consent to Establish for Data Centre project having Total plot area of 22,257.70 Sq.m and Total Construction BUA of 84,583.54 Sq.m.</p> <p>Committee also noted that PP has applied for Environment Clearance, but not obtained.</p> <p>Committee further noted that PP has not submitted mandatory documents along with application.</p> <p>After due deliberation it was decided to issue Show Cause Notice for Refusal of Consent to Establish for above non-compliances.</p>
17	MPCB- CONSENT- 0000167503	SVKM Hospital and Medical Collage Gut No.8/A/1, At-Kharde Bk, Shirpur,	NOT APPROVED  Combined Consent & BMW Authorization	-----	<p>Committee noted that applied for Consent to Establish for expansion for increase in number of beds <math>150 + 500 = 650</math> beds Hospital on total plot area of 82,800 Sq.Mtr &amp; increase in total BUA from <math>23,815.31 + 46,077.69 = 69,893</math> Sq.Mtr.</p> <p>Committee also, noted that the case was discussed in CAC meeting dated 07.07.2023 &amp; decided to issue SCN for refusal of consent due to non-</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Tal.Shirpur, Dist.Dhule.	, Consent to Establish		<p>submission of EC, started the construction activity on site without obtaining EC, non-submission of details of water supply, BGs, etc.</p> <p>Committee further noted that this office has issued SCN for refusal of consent vide dated 19.07.2023. However, HCE has not submitted any say/reply.</p> <p>After due deliberation, it was decided to defer the case &amp; call HCE for personal hearing due to non-submission of reply towards SCN issued.</p>
18	MPCB- CONSENT- 0000167677	Indospace Park Chakan1 Phase 2A Pvt. Ltd. (Formerly Known as M/s. Rohan Realtors (Pune) Pvt. Ltd.) a50/2/C, 450/1/EE, 450/1/E, 450/1/U, 450/1/D, Village. Mahalunge, Tal. Khed, Dist. Pune.	NOT APPROVED  Renewal of Consent to Operate (Part-III)	-----	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-III) of Industrial &amp; Logistic Park project having Total plot area of 1,54,700 Sq.m and Construction BUA of 4500 Sq.m mezzanine floor above ground out of TCBUA of 80,740 Sq.m.</p> <p>Committee also noted that PP has not submitted mandatory documents along with application, not submitted Bank Guarantee as per earlier Consent condition.</p> <p>Committee further noted that JVS results are exceed the consented limits.</p> <p>After due deliberation it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate (Part-III) for above non-compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
19	MPCB- CONSENT- 0000167028	B. S. ISPAT LTD.Kh. No. 97, 101 &190, Village - Salori Yensa, Tal- Warora, Dist.- Chandrapur.	NOT APPROVED  Plain Renewal of Consent	-----	<p>Committee noted that Applied for Plain Renewal of Consent for the manufacturing of Sponge Iron – 60,000 MT/A &amp; Electricity generation – 15 MW.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 07.07.2023 &amp; decided to issue SCN for refusal of consent due to exceedance of JVS result of AAQM dated 02.12.2022 at two location is not meeting with NAQ standards for the parameter PM10, non-provision of online continuous emission monitoring system for stack &amp; ambient air as per condition stipulated in earlier consent, non-submission of recent audited balance sheet along with multi-unit CA certificate, BG of Rs. 25.0 Lakh as per earlier consent.</p> <p>Committee further noted that SCN for refusal of consent was issued vide dated 19.07.2023, however, industry has not submitted any say/reply.</p> <p>After due deliberation, it was decided to issue final refusal of consent due to non-submission of reply/say towards SCN issued after giving sufficient time.</p>
20	MPCB- CONSENT- 0000167706	Aryaman Developers Pvt .Ltd. Residental & commercial construction project At C.T.S No. 194 (Pt), Village. Ghatkopar, Mumbai.	APPROVED  1st Consent to Operate (Part-I)	31.08.2025	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-I) for Residential &amp; Commercial Construction project under SRA Scheme having Total plot area of 70,544.42 Sq.m and Construction BUA of 40,501.62 Sq.m out of Total Construction BUA of 3,72,237.95 Sq.m [as per specific condition No. VIII of EC dtd. 20/04/2019].</p> <p>Committee also noted that PP has obtained Environment Clearance, provided STP &amp; OWC.</p> <p>After due deliberation it was decided to grant 1<sup>st</sup> Consent to Operate (Part-I) by imposing BG and standard conditions for Infrastructure projects.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
21	MPCB- CONSENT- 0000168126	HOLY SPIRIT HOSPITALM AHAKALI CAVES ROAD	APPROVED  Combined Consent & BMW Authorization , Consent to Renewal	31.08.2026	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization with increase in CI of 300 beds Hospital on total plot area of 43,609 Sq.Mtr &amp; total BUA of 17,367.55 Sq.Mtr.</p> <p>Committee also noted that previously obtained combine consent &amp; BMW authorization dated 23.04.2019, valid up to 30.08.2023. Also, HCE has provided ETP &amp; STP, However, its details not submitted. Category wise BMW generation details &amp; justification towards increased CI.</p> <p>After due deliberation, it was decided to consider the case for renewal of combine consent &amp; BMW authorization with increase in CI for 300 beds Hospital on total plot area of 43,609 Sq.Mtr &amp; total BUA of 17,367.55 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall properly operate ETP &amp; STP to achieve consented norms.</li> <li>2. HCE shall submit/extend BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of details of ETP, STP, category wise BMW generation, justification towards increased CI &amp; additional consent fees.</p>
22	MPCB- CONSENT- 0000165887	Fenace Auto LimitedGat No. 71 (P), 73 (P), 74 Gat No. 71 (P), 73 (P), 74, Village Nandur, Tal:- Daund, Dist:- Pune	NOT APPROVED  Consent to Establish	-----	<p>Committee noted that PP applied grant Consent to Establish Expansion for Press shop products 1200000 Nos/Month and Copper wire rod 166 MT/M with CI – 540 Crs.</p> <p>Committee also noted that, PP already obtain C to E for expansion with CI Rs. 21 Crs only. PP has not yet submitted audited balance sheet.</p> <p>Committee further noted that, PP yet not complied with the condition of Consent dtd. 10.11.2021 to upgrade the existing furnace primary air pollution control system and provide secondary emission control system.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		412202 Daund,			After due deliberation, it was decided to issue SCN for refusal.
23	MPCB-CONSENT-0000168970	East Pune Realty LLP (Proposed Affordable Residential development of PAP for MCGM along with ScCTS. No. 1289 (Pt), 1290 (Pt), 1292 (Pt), 1293 (Pt), 1294 (Pt), 1295 (Pt), 1296 (Pt) & 1297 (Pt), Village Mulund (E), Tal. Kurla, Dist. Mumbai - 400081.	APPROVED  Consent to Establish	Commissioning of the project or 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Consent to Establish for proposed Affordable Residential development of PAP MCGM along with School building &amp; Municipal dispensary having Total Plot Area of 51,938.34 Sq.m and Total Construction BUA of 3,99,686.16 Sq.m [as per specific condition No. B(4) of EC].</p> <p>Committee also noted that PP has obtained Environment Clearance, proposed to provide STP &amp; OWC.</p> <p>After due deliberation it was decided to grant Consent to Establish by imposing BG and standard conditions for Infrastructure projects.</p>
24	MPCB-CONSENT-0000168307	City Corporation Limited, Amanora Park Town ProjectS.	APPROVED  1st Consent to Operate (Part-IV)	30.09.2024	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-IV) for Township Construction project having Total plot area of 78,538Sq.m out of Total Plot Area of 34254 Sq.m out of 476 Acres i.e. 19,26,311 Sq.m and Construction BUA 2,11,172.71 Sq.m.</p> <p>Committee noted that PP has obtained EC, provided STP &amp; OWC.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		No. 138,139,173, 177,181,182, 184,185,187 to 200, 242 to 245, Village. Sadesatrana li & S. No. 111,113 to 121, Village. Manjari, Tal. Haveli, Dist. Pune.			After due deliberation it was decided to grant 1 <sup>st</sup> Consent to Operate (Part-IV) for Township Construction project by imposing BG and standard conditions for Infrastructure projects.
25	MPCB-CONSENT-0000170585	Exide Industries Ltd. Plot No. E5 & E6, MIDC, Navanagarapur, Ahmednagar.	NOT APPROVED  Consent to Establish for expansion for modernization	-----	<p>Committee noted that PP has applied for Consent to Establish for expansion for modernization of existing machinery without change in production quantity with CI of Rs. 126.0 Crs.</p> <p>Committee also noted that PP has obtained renewal of consent vide dtd. 12.05.2022 which is valid up to 31.07.2026. Also, the generation of IE &amp; DE from expansion activity is Nil, however PP has provided STP &amp; ETP followed by RO, MEE for treatment &amp; disposal of sewage &amp; trade effluent to achieve ZLD for existing activity.</p> <p>Committee further noted that PP has not submitted the progress report as per direction issued by Board vide dated 02.12.2021 u/s 5 of Environment (Protection) Act, 1986 &amp; annual returns of Batteries under Batteries (M &amp; H) Rules, 2001.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.
26	MPCB- CONSENT- 0000170641	Perkins India Pvt. Ltd., Plot No. G-1, Additional Shendra MIDC, Aurangabad	APPROVED  Renewal of consent with increase in CI	30.09.2028	<p>Committee noted that PP has applied for Renewal of Consent with increase in CI for the manufacturing Internal combustion diesel engine – 5000 Nos/Y, Generator sets – 2500 Nos/Y.</p> <p>Committee also noted that previously PP has obtained renewal of consent vide dated 10.08.2021 which is valid up to 30.09.2023. Also, the generation of DE is 45.0 CMD &amp; IE is 61.5 CMD, for treatment of it, PP has provided STP &amp; ETP. PP has provided paint booths, paint baking oven. The JVS result of stack dated 07.06.2023 exceeds the consented parameter TPM. Also, PP has increased CI by Rs. 174.61 Crs, for the same, PP has not submitted the justification.</p> <p>After due deliberation, it was decided to consider the case for manufacturing of Internal combustion diesel engine – 5000 Nos/Y, generator sets – 2500 Nos/Y by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall operate ETP, STP &amp; APCs to achieve consented norms.</li> <li>2. PP shall upgrade the existing effluent treatment facility so as to recycle effluent in process to achieve ZLD.</li> <li>3. PP shall upgrade the existing APCs to achieve emission standards stipulated in consent.</li> <li>4. By forfeiting the proportionate amount of BG of Rs. 2.5 Lakh towards exceedance of JVS result of stack &amp; top up with double amount to form the sum of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</li> </ol> <p>Consent shall be issued after submission of additional consent fees &amp; justification towards increased CI.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
27	MPCB- CONSENT- 0000169938	MANDKE FOUNDATI ONKOKILAB EN DHIRUBHAI AMBANI HOSPITAL,F OUR BANGLOWS R.A.PATWA RDHAN ROAD ANDHARI WEST,Andh eri,Mumbai Suburban	APPROVED  Combined Consent & BMW Authorization , Consent to Operate	31.05.2028	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization with increase in CI for 550 beds Hospital on total plot area of 12000 Sq.Mtr &amp; total BUA of 92,903 Sq.Mtr.</p> <p>Committee also noted that previously, HCE has obtained combine consent &amp; BMW authorization vide dated 16.08.2019, valid up to 31.05.2023. Also, HCE has provided STP to treat the domestic effluent, however, not provided the ETP. HCE has increased the CI by Rs. 137.86 Crs without Boards consent &amp; for the same not submitted the justification.</p> <p>After due deliberation, it was decided to consider the case for renewal of combine consent &amp; BMW authorization with increase in CI for 550 beds Hospital on total plot area of 12,000 Sq.Mtr &amp; total BUA of 92,903 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide separate ETP to treat the effluent generated from hospital within next 6 Months.</li> <li>2. HCE shall properly operate STP to achieve consented norms.</li> <li>3. HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of justification towards increased CI.</p>
28	MPCB- CONSENT- 0000171461	United Spirits Ltd., Village Parmori MIDC Dindori	APPROVED  Renewal of Consent	31.08.2028	<p>Committee noted that Industry has applied for renewal of existing consent to operate with expansion as per C to E for molasses &amp; grain base distillery unit.</p> <p>Committee also noted that PP provided ETP with Bio-digester, RO and MEE.</p> <p>Committee further noted that PP provided Boiler 20 TPH with ESP as APC. 2 No's of DG set having capacity 1000 KW and 320 KW with acoustic enclosures.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant of renewal of existing consent to operate with expansion for manufacturing of Electricity Generated through Solar Panel-0.995MW, Electricity Generated through Biogas Engine- 0.45 MW, Co-Generation – 0.6MW, Malt Spirit – 30 KL/D, Potable Liquor- 4500 KL/M by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit fresh / renew existing BG of Rs. 25 Lakh towards compliance of consent conditions.</li> <li>2. PP shall O &amp; M of pollution control system &amp; to achieve consented prescribed standards.</li> <li>3. PP shall take permission from Regional Officer, Nashik before starting of operations.</li> </ol>
29	MPCB-CONSENT-0000171730	Gangamai Industries And Construction s Ltd. ( GIACL)6,222 /3,223,224,225,/1,225,/2,225,/3,232,233 Najik Babhulgaon, Post-Rakshi Shevgaon	APPROVED  Renewal of Consent	31.07.2024	<p>Committee noted that PP applied for Renewal of Consent for 5500 TCD sugar &amp; 32 MW co-generation unit.</p> <p>Committee also noted that PP provided ETP with a capacity of 1500 CMD comprising primary &amp; secondary system &amp; tertiary system, treated effluent is disposal on open land within factory premises. STP capacity of 65 CMD.</p> <p>Committee further noted that PP provided 3 nos of existing boilers of capacity 140, 30 &amp; 170 TPH provided with ESP as APC system.</p> <p>After due deliberation, it was decided to grant renewal of consent for 5500 TCD sugar &amp; 32 MW co-generation unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. PP shall make provision pollution control systems to achieve consented prescribed standards.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
30	MPCB-CONSENT-0000171045	CHETAK TECHNOLOGY LIMITEDSr. No. 51A & 67 Sr. No. 51A & 67 C/o Bajaj Auto Limited Akurdi Pune - 411035 Haveli	APPROVED  Consent to 1 <sup>st</sup> Operate	31.08.2024	<p>Committee noted that PP applied for grant of 1st consent to operate for mfg. of Painted Parts (Chassis, Skin Metal Parts &amp; Polymer parts)- 1600 No/D.</p> <p>Committee also noted that, PP Provided ETP of 225 CMD capacity which consist of tertiary treatment units with RO, UF and MVR system. Treated effluent will be maximum utilized for process and remaining will used for gardening purpose. for treatment of domestic effluent, Sewage Treatment Plant of designed capacity 300 CMD of M/s. Bajaj Auto Limited., will be utilized.</p> <p>After due deliberation, it was decided to grant 1st consent to operate for mfg. of Painted Parts (Chassis, Skin Metal Parts &amp; Polymer parts)- 1600 No/D with amalgamation of existing, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and operation &amp; maintenance of pollution control system.</li> </ol>
31	MPCB-CONSENT-0000171932	Baramati Agro Ltd ( Renewal of Consent to operate Sugar-18000 TCD & Cogen - 70 MW Unit)98,99 Shetphalgad he Indapur	NOT APPROVED Renewal of consent	-----	<p>Committee noted that PP applied for grant of Renewal of consent to operate application for the Manufacturing of the sugar 18000 TCD capacity and co-generation 70 MW Unit.</p> <p>Committee also noted that, PP Provided ETP comprising primary, secondary &amp; Tertiary system and wet scrubber&amp; ESP as APC.</p> <p>PP submitted BG of Rs. 25 lakh valid up to 28.02.2024.</p> <p>As per processing report treated water is disposed through open gutter for irrigation and SRO recommended for personal hearing.</p> <p>After due deliberation, it was decided to call PP for personal hearing as suggested by Sub-Regional officer.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
32	MPCB- CONSENT- 0000171026	MANIPAL HOSPITALS PRIVATE LIMITED Ma nipal Hospital, Mhalunge Road, Baner, Pune - 411 045, Baner, P une	APPROVED  Combined Consent & BMW Authorization , Consent to Operate	31.05.2027	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization with increase in CI for 202 beds Hospital on total plot area of 7965 Sq.Mtr &amp; total BUA of 37,283.59 Sq.Mtr.</p> <p>Committee also noted that previously, HCE has obtained combine consent &amp; BMW authorization vide dated 25.08.2022, valid up to 31.05.2023. The generation of IE is 13.46 CMD &amp; DE is 72.7 CMD, for treatment of it, HCE has ETP &amp; STP. The JVS result of STP outlet dated 26.07.2022 &amp; 31.07.2023 is not meeting with consented norms for the parameter BOD – 40 mg/l &amp; 52.5 mg/l against 10 mg/l, COD – 98 mg/l, 120 mg/l against 50 mg/l. HCE has increased the CI by Rs. 106.41 Crs., for the same HCE has submitted the justification that during the previous consent to operate, the facility was not operationalized &amp; installation of equipment were done after receiving the same. HCE has not incorporated the cost of land in CA certificate as the land is on lease basis.</p> <p>After due deliberation it was decided to consider the case for renewal of combine consent &amp; BMW authorization with increase in CI for 202 beds Hospital on total plot area of 7965 Sq.Mtr &amp; Total BUA of 37,283.59 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs. 75,000/- towards JVS exceedance &amp; obtain double amount of BG of Rs. 1.5 Lakh towards O &amp; M of STP.</li> <li>2. HCE shall properly operate ETP &amp; STP to achieve consented norms.</li> <li>3. HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol>
33	MPCB- CONSENT- 0000164468	Reliance Corporate IT Park Ltd.5, TTC Industrial Area, MIDC	APPROVED  Consent to 1st Operate (Part)	31.08.2024	<p>Committee noted that PP has applied for consent to operate Part for construction for Twin Tower with total BUA with Total plot area of 2,40,700 Sq. Mtr. and total construction BUA of 2,86,882 Sq. Mtr. For 8 nos. Building &amp; Club House with CI 2019.94 Crs.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		5, TTC Industrial Area, Thane “ Belapur Road Ghansoli, Navi Mumbai 400 701 Rabale			<p>Committee also noted that Consent to establish on 03/01/2012 for plot area 20,50,990.0sqm and built-up area 18,35,000.0sqm. Consent to establish revalidation on 26/06/2023. Environment clearance on 17/02/2009 for IT park, Knowledge Park, Social Support Services having Total BUA 36,71,000.0S.qm. and plot area 20,50,990 sqm. (b) Obtained extension of environment clearance on 11/07/2014 for next five years i.e upto 16/02/2019.</p> <p>Committee also further noted that PP has submitted Architect Certificate for completion of work. Submitted Bank guarantee of Rs. 25 lakh.</p> <p>After due deliberation, it was decided to grant of consent to 1st operate (Part) Twin Tower for Total Plot Area 20,50,990 sq.m and BUA 286882.00 Sq.m. out of total BUA 36,71,000.0S.qm with C.I. of Rs. 2019.94 Crs., by imposing bank guarantee and standard conditions for Infrastructure projects.</p>
34	MPCB- CONSENT- 0000172058	INDIAN OIL CORPORATION LIMITED, JNPT TERMINAL8 VILLAGE JASKHAR URAN	APPROVED  Consent to Establish for expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish for expansion for storage of petroleum products in tank farm such as motor spirit – 19200 x 2 = 38400 KL, ATF – 16000 x 3 = 48000 KL, SLOP tank – 50 x 4 = 200 KL + 20 KL = 220 KL.</p> <p>Committee also noted that PP has obtained 1<sup>st</sup> Consent to Operate for expansion with amalgamation of existing consent dated 02.01.2023, valid up to 30.04.2025, with CI Rs. 217.43 Crs.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for storage of petroleum products in tank farm such as motor spirit – 19200 x 2 = 38400 KL, ATF – 16000 x 3 = 48000 KL, SLOP tank – 50 x 4 = 200 KL + 20 KL = 220 KL by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall store all “A” Class petroleum products on a floating roof with double seal.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>2. PP shall provide facilities for oil spill during tank/tanker filling operations &amp; in no case shall such spill enter into nearby storm drain.</p> <p>3. PP shall provide a secondary vapor treatment system for tanker loading gantry.</p> <p>4. PP shall submit/extend the BG of Rs. 25.0 Lakh towards compliance of consent conditions.</p>
35	MPCB- CONSENT- 0000173249	Shri Dudhganga Vedganga Sahakari Karkhana ltd.1042, 1043, 1044, 1045, 1046, 1047, 1048, 1051/2A, 1051/3 Bidri (Mouninagar ) Kagal	APPROVED  Consent to 1 <sup>st</sup> Operate	31.08.2024	<p>Committee noted that PP applied grant of 1<sup>st</sup> operate for 75 KLPD Distillery unit.</p> <p>Committee also noted that, PP provided MEE and Incineration boiler with CPU to achieve ZLD.</p> <p>PP obtain C to E on 08.05.2020 and Environmental clearance on 20.04.2022.</p> <p>After due deliberation, it was decided to grant 1<sup>st</sup> Consent to Operate for 75 KLPD Distillery unit., by imposing following conditions:</p> <p>1. Industry shall submit BG of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</p> <p>Consent will be issued after submission of BG.</p>
36	MPCB- CONSENT- 0000171298	INDIAN OIL CORPORAT ION LIMITED338 /1,339,358,3 59,360,340 AT POST AKOLNER, Tal & Dist:	APPROVED  Renewal of consent with increase in CI	30.06.2026	<p>Committee noted that PP has applied for Renewal of Consent with increase in CI for storage of petroleum products in tank farm such as motor spirit/ethanol – 586 + 1109 + 2910 + 2896 = 7501 KL, HSD – 2909 + 2921 + 28 + 19290 x 3 + 20 = 63748 KL, ATF – 2897 + 2892 + 5954 x 2 = 17697 KL, Ethanol – 70 x 3 = 210 KL, Biodiesel – 66 x 2 = 132 KL, SKO/ATF – 28 KL, Sludge – 475 KL, Transmix – 600 x 2 = 1200 KL, Ron booster – 20 KL.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Ahmednagar Nagar			<p>Committee also noted that previously PP has obtained 1<sup>st</sup> Consent to Operate for expansion with amalgamation of existing consent vide dated 08.11.2022, valid up to 30.06.2023. Also, obtained EC for expansion vide No. SEIAA-EC-465, dated 29.10.2018. PP has increased the CI by Rs. 62.34 Crs, for the same PP has paid requisite consent fees.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Consent with increase in CI for storage of petroleum products in tank farm such as motor spirit/ethanol – 586 + 1109 + 2910 + 2896 = 7501 KL, HSD – 2909 + 2921 + 28 + 19290 x 3 + 20 = 63748 KL, ATF – 2897 + 2892 + 5954 x 2 = 17697 KL, Ethanol – 70 x 3 = 210 KL, Biodiesel – 66 x 2 = 132 KL, SKO/ATF – 28 KL, Sludge – 475 KL, Transmix – 600 x 2 = 1200 KL, Ron booster – 20 KL by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall store all “A” Class petroleum products on a floating roof with double seal.</li> <li>2. PP shall ensure the facilities for oil spill during tank/tanker filling operations &amp; in no case shall such spill enter into nearby storm drain.</li> <li>3. PP may also explore arrangement of a secondary vapor treatment system for tanker loading gantry.</li> <li>4. PP shall comply with conditions stipulated in EC vide dated 29.10.2018.</li> <li>5. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of EC &amp; consent conditions.</li> </ol>
37	MPCB- CONSENT- 0000173465	Bekaert Industries Pvt. Ltd. Plot No. B-1 MIDC	NOT APPROVED	----	Committee noted that PP has applied for Consent to Establish for Expansion.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Ranjangaon Shirur	Renewal of Consent		<p>Committee also noted that JVS results are slightly exceeding, and disposal of non-Hazardous waste is not as per rule. There are also a need to clarify about ZLD system. PP not submitted recent balance sheet.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent for above non-compliances.</p>
38	MPCB-CONSENT-0000171341	Apollo Hospitals Enterprise Ltd. Plot No.13, Sector 23, Parsik Hill Road, Belapur, Navi Mumbai	APPROVED  Combined Consent & BMW Authorization , Consent to Renewal	31.07.2026	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization with increase in CI for 384 beds Hospital on total plot area of 14,783.96 Sq.Mtr &amp; total BUA of 60,724.59 Sq.Mtr.</p> <p>Committee also noted that previously HCE has obtained combine consent &amp; BMW authorization vide dated 21.12.2021, valid up to 31.07.2023 and EC vide dated 21.03.2009. The IE generation is 5.0 CMD &amp; DE is 301 CMD, for the same, HCE has provided ETP and STP The JVS result of STP outlet dated 08.10.2021 is well within limit. HCE has increased CI by Rs. 12.58 Crs due to purchase of plant &amp; machinery/equipment.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combined Consent &amp; BMW Authorization with increase in CI for 384 beds Hospital on total plot area of 14,783.96 Sq.Mtr &amp; total BUA of 60,724.59 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE shall properly operate ETP &amp; STP to achieve consented norms.</li> <li>2. HCE shall comply with the conditions stipulated in EC.</li> <li>3. HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
39	MPCB- CONSENT- 0000172760	Rajarambapu Patil Sahakari Sakhar Karakhana Ltd Rajaramnagar Sakharale Unit 11,2,4,20- 25,1152,117 0-76,1304- 28,1335 Rajaramnagar Sakharale Walwa	APPROVED  Renewal of Consent	31.07.2024	<p>Committee noted that PP applied for grant of Renewal of consent for 7000 TCD and 28 MW with biofertilizers.</p> <p>Committee also noted that, PP Provided ETP of Primary secondary &amp; tertiary treatment and wet scrubber and ESP as APC.</p> <p>The OA No. 69 of 2022 (WZ), titled Sunil Pharate, Sangli District Head of Swatantra Bharat Paksh Vs State of Maharashtra &amp; Ors, is pending before the Hon'ble NGT (WZ).</p> <p>After due deliberation, it was decided to grant 1st consent to operate for mfg. of Painted Parts (Chassis, Skin Metal Parts &amp; Polymer parts)- 1600 No/D with amalgamation of existing, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By Forfeiting BG of Rs. 2.5 lakh for exceedance of JVS and shall submit total BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> <li>2. PP shall comply with all the order and directions issued or may be issued by the Hon'ble NGT.</li> </ol>
40	MPCB- CONSENT- 0000174240	Dalmia Bharat Sugar and Industries Ltd. Sugar Unit- Asurle- Porle Dist. Kolhapur177 4 , 1775, 1860,1861 ,1925,1926,1	APPROVED  Renewal of Consent	31.07.2026	<p>Committee noted that PP applied grant of Renewal of Consent for 9000 TCD sugar unit &amp; 32 MW co-gen unit.</p> <p>Committee also noted that, PP provided ETP with Primary, Secondary &amp; Tertiary Treatment and ESP as APC.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for 9000 TCD sugar unit &amp; 32 MW co-gen unit., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		957-59,1961 Asurle-Porle Dist. Kolhapur Panhala			
	MPCB- CONSENT- 0000173779	Airports Authority of India (NITB)224, 225 & 226 Pune Airport, Lohegaon Tal.Haveli Dist. Pune	APPROVED  Consent to 1 <sup>st</sup> Operate (Part III)	31.07.2024	<p>Committee noted that PP has applied for 1<sup>st</sup> consent to operate (Part III) for New Integrated Terminal Building of Airport on Total Plot area of 35000 Sq.Mtr. (out of 64102.20 Sq.Mtrs i.e. 15.84 Acres) and construction BUA of 48764.27 Sq.Mtr out of total construction BUA of 98794 Sq.Mtr.</p> <p>Committee also noted that PP has obtained EC vide dtd. 29.10.2018 and consent to establish for expansion vide dtd.23.04.2019 for Additional 15.84 Acres (6.41Ha) land and construction BUA- 98794 sq.Mtr. Also PP has obtained consent to operate (I) vide dtd. 20.09.2021 valid upto 31.01.2025 and consent to operate (II) vide dtd. 21.08.2023 valid upto 31.01.2025.</p> <p>Committee further noted that domestic effluent generation is 1125 CMD, for the same, PP has proposed to provide STP of capacity 565 CMD X 2 nos, which are under construction and same will be completed upto 30.09.2023. The provision of OWC of capacity 2000 kg/Day is under procurement. The JVS results of existing STP outlet collected on 22.09.2022 and 22.08.2023 are exceeding the consented parameters BOD-32 mg/l against limit-10 mg/l and COD- 67.7 mg/l against 50 mg/l and pH-9.2 against 6-8.5, SS-36 mg/l against standard 20 mg/l, BOD-40 mg/l against standard 10 mg/l, COD 112 mg/L against 50 mg/l respectively.</p> <p>After due deliberation, it was decided to consider the case for grant 1<sup>st</sup> Consent to operate ( Part III) for New Integrated Terminal Building of Airport on Total Plot area of 35000 Sq.Mtr. (out of 64102.20 Sq.Mtrs i.e. 15.84 Acres) and</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>construction BUA of 48764.27 Sq.Mtr out of total construction BUA of 98794 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall comply with conditions stipulated in Environmental Clearance granted vide dtd. 29.10.2018</li> <li>2. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage.</li> <li>3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>4. PP shall operate Organic Waste digester along with composting facility and generated compost shall be used as manure in their own garden/plantation.</li> <li>5. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots.</li> <li>6. PP shall apply for amalgamation of all consents before the expiry of this consent.</li> <li>7. By forfeiting a proportionate BG of 5.0 Lakh towards JVS exceedance of STP outlet and obtained double amount to form the sum of BG Rs. 25.0 Lakh towards O &amp; M of PCS and compliance of EC and consent conditions.</li> <li>8. PP shall comply with conditions stipulated in Environmental Clearance granted vide dtd. 29.10.2018</li> <li>9. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>10. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</p> <p>11. PP shall operate Organic Waste digester along with composting facility and generated compost shall be used as manure in their own garden/plantation.</p> <p>12. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots.</p> <p>13. PP shall apply for amalgamation of all consents before the expiry of this consent.</p> <p>14. By forfeiting a proportionate BG of 5.0 Lakh towards JVS exceedance of STP outlet and obtained double amount to form the sum of BG Rs. 25.0 Lakh towards O &amp; M of PCS and compliance of EC and consent conditions.</p> <p>15. PP shall provide sufficient land for disposal of treated domestic effluent and shall submit the compliance to the respective Sub Regional Officer /Regional Office, Pune within 1 month period.</p> <p>Consent shall be issued after verification report from SRO for completion and commissioning of new STP and OWC and submission of BG details</p>
42	MPCB- CONSENT- 0000167630	City and Industrial Development Corporation of Maharashtra Limited (CIDCO) (	APPROVED  Consent to Establish (Expansion)	Commissioning of unit, or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for grant of consent to establish (expansion) for construction of Residential/Commercial (Shops) project under Pradhan Mantri Awas Yojana (PMAY) Total plot area – 122146.15 Sq. mtr. &amp; Total Built up area (BUA) – 251894.24 Sq. mtr. With capital investment of the C to E expansion is Rs. 992.61 Crs.</p> <p>Committee also noted that Consent to establish on 12.11.2020 for construction of Residential /Commercial Construction Project under Pradhan Mantri Awas</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		PMAY)Plot No. 3, Sector 16A Kharkopar Railway Station (East), Ulwe Node, Navi Mumbai, Taluka: Panvel, District: Raigad, State: Maharashtra Panvel			<p>Yojana ( PMAY) Total plot area – 48,167.81 Sq. mtr. Total Built up area (BUA) – 409583.92 Sq. mtr. EC dated 11.04.2023 Total plot area – 122146.15 sq.mtrs. Total Built up area (BUA) – 1,57,689.68 Sq. Mtr. Bank Guarantee of Rs. 25 lakh has been submitted.</p> <p>After due deliberation, it was decided to grant consent to establish (expansion) for construction of Residential/Commercial (Shops) project under Pradhan Mantri Awas Yojana (PMAY) Total plot area – 122146.15 Sq. mtr. &amp; Total Built up area (BUA) – 251894.24 Sq. mtr. With capital investment of the C to E expansion is Rs. 992.61 Crs., by imposing bank guarantee and standard conditions for Infrastructure projects.</p>
43	MPCB-CONSENT-0000174641	VEVEK ETHNIC FOODS PVT LTD.KH.NO. 402,403,404 GUMTHALA KAMPTEE	NOT APPROVED  Renewal of Consent	-----	<p>Committee noted that PP applied for grant of Renewal of Consent for Milk processing.</p> <p>Committee also noted that, PP Provided common ETP having primary &amp; secondary &amp; tertiary treatment for total 4 units.</p> <p>Committee further noted that PP did not submit the water budget of all 4 units and ETP capacity.</p> <p>After due deliberation, it was decided to grant of defer the case and submitted after detail water budget.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
44	MPCB- CONSENT- 0000174836	Olam Global Agri Commodities India Pvt Ltd Gat No. 76/1, 76/2/1, 76/2/2, 757 Gat No. 76/1, 76/2/1, 76/2/2, 757 ,At/Po.: Channehatti, Village: Rajgoli (Kh), Tal.: Chandgad, Dist.: Kolhapur, Chandgad	APPROVED  Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied grant of Consent to Establish for Grain base distillery of capacity 300 KLPD.</p> <p>Committee also noted that, PP applied for EC in B2 category. PP proposed to provide MEE &amp; dryer with CPU to achieve ZLD.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Grain base distillery of capacity 300 KLPD., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent &amp; EC conditions.</li> <li>2. Industry shall not take any effective steps for new grain base distillery till obtain EC.</li> </ol>
45	MPCB- CONSENT- 0000174987	RATTANINDIA POWER LTD PLOT NO.D2& D2(Part) ADDITIONAL INDUSTRIAL AREA NANDGAON EPETH MIDC AMRAVATI NANDGAON	APPROVED  Renewal of consent to operate with increase in capital investment	31.12.2026	<p>Committee noted that PP has applied for Renewal of consent to operate for electricity generation-1350 MW.</p> <p>Committee also noted that previously PP has obtained consent to operate vide dtd. 14.11.2022, valid upto 31.08.2023. Also PP has obtained EC vide dtd. 27.02.2009, 15.07.2010 and 27.05.2011 which was extended vide dtd.14.10.2014, 1.10.2019 and 27.07.2021 respectively. PP has provided ETP and STP for the treatment of trade and domestic effluent respectively. JVS results of effluent and stack are within limit.</p> <p>Committee further noted that PP has provided ESPs and DFDS with water sprinkling system and PP will be provided FGD before 31.12.2026 as an</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		EPETH ,Amravati, Tal & Dist- Amravati.			<p>APCS. PP has provided CAAQMS and CEMS with server connectivity. The fly ash utilization of the industry is above 100 %.</p> <p>After due deliberation, it was decided to grant Renewal of Consent with increase in CI for electricity generation-1350 MW by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall promote adoption of clean coal (with ash content less than 34%) and clean power generation technologies and comply with the notifications issued by MOEF for utilization of fly ash from coal or lignite based thermal power plants issued by time to time.</li> <li>2. PP shall comply with the conditions of the Environmental Clearance granted by MoEFCC, GoI time to time.</li> <li>3. PP shall ensure to operate online continuous monitoring system as per CPCB guidelines &amp; data to be transmitted directly from Data Logger to Board server.</li> <li>4. PP shall comply with the recommendations of the task force implementation of CREP recommendations for thermal Power Plants.</li> <li>5. PP shall comply the standards stipulated by the Ministry of Environment, Forest and Climate Change vide Notification dtd 07.12.2015. PP shall Operate and Maintain the APCS so as to achieve the emission Standards.</li> <li>6. PP shall install and commission the FGD as per as per MOEFCC Gazette Notification No. G.S. R. 682(E) dtd.5.09.2022.</li> <li>7. PP shall submit the fortnight compliance progress report of action plan regarding the compliance to achieve the emission standards including installation of FGD system as per the MoEF &amp; CC GoI notification dated 31.03.2021 &amp; dtd.5.09.2022 to the respective Sub Regional Officer and Regional Officer.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>8. PP shall be disposed of fly ash as per MoEF &amp; CC notification vide S.O. 5481(E) dtd.31.12.2021 &amp; its amendment dtd.30.12.2022 &amp; amendments thereafter. And shall achieve 100% utilization of Fly Ash. PP shall dispose legacy pond ash regularly. PP shall submit the action plan for disposal of Legacy pond ash within a month period.</p> <p>9. The sulphur and ash content in the coal to be used in the project shall not exceed 0.5% and 34% respectively. PP shall not use high ash content coal (i.e more than 34%).</p> <p>10. PP shall comply with the MoEF &amp; CC amendment notification no. S.O.1561 (E) dtd. 21.05.2020. PP shall comply with the emission norms within the time limit as specified in MoEF &amp; CC,GoI Notification dated 31.03.2021.</p> <p>11. PP shall comply MOEF Office memorandum dtd 26.08.2015 by protocol for sampling, analysis of coal and reporting of compliance in respect of implementation of the Gazette Notification on use and supply of raw or blended of beneficiated coal with ash content not exceeding 34% on quarterly average basis.</p> <p>12. PP shall submit/extend BG of Rs. 63.0 Lakh towards O &amp; M of PCS and compliance of consent and EC conditions.</p>
46	MPCB- CONSENT- 0000175118	Gangamai Industries And Construction s Ltd.,(GIACL) 222,223,224 Harinagar,N ajik Babulgaon,P	APPROVED  Renewal of Consent	31.08.2024	<p>Committee noted that PP applied for renewal of consent to operate for total 400 KLPD (150 KLPD + 250 KLPD) molasses-based Distillery.</p> <p>Committee also noted that Industry has provided Bio methanation followed by MEE and ATFD for spent wash treatment. Industry has provided RO based CPU &amp; STP provided of 200 CMD.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		ost Rakshi Shevgaon			<p>The committee further noted that PP provided Incineration Boiler and use concentrate spent wash with coal/bagasse with ESP as APC. OCEMS provided &amp; connected to MPCB / CPCB server.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate for total 400 KLPD (150 KLPD + 250 KLPD) molasses-based Distillery for the period up to 31/08/2024 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall renew existing / submit fresh BG of Rs. 25 Lakh towards O &amp; M of pollution control systems &amp; compliance of consent conditions.</li> <li>2. PP shall operate &amp; maintain pollution control systems and shall achieve consented prescribed standards.</li> </ol>
47	MPCB-CONSENT-0000173996	Gangamai Industries And Construction Ltd.222,223, 224 Harinagar,N ajik Babulgaon,Post Rakshi Shevagaon	APPROVED Renewal of Consent	31.08.2024	<p>Committee noted that PP applied for renewal of consent to operate for Ethanol (220 KLPD) (from special denatured Spirit).</p> <p>Committee also noted that PP treated effluent in existing CPU &amp; STP with a capacity of 200 CMD.</p> <p>Committee further noted that PP Steam taken from existing unit &amp; use existing Incineration Boiler and use concentrate spent wash with coal/bagasse with ESP as APC. OCEMS provided &amp; connected to MPCB / CPCB server.</p> <p>After due deliberation, it was decided to grant renewal of Consent to operate for Ethanol (220 KLPD) (from special denatured Spirit &amp; by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall extend existing / submit fresh Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. PP shall operate &amp; maintain the pollution control system &amp; achieve consented prescribed standards.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
48	MPCB- CONSENT- 0000173697	NESCO LTD. Plot No. 223/1, 223/A/1, 225, 239A, 240, 241, 241/1 to 6, 242B, 243A and 248A of Village Goregaon, NESCO Center, Western Express Highway, Goregaon (East), Mumbai-400063.	APPROVED  Consent to Establish for Expansion	Commissioning of the project or 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Consent to Establish for Expansion of development of Exhibition cum Convention Center, Hotel and IT Park project having Total plot area of 1,72,525.92 Sq.m out of TPA of 2,48,354.42 Sq.m and Construction BUA of 4,81,170.80 Sq.m but, restricted to Total construction BUA 2,60,215.77 Sq.m [as per specific condition No. B(6) of EC dtd. 21/07/2023].</p> <p>Committee also noted that PP has obtained Environment Clearance and proposed to provide STP &amp; OWC.</p> <p>After due deliberation it was decided to grant Consent to Establish for Expansion of development of Exhibition cum Convention Center, Hotel and IT Park project having Total plot area of 1,72,525.92 Sq.m out of TPA of 2,48,354.42 Sq.m and Total construction BUA 2,60,215.77 Sq.m [as per specific condition No. B(6) of EC dtd. 21/07/2023] by imposing BG and standard conditions for Infrastructure projects.</p>
49	MPCB- CONSENT- 0000175356	Jaywant Sugars Ltd., 83 to 90,92,93,95, 98,99 Dhawarwadi Karad	APPROVED  Renewal of Consent	31.07.2024	<p>Committee noted that PP applied for grant of Renewal of consent sugar capacity 4800 TCD and 14 MW Co-generation and additional 1000 TCD for Distillery unit.</p> <p>Committee also noted that, PP Provided ETP comprising primary, secondary &amp; Tertiary system and wet scrubber as APC.</p> <p>Industry has submitted BG of Rs. 25.0 Lakhs, which was valid upto 28/02/2024.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant Renewal of consent sugar capacity 4800 TCD and 14 MW Co-generation with additional 1000 TCD for distillery unit, by imposing following conditions:</p> <p>1. PP shall submit BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of PCS.</p>
50	MPCB- CONSENT- 0000175152	Ambuja Cements Ltd. (Unit: Maratha Cement Works)0Villa ges - Upparwahi, Kukkudsat, Bhendvi & Hardona Korpana & Rajura Tal- Korpana,Dist - Chandrapur.	NOT APPROVED  Consent to Establish for Expansion	-----	<p>Committee noted that PP has applied for consent to establish for expansion for manufacturing of Cement (Various Types/ Grades i.e OPC/PPC/PSC/Composite Cement/Masonry Cement) - 5.25 MTPA, Clinker-3.30 MTPA, Electricity generation by waste heat recovery boiler- 25 MW and AFR Feeding System (Co-Processing of Non-Hazardous Wastes-850 Ton/day by installing new kiln line II and proposed to electricity generation by WHRS-5 from existing kiln line I with proposed expansion in Railway Siding- 26000 Ton/D</p> <p>Committee also noted that PP has obtained EC vide dtd. 3.11.2006, TOR obtained vide dtd. 4.03.2021 and Amendment in TOR dtd.26.05.2022 and obtained renewal of consent to operate for integrated cement plant and CPP consent- vide dated 27.02.2023 with validity up to 31.10.2024.</p> <p>Committee further noted that.</p> <p>1. PP has not submitted the details of storage, shed and handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&amp;OW (M &amp; TBM) Rules, 2016 as amended as per consent condition No. 15.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>2. PP has not submitted the details of the Plan and proposal regarding transport and handling of the hazardous waste from which state/ with source and agreement with respective industries are not submitted.</p> <p>3. PP has not submitted the details of authorization for co-processing of HW in cement mill under H&amp;OW (M &amp; TBM) Rules, 2016 as per consent condition No.14.</p> <p>4. PP has not submitted the details of Hazardous waste categories to be used in the AFR.</p> <p>5. PP has not submitted ETP &amp; STP details for the treatment of proposed enhancement in trade effluent-50 CMD and 20 CMD for domestic effluent as the existing ETP &amp; STP system is not cope up with additional effluent.</p> <p>6. PP has not submitted valid NOC of CGWA for ground water extraction.</p> <p>7. PP has not paid the JVS payment of Rs. 32400/- vide Bill No MPCB-JVS-200723004 dtd. 20.07.2023.</p> <p>8. PP has not submitted the details of sludge generated from ETP and membership of CHWTADF.</p> <p>9. PP has not submitted justification for existing WHRS -15 MW and proposed 5 MW from existing kiln Line-I whereas same has not in existing consent.</p> <p>10. The stack emission results of sample collected on 13.07.2023 exceeded the TPM parameter (CPP Boiler-IV) - 64 mg/Nm<sup>3</sup> and So<sub>2</sub> of CPP Boiler-3 is 2194 mg/Nm<sup>3</sup> and AAQM result is also exceeded than the consented limit.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
51	MPCB- CONSENT- 0000175647	Rashtriya Chemicals and Fertilizers Limited127 Chembur1(M arawali), 1,5,5,1 to 6 (Anik). Trombay Unit Chembur	APPROVED  Consent to Establish	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to establish for proposed installation of New Ammonia Storage tank (1 No.) of 5000 MT capacity with CI of Rs. 141.45 Crs.</p> <p>Committee also noted that PP has obtained Consent to Renewal granted on 23.06.2022 which is valid up to 31.07.2023. Obtained Environment Clearance No. F.No. J-11011/193/2016-IA II(I) dtd. 05/04/2018.</p> <p>Committee further noted that new stack of height 30 meters is proposed to new ammonia storage facility and D.G. set of 625 KVA. Submitted BG of Rs. 10 lakh as per earlier C to E. PP has not submitted BG of Rs. 25 lakh as per renewal of consent. PP has applied for this storage as a standby storage in case of emergency.</p> <p>After due deliberation, it was decided to grant consent to establish with not to take effective steps prior to obtaining Environment Clearance and Bank guarantee.</p>
52	MPCB- CONSENT- 0000174730	National Peroxide Ltd., P.O. Mohane NRC Road, Village- Vadavali Kalyan	NOT APPROVED  Consent to 1 <sup>st</sup> Operate	-----	<p>Committee noted that PP has applied for grant of consent to 1st operate for mfg. of Hydrogen Peroxide (at various conc. 1-70 % W/W) &amp; per acetic acid (5-35% concentration}.</p> <p>Committee also noted that PP has obtained consent to establish (expansion on 31.05.2023 with CI of Rs. 13.5 Crs. Existing consent to operate dated 09.09.2020 valid up to 20.07.2025 with CI of Rs. 465.76 Crs. PP has submitted letter stating they do not require EC as process is blending and mixing.</p> <p>Committee further noted that PP has submitted bank guarantee of Rs. 10 lakh as per consent to operate and 25 lakh as per C to E (Expansion) conditions. As per SRO recommendation, as industry is ZLD, and it is felt that does not require OCMS system as one of the conditions of C to E.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that Consent to Establish was granted with Environment Clearance condition. Industry has submitted letter stating that they do not attract EC as it is basic blending and mixing process.</p> <p>After due deliberation, it was decided to refer case to Technical Committee regarding applicability of Environment Clearance and OCMS system.</p>
53	MPCB-CONSENT-0000175174	Swaraj Green Power & Fuel Ltd. Gat No. 274,266,260, 273,340,256, 346,351,262, 264 Village Upalave, Gat No. 332A/B/C, 259,258,272 Phaltan	APPROVED  Consent to 1 <sup>st</sup> Operate (Expansion)	31.08.2024	<p>Committee noted that PP applied for grant of Renewal of Consent and applied separately for 1<sup>st</sup> Consent to operate for expansion &amp; for manufacturing of RS/ENA/Ethanol – 440 KL/D &amp; power generation-5.0 MW. MPCB-CONSENT-0000175468</p> <p>Committee also noted that, PP Provided MEE &amp; incineration boiler with CPU to achieve ZLD. The distillery has installed boiler of capacity 35 TPH (existing boiler) and New Boiler 50 TPH which is coal/Slop fired incinerator boiler. For air pollution control they have provided ESP followed by common stack height 52 mtrs</p> <p>As per processing PP submitted BG of Rs. 25 &amp; lakh.</p> <p>After due deliberation, it was decided to consider both the application combinedly i.e for total 500 KLPD Distillery unit., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and operation &amp; maintenance of pollution control system.</li> <li>2. PP shall comply with all the conditions of EC.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
54	MPCB- CONSENT- 0000175192	BRITANNIA INDUSTRIE S LTDB 28 MIDC RANJANAG ON SHIRUR	APPROVED  Consent to Establish	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied for grant of Consent to Establish for addition of production quantity for biscuit 61900 MT/A.</p> <p>Committee also noted that, PP Provided Industry is having ETP comprising primary, secondary &amp; Tertiary system and additional effluent load will be treated in existing ETP.</p> <p>PP has submitted B.G. of Rs. 5 lakh as per earlier consent conditions which is valid up to 15.06. 2025.</p> <p>After due deliberation, it was decided to grant Consent to Establish for addition of production quantity for biscuit 61900 MT/A, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit BG of Rs. 25 lakh towards compliance of consent conditions.</li> </ol>
55	MPCB- CONSENT- 0000175946	Jawaharlal Nehru Port Authority- Nhava Sheva Freeport Terminal Pvt. Ltd.NA Sheva Uran	APPROVED  Applied for consent to establish for expansion	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for consent to establish for expansion for increase in deck width of the berth by 15 Mtrs towards land side for smooth vehicles maneuvering for keeping hatch covers.</p> <p>Committee also noted that PP has obtained Consent to operate vide dtd. 19.03.2021, valid upto 30.09.2025. Also PP has submitted proposal for expansion to the Maharashtra Coastal Zone Management Authority (MCZMA) for clearance and MCZMA has recommended proposal vide dtd.14.02.2023 to MOEF &amp; CC Delhi under CRZ Notification, 2011 subject to conditions. TOR is issued by MOEFCC vide dtd. 1.09.2023 for widening of existing container Berth at JNPA for Cargo Handling capacity -22.1 MTPA.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has proposed STP of 60 CMD against 50 CMD domestic effluent. PP has changed name from “Jawaharlal Nehru Port Trust” to “Jawaharlal Nehru Port Authority” Gazette submitted.</p> <p>After due deliberation, it was decided to grant Consent to establish for expansion for increase in deck width of the berth by 15 Mtrs towards land side for smooth vehicles maneuvering for keeping hatch covers by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall obtain Environmental Clearance and CRZ Clearance.</li> <li>2. PP shall strictly comply with the recommendations of the Maharashtra Coastal Zone Management Authority.</li> <li>3. PP shall not take any effective steps towards implementation of expansion of the project before obtaining Environmental Clearance and CRZ Clearance.</li> </ol>
56	MPCB-CONSENT-0000175468	SWARAJ GREEN POWER AND FUEL LIMITED (Former Name: Swaraj India Agro Ltd ) Upalave Gat No 332 B/2 Phaltan	APPROVED 1 <sup>st</sup> Consent to operate for expansion WITH Renewal of Existing	31.08.2024	<p>Committee noted that PP applied for grant of 1<sup>st</sup> Consent to operate for expansion &amp; for manufacturing of RS/ENA/Ethanol – 440 KL/D &amp; power generation-5.0 MW and also applied separately for existing Renewal. MPCB-CONSENT-0000175174.</p> <p>Committee also noted that, PP Provided MEE &amp; incineration boiler with CPU to achieve ZLD. The Distillery has installed boiler of capacity 35 TPH (existing boiler) and New Boiler 50 TPH which is coal/Slop fired incinerator boiler. For air pollution control they have provided ESP followed by common stack height 52 mtrs. Bank guarantee of Rs. 25 lakh submitted.</p> <p>After due deliberation, it was decided to consider both the application combinedly i.e for total 500 KLPD Distillery unit., by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>1. PP shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and operation &amp; maintenance of pollution control system.</li> <li>2. PP shall comply with all the conditions of EC.</li> </ol>
57	MPCB- CONSENT- 0000176372	Jakraya Sugar Limited 70,71,72,73, 74 Gat No. 70,71,72,73, 74, Watwate, Tal. - Mohol, Dist - Solapur Mohol	APPROVED  Renewal of Consent	31.07.2024	<p>Committee noted that PP applied for grant of Renewal of Consent for 4900 TCD and 11 MW.</p> <p>Committee also noted that, PP Provided ETP of Primary, secondary &amp; tertiary system with CPU and Industry has installed Boiler - 70 TPH Capacity with ESP &amp; RPC (Rotary Particle Collector) for arrest of fly ash &amp; wet scrubber.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for 4900 TCD and 11 MW, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and operation &amp; maintenance of pollution control system.</li> <li>2. PP shall not discharge treated / untreated effluent in any water body.</li> </ol>
58	MPCB- CONSENT- 0000169934	Runwal Residency Pvt. Ltd. Integrate d Towership, Kalyan	APPROVED  Consent to Establish (Part-III)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for grant of consent to establish Part-III for Phases- 5A, 5B, 6A, 8, MLCP-2 &amp; School Building for Total Plot Area 5,33,750 sq.m and BUA2 3,76,905.04 sq.m with C.I. of Rs. 987.5692 Crs.</p> <p>Committee also noted that PP has obtained C to E dtd 12.11.2020 for (PART) Phase 1, 2 (Residential + Economic Activities + EWS LIG). Obtained Part operate for (PART) Phase 1 with Total Construction BUA=278949.21 Sqm out of BUA = 3,74,251.28 sqm. Environment Clearance on November 7, 2019 &amp; further Amended on dtd 10.06.2022. Bank Guarantee of Rs. 25 lakh has been submitted.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to grant consent to establish Part-III for Phases- 5A, 5B, 6A, 8, MLCP-2 & School Building for Total Plot Area 5,33,750 sq.m and BUA2 3,76,905.04 sq.m with C.I. of Rs. 987.5692 Crs., by imposing bank guarantee and standard conditions for Infrastructure projects.
59	MPCB- CONSENT- 0000175864	SHRI CHHATRAP ATI RAJARAM SAHAKARI SAKHAR KARKHANA LTD.,R.S.N O69/7011,70 /2,70/3,70/4, 70/5,70/6,70/ 8/A,370/1,97 8/2,63,67/2,3 72/1A,373/1 A KASABA BAWADA KARVIR	APPROVED  Consent to Establish	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied grant of Consent to Establish for 18.5 MW Co-generation and modification of existing plant.</p> <p>Committee also noted that, PP proposed to provide ESP for new boiler. Earlier Board had issued Conditional Directions dated 29.09.2022, Also issued SCN dtd. 06.01.2023 and Proposed direction dtd. 25.01.2023 regarding the Fish Kill incidence in the Panchaganga River.</p> <p>After due deliberation, it was decided to grant Consent to Establish for 18.5 MW Co-generation and modification of existing plant., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit BG of Rs. 25 lakh towards compliance of consent &amp; EC conditions and operation &amp; maintenance of pollution control system.</li> <li>2. PP shall submit upgradation plan with operation and maintenance of pollution control system within 2-month period and same shall be implemented in next 6 months.</li> </ol>
60	MPCB- CONSENT- 0000176053	JNPA- Additional Liquid Cargo Jetty with capacity of 4.5 MTPAAt Sheva Tal. Uran Dist. Raigad	APPROVED  Consent to 1 <sup>st</sup> Operate	30.09.2025	<p>Committee noted that PP has applied for grant of 1<sup>st</sup> consent to operate for Additional Liquid Cargo Jetty with capacity of 4.5 MTPA for handling of all types of POL, Non POL and Chemical cargoes, class A, B, C Products at JNPA.</p> <p>Committee also noted that PP has obtained consent to establish for same activity vide dtd.20.10.2020, valid up to COU or 5 years whichever is earlier.</p> <p>Committee further noted that PP has disposed domestic effluent through septic tank with soak pit and HW is disposed by Auth. Party.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after submission of clarification in respect of EC, CRZ Clearance and APCS, Non HW details as communicated vide e mail dtd. 20.09.2023.
61	MPCB-CONSENT-0000175038	Reliance Industries Limited (PTA/PIA/PX/MX/EC Division)B5 B5 , MIDC Industrial Area , Patalganga Khalapur	APPROVED  Consent to 1 <sup>st</sup> Operate with amalgamation with existing consent.	31.08.2025	<p>Committee noted that PP has applied for grant of consent to 1st operate and amalgamation with existing consent with CI of Rs. 648 Crs.</p> <p>Committee also noted that PP has obtained consent to operate on 02.09.2020 which is valid upto: 31.08.2025. Consent to establish (Expansion) vide dtd 19.3.2021. Obtained Environmental Clearance on 3.12.2020 vide file no-J-11011/224/2018-IA-II(I) dtd 3.12.2020. Industry has submitted all the bank guarantees.</p> <p>After due deliberation, it was decided to grant of consent to 1st operate and amalgamation with existing consent, by imposing bank guarantee and standard conditions.</p> <p>Consent shall be issued after verification report from SRO regarding completion of construction work.</p>
62	MPCB-CONSENT-0000175667	Acme Housing India Pvt. LtdGut No. 61/1, 61/2, Off Gladly Alwares Road	APPROVED  Renewal of Consent	31.07.2024	<p>Committee noted that PP has applied for grant of renewal of consent to operate (Part-V) for building No. 7 –Gingelia, Building No. 8 Herbilia, MMRDA building no. 5 &amp; 6 of residential &amp; commercial project of the total plot area- 54500sq. mtrs, and BUA-1,05,467 Sq. mtrs. with CI of project is Rs. 1052.99 Cr.</p> <p>Committee also noted that PP has obtained EC on vide no. SEAC-2014/CR-234/TC-1 dated 28.01.2016. Bank gurantee of Rs. 25 lakh submitted by PP.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to grant of renewal of consent to operate (Part-V) for building No. 7 –Gingelia, Building No. 8 Herbilia, MMRDA building no. 5 & 6 of residential & commercial project of the total plot area- 54500sq. mtrs, and BUA-1,05,467 Sq. mtrs. with CI of project is Rs. 1052.99 Cr., by imposing bank guarantee and standard conditions for Infrastructure projects.
63	MPCB- CONSENT- 0000173457	Jawaharlal Nehru Port Authority- Nhava Sheva FreePort Terminal Pvt LtdNA Sheva Uran	APPROVED  Split of existing renewal of consent to operate	30.09.2025	<p>Committee noted that PP has applied for split of existing renewal of consent to operate for All A, B, C Class of liquid cargos for receipt and distribution will be handled by JNPT container Terminal and shallow water berth (No Storage) length-450 meters including list of consented 69 items for material of Total handling quantity – 22.1 out of 26.6 MTPA</p> <p>Committee also noted that existing consent to operate vide dtd. 19.03.2021, valid upto 30.09.2025 with C.I. of Rs. 3640.5 Cr in the name of JNPT for Handling of Containers Dry and Liquid bulk cargos at following terminals 1) JNPT Container Terminal having 3 Nos of berth, length 680 Mtrs &amp; shallow water berth having 2 Nos of berth &amp; length of berth and container storage area for this both is 61.5 Ha. 2) All A, B, C Class of liquid cargos for receipt and distribution will handled by JNPT container Terminal and shallow water berth ( No Storage) including list of 69 items (as consented ) for material of Total handling quantity – 26.6 MTPA.</p> <p>Committee further noted that PP has applied for amendment in consent vide UAN No. MPCB-CONSENT_Ammendmnet_0000009915 which was discussed in the CAC meeting on 7.07.2023 and decided to split the existing consent subject to submission of separate applications in the name of <b>Nhava Sheva Freeport Terminal Pvt Ltd. (NSFTL)</b> 3 Nos berth having length of 680 Meters at JNPA and <b>Nhava Sheva Distribution Terminal Pvt. Ltd.- Shallow Water Berth (NSDTPL-SWB)</b> 2 Nos berth having lengths 450 meters at JNPA. Also</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>PP has submitted the another application vide UAN No. 175102 for the remaining quantity of 4.5 MTPA out of 26.6 MTPA.</p> <p>Committee also noted that PP has submitted an undertaking showing the C.I. of Rs. 872.16 Crs for UAN No. 173457 and for another application UAN No. 175102 showing the C.I. of Rs. 130.86 Crs. However, total C.I. of the existing consented C.I. of Rs. 3640.5 Crs. The difference of C.i. is in the tune of 2637.48 Crs towards, this PP has not submitted any clarification. Also PP has changed the name from “Jawaharlal Nehru Port Trust” to “Jawaharlal Nehru Port Authority”</p> <p>Committee further noted that PP has provided STP for treatment of domestic effluent.</p> <p>After due deliberation, it was decided to consider split of existing renewal of consent to operate for All A, B, C Class of liquid cargos for receipt and distribution will handled by JNPT container Terminal and shallow water berth (No Storage) length-450 meters including list of consented 69 items for material of Total handling quantity – 22.1 out of 26.6 MTPA.</p> <p>Consent shall be issued after submission of clarification in respect of total capital investment as per existing consent and discrepancies communicated vide e mail dtd. 20.09.2023.</p>
64	MPCB- CONSENT- 0000176989	Wadhwa Construction & Infrastructur e Private Limited1Villa	APPROVED  Consent to 1st Operate (Part)	30.09.2024	<p>Applied for grant of consent to operate (Part-I) for residential building construction project for total plot area 8, 46,129.39 sq.mtr. &amp; total construction BUA is 1, 87,012.06 sq.mtr. with CI of Rs. 299.66 Crs.</p> <p>Consent to establish dated 14/03/2018 for total plot area 8, 46,129.39 sq.mtr. &amp; total BUA was 4, 25,117.93 sq.mtr with CI was 1080 crs in CAC. Further PP</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		ge Vardoli Bherle & Bhingarwadi Panvel Taluka Raigad Panvel			<p>obtained consent to establish (Expansion) dated 18/07/2023 for total plot area 8, 46,129.39 sq.mtr. &amp; total BUA is 5, 68,313.46 sq.mtr. Obtained Environment clearance on 24/06/2020 for total plot area 8,46,129.39 &amp; total BUA is 4,58,145.51 sq.mtr.</p> <p>PP has completed 09 wings out of 23 wings. PP has submitted architect certificate dated 01.08.2023 for Total BUA of 230312.58 sq.mtrs. PP has submitted bank guarantee of Rs. 25 lakh.</p> <p>After due deliberation, it was decided to grant of consent to operate (Part-I) for residential building construction project for total plot area 8, 46,129.39 sq.mtr. &amp; total construction BUA is 1, 87,012.06 sq.mtr. with CI of Rs. 299.66 Crs., imposing bank guarantee and standard conditions for infrastructure projects.</p>
65	MPCB- CONSENT- 0000175102	JNPA- Nhava Sheva Distribution Terminal- Shallow Water BerthNA Nhava Sheva Uran	APPROVED  Split of existing renewal of consent to operate	30.09.2025	<p>Committee noted that PP has applied for split of existing renewal of consent to operate for All A, B, C Class of liquid cargos for receipt and distribution will handled by JNPT container Terminal and shallow water berth (No Storage) length-450 meters including list of consented 69 items for material of Total handling quantity – 4.5 out of 26.6 MTPA</p> <p>Committee also noted that existing consent to operate vide dtd. 19.03.2021, valid upto 30.09.2025 with C.I. of Rs. 3640.5 Cr in the name of JNPT for Handling of Containers Dry and Liquid bulk cargos at following terminals 1) JNPT Container Terminal having 3 Nos of berth, length 680 Mtrs &amp; shallow water berth having 2 Nos of berth &amp; length of berth and container storage area for this both is 61.5 Ha. 2) All A, B, C Class of liquid cargos for receipt and distribution will handled by JNPT container Terminal and shallow water berth ( No Storage) including list of 69 items (as consented ) for material of Total handling quantity – 26.6 MTPA.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has applied for amendment in consent vide UAN No. MPCB-CONSENT_Ammendmnet_0000009915 which was discussed in the CAC meeting on 7.07.2023 and decided to split the existing consent subject to submission of separate applications in the name of <b>Nhava Sheva Freeport Terminal Pvt Ltd. (NSFTL)</b> 3 Nos berth having length of 680 Meters at JNPA and <b>Nhava Sheva Distribution Terminal Pvt. Ltd.-Shallow Water Berth (NSDTPL-SWB)</b> 2 Nos berth having lengths 450 meters at JNPA. Also PP has submitted the another application vide UAN No. 173457 for remaining quantity of 22.1 MTPA out of 26.6 MTPA.</p> <p>Committee also noted that PP has submitted an undertaking showing the C.I. of Rs. 130.86 Crs for UAN No. 175102 and for another application UAN No. 173457 showing the C.I. of Rs. 872.16 Crs. However, total C.I. of the existing consented C.I. of Rs. 3640.5 Crs. The difference of C.i. is in the tune of 2637.48 Crs towards, this PP has not submitted any clarification. Also PP has changed the name from “Jawaharlal Nehru Port Trust” to “Jawaharlal Nehru Port Authority”</p> <p>Committee further noted that PP has provided STP for treatment of domestic effluent.</p> <p>After due deliberation, it was decided to consider split of existing renewal of consent to operate for All A, B, C Class of liquid cargos for receipt and distribution will handled by JNPT container Terminal and shallow water berth (No Storage) length-450 meters including list of consented 69 items for material of Total handling quantity – 4.5 out of 26.6 MTPA .</p> <p>Consent shall be issued after submission of clarification in respect of total capital investment as per existing consent and discrepancies communicated vide e mail dtd. 20.09.2023.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
66	MPCB- CONSENT- 0000177924	UltraTech Cement Limited, Unit- Manikgarh Cement Works146 to 163 and 159 ,167 Gadchandur Korpana	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for Renewal of consent to operate for manufacturing of cement-3 MTPA, electricity generation CPP-60 MW+15 MW and AFR feeding system-250 MT/Y with amalgamation of two consents for Electricity Generation (WHRB based captive power plant) 10 MW +16 MW.</p> <p>Committee also noted that PP has obtained EC vide dtd. 7.01.2008, EC expansion vide dtd. 16.10.2012 and 6.11.2017, EC amendment vide dtd. 23.09.2016, SEIAA dtd. 4.12.2019 and EC transfer dtd. 31.08.2020 and obtained consent to operate cement-3 MTPA, electricity generation CPP-60 MW+15 MW and AFR feeding system-250 MT/Y and two separate consent to operate for Electricity Generation (WHRB based captive Power Plant-16 MW with validity upto 30.09.2024 and for Electricity Generation (WHRB based captive Power Plant-10 MW with validity upto 31.01.2024.</p> <p>Committee further noted that.</p> <ol style="list-style-type: none"> <li>1. PP has not submitted the latest balance sheet (2022-2023) with Note-2 documents of the balance sheet.</li> <li>2. PP has not provided ESPS to the 60 MW power plant as per consent conditions.</li> <li>3. PP has not considered the trade effluent generated from the 10 MW and 15 MW electricity generation plant with its treatment system and disposal.</li> <li>4. PP has not paid the requisite consent fees. (Pl. note that same may vary according to latest balance sheet.).</li> <li>5. Analysis results of AAQM carried out on 21.03.2023 and 13.07.2023 are exceeding the standards for PM10 parameter.</li> <li>6. PP has not submitted acknowledgement of all BG's as per consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>7. PP has not submitted details of CGWA NOC as submitted permission from Ground Water Authority in application.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.</p>
67	MPCB- CONSENT- 0000176871	Jakraya Sugar Ltd. (Distillery Unit)Gat No. 61/1/A, 64/1, Gat No. 61/1/A, 64/1, Tal. - Watwate, Tal. - Mohol, Dist - Solapur Mohol	APPROVED  Renewal of Consent	31.08.2024	<p>Committee noted that PP applied for grant of Renewal of Consent for 200 KLPD Distillery unit.</p> <p>Committee also noted that, PP Provided MEE &amp; Dryer with CPU. Industry has installed Boiler - 70 TPH Capacity with ESP and RPC (Rotary Particle Collector) for arrest of fly ash with wet scrubber followed by stack height 72 mtrs. Provided.</p> <p>PP has not yet submitted BG of Rs. 50 lakh as per previous consent conditions.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for 200 KLPD Distillery unit, by imposing following conditions:</p> <p>1. PP shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and operation &amp; maintenance of pollution control system.</p> <p>Case will be issued after submission of BG.</p>
68	MPCB- CONSENT- 0000178090	Karmyogi Sudharkapa nt Paricharak Pandurang Sahakari Sakhar Karkhana	APPROVED  1 <sup>st</sup> Consent to Operate of Expansion with	31.07.2024	<p>Committee noted that PP applied for grant of 1<sup>st</sup> Consent to Operate of Expansion with amalgamation of existing i.e total 10000 TCD and 34 MW.</p> <p>Committee also noted that, PP Provided ETP comprising primary, secondary &amp; Tertiary system and wet scrubber as APC. Submitted BG as per previous Consent.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Limited formerly known as Shree 300,111,112, 260,265,287/ 1,269,284/1, 271/1,272/1, 87 Shreepur Malshiras	amalgamation of existing		After due deliberation, it was decided to grant 1 <sup>st</sup> Consent to Operate of Expansion with amalgamation of existing i.e total 10000 TCD and 34 MW, by imposing following conditions:  1. PP shall submit BG of Rs. 25 lakh towards compliance of consent conditions and O & M of PCS.
69	MPCB- CONSENT- 0000179558	Macrotech Developers Ltd., Sector No. 5, Ward No. 3, BMC Pipeline Majiwada & Balkum Thane	APPROVED  Consent to 1st Operate (Part)	30.09.2024	Committee noted that PP has applied for grant of Consent to 1st operate (Part) of the total plot area-292963.0 sq. mtrs and BUA of -83004.90 sq. mtrs for 5 Nos. of buildings with CI of Rs. 221.10 Crs.  Committee also noted that PP has obtained Consent to Establish for this project on 10.07.2023 for total plot area-292963.0sq mtrs. and Construction area-88,000.0 sq. mtrs. Obtained Environment Clearance for total plot area-292963.0 sq. mtrs and BUA of -6,57,570.91 sq. mtrs on06.05.2022.  Committee further noted that Construction & finishing work of 5 Nos. of buildings was found completed as per visit report. No occupancy was observed. Architect certificate for building completion certificate for Tower-3,4,5,6 & 7 in Phase -IV and BUA of -83004.90 sq.mtrs submitted. PP has submitted bank guarantee of Rs. 25 lakh.  After due deliberation it was decided to grant of Consent to 1st operate (Part) of the total plot area-292963.0 sq. mtrs and BUA of -83004.90 sq. mtrs for 5 Nos. of buildings with CI of Rs. 221.10 Crs. imposing bank guarantee and standard conditions for infrastructure projects.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
70	MPCB- CONSENT- 0000159009	Wipro Ltd., Plot. No. 31 Rajiv Gandhi Infotech Park, MIDC Phase-II, Hinjewadi, Tal. Mulshi, Dist. Pune - 411057.	APPROVED  Renewal of Consent to Operate (Part-I)	28.02.2026	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-I) for IT/ITES activity having Total plot area of 1,99,934.05 Sq.m and Construction BUA of 96,846.78 Sq.m out of Total Construction BUA of 1,20,949.99 Sq.m.</p> <p>Committee also noted that PP has obtained Environment Clearance, provided STP &amp; OWC.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate (Part-I) by imposing BG and standard conditions for Infrastructure projects.</p> <p>Consent may be issued after receipt of additional Consent fees.</p>
71	MPCB- CONSENT- 0000166156	SEZ Biotech Services Pvt. Ltd., S. No 105 to 110 Manjari BK Haveli	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish (Expansion) in existing unit which is an infrastructure / industrial shed unit for total plot area: 11400 Sq. Meters and Proposed BUA (expansion) of 63,430.377 sq.mtrs. with CI of Rs. 148 Crs.</p> <p>Committee also noted that consent to operate dated 26/03/2019 which is valid up to 28/02/2024. Consent to 1st Operate obtained dtd. 06/01/2023. PP has not started construction.</p> <p>After due deliberation, it was decided to grant Consent to Establish (Expansion) in existing unit which is an infrastructure / industrial shed unit for total plot area: 11400 Sq. Meters and Proposed BUA (expansion) of 63,430.377 sq.mtrs., by imposing bank guarantee and standard conditions for Infrastructure projects.</p> <p>Consent shall be issued after submission of bank guarantee as latest consent to operate.</p>