

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 5<sup>th</sup> Consent Appraisal Committee Meeting of 2024-2025 held on 30.07.2024 at Maharashtra Pollution Control Board, Conference Hall, 4<sup>th</sup> Floor, Kalpataru Point, Sion (E), Mumbai 400022

Following members of the Consent Appraisal Committee were present:

- |   |                 |
|---|-----------------|
| 1. Shri. Siddhesh Ramdas Kadam<br>Chairman, MPCB  | Chairman        |
| 2. Dr. Avinash Dhakne,<br>Member Secretary, M.P.C. Board.                                     | Member          |
| 3. Shri P. K. Mirashe,<br>Technical Advisor, MIDC   | Member          |
| 4. Dr. Nitin Goyal,<br>Principal Scientist and Head, CSIR –NEERI,                             | Member          |
| 5. Dr. Jitendra Sangewar,<br>Joint Director (WPC), M.P.C. Board, Mumbai.                      | Member Convener |
| 6. Additional Chief Secretary, Home (Transport) Dept., Mumbai - leave of absence was granted. |                 |

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.                        | Invitee Member |
| 2. Shri N.N. Gurav,<br>AS(T), M.P.C. Board, Mumbai.   | Invitee Member |
| 3. Dr. V.R. Thakur,<br>Principal Scientific Office, M.P.C. Board, Mumbai.                   | Invitee Member |
| 4. Shri. Shankar L. Waghmare,<br>Regional Officer (Bio Medical Waste), M.P.C. Board, Mumbai | Invitee Member |
| 5. Shri. Sujit Dholam,<br>Regional Officer (Head Quarter), M.P.C. Board, Mumbai.            | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 5] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
<b>Booklet No. 5</b>					
1	MPCB- CONSENT- 0000141862	Vornado Hinjewadi Township Pvt. Ltd. C/o TCG Developments Plot no. R-2/1 & R-2/2, MIDC Phase-3, Hinjewadi, Tal. Maan, Dist. Pune	APPROVED Revalidation Consent to Establish	Commissioning of the project or up to 5 years whichever is earlier	<p>Committee noted that the case was discussed in CAC meeting held on 26/09/2023 and decided to issue Show Cause Notice for non-submission of mandatory documents, Bank Guarantee and penal fees.</p> <p>Committee also noted that, PP has obtained Environmental Clearance, proposed to provide STP &amp; OWC,</p> <p>Committee further noted that, paid penal fees, additional Consent fees and submitted required documents.</p> <p>After due deliberation it was decided to grant Revalidation of Consent to Establish by imposing BG and standard conditions for Infrastructure projects.</p>
2	MPCB- CONSENT- 0000177967	CTRLS (INDIA) PVT LTD INDUSTRIAL AREA MAHAPE NAVI MUMBAI DIST. THANE PLOT NO. EL 201, 201 PART, 201 PART1, EL 202 TTC INDUSTRIAL AREA MAHAPE, NAVI MUMBAI,	APPROVED  Renewal of Consent	30.06.2026	<p>Committee noted that as per decision of CAC meeting, the personal hearing was extended on 17.05.2024, during personal hearing PP has submitted the details of BG of Rs. 15.0 Lakh which is valid up to 20.12.2026, PP has obtained two separate consents to operate i.e. Part-I &amp; II wherein 2 Nos of BGs imposed, BG of Rs. 10.0 + 10.0 = 20 Lakh. PP has requested to amalgamate both consents. PP has submitted the details of biodegradable &amp; non-biodegradable waste, E- waste. PP is ready to pay penal fees for delay in submission of application by 104 days. 5.</p> <p>Committee further noted that PP has requested to grant the amalgamation of both consents to operate (Part-I &amp; II) for IT &amp; ITES activity (Data Centres) which is applied vide UAN no. 178017 &amp; UAN No. 177967 for total</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		DIST. THANE Navi Mumbai			<p>construction BUA of 9500.63 Sq.Mtr + 24,467 Sq.Mtr = 33,967.63 Sq.Mtr out of 53,500 Sq.Mtr as per EC. 6. PP has obtained two consents imposing BGs of Rs. 10.0 Lakh each, out of this, PP has submitted BG of Rs. 15.0 Lakh only, PP has not paid remaining BG of Rs. 5.0 Lakh which attracts the 12% interest.</p> <p>PP has delayed the applications for renewal of consent (UAN No. 178017 &amp; UAN No. 177967) by 104+ 74 = 178 days which attracts the penal fees of Rs. 50,685/- + 71,233/- = 1,21,918/-.</p> <p>After due deliberation it was decided to grant renewal of consent with amalgamation of both consents (UAN No. 178017 &amp; UAN no. 177967) for IT &amp; ITES Activity (Data Centre) on total plot area of 5000 + 14,533.76 = 19,533.76 Sq.Mtr &amp; construction BUA of 9500 + 24,467 = 33,967.63 Sq.Mtr out of 53,500 Sq.Mtr., as per EC by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate sewage treatment facility to achieve consented norms.</li> <li>2. PP shall comply with the conditions stipulated in EC vide dated 05.08.2021.</li> <li>3. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of EC &amp; Consent conditions.</li> </ol> <p>Consent shall be issued after submission of penal fees &amp; 12% interest towards non-submission of remaining amount of BG of Rs. 5.0 Lakh.</p>
3	MPCB- CONSENT- 0000178017	CTRLS INDIA PVT LTDEL-229 TTC MIDC EL- 229 Mahape	APPROVED  Renewal of Consent	30.06.2026	Committee noted that as per decision of CAC meeting, the personal hearing was extended on 17.05.2024, during personal hearing PP has submitted the details of BG of Rs. 15.0 Lakh which is valid up to 20.12.2026, PP has obtained two separate consents to operate i.e. Part-I

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>&amp; II wherein 2 Nos of BGs imposed, BG of Rs. 10.0 + 10.0 = 20 Lakh. PP has requested to amalgamate both consents. PP has submitted the details of biodegradable &amp; non-biodegradable waste, E- waste. PP is ready to pay penal fees for delay in submission of application by 104 days. 5.</p> <p>Committee further noted that PP has requested to grant the amalgamation of both consents to operate (Part-I &amp; II) for IT &amp; ITES activity (Data Centres) which is applied vide UAN no. 178017 &amp; UAN No. 177967 for total construction BUA of 9500.63 Sq.Mtr + 24,467 Sq.Mtr = 33,967.63 Sq.Mtr out of 53,500 Sq.Mtr as per EC. 6. PP has obtained two consents imposing BGs of Rs. 10.0 Lakh each, out of this, PP has submitted BG of Rs. 15.0 Lakh only, PP has not paid remaining BG of Rs. 5.0 Lakh which attracts the 12% interest.</p> <p>PP has delayed the applications for renewal of consent (UAN No. 178017 &amp; UAN No. 177967) by 104+ 74 = 178 days which attracts the penal fees of Rs. 50,685/- + 71,233/- = 1,21,918/-.</p> <p>After due deliberation it was decided to grant renewal of consent with amalgamation of both consents (UAN No. 178017 &amp; UAN no. 177967) for IT &amp; ITES Activity (Data Centre) on total plot area of 5000 + 14,533.76 = 19,533.76 Sq.Mtr &amp; construction BUA of 9500 + 24,467 = 33,967.63 Sq.Mtr out of 53,500 Sq.Mtr., as per EC by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate sewage treatment facility to achieve consented norms.</li> <li>2. PP shall comply with the conditions stipulated in EC vide dated 05.08.2021.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of EC &amp; Consent conditions.</p> <p>Consent shall be issued after submission of penal fees &amp; 12% interest towards non-submission of remaining amount of BG of Rs. 5.0 Lakh.</p>
4	MPCB-CONSENT-0000185222	Shree Siddheshwar Sahakari Sakhar Karkhana Limited 21/1 to 21/4 At post Tikekarwadi, Tal. North Solapur Dist. Solapur State Maharashtra North Solapur	APPROVED  Consent to Establish for expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied for Consent to Establish for expansion for Sugar unit by 2600 TCD i.e from 4900 TCD to 7500 TCD.</p> <p>Committee also noted that, the application was discussed in the CAC meeting dated 02/04/2024 and decided to issue SCN for Refusal as PP not complied with Hon'ble Supreme Court order.</p> <p>Committee further noted that, Personal Hearing was conducted in Board on 14/05/2024 on same issue and PP submitted Bank guarantee of Rs. 10.34 Crs., as per Hon'ble Supreme Court order.</p> <p>After due deliberation, it was decided to grant Consent to Establish for expansion for Sugar unit by 2600 TCD i.e from 4900 TCD to 7500 TCD., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions.</li> <li>2. PP shall comply with all the directions issued by Hon'ble NGT &amp; Hon'ble Supreme Court.</li> <li>3. PP shall comply with all directions issued or may be issued by the Board.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
5	MPCB- CONSENT- 0000188922	H. B. Fuller India Adhesives Pvt. Ltd. Plot No. 1-E, Gut No. 1140, 1295 and 1296 Plot No. 1-E, Gut No. 1140, 1295 and 1296, A/p. Shirwal, Tq. Khandala, Dist. Satara Khandala	NOT APPROVED  Consent to 1 <sup>st</sup> Operate for expansion. & Renewal of consent to operate with amalgamation	-----	<p>Committee noted that Industry has applied for Renewal of consent to operate, and 1st consent to operate and amalgamation of both consents for manufacturing of pressure sensitive adhesive hygiene, Hot Melt Adhesive, Water based Adhesive, Relabeling and Repacking of Adhesive and Engineering Adhesive.</p> <p>Committee also noted that existing amendment in 1st Consent to operate with amalgamation of renewal of consent to operate dtd. 28.09.2023 valid up to 31.01.2024 with C.I. of Rs. 102.1493 Crs. Consent to Establish for expansion for manufacturing of Engineering Adhesives is granted dtd. 22.01.2024 for mfg. of Engineering Adhesive-2000 MT/A with C.i. of Rs. 56.0 Crs.</p> <p>After due deliberation, it was decided to call PP for Personal Hearing and also issue Show Cause Notice for refusal of the consent on following noncompliance:</p> <ol style="list-style-type: none"> <li>1. PP has not submitted balance sheet for the Gross capital investment for the year 2022-2023.</li> <li>2. Explanation regarding capital investment is not justifiable as PP has shown additional value (Rs. 10.09 Crs) in the building in comparison with previous C.I. certificate on the grounds of claim as no additional Building. Also depreciated values in the Plant and machinery. Hence, requested to submit the capital investment in Board's format with balance sheet.</li> <li>3. PP has not submitted Environmental Clearance details as per C to E condition for expansion.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>4. PP has not submitted list of raw material requirements for the manufacturing with applicability of Tobacco products in the process as per flow chart.</p> <p>5. PP has not submitted year-wise production quantity for last 3 years.</p> <p>6. PP has not submitted BGs of Rs. 5.0 Lakh and Rs. 25.0 lakh.</p>
6	MPCB- CONSENT- 0000189773	Residential and Commercial Construction Project (W1, W8 & T9) By BramhaCorp Ltd. Sr. No. 7/1, 7/2, 7/3, 7/4, 7/5, 8/1/1/2 and 3/2 (P), Wadgaon Sheri, Tal. Haveli, Dist. Pune.	APPROVED  1st Consent to Operate (Part - III)	30.04.2028	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-III) for Building W-1, W- 8 &amp; T-9 of Residential &amp; Commercial project having Total plot area of 1,77,900 Sq.m and Construction BUA of 95,060.23 Sq.m out of TCBUA of 9,05,740.41 Sq.m.</p> <p>Committee also noted that PP has obtained Environmental Clearance for Expansion, Provided STP &amp; OWC.</p> <p>After due deliberation it was decided to grant 1<sup>st</sup> Consent to Operate (Part-III) by extending the existing BG and by imposing standard conditions for Infrastructure projects.</p>
7	MPCB- CONSENT- 0000191275	Eco Cane Sugar Energy Limited Gat No-76, Gat No-76, A/p-Mhalunge Khalasa, Tal- Chandgad Chandgad	APPROVED  Renewal of Consent.	31.07.2025	<p>Committee noted that PP applied for Renewal of Consent for 2500 TCD sugar unit.</p> <p>Committee also noted that, the application was discussed in CAC dtd. 27/06/2024 and decided to issue SCN for non-compliances accordingly SCN issued.</p> <p>PP submitted reply and submitted that will take proper precautions to avoid seepages. PP submitted that latest JVS reports are within limit. Existing Renewal is valid up to 31/12/2023.</p> <p>Industry has installed ETP comprising of primary, secondary and tertiary treatment.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Industry is having 2 nos. of Boilers having 25 TPH capacity each provided with wet scrubber as APCs followed by Common stack of 60 mtr.</p> <p>After due deliberation, it was decided to grant Renewal of Consent., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit /extend BG of Rs. 25 lakh for compliance of consent conditions.</li> <li>2. PP shall operate unit for consented capacity only.</li> </ol>
8	MPCB- CONSENT- 0000189924	Wheelabrator Alloy Castings Ltd, "Runwal Forests" At Plot bearing CTS No. 596, 596/1-6, 597, 597/1-7, 598, 598/1-3, 599A, 599A/1-81, 601, 602, 602/1-9, 603, 604, 605, 605/1-17, 606, 606/1-83, 607A, 607/1-31 and 607D of Village. Kanjur, Mumbai.	NOT APPROVED  Renewal of Consent to Operate (Part-II)	-----	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-II) for Bldg Nos. 8, 9, 10 &amp; 11 of Residential Construction project having Total Plot Area of 61,665.60 Sq.m and Construction BUA of 51,674.18 Sq.m out of Total Construction Built Up Area of 3,27,773.47 Sq.m.</p> <p>Committee also noted that, as per earlier Revalidation of Consent to Establish dtd. 06/09/2022 and Renewal of Consent to Operate (Part-I) dtd. 15/09/2022, PP has not submitted penal BG.</p> <p>After due deliberation it was decided to issue show cause notice for Refusal of Renewal of Consent to Operate (Part-II) due to the above non-compliances.</p>
9	MPCB- CONSENT- 0000177475	PADMASHRI INSTITUTE OF MEDICAL SCIENCES AND RESEARCH CENTER	APPROVED  Combined Consent & BMW Authorization	Commissioning of unit or 5 years, whichever is earlier.	Committee noted that HCE has applied for Consent to Establish for 420 beds Hospital on total plot area of 15,772 Sq.Mtr & total BUA of 29,188 Sq.Mtr.



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		PRIVATE LIMITED20 B MHALJA, Nanded	, Consent to Establish		<p>Committee also noted that, the case was discussed in CAC meeting dated 27.06.2024 &amp; decided to SCN for refusal of consent due to HCE has taken effective steps towards construction work without obtaining EC &amp; consent and non-submission of improper water budget, proposed to provide inadequate ETP/STP. Subsequently, SCN issued on 23.07.2024, meanwhile HCE has submitted the reply vide dated 22.07.2024 wherein submitted that, HCE has obtained recent permission from Nanded Municipal Corporation &amp; permitted area is 19,923.44 Sq.Mtr &amp; for the same HCE says not required EC, HCE has revised the number of beds, the proposed number of beds is 240 as per construction of hospital.</p> <p>Committee further noted that, HCE has taken effective steps towards construction of hospital without obtaining consent to establish which attracts the penal fees. HCE has requested to grant Consent to Establish for construction of 240 beds Hospital on total plot area of 15,772 Sq.Mtr &amp; total BUA of 19,923.44 Sq.Mtr instead of proposed BUA of 29,188 Sq.Mtr.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for 240 beds Hospital on total plot area of 15,772 Sq.Mtr &amp; total BUA of 19,923.44 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide ETP &amp; STP to treat the trade &amp; domestic effluent generated from hospital.</li> <li>2. HCE shall obtain the EC, if proposed construction BUA will more than 20,000 Sq.Mtr</li> <li>3. HCE shall submit BG of Rs. 10.0 Lakh towards compliance of consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after submission of penal fees towards starting of civil work without obtaining prior consent to establish.
10	MPCB- CONSENT- 0000185676	Omkar Realtors & Developers Pvt. Ltd., CTS No. 811A/7 (pt), 812, 813, 814A/1 to 814A/4, 821, 824, 825 (pt) & 844 of Village Malad (East), P/N Ward, Mumbai.	NOT APPROVED  1st Consent to Operate (Part-II) and existing Renewal of Consent to Operate (Part-I) and amalgamation of both	-----	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-II) and existing Renewal of Consent to Operate (Part-I) for rehab Bldgs, R1 &amp; R2, Sale Bldgs Tower A &amp; C and amalgamation of both having Total plot area of 59,598.90 Sq.m and Construction BUA 107785.73 Sq.m + 2,57,508.07 Sq.m = 3,65,293.80 Sq.m out of Total Construction BUA of 6,78,938 Sq.m (As per EC dtd. 18/09/2018).</p> <p>Committee also noted that, there is lapse of 56 days for applying for Renewal of Consent to Operate (Part-I). Hence, penal fees applicable and as per earlier Revalidation of Consent to Establish with expansion, PP has not submitted penal BG of.</p> <p>After due deliberation it was decided to issue Show Cause Notice for Refusal of 1<sup>st</sup> Consent to Operate (Part-II) and existing Renewal of Consent to Operate (Part-I) due to above mentioned non-compliances.</p>
11	MPCB- CONSENT- 0000192863	Sitaram Maharaj Sakhar Karkhana (Khardi) Ltd. 798/1, 798/2, 780/2/1, 795/2, 797/2, 797/3, 793/1, 793/2, 794/1, 794/2, 785/1, 25, 798/1, 798/2, 780/2/1, 795/2, 797/2, 797/3, 793/1, 793/2, 794/1, 794/2, 785/1, 25, Khardi,	APPROVED  Consent 1st part operate & amalgamation with existing consent.	31.07.2025	<p>Committee noted that PP applied for 1<sup>st</sup> Consent to Operate with amalgamation of Existing. i.e 5000 TCD crushing and 18 MW cogeneration.</p> <p>Committee also noted that, Existing Renewal is valid up to 31.01.2024 and obtain C to E for expansion on 11.08.2023 and EC for expansion on 06.10.2023.</p> <p>Committee further noted that PP has provided ETP with design capacity 500.00 CMD, ETP consists of primary, secondary, and tertiary treatment. Provided CPU for treatment of Excess condensate.</p> <p>Industry has installed Boiler - 60 TPH Capacity with ESP and fly ash arrester followed by stack height 60 mtrs.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Tal-Pandharpur, Dist- Solapu Pandharpur			<p>After due deliberation, 1<sup>st</sup> Consent to Operate with amalgamation of Existing. i.e 5000 TCD crushing and 18 MW cogeneration., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall Submit/ Extend Total BG of Rs. 25 lakh for compliance of consent conditions and O &amp; M of pollution control systems.</li> <li>2. BG obtain against C to E is released.</li> </ol>
12	MPCB-CONSENT-0000193392	SCHAEFFLER INDIA LTD.PLOT NO. A3 MIDC TALGAON DABHADE VILLAGE NAVLAKH UMBRE MAVAL	APPROVED  Renewal of Consent Renewal of Consent.	28.02.2027	<p>Committee noted that, PP applied for Renewal of Consent with increase in CI.</p> <p>Committee also noted that, PP obtain Consent to Establish for expansion on 11/2/2024.</p> <p>Committee further noted that, PP provided ETP and treated effluent from ETP is further treated in STP (STP with MBBR Technology). Shot Blasting section is provided with dust collector followed by stack. JVS Analysis results are within limit.</p> <p>After due deliberation Renewal of Consent, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall Submit/ Extend Total BG of Rs. 25 lakh for compliance of consent conditions and O &amp; M of pollution control systems.</li> </ol>
13	MPCB-CONSENT-0000192036	Nyati Equinox by Mihir Homes Enterprises LLPSr. No. 48/2/A	APPROVED	Commissioning of the project or up to 5	Committee noted that, PP has applied for grant of Consent to Establish for Expansion in existing Residential & Commercial building construction project having Total plot area of 65,542 Sq.m and Total Construction BUA

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		+ 48/2/C, 35/1/1/B, 35/1/1/A (P) + 35/1/2 (P), Bavdhan (Kh), Tal. Mulshi, Dist. Pune.	Consent to Establish for Expansion	years whichever is earlier.	of 2,29,413.48 Sq.m [as per specific condition No. B(6) of EC dtd. 08/02/2024].  Committee also noted that PP has obtained Environmental Clearance for Expansion, proposed to provide STP & OWC.  After due deliberation it was decided to grant Consent to Establish for Expansion by imposing BG and standard conditions for Infrastructure projects.
14	MPCB-CONSENT-0000192935	Proposed Residential and commercial project by BramhaCorp LtdSr. No. 7/1, 7/2, 7/3, 7/4, 7/5, 8/1/1/2 and 3/2 (P), Wadgaon Sheri, Tal. Haveli, Dist. Pune.	APPROVED  Consent to Establish for Expansion	Commissioning of the project or up to 5 years whichever is earlier.	Committee noted that, PP has applied for grant of Consent to Establish for Expansion of Residential & Commercial project having Total plot area of 1,77,900 Sq.m and increased BUA of 12.133.90 Sq.m out of Total construction BUA of 9,17,874.31 Sq.m (proposed 9,17,874.31 Sq.m - existing 9,05,740.41 Sq.m)  Committee also noted that PP has obtained Environmental Clearance for Expansion, proposed to provide STP & OWC.  After due deliberation it was decided to grant Consent to Establish for Expansion by imposing BG and standard conditions for Infrastructure projects.
15	MPCB-CONSENT-0000192340	Carraro India Pvt. LtdPlot No. B-2/1, 2/2 and 2/3 MIDC Ranjangaon Shirur	APPROVED 1st part operate & amalgamation with existing consent.	28.02.2025	Committee noted that PP applied for consent to operate for increase in investment from Rs.702.59 Cr to Rs.817.13 Cr, PP informed that additional investment is in upgradation of machines & machines tools, there is no change in production quantity & water consumption.  Committee also noted that, Existing Renewal is valid up to 28.02.2025 and obtain C to E for expansion on 01.07.2020 & 31.12.2020.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, Trade effluent is 24 CMD for which they have provided 2 nos of ETP of capacity 10 CMD &amp; 40 CMD. 10 CMD ETP consist of primary, secondary &amp; tertiary treatment. 40 CMD ETP consists of Primary, secondary &amp; tertiary treatment followed by UF &amp; RO plant.</p> <p>After due deliberation, it was decided to grant consent to operate for increase in investment., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall Submit/ Extend Total BG of Rs. 25 lakh for compliance of consent conditions and O &amp; M of pollution control systems.</li> </ol>
16	MPCB- CONSENT- 0000192498	Kirloskar Pneumatic Co. Limited, Plot No. 1,2,4,6,90,97,98, B60 HADAPSAR INDUSTRIAL ESTATE Haveli	APPROVED Renewal of Consent.	28.02.2027	<p>Committee noted that PP applied for Renewal of Consent for - CI casting - 115 MT/M, Aluminum production- 4.32 MT/M, Air compressor- 381 Nos/M, Gear &amp; Pinions- 900 Nos/M and Gear Boxes &amp; Equipment's- 40 Nos/M.</p> <p>Committee also noted that, In existing manufacturing activity, from water scrubber, industry generate about 5 CMD trade effluent for which industry has provided primary treatment system. After primary treatment, the effluent is treated in secondary system of STP for further treatment and disposal. Industry has provided STP of capacity 100 CMD consisting primary, secondary and tertiary treatment system and treated domestic effluent is used for gardening purpose. PP provided APC as per Consent conditions.</p> <p>After due deliberation, it was decided to grant Renewal of Consent., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
17	MPCB- CONSENT- 0000193897	Cipla Ltd., Plot No. A-33, A-37/2/2 Patalganga Khalapur	APPROVED  Consent to Establish	Commissioning of unit or 5 years, whichever is earlier	<p>Committee noted that Industry has now applied for consent to establish (expansion) for manufacturing of Peptide facility- 4 kg/M.</p> <p>Committee also noted that Consent to Operate granted on 10.10.2023 valid up to 30.04.2028 with CI of Rs 171.84 Cr. Existing Environmental Clearance from SEIAA letter No. SIA/MH/IND3/74514/2018 dated 17.11.2022.</p> <p>Expansion activity has Nil effluent, proposed to provide 8 Nos of stacks to Scrubbers and D.G. Set. submitted BG of Rs. 25 Lakh as per the conditions of the existing Consent to Operate. JVS results are with in consented limit.</p>
18	MPCB- CONSENT- 0000194410	Western Coalfields Limited, Ukni Opencast Mine, Wani North Area, At Post-Ukni, Tal-Wani, Dist-Yavatmal	NOT APPROVED Renewal of consent to operate	----	<p>Committee noted that, PP applied for Renewal of consent to operate for open cast coal mine -2.2 MTPA on the mine lease area 940 Ha.</p> <p>Committee also noted that PP has obtained EC vide dtd.15.01.2024 and previous consent was valid up to 31/03/2024.</p> <p>PP provided STP in township is provided with capacity 600 CMD for trade and domestic effluent treatment respectively. A septic tank with soak pit is provided within mine premises for 27.2 CMD sewage. Sedimentation tank of 600 CMD is provided for mine water discharge. Mechanized sweeping machine, Black top road, fixed sprinklers, covered trucks, catch drain provided.</p> <p>Committee further noted that PP has not provided ETP for trade effluent and untreated effluent is being discharged into natural nalla.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>PP has not submitted BG, adequacy of the sedimentation tank, valid CGWA NOC, mine lease NOC/permission with validity and mine lease area and production details,</p> <p>PP has not provided CAAQMs, tyre washing, chemical fogging arrangements (Mgcl<sub>2</sub>) at Coal crusher/ Coal stock area.</p> <p>After due deliberation, it was decided to issue show cause notice for above non compliances.</p>
19	MPCB- CONSENT- 0000194100	Pernod Ricard India Pvt. Ltd126,127,110,1 12 Kadwa Mhalungi, Post. Valkhed Dindori	NOT APPROVED  Renewal consent to operate for grain-based Distillery Unit of capacity 60 KLPD	----	<p>Committee noted that PP applied for renewal consent to operate for grain-based Distillery Unit of capacity 60 KLPD.</p> <p>Committee further noted that PP has obtained Environment Clearance.</p> <p>Committee further noted that PP provided ETP comprises Primary, Secondary and Tertiary treatment with MEE shall achieve ZLD.</p> <p>Committee also further noted that PP provides ESP as an APC.</p> <p>After due deliberation, it was decided to issue show cause notice for following non-compliances:</p> <ol style="list-style-type: none"> <li>1. You have not submitted additional consent fees / penal charges for the increase in capital investment (CI) in a tune of Rs. 195.91Crs. i.e. from 272.29 Cr to Rs. 468.50 Cr.</li> <li>2. You have not submitted the audited company balance sheet along with gross block for current financial year for CI.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>3. Industry has not submitted satisfactory justification for the increase in CI in a tune of Rs. 195.91Cr. i.e. from 272.29 Cr to Rs. 468.50 Cr.</li> <li>4. Industry has not connected Online monitoring system provided to ETP with CPCB server.</li> <li>5. Industry has not yet started new STP work for additional sewage load.</li> <li>6. Industry has not submitted a copy of Environmental Clearance.</li> <li>7. Industry has not carried out Retrofitting of Emission Control Devices (RECD) to DG set as per the Boards Circular.</li> <li>8. Industry has not connected Online monitoring system provided to Stack with CPCB server.</li> <li>9. Industry has not provided Night vision camera to ensure the Zero Liquid Discharge (ZLD) of spent wash.</li> <li>10. Industry has not sent Battery waste to authorized recyclers and stored it in Hazardous Waste storage room.</li> <li>11. You have not submitted a copy of BG of Rs. 25 Lakh as per existing consent to operate to the Board &amp; not submitted its online submission acknowledgement &amp; same has not observed on portal.</li> <li>12. You have not submitted Hazardous Waste Annual Returns in Form-IV to the Board.</li> <li>13. You have not submitted Environmental Statement in Form-V to the Board.</li> <li>14. You have not submitted a copy of membership certificate from CHWTSDF.</li> <li>15. You have not properly operate &amp; maintain Air Pollution Control system as JVS analysis reports on 27.02.2024 for source emission observed exceeded.</li> </ol>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
20	MPCB-CONSENT-0000195781	Zydus Lifesciences Limited, Plot No. N-15, Anand Nagar, Additional MIDC Ambernath	NOT APPROVED  Renewal of consent with decrease in CI	-----	<p>Committee noted that Industry has applied for Renewal of Consent to Operate with change in name &amp; decrease in CI for manufacturing of anti-inflammatory drugs/analgesic.</p> <p>Committee also noted that Industry has obtained renewal of consent dated 16.10.2019, valid up to 30.04.2024 with CI Rs. 235.94 Crs.</p> <p>Committee further noted the non-compliances of the unit as following:</p> <ol style="list-style-type: none"> <li>1. As compared to earlier consent &amp; submitted CA certificate, PP has decreased the CI by Rs. 189.03 Crs, for the same submitted the justification wherein mentioned that PP has purchased the unit from Watson Pharma Pvt. Ltd., at above mentioned cost. However, purchase details is not submitted.</li> <li>2. PP uses the FO as an alternative fuel for boilers which is prohibited as per Board circular dated 05.02.2020.</li> <li>3. PP has not submitted the details of EC.</li> <li>4. PP has not provided sewage treatment plant for treatment of sewage.</li> <li>5. PP has not submitted an audited balance sheet for last financial year along with all schedules.</li> </ol> <p>Afte due deliberation, it was decided to issue show cause notice for refusal of consent on above mentioned non-compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
21	MPCB- CONSENT- 0000195702	Karnataka Power Corporation Limited, Integrated Baranj Open Cast mines, Survey No.84, Baranj I-IV, Manoradeep & Kiloni, Tal-Bhadrawati, Dist-Chandrapur	APPROVED  Renewal of Consent to Operate	31.03.2025	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -2.5 MTPA over 1457.20 Ha mine lease area.</p> <p>Total mine pits are 6 Nos. Presently mining activity is carried out from Baranj-III.</p> <p>Committee also noted that PP has obtained EC for coal-2.5 MTPA with mine lease area-1457.20 ha and C2R was valid upto 31.03.2024. IE is 10282 CMD including mine water and Tendering of ETP 30 CMD capacity is in progress and will be completed within 4 months. Earlier old installation is dilapidated.</p> <p>The mine water generated from Baranj-III is presently collected into Baranj-IV &amp; then sent into 2 nos. sedimentation tanks. After treatment partially utilized within mine premises for dust suppression and remaining discharged into local nalla. STP of 50 CMD is provided, and justified reduction in DE stating that residential quarters are outside the premises of mining lease and all residential quarters are connected to septic tank/soak pit. The work of drain pipelines is in process and will complete within 4 months. Provided mobile tankers for sprinklers in mine area &amp; coal transportation road for dust suppression. Rain gun provided in CHP area. Provided water sprinklers at belt conveyors for dust suppression (coal crusher &amp; additional coal crusher) as APCS. PP has replied that conveyor belts are covered by GI sheet, GI sheet cladding to crusher with provision of rain gun including spray nozzles and adequate enclosures to CHP and coal storage. CAAQMS is provided.</p> <p>Committee further noted that, Submitted BG of Rs. 50.0 Lakh towards O &amp; M of PCS and compliance of consent and EC with validity upto 11.10.2024 and Other BGs of Rs. 35 Lakh is valid upto 30.08.2024. BG of Rs. 25.0 Lakh is forfeited as per letter dtd. 9.11.2023. PP has replied to the discrepancies and submitted that tyre washing system is provided at the</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>entrance and is in functioning. Also provided tankers (2 nos 28 KL, 5 nos 12 KL and 1 no 5 KI) and MGC12 is used in the water tanker to control dust pollution with water sprinkling system to all dust emission sources. PP has submitted that mechanized sweeping is not feasible as the road is built with un-metalled and without black top as it changes as per mine plan. Hence regularly cleaned and swept manually. Latest C.I. certificate submitted. PP has submitted MOEFCC letter for diversion of 84.41 Ha vide dtd. 22.12.2021.</p> <p>After due deliberation, it was decided to grant Renewal of consent by imposing standard conditions of mine and following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting appropriate BG for non-provision of ETP, adequate STP and non-provision of mechanized sweeping machine for cleaning roads.</li> <li>2. PP shall complete the work of ETP within 2 months period. For the compliance of the same BG of Rs. 10.0 Lakh shall be submitted.</li> <li>3. The work of drain pipelines shall be complete within 2 months and BG of Rs. 5.0 Lakh shall be submitted for the compliance of the same.</li> <li>4. PP shall submit/Extend BG as per existing consent for compliance of standard conditions.</li> </ol>
22	MPCB- CONSENT- 0000193122	Jairaj Developers- Unit 11S. No. 43(P), 44/1(P), 45, Village. Kondhwa, Tal. Haveli, Dist. Pune-411048.	APPROVED  1st Consent to Operate (Part-IV) and Renewal of Consent to Operate (Part-III) and	31.05.2025	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-IV) and Renewal of Consent to Operate (Part-III) and amalgamation of both entire Residential &amp; Commercial Construction project having Total Plot Area of 56,300 Sq.m and TBUA of 1,67,900.42 Sq.m (existing BUA of (Part-III) 25,117.21 Sq.m and BUA of (Part-IV) 1,42,783.21 Sq.m) [as per specific condition No. B (4) of EC dtd. 30/09/2022].</p> <p>Committee also noted that, PP has obtained Environmental Clearance for Expansion, provided STP &amp; OWC.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			amalgamation of both		After due deliberation it was decided to grant 1st Consent to Operate (Part-IV) and Renewal of Consent to Operate (Part-III) and amalgamation of both by imposing BG and standard conditions for Infrastructure projects.
23	MPCB- CONSENT- 0000195248	Shree Siddheshwar SSK Ltd 21/1 to 21/6 Kumathe, Post - Tikekarwadi North Solapur	Approved  Consent to 1 <sup>st</sup> operate	31.08.2025	<p>Committee noted that, PP applied for, Consent to Operate or mfg of Ethanol having capacity 150 KLPD from rectified spirit only.</p> <p>Committee also noted that, Effluent generating in the form of condensate will be recycled in process.</p> <p>After due deliberation, it was decided to grant Consent to Operate or mfg of Ethanol having capacity 150 KLPD from rectified spirit only., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/ Extend BG of Rs. 10 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> </ol>
24	MPCB- CONSENT- 0000196779	SAS Developers and Engineers401 Tivoli CHS Hiranandani Garden, Powai Mumbai, Greater Mumbai (M Corp.) (Part) (802794), Mumbai Suburban	NOT APPROVED  Combined Consent & BMW Authorization , Consent to Establish	-----	<p>Committee noted that HCE has applied for Consent to Establish for 410 beds Hospital on total plot area of 15,150 Sq.Mtr &amp; total BUA of 15,150 Sq.Mtr.</p> <p>Committee also noted that HCE has not submitted the clarity on total plot area &amp; BUA as it is same i.e. 15,150 Sq.Mtr., not incorporated the proposed cost of plant &amp; machinery in submitted CA certificate, not submitted the details of proposed ETP, STP, approved plan obtained from competent authority. The land &amp; building is rented from Roma Builders, however, as per agreement the purpose of land &amp; building is for School instead of hospital, the details thereof is not submitted. The total plot area &amp; BUA is same, there is no any provision of open space for plantation/disposal of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>treated effluent/sewage for gardening purposes, the details thereof is not submitted.</p> <p>Committee further noted that HCE has submitted the request letter vide dated 05.04.2024 uploaded on 10.04.2024 to cancel the application.</p> <p>After due deliberation, it was decided to refuse the application as per HCEs request.</p>
25	MPCB- CONSENT- 0000195074	MINDA COPORATION LIMILTED, Plot No. D-225/1, D- 226 & D-227 Plot No. D-225/1, D- 226 & D-227, Phase-II MIDC Industrial Area, Chakan Khed.	APPROVED  Consent to Establish for expansion	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that, PP applied for, Consent to Establish for expansion with rise in existing production quantity</p> <p>Committee also noted that, Industry has provided Effluent treatment plant (ETP) consisting of Primary, secondary and tertiary (Pressure sand filter, Activated carbon filter) for the treatment of trade effluent. same will be upgrade for expansion. Industry has provided Sewage Treatment Plant of designed capacity 50 CMD same will be upgrade.</p> <p>Committee further noted that, Industry will provide Central Melting Furnace ( 2 Nos) with common APC system and 30mtrs height of stack. They will provide shot blasting unit with fabric bag filter and 3mtrs height of stack.</p> <p>After due deliberation, it was decided to grant Consent to Establish, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
26	MPCB- CONSENT- 0000197445	Panchaganga Sugar and Power Private Limited154, 155, 156, 157 At Post Mahalgaon Vaijapur	APPROVED  Consent to Establish for expansion in existing C to E for increase in production quantity i.e. Sugar - 1600 Ton/Day and Co- generation 5.5 MW	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied for grant of Consent to Establish for expansion in existing C to E for increase in production quantity.</p> <p>Committee further noted that PP provided ETP comprises Primary, Secondary and Tertiary treatment with CPU system.</p> <p>Committee also further noted that PP provided ESP as an APC.</p> <p>After due deliberation, it was decided to grant of Consent to Establish for expansion in existing C to E for increase in production quantity for Sugar Unit after obtaining additional consent fees for the period up to commissioning of unit or 05 years whichever is earlier and by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. Industry shall obtain the Environmental Clearance before commencement of the activity / unit.</li> </ol>
27	MPCB- CONSENT- 0000192793	Asian Paints LimitedKhandala MIDC, Phase-1 Khandala MIDC, Phase-1 Khandala	NOT APPROVED  Establish to establish for expansion	-----	<p>Committee noted that Industry has applied for grant of Consent to Establish for Expansion for Plastic Pyrolysis Oil in the existing paint manufacturing plant with proposed C.I. of Rs. 0.98 Crs.</p> <p>Committee also noted that existing 1st consent to operate with amalgamation of existing consent - granted dtd. 12.11.2023 valid upto 31.07.2025 with C.I. of Rs. 1629.74 Crs. EC granted (ASIANPAINTS)-2009/113/CR.164/TC1 dtd.8.09.2010.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has not submitted details of the manufacturing process, Scrubber details, consent compliance of the conditions 14, 16 &amp; 17, BG forfeiture details, ZLD details as per scrutiny letter issued by SRO vide dtd.2.04.2024. PP has not submitted the source of raw material i.e. plastic.</p> <p>After due deliberation, it was decided to issue show cause notice on above mention non-compliances.</p>
28	MPCB- CONSENT- 0000197779	Rena Sahakari Sakhar karkhana. Ltd., 180,183,185,186, 189,190,191,192, 193,194,195,196 Niwada, Taluka: Renapur, District: Latur Renapur	APPROVED  Amalgamation of 1st consent to operate with existing consent to Operate	31.08.2025	<p>Committee noted that PP applied for grant of amalgamation of 1st consent to operate with existing consent to Operate for Distillery Unit of total capacity 60KLPD.</p> <p>Committee further noted that PP has obtained Environmental Clearance.</p> <p>Committee also noted that PP provided ETP comprises Bio-digester followed by MEE followed by spray dryer &amp; CPU.</p> <p>Committee further also noted that PP provide Wet Scrubber as an APC.</p> <p>After due deliberation, it was decided to grant amalgamation of 1st consent to operate with existing consent to Operate for Distillery Unit of total capacity 60KLPD for the period up to 31.08.2025 after obtaining field verification report from SRO-Latur regarding completion of commissioning of the project and ready for operation, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					2. Industry shall comply with EC & Consent conditions.
29	MPCB- CONSENT- 0000195805	Lubrizol India Private Limited, C-GEN-20,20A,20B, and PART, C-93,C-93 Part TTC Industrial Area, Navi Mumbai, Dist. Thane, Maharashtra Navi Mumbai	NOT APPROVED  Consent to Establish for expansion for mfg of synthetic Organic chemicals	-----	<p>Committee noted that PP has applied for a grant of Consent to establish for expansion of synthetic Organic Chemicals manufacturing facility by debottlenecking of existing plant and establishing new plant in the same premises.</p> <p>Committee also noted that existing amendment in consent to operate granted dtd. 05.10.2021 valid up to 31/01/2025 for Chemical Additives with C.I. of Rs. 352.8691 Crs.</p> <p>After due deliberation it was decided to issue show cause notice for refusal of consent on following non-compliances:</p> <ol style="list-style-type: none"> <li>1. PP has applied TOR under violation case for the production capacity. Submit the justification with production details.</li> <li>2. PP has applied for by products which are not in the line of TOR. Submit justification.</li> <li>3. PP has not submitted appropriate justification for water budget for only expansion with treatment system. Also submit details of CETP permission for enhanced effluent.</li> <li>4. PP has not submitted that adequacy of the STP and ETP considering expansion.</li> <li>5. PP has not applied Hazardous waste generation in rational way as it seems on large scale.</li> <li>6. PP has not submitted the NOC of Thane Creek Flamingo Sanctuary.</li> </ol>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
30	MPCB- CONSENT- 0000178074	SevenHills Healthcare Private LtdMarol Maroshi Raod Andheri East	NOT APPROVED  Renewal of Combined Consent & BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of Combine Consent to Operate &amp; BMW Authorization 306 beds Hospital on total plot area of 66,687.9 Sq.Mtr &amp; total BUA of 1,88,413 Sq.Mtr.</p> <p>Committee also noted that previous Combine consent to operate &amp; BMW authorization was obtained vide dated 03.07.2022, valid up to 25.03.2023, EC vide dated 09.03.2007 for construction of 1000 beds hospital along with 317 staff quarters &amp; 680 twin bedded suits for MCGM on total plot area of 77,055 Sq.Mtr &amp; total BUA of 2,26,183 Sq.Mtr. The IE- 60.0 CMD, DE – 520 CMD.</p> <p>Committee further noted that:</p> <ol style="list-style-type: none"> <li>1. HCE has not submitted BG of Rs. 25000/- as per HCE BG regime stipulated in previous consent which attracts the 12% interest.</li> <li>2. HCE has not provided OWC followed by composting facility for treatment &amp; disposal of biodegradable waste generated from hospital.</li> <li>3. HCE has not submitted any clarity on remaining construction BUA as per EC.</li> <li>4. HCE has not submitted audited balance sheet of last financial year.</li> </ol> <p>After due deliberation it was decided not to consider the case for renewal of combine consent &amp; BMW authorization due to above lapses and call PP for personal hearing.</p>
31	MPCB- CONSENT- 0000197895	Bharati Hospital and Research Centre PuneS. No. 26/27, Dhankawadi, Pune Satara	NOT APPROVED  1 <sup>st</sup> Combined Consent &	-----	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combine Consent to Operate &amp; BMW Authorization of 350 dental chairs beds Hospital on total plot area of 70,917 Sq.Mtr &amp; total BUA of 16,978.68 Sq.Mtr.</p> <p>Committee also noted that</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Road, Pune - 411043,	BMW Authorization		<p>1. HCE has not submitted the details of category wise BMW generation, ETP/STP details, proper water budget, source of water, disposal path of treated sewage. HCE has not obtained membership of CBMWTSDf for treatment &amp; disposal of BMW.</p> <p>2. HCE is established &amp; in operation since 10.04.2003 without obtaining BMW authorization &amp; combine consent since 2012 which attracts the lapse authorization fees of Rs. 2,00,000/- &amp; penal fees of Rs. 17,55,616/-.</p> <p>3. HCE has not paid consent fees of Rs. 9,75,000/- for grant of combine consent &amp; BMW authorization for the period up to 30.06.2025. HCE has not paid total additional fees of Rs. 17,55,616/- + 2,00,000/- + 9,75,000/- = 29,30,616/-.</p> <p>After due deliberation, it was decided not consider the case &amp; issue SCN for refusal of consent due to above lapses.</p>
32	MPCB- CONSENT- 0000194427	UltraTech Cement Limited, Village: Peth (Naygaon), Tal: Haveli, Dist: Pune	APPROVED  Renewal of Consent to Operate	31.03.2027	<p>Committee noted that PP has applied for renewal of consent for Railway siding facility and packing of cement (bag + loose)- 2190000 MT/A.</p> <p>Committee also noted that Previous consent to operate was valid upto 31.03.2024 for Railway Siding Facility and Packing of Cement (Bag +Loose)-6000 MT/Day. Obtained C to E vide dtd. 17.07.2023 for Installation of one Silo for storage of cement-6000 MT/Day. I.E. is nil. For domestic effluent, STP is provided. PP has provided Bag filters to the silos, wagon unloading, main packer sequence, cement extraction, silo bin venting, material transfers and bulk loading system. RCC Roads provided and machine sweeping done by machine. Requested to change in category from Red to Orange.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, for the violation of Environmental norms, case was in the Hon'ble NGT as OA No.19/2018(WZ). The said matter is disposed of vide order dtd. 21.03.2022 mentioning as SPCB may take remedial action. The state PCB may also assess compensation for the past violation. NGT also directed PP to take necessary steps to improve the road conditions in the area where transportation takes place in connection with its activities and also to undertake avenue plantation along the road apart from water sprinkling using recycled water. PP may also develop shelterbelts comprising of native trees and shrubs around the plant to prevent air pollution.</p> <p>In this context, PP has submitted compliance of the Hon'ble NGT Order dtd.21.03.2022 and submitted that they have constructed cement concrete Roads in entire premises covering 100 % plant area and also constructed 2.0 km long cement concrete road connecting to highway. Also submitted that they have development avenue plantation all along the roads covering about 3.7 km. Shelter belt comprising native plants is developed around the plant premises. SRO has submitted Environment compensation note.</p> <p>After due deliberation, it was decided to grant consent by imposing standard and following conditions'</p> <ol style="list-style-type: none"> <li>1. PP shall pay the Environmental Compensation within 1 month after obtaining order of the Board.</li> <li>2. PP shall Comply with Hon'ble NGT directions and Orders time to time.</li> <li>3. PP shall extend existing BG for compliance of consent conditions and O &amp; M of PCS.</li> </ol> <p>RO/SRO shall take follow up for compliance of Hon'ble NGT directions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
33	MPCB- CONSENT- 0000198143	Macrotech Developers Ltd.224, 225,227,228,230 etc of village Anjur Integrated Township Project at Village Anjur, Surai, Mankoli, Taluka Bhiwandi, Dist. Thane	APPROVED  Consent to 1 <sup>st</sup> Operate (Phase III)	31.07.2029	<p>Committee noted that PP has applied for grant consent to part operate (Phase III) total plot area 1365595.28 Sq. mtrs. And BUA 200673.38 sqm out of. 319363.83 sq. mtrs. With CI of Rs. 173.28 Cr.</p> <p>Committee also noted that PP has obtained consent to establish (Phase III) on 21.03.2023 for 1365595.28 sq mtr plot area and 319363.83 sq mtr BUA. Obtained EC dated 16.07.2022 for entire project having total plot area 13,65,595.28 sqm and total BUA 29,32,298.45 sqm.</p> <p>Committee further noted that PP has obtained CC on 14.07.2022. Architects certificate submitted dated 19.03.2024. Bank Guarantee of Rs. 25 lakh has been submitted.</p> <p>After due deliberation, it was decided to grant consent to part operate (Phase III) total plot area 1365595.28 Sq. mtrs. And BUA 200673.38 sqm out of. 319363.83 sq. mtrs. With CI of Rs. 173.28 Cr., by imposing bank guarantee and standard conditions for Infrastructure projects.</p>
34	MPCB- CONSENT- 0000193259	Swami Samarth Sugar & Agro Industries Ltd. Gat No 16.2a b, 17.1, 18.1, 38.1.2 Warkhed (Ramdhoh) Newasa	APPROVED  consent to 1st operate for Sugar Unit of capacity 2500 TCD.	31.07.2025	<p>Committee noted that PP applied for Consent to Establish for expansion in existing C to E for increase in production quantity.</p> <p>Committee further noted that PP provided ETP comprises Primary, Secondary and Tertiary treatment with CPU system.</p> <p>Committee also further noted that PP provided ESP as an APC.</p> <p>After due deliberation, it was decided to grant Consent to Establish for expansion in existing C to E for increase in production quantity for Sugar Unit after obtaining additional consent fees for the period up to</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>commissioning of unit or 05 years whichever is earlier and by imposing following conditions:</p> <p>1. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O &amp; M of pollution control system and compliance of consent conditions.</p>
35	MPCB- CONSENT- 0000196635	Viraj Profiles Ltd. Plot no. G-2, 1/2 & 1/3 MIDC Tarapur-Boisar Palghar	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that, PP has applied for Renewal of consent to operate for mfg. of Round Bars, Stainless steel wire Rod, angles, Billets &amp; Blooms.</p> <p>Committee also noted that PP has obtained EC for S.S. billets-5.0 Lakh MT/Y and TOR is obtained vide dtd. 20.09.2022 for Regularization of Rolling Mill for remaining products. EC not yet obtained. Previous C2O was valid upto 31.01.2024. PP has provided 3 ETPs (100 KL, 70 KL and 50 KL) and achieving ZLD by recycling 100% treated effluent for sprinkling on slag for cooling at plot no. G-1/4.</p> <p>SRO reported that this is unscientifically done, and leachates were found to lead into nalla from Plot G1/4 with sludge accumulation in open space at Plant G-2. Two STPs with a capacity of 75 CMD each located at two sister concern units of plot No. G-1/4 &amp; 5 and Plot No. G-22. Treated sewage is utilized for direct cooling of hot slag at these plants. PP has submitted that ETP upgradation has done.</p> <p>PP has provided primary and secondary fume extraction system (FES) to first AOD furnace and they have removed second AOD furnace.</p> <p>Committee further noted that, PP has stopped the operations of 4 Furnaces having 15 T/heat capacity and started civil work for installation of APC. PP</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>is in process to provide Secondary Fume Extraction system to the 3 nos Furnaces having heat 25 T/heat recovery. PP has provided doghouse (movable, primary FES) followed by bag house and dust collector with stack. Provided TFH (3 Nos) with stack. Reusing spent acid in ETP instead of sent to Auth. ARP. PP has uploaded the BGs recently of Rs. 50.0 Lakh, Rs.10.0 Lakh, Rs. 5.0 Lakh and Rs. 5.0 Lakh with validity upto 31.07.2024. Personal Hearing of this unit was extended to 12.03.2024 at MPCB. Submitted NOC of sister concern unit for to use common STP. PP has submitted compliance of the Interim Directions.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for Refusal of consent for following noncompliance.</p> <ol style="list-style-type: none"> <li>1.PP has not submitted latest assessed Multi Unit C.A. certificate with a balance sheet. As submitted details as on 31.03.2023.</li> <li>2. PP has not submitted the production quantity of the consented products per annum of last 3 years.</li> <li>3. PP has failed to provide primary and secondary fume extraction systems to all Induction furnaces within the stipulated time i.e. within 2 months as per consent condition no.16.</li> <li>4. PP has obtained TOR and yet not obtained Environmental Clearance. Status of the same is not submitted.</li> <li>5. PP has not disposed of spent acid through Authorized/Recycler and not submitted manifest.</li> <li>6. PP has not achieved the ZLD as using treated effluent for sprinkling on the slag cooling activity, which generates the leachates and discharge of the same may not be ruled out.</li> <li>7. PP has not submitted details of the upgradation of ETP.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
36	MPCB- CONSENT- 0000199216	BramhaCorp Ltd., Sr. No. 7/1, 7/2, 7/3, 7/4, 7/5, 8/1/1/2 and 3/2 (P), Wadgaon Sheri, Tal. Haveli, Dist. Pune.	APPROVED  Renewal of Consent to Operate (Part-I & II)	31.07.2026	<p>Committee noted that PP has applied for grant of Renewal of Consent to Operate (Part-I &amp; II) of Residential &amp; Commercial project having Total plot area of 1,77,900 Sq.m and Construction BUA of 3,93,787.04 Sq.m out of TCBUA of 9,05,740.41 Sq.m.</p> <p>Committee also noted that, PP has obtained Environmental Clearance for Expansion, provided STP &amp; OWC.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate (Part- I &amp; II) by extending the existing BG and by imposing standard condition for Infrastructure projects.</p>
37	MPCB- CONSENT- 0000193756	Uno Minda Ltd. - Alloy Wheel Division (2W)E-1 Addl. Supa Industrial Area, Village Apdhup Parner	NOT APPROVED  Renewal of consent and consent to 1st operate	-----	<p>Committee noted that PP applied for renewal of consent and consent to 1st operate for mfg. of Alloy Wheel for Two-Wheeler.</p> <p>Committee further noted that PP ETP comprises primary, secondary, and tertiary treatment with RO and MEE.</p> <p>Committee also further noted that PP provided wet scrubber as APC.</p> <p>After due deliberation, it was decided to issue show cause notice for following non-compliances:</p> <ol style="list-style-type: none"> <li>1. You have operated industry with expansion without obtaining consent to operate from the Board.</li> <li>2. You have not paid additional fees of Rs.1,17,660/- for increase in CI Rs.58.83 Crs &amp; Rs.4,75,320/- for operate plant (Expansion) with CI of Rs.118.83 Crs from 10.11.2023 without obtaining consent to Operate, hence pay penal charges as per board circular dated 27.02.2024 and Rs.2,37,660/- fees for C to O for operate plant (Expansion) with CI of Rs.118.83 Crs from 10.11.2023 without obtaining consent to Operate, i.e. Industry has not paid additional consent fees and penal charges regarding</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>operating the expansion activity without consent to operate from Board.</p> <ol style="list-style-type: none"> <li>3. You have discharged the industrial effluent / wastewater observed in storm water drain which may drain outside the factory premises.</li> <li>4. You have not provided adequate ETP as the industrial effluent quantity as per application is 140 CMD while as reported you provided ETP with capacity 80.0 CMD.</li> <li>5. You have not provided RFCD to DG sets as per Board Circular.</li> <li>6. Industry has not submitted Bank Guarantee of Rs. 25Lakh as per consent to operate.</li> <li>7. Industry has not connected OCEMS for Air &amp; Water to MPCB server.</li> </ol>
38	MPCB- CONSENT- 0000199739	WCARE MULTISPECIALI TY HOSPITAL AND DIAGNOSTICS PRIVATE LIMITED Gat No. 602	APPROVED  Combined Consent & BMW Authorization , Consent to Establish	Commissio ning of unit or 5 years whichever is earlier	<p>Committee noted that HCE has applied for Consent to Establish for 205 beds Hospital on total plot area of 8505 Sq.Mtr &amp; total BUA of 8457.54 Sq.Mtr.</p> <p>Committee also noted that HCE has submitted the request letter for consideration of wrongly submitted application for consent to establish instead of CCA application. HCE has proposed to provide STP cum ETP of capacity 90 KLD, submitted the category wise BMW generation.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for 205 beds Hospital on total plot area of 8505 Sq.Mtr &amp; total BUA of 8457.54 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide ETP, STP to treat effluent &amp; sewage generated from proposed hospital.</li> <li>2. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.</li> </ol>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
39	MPCB- CONSENT- 0000200154	Jagruti Sugar And Allied Industries Ltd., Talegaon(Bh),Tq: Devni,Dist:Latur5 Talegaon(Bh) Deoni	APPROVE  Consent to 1st operate for production of Compressed Bio-Gas (CBG)	31.08.2025	<p>Committee noted that PP applied for grant of Consent to 1st operate for production of Compressed Bio-Gas (CBG).</p> <p>Committee further noted that PP obtained existing consent to establish.</p> <p>After due deliberation, it was decided to grant of Consent to operate for production of Compressed Bio-Gas (CBG) – 10000 Kg/Day after submission of additional consent fees and by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ol>
40	MPCB- CONSENT- 0000199191	Olam Global Agri Commodities India Pvt. Ltd.76/1, 76/2/1, 76/2/2, 757 Channehatti, Rajgoli (Kh) Chandgad	APPROVED  Consent to Establish for expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied for applied for Consent to Establish for expansion for sugar unit from 4,960 TCD to 10,000 TCD and Co-Generation by 8 MW.</p> <p>PP have existing Consent for 4960 TCD valid up to 31/07/2024.</p> <p>Committee also noted that, PP applied for Environmental Clearance and Public hearing was conducted.</p> <p>Committee further noted that, Industry has provided existing ETP comprising of Screen chamber, Oil skimmer, Equalization Biodigester Aeration, Extended aeration Clarifier, SDB, Final Collection tank treated effluent same will be upgrade for expansion, treated water used on land for irrigation on 78 Acres of land.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant, Consent to Establish for expansion for sugar unit from 4,960 TCD to 10,000 TCD and Co-Generation by 8 MW ., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions.</li> <li>2. Industry shall not take any effective steps for expansion till obtain EC.</li> </ol>
41	MPCB- CONSENT- 0000200210	Carlsberg India Pvt LtdH-17/1/1, MIDC Waluj, MIDC Waluj Gangapur	NOT APPROVED  Consent to Establish for Expansion	-----	<p>Committee noted that PP applied for consent to establish for expansion for Beer, Flavored Beer and Energy Drink.</p> <p>Committee further noted that PP proposed ETP comprises primary, secondary, and tertiary treatment.</p> <p>Committee also further noted that PP provide Bag filters and Mechanical cyclone as an APC.</p> <p>After due deliberation, it was decided to extend personal hearing and issue show cause notice for the following non-compliances:</p> <ol style="list-style-type: none"> <li>1. Industry not paid additional consent fees of Rs.4,79,800/-, as per capital investment (CI) the consent fees required to pay Rs. 5,04,800/- however Industry paid only Rs. 25,000/-.</li> <li>2. Industry not provided adequate Effluent Treatment Plant (ETP) as the capacity of ETP provided is 750 CMD while the effluent generation is 945 CMD.</li> <li>3. Industry not submitted details of proposed &amp; existing ETP, Sewage Treatment Plant (STP) and APCs.</li> <li>4. The unit have not submitted Bank Guarantee of Rs. 25 Lakh to the Board as per existing consent to operate.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>5. Industry shall comply with Proposed Directions issued by Board on 30.09.2022 &amp; 19.01.2022.</li> <li>6. Board officials visited your industry and collected JVS samples on 20/10/2023 (ETP Outlet) results BOD-36 mg/l, TDS- 3284 mg/l on 20/10/2023 (STP Outlet) results BOD-38mg/l, COD-124 mg/l on 27/06/2023 (ETP Outlet) results BOD-33 mg/l, TDS- 2376 mg/l and Air JVS on 30/11/2023 (Source emission) results TPM-168 mg/Nm3, on 20/10/2023 (Source emission) results TPM-161 mg/Nm3, and on 26/04/2023 (Source emission) results TPM-164 mg/Nm3, are exceeding the consented prescribed standards.</li> <li>7. You have discharged effluent which does not confirm the prescribed consented standards and affects the performance of the CETP.</li> <li>8. Industry has not operated &amp; maintained the ETP, STP and Air pollution control system.</li> <li>9. Industry not provided adequate ETP, STP and Air pollution control systems and which needs its up-gradation.</li> <li>10. You have not submitted a copy of membership certificate from CETP.</li> <li>11. You have not submitted a copy of membership certificate from CHWTSDF.</li> </ol>
42	MPCB- CONSENT- 0000200700	Dr. Aabaji Thatte Seva Aur Anusandhan Sanstha NATIONAL CANCER INSTITUTEKhasr a no 25, Ph.No.	APPROVED  Renewal of Combined Consent & BMW Authorization	28.02.2025	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization 350 Beds Hospital on total plot area of 57,400 Sq.Mtr &amp; total BUA of 65,759.41 Sq.mtr.</p> <p>Committee also noted that previously HCE has obtained renewal of combined consent &amp; BMW authorization vide dated 08.05.2023 which was valid up to 28.02.2024. Obtained EC vide dated 22.01.2015. The IE- 50 CMD, DE -230 CMD. HCE has provided common STP for treatment of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		42, Mauza - Jamtha			<p>effluent &amp; sewage of capacity 421 CMD based on MBBR technology. The treated effluent/sewage is recycled to maximum extent &amp; remaining used on land for gardening. The source of Water supply is open well, however, not submitted the details of CGWA NOC. HCE has not renewed the BG of Rs. 2.5 Lakh which was valid up to 07.02.2023 &amp; attracts the 12% interest.</p> <p>After due deliberation, it was decided to consider the case Renewal of Combined Consent &amp; BMW Authorization 350 Beds Hospital on total plot area of 57,400 Sq.Mtr &amp; total BUA of 65,759.41 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE authority shall provide separate primary treatment for trade effluent treatment within next 6 Months.</li> <li>2. HCE authority shall properly operate STP to achieve consented norms.</li> <li>3. HCE shall submit BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of CGWA NOC, renewed BGs &amp; 12% interest.</p>
43	MPCB- CONSENT- 0000199822	Pune Vaidyakiya Seva Va Sanshodhan Pratishthan Flat No. 3, First Floor, Soham Apartment, Opposite Symbiosis School, Lane No.15, Prabhat Road, Pune.	NOT APPROVED  Combined Consent & BMW Authorization , Consent to Establish	-----	<p>Committee noted that HCE has applied for Consent to Establish 1000 beds Hospital on total plot area of 16,558 Sq.Mtr &amp; total BUA of 74,192.17 Sq.Mtr as per EC.</p> <p>Committee also noted that obtained EC vide No. dated 08.02.2024. The IE-5.0 CMD, DE – 375 CMD, for the same proposed to provide 2 Nos of STPs of capacity 245 CMD &amp; 135 CMD.</p> <p>Committee further noted that:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>1. HCE has started the civil work on site without obtaining consent to establish which attracts the penal fees.</p> <p>2. HCE has not submitted details of source of water supply, disposal path of treated sewage as open plot is not adequate for disposal of treated sewage, not submitted the quantity of effluent generation.</p> <p>3. HCE has not submitted the details regarding NOC from Forestry &amp; Wildlife angle including clearance from standing committee of National Board Wildlife.</p> <p>After due deliberation, it was decided not to consider the case for consent to establish due to above lapses.</p>
44	MPCB- CONSENT- 0000193968	Krushna Cotex Pvt. Ltd. (Dyeing Unit)Gat No. 27/1 Post Dahiwad, Tal. : Shirpur Shirpur	APPROVED  1 <sup>st</sup> Consent to Operate	30.06.2027	<p>Committee noted that PP applied for 1<sup>st</sup> Consent to Operate for textile processing.</p> <p>Committee also noted that, Industry obtain Consent to Establish for expansion on 12/09/2023.</p> <p>Committee further noted that, provided primary ETP and after that will treat in M/s. Priyadarshani Sahakari Soot Girni (Common ETP)</p> <p>PP obtain CGWA NOC for 475 CMD and submitted revised water budget accordingly.</p> <p>After due deliberation, it was decided to grant 1<sup>st</sup> Consent to Operate for textile processing, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall Submit/ Extend Total BG of Rs. 25 lakh for compliance of consent conditions and O &amp; M of pollution control systems.</li> <li>2. PP shall submit penal charges against late submission of BG.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					3. PP shall provide proper water meter to verify the actual use of water.
45	MPCB- CONSENT- 0000199828	CIPLA LIMITEDPLOT No. A-42, MIDC PATALGANAGA TAL- KHALAPUR, RAIGAD KHALAPUR	APPROVED  Renewal of Consent	30.04.2029	<p>Committee noted that Industry has now applied for renewal of consent for manufacturing of Bulk Drug, API and Formulations.</p> <p>Committee also noted that Industry has obtained renewal of consent to operate dated 28.09.2022 valid up to 30.04.2024.</p> <p>Committee further noted that PP has provided ETP (Capacity 160 CMD). followed by RO (Capacity 100 CMD) and MEE Capacity 40 CMD) Sludge collection tank, Decanter. BG of Rs. 25 lakh submitted by Industry. Increase in CI by Rs. 36.93 Crs. Justification submitted that the increase is due to modernization of plant and machinery.</p> <p>After due deliberation, it was decided to grant of renewal of consent for manufacturing of Bulk Drug, API and Formulations without change in existing production quantity, by imposing bank guarantee and standard conditions. Consent shall be issued after obtaining additional consent fee.</p>
46	MPCB- CONSENT- 0000201477	Hindustan Unilever Limited, Plot No B-7 B-7 MIDC lote, Tal Khed, District- Ratnagiri, Pin- 415722 Khed	NOT APPROVED  Consent to 1 <sup>st</sup> Operate (expansion) & renewal	-----	<p>Committee noted that applied for grant of Consent to Operate for expansion co-generation (solar) - 30.918 Mwh (0000201477) and renewal of existing consent (0000204864).</p> <p>Obtained consent to operate and Renewal of consent on 27.12.2021 valid up to 30.06.2024.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that provided ETP with advanced treatment system consists of RO &amp; UF. Existing sewage generation 30 CMD + expansion – 14 CMD.</p> <p>Committee further noted that PP has not completed that construction of expansion activity and illegal disposal of Hazardous waste. JVS are exceeding consent standards.</p> <p>Afte due deliberation, it was decided to issue show cause notice to said unit as PP has not completed that construction of expansion activity and illegal disposal of Hazardous waste and also call PP for Personal Hearing.</p>
47	MPCB- CONSENT- 0000183816	New Thergaon Hospital New Thergaon Hospital, SN 9/38, Bapujibuva Nagar, Opposite Thergaon Police Chowki, Near Tapkir Chowk, Thergaon, Pune	APPROVED  Combined Consent & BMW Authorization , Consent to Establish	Commissioning of unit or 5 years whichever is earlier	<p>Committee noted that HCE has applied for Consent to Establish for additional 140 beds Hospital on total plot area of 8071 Sq.Mtr &amp; total BUA of 15,018.85 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained 1<sup>st</sup> combine consent to operate &amp; BMW authorization vide dated 28.03.2023, valid up to 13.05.2025. The IE- 5.7 CMD, DE – 50.0 CMD. HCE has provided ETP &amp; STP to treat the trade &amp; domestic effluent, however, its design details not submitted. JVS result of STP outlet dated 11.03.2024 is well within limit.</p> <p>Committee further noted that, as per BNH certificate, HCE has installed additional 140 beds &amp; they are in use since 10.08.2023 i.e. by 212 days which attracts the penal fees. HCE has provided STP with a capacity of 60 CMD which is inadequate for treatment of sewage generated from increased beds. The generation of sewage from increased bed is 50 CMD.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Also, as per existing consent BG of Rs. 1.5 Lakh which is not submitted by HCE, till date which attracts the 12% interest</p> <p>After due deliberation, it was decided to consider the application for Consent to Establish for additional 140 beds Hospital on total plot area of 8071 Sq.Mtr &amp; total BUA of 15,018.85 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide STP &amp; ETP to treat domestic &amp; trade effluent generated from increased beds.</li> <li>2. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.</li> </ol> <p>Consent shall be issued after submission of BGs along with 12% interest amount within 15 days.</p>
48	MPCB- CONSENT- 0000201919	Terna Speciality Hospital and Research Centre Nerul Plot No.12, Sector -22, Opp. Nerul Railway station. Phase II, Nerul (W), Navi Mumbai	APPROVED  Combined Consent & BMW Authorization , Consent to Operate	31.05.2025	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combine Consent to Operate &amp; BMW Authorization for expansion &amp; amalgamation with existing consent for 300 + 400 = 700 beds Hospital on total plot area of 40,005 Sq.Mtr &amp; total BUA of 15,037 Sq.Mtr.</p> <p>Committee also noted that the case was discussed in 3<sup>rd</sup> CAC meeting dated 17.05.2024 &amp; decided to issue SCN for refusal of consent due to non-provision of STP to treat the sewage generated from increased beds. Accordingly, SCN issued on 06.06.2024 &amp; reply submitted on 18.07.2024 wherein reported that, issued work order for installation of STP of capacity 330 CMD for treatment of sewage generated from increased beds, the work of STP is in progress which will be completed within 30 days. HCE has further undertaken that, hospital beds occupancy is below 400 &amp; from this about 140 CMD sewage is generated which is treated in existing STP of capacity 180 CMD.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for 1<sup>st</sup> Combine Consent to Operate &amp; BMW Authorization for expansion &amp; amalgamation with existing consent for 300 + 400 = 700 beds Hospital on total plot area of 40,005 Sq.Mtr &amp; total BUA of 15,037 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE shall provide STP within 30 days as per undertaking for treatment of sewage generated increased beds, till that time increased beds shall not occupied.</li> <li>2. HCE shall operate ETP &amp; STP to achieve consented norms.</li> <li>3. HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol>
49	MPCB- CONSENT- 0000201409	Olam Global Agri Commodities India Pvt. Ltd.76/1, 76/2/1, 76/2/2, 757 Channehatti, Rajgoli (Kh) Chandgad	APPROVED  Consent to Establish for expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied for applied for Consent to Establish for Molasses or Sugarcane Syrup Based Distillery and grain base distillery having capacity of 300 KLPD.</p> <p>PP have existing Consent for 4960 TCD valid up to 31/07/2024.</p> <p>Committee also noted that, PP applied for Environmental Clearance and Public hearing was conducted.</p> <p>Committee further noted that Raw Spent wash will be concentrated in MEE. The concentrated spent wash will be directly burnt into proposed incineration boiler. Industry has also proposed to provide CPU having capacity of 3200 CMD.</p> <p>After due deliberation, it was decided to grant, Consent to Establish for Molasses or Sugarcane Syrup Based Distillery and grain base distillery having capacity of 300 KLPD., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 10 lakh towards compliance of consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					2. Industry shall not take any effective steps for expansion till obtain EC.
50	MPCB- CONSENT- 0000197883	DRT - Anthea Aroma Chemicals Private Limited Roth Budrukh - Dhatav MIDC Plot No. 51-A/1 Roha	APPROVED  Renewal of Consent	31.02.2025	<p>Committee noted that Industry has applied for Renewal of Consent to Operate for manufacturing of perfumery chemicals i.e. Anthamber 300 MT/M, Dihydromyrcenol 200 MT/M and Methyl Pentenone 200 MT/M.</p> <p>Committee also noted that Industry has obtained renewal of consent dtd. 05.02.2024 which was valid upto 28.02.2024 for the Capital Investment Rs. 185.2659 Cr. Obtained Environmental Clearance vide No. EC-2008/11/CR.1 dated 30.01.2010. Provided ETP of capacity 150 CMD followed by RO and MEE. Provided stack to LDO fire boiler and thermic fluid heater section. Provided stack to D.G. sets.</p> <p>Committee further noted that Industry has submitted bank guarantees of 14 lakh total as per earlier consent conditions and Rs. 10 lakh towards interim directions.</p> <p>After due deliberation, it was decided to grant renewal of consent for short period with standard conditions and bank guarantee.</p>
51	MPCB- CONSENT- 0000200595	KBJ Developers Private Limited, Building No. 1, Sector No. R-7/B- 2, Siddharth Nagar, Village. Pahadi Goregaon (West), Mumbai - 400104.	NOT APPROVED  Consent to Operate	-----	<p>Committee noted that, PP has applied for grant of Consent to Operate for proposed Residential and Commercial Construction project having Total plot area of 4,717 Sq.m and Total construction BUA of 13,366 Sq.m.</p> <p>Committee also noted that, PP has not uploaded a copy of valid environmental clearance, a copy of sanction layout plan, a copy of IOD, not completed construction work for the sewage treatment plant and not installed organic waste converter.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation it was decided to issue Show Cause Notice for Refusal of Consent to Operate for non-submission of mandatory documents.</p>
52	MPCB- CONSENT- 0000140417	Chhatrapati Shivaji Maharaj Hospital & Rajiv Gandhi Medical College Kalwa	APPROVED  1 <sup>st</sup> Combined Consent & BMW Authorization	31.07.2026	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combined Consent &amp; BMW Authorization for 500 Beds Hospital on total plot area of 53,118 Sq.Mtr &amp; total BUA of 35,337 Sq.mtr.</p> <p>Committee also noted that the IE- 7.5 CMD, DE – 180 CMD, however shown it 10 CMD only. HCE has provided ETP of capacity 10 CMD for treatment of effluent generated from laundry activity. HCE has not provided separate STP, the sewage generated from hospital is being discharged into Municipal sewer line which is treated in STP provided by TMC at Vitawa.</p> <p>Committee further noted that the previous BMW authorization granted by Board vide dated 20.12.2012 which is valid up to 31.01.2015, after that HCE has applied for 1<sup>st</sup> combine consent to operate &amp; BMW authorization vide UAN no. 37647, dated 28.03.2018 which was discussed &amp; approved in CAC meeting dated 10.04.2019 &amp; 20.05.2022 subject to submission of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and required consent fees. However, after taking repeated follow up HCE has not submitted the same, due to that &amp; as per Boards circular dated 05.01.2024, submitted for final refusal of consent.</p> <p>Committee also noted that HCE has submitted the application as a regular application instead of CCA. HCE has not obtained consent since 2012 &amp; BMW authorization since 31.12.2015 which attracts lapse period fees of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Rs. 3,75,000/- + 70,000/- &amp; penal fees of Rs. 3,00,000/- towards non-obtaining consent from 2012 to 28.03.2018. The total fee required is Rs. 3,75,000/- + 70,000/- + 3,00,000/- = 7,45,000/-. HCE has paid fees of Rs. 1,60,000/- along with previous application vide UAN No. 37647 + now paid Rs. 2,06,250/- = 3,66,250/-. The additional required fee is Rs. 3,78,750/- for grant of combine consent &amp; BMW authorization for the period up to 31.07.2026.</p> <p>After due deliberation, it was decided to consider the case for 1<sup>st</sup> Combined Consent &amp; BMW Authorization for 500 Beds Hospital on total plot area of 53,118 Sq.Mtr &amp; total BUA of 35,337 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide STP within 6 Months to treat the sewage generated from hospital.</li> <li>2. HCE shall submit BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of additional consent fees.</p>
53	MPCB- CONSENT- 0000202988	P. D. E. A s Ayurved Rugnalaya & Sterling Multispeciality HospitalSector No. 27, Sindhunagar, Pradhikaran, Nidgi, Pune - 411044	APPROVED  Renewal of Combined Consent & BMW Authorization	31.05.2028	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization for 220 Beds Hospital on total plot area of 5618 Sq.Mtr &amp; total BUA of 4960 Sq.mtr.</p> <p>Committee also noted that previously HCE has obtained combine consent &amp; BMW authorization vide dated 24.03.2023, valid up to 31.03.2024. The IE- 3.0 CMD, DE – 50 CMD. HCE has provided ETP with a capacity of 5.0 CMD &amp; STP of capacity 50 CMD. HCE has obtained membership of CBMWTSDf &amp; BNH certificate from competent authority.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combined Consent &amp; BMW Authorization for 220 Beds Hospital on total</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>plot area of 5618 Sq.Mtr &amp; total BUA of 4960 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall operate ETP &amp; STP to achieve consented norms.</li> <li>2. HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol>
53	MPCB-CONSENT-0000202331	Ctrls India Pvt. Ltd., EI-201, EI-201pt, EI201 Pt-1, EI-202 & EI-229 MIDC Mahape Mahape	APPROVED  Consent to Establish for Expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish for expansion for IT &amp; ITES activity (Data Centre) on total plot area of 35,820.19 Sq.Mtr &amp; for remaining construction BUA of 15,516.43 Sq.Mtr out of 1,86,280.57 Sq.Mtr as per EC granted vide dated 08.02.2024.</p> <p>Committee also noted that PP has obtained renewal of consent to operate and establish expansion earlier. Obtained EC for expansion vide dated 23.02.2023 for construction of IT &amp; ITES activity (Data Centre) on total plot area of 35,820.19 Sq.Mtr &amp; total construction BUA of 1,70,764.77 Sq.Mtr. Obtained EC for expansion vide dated 08.02.2024 for construction of IT &amp; ITES activity (Data Centre) on total plot area of 35,820.19 Sq.Mtr &amp; total construction BUA of 1,86,280.57 Sq.Mtr.</p> <p>After due deliberation, it was decided to grant Consent to Establish for expansion for IT &amp; ITES activity (Data Centre) on total plot area of 35,820.19 Sq.Mtr &amp; for remaining construction BUA of 15,516.43 Sq.Mtr out of 1,86,280.57 Sq.Mtr as per EC granted vide dated 08.02.2024 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in EC granted vide dated 08.02.2024.</li> <li>2. PP shall provide STP to achieve treated domestic effluent standards for the parameter BOD – 10 mg/l.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting, etc., &amp; remaining shall be utilized on land for gardening purposes.</p> <p>4. PP shall provide organic waste digester along with composting facility/bio-digester (Biogas) for treatment of wet garbage.</p> <p>5. PP shall make provision of charging ports for E-Vehicles at least 40% of total available parking slots. 6. PP shall submit BG of Rs. 25.0 Lakh towards compliance of EC &amp; Consent conditions.</p>
55	MPCB- CONSENT- 0000204306	MATRIX LIFE SCIENCE PVT.LTD.D-8, MIDC PAITHAN TQ PAITHAN D- 8, MIDC PAITHAN TQ PAITHAN DIST. CHHATRAPATI SAMBHAJI NAGAR PAITHAN	APPROVED  Consent to Establish for Expansion	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for consent to establish for expansion for manufacturing of BACOPA EXTRACT, BOSWELLIA EXTRACT, MARIGOLD EXTRACT and MORINGA EXTRACT based on purification and extraction process.</p> <p>Committee also noted that Industry has obtained Environmental Clearance granted dtd.17.05.2019 for expansion of organic chemicals. From 10005 TPA to 14933 TPA. Consent to 1<sup>st</sup> operate for expansion with change in name &amp; amalgamation with existing consent dtd. 09/02/2023 valid up to 31/05/2024 with C.I. of Rs.83.512 crs.</p> <p>Committee further noted that PP has submitted that in the purification and extraction process- Molecular Distillation, Column purification and crystallization is involved as unit operations and PP has submitted that MPCB Consent Approval Committee has grant us consent process based on purification &amp; Extract Base Products at Matrix Fine Sciences Pvt. Ltd. &amp; Amendment in Consent to Establishment Ref No 2009096T50002 Dated 09-09-2020. Wherein mentioned that “the industry shall manufacture the proposed products by purification and extraction process only”. Hence EC is not applicable.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant consent to establish for expansion for manufacturing of BACOPA EXTRACT, BOSWELLIA EXTRACT, MARIGOLD EXTRACT and MORINGA EXTRACT based on purification and extraction process only by imposing BG with standard and following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not manufacture the product, which attracts the Environmental Clearance as per EIA notification, 2006.</li> <li>2. The applicant shall ensure to operate comprehensive treatment system for the treatment of trade effluent &amp; treated effluent will be 100% recycled to achieve ZLD.</li> <li>3. PP shall ensure the connectivity of online monitoring system i.e. IP Camera and flow meter to Board server. Data to be transmitted directly from data logger to Board server. PP shall also operate separate energy meter to the pollution control devices.</li> <li>4. This consent is issued without prejudiced to the matter filed in the Hon'ble NGT in O.A. 222/2023. 5.PP shall submit the Bank Guarantee of Rs.25.0 Lakh for O &amp; M of pollution control system and compliance of consent and Environmental Clearance conditions.</li> </ol>
56	MPCB- CONSENT- 0000204340	Balaji Amines Ltd. Unit-IV Plot No. F-104 Chincholi MIDC Mohol	APPROVED  Consent to 1 <sup>st</sup> operate with amalgamation in existing	30.04.2027	<p>Committee noted that PP has applied for grant of consent to 1st operate for the products- Methyl Amines (Mono, Di, Try) - 120 MT/day, Hydrogen - 200 Kg/day with amalgamation in existing consent to operate valid up to 30.04.2027.</p> <p>Committee also noted that EC for expansion EC Identification No. - EC23A021MH192681 File No. - IA-J-11011/189/2018-IA II(I) Date of Issue</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			consent to operate		<p>EC - 24/02/2023 and Previous EC vide no. IA-J-11011/189/2018-IA II(I), dtd. 18.11.2019.</p> <p>Committee further noted that ETP provided followed by 3 stage MEE and treated effluent is recycled in to the process. ZLD. Industry has installed Methyl Amines plant with scrubber followed by stack height 10 mtr. As APC. BG of Rs. 10 and 25 lakh submitted by PP.</p> <p>After due deliberation, it was decided to grant 1st operate with amalgamation in existing consent to operate and by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions and Environmental Clearance.</li> </ol>
57	MPCB- CONSENT- 0000204497	The Panchmahal District Co-Op Milk Producers Union Ltd. Plot No.6,G-20,21,22,23 & 24 Part C MIDC_ Taloja Panvel	NOT APPROVED Establish for expansion.	-----	<p>Committee noted that, PP applied for Consent to Establish for Expansion for the manufacturing of Ice-cream.</p> <p>Committee also noted that, Additional 116 CMD effluent will be generated due to expansion, which will be treated in existing ETP setup. As per existing consent condition that treated effluent shall be discharge at the outlet of existing CETP discharge point through dedicated disposal pipeline and shall install online monitoring system at ETP outlet and discharge point at CETP.</p> <p>The unit is in the non-conforming CETP area.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, Industry having 1 nos of DG set not provided information regarding RECD. CI is increased by Rs. 115.89 Crs without permission of Board. Not submitted BG as per Existing Consent.</p> <p>After due deliberation, it was decided to issue SCN for the above non compliances.</p>
58	MPCB- CONSENT- 0000200230	MOIL Limited - Kandri Manganese Ore Mine323- 327,329-338,341- 350,357- 359,361,381-384 P.O. KANDRI SAONER	NOT APPROVED  Consent to Establish for Manganese ore mine	-----	<p>Committee noted that PP has applied for consent to establish for expansion for Manganese Ore Mine-137000 T/Y by underground mine project on total mine lease area- 83.06 Hectare.</p> <p>Committee also noted that, EC is obtained for expansion and renewal of mine lease (ML-83.06 HA) and increase in production capacity of manganese ore from 4000 MTPM to 5250 MTPM in mining of manganese ore. Public hearing was conducted on 18.10.2023 regarding proposed expansion quantity-200000 MT/A. Existing consent granted vide dtd. 17/09/2022 for the Manganese ore ON MINING LEASE AREA 83.06 HA-63000 Ton/Y valid up to 31/07/2026. PP has not submitted trade effluent generated from the workshop and mine discharge with proposed treatment system. Provided existing STP of 150 CMD and ETP of 5.0 CMD. Sedimentation tank details not submitted. PP has provided mobile tanker and fixed gun and 1 CAAQM to the existing unit. JVS results of the sample collected on 27.10.2023 from ETP outlet and STP outlet are within the consented limit.</p> <p>Committee further noted that, PP has not submitted the proposed mine lease area for expansion with production details for the last 3 years of existing mine, enhancement in C.I. by Rs. 17.5653 Crs, valid mine lease</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>approval, Forest clearance of 37.83 Ha, water budget, APCS to all sources, additional CAAQMS and BG of Rs. 10.0 Lakh.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for Refusal of consent for the above-mentioned lapses.</p>
59	MPCB- CONSENT- 0000205558	MATRIX LIFE SCIENCE PVT.LTD.D-8, MIDC PAITHAN TQ PAITHAN D- 8, MIDC PAITHAN TQ PAITHAN DIST.CHHATRAP ATI SAMBAJI NAGAR PAITHAN	APPROVED  Renewal of Consent	31.05.2029	<p>Committee noted that Industry has applied for Plain Renewal of consent to operate for manufacturing of 15 nos organic chemicals and 4 Nos of products by Purification and extraction process only.</p> <p>Committee also noted that Industry has obtained Environmental Clearance granted dtd.17.05.2019 for expansion of organic chemicals. From 10005 TPA to 14933 TPA. Consent to 1<sup>st</sup> operate for expansion with change in name &amp; amalgamation with existing consent dtd. 09/02/2023 valid up to 31/05/2024 with C.I. of Rs.83.512 crs.</p> <p>Committee further noted that it is as ZLD Unit - PP has provided ETP of capacity 160 CMD followed by RO &amp; ATFD. The RO permit used in cooling tower &amp; RO reject disposed through ATFD.</p> <p>Committee also noted that JVS are exceeding consented standards. Board has imposed BG of Rs. 13.0 Lakh (5+3+5) as per consent conditions and PP has enclosed BG details as BG of Rs. 3.0 Lakh expired on 31.05.2019 and BG of Rs. 5.0 Lakh is valid up to 31.12.2024. Details of another BG of Rs. 5.0 Lakh is not submitted.</p> <p>After due deliberation, it was decided to grant Plain Renewal of consent to operate for manufacturing of 15 nos organic chemicals and 4 Nos of products by Purification and extraction process only by imposing BG with standard and following conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in Environmental Clearance granted by MOEFCC, Gol, vide e F.No. IAJ-11011/60/2018-IA II (I) dtd. 17/05/2019.</li> <li>2. The applicant shall ensure to operate comprehensive treatment system for the treatment of trade effluent &amp; treated effluent will be 100% recycled to achieve ZLD.</li> <li>3. PP shall ensure the connectivity of online monitoring system i.e. IP Camera and flow meter to Board server. Data to be transmitted directly from data logger to Board server. PP shall also install separate energy meter to the pollution control devices.</li> <li>4. The applicant shall not carry out any excess production or produce new products without obtaining consent of the Board and Environment Clearance.</li> <li>5. This consent is issued without prejudiced to the matter filed in the Hon'ble NGT in O.A. 222/2023.</li> <li>6. PP shall extend/submit the Bank Guarantee of Rs.25.0 Lakh for O &amp; M of pollution control system and compliance of consent and Environmental Clearance conditions.</li> </ol> <p>Consent shall be issued after receipt of the BGs with 12% interest (if applicable) and by forfeiting appropriate BG for JVS exceedance of the Stack and effluent analysis results.</p>
60	MPCB-CONSENT-0000178732	INDIRA GANDHI GOVT MEDICAL COLLEGE AND HOSPITAL central avenue road mominpura Nagpur	APPROVED  Renewal of Combined Consent & BMW Authorization	31.05.2028	<p>Committee noted that HCE has applied for Renewal of Combine Consent to Operate &amp; BMW Authorization for 594 beds Hospital on total plot area of 1,42,420 Sq.Mtr &amp; total BUA of 64,372 Sq.Mtr.</p> <p>Committee also noted that previously HCE has obtained 1st Combine consent to operate &amp; BMW authorization vide dated 28.04.2023, valid up to 31.05.2023. The IE- 0.0 CMD, DE – 480 CMD. HCE has not provided separate STP to treat the sewage generated from hospital. Sewage generated is being discharged into municipal sewer line without any treatment.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that HCE has delayed the application for renewal of consent by 315 days which attracts the penal fees of Rs. 25,850/- as per amnesty scheme. As per earlier consent, HCE has to provide STP of adequate capacity to treat the sewage generated from hospital, however, it not provided &amp; BG of Rs. 3.75 Lakh is not submitted. HCE has paid consent fees of Rs. 2,50,000/-, out of this Rs. 75000/- is considered for renewal of consent for the period up to 31.05.2028 &amp; Rs. 25,850/- is considered as penal fees. Rs. 1,49,150/- is balance with Board which will be considered during next renewal of consent.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combine Consent to Operate &amp; BMW Authorization for 594 beds Hospital on total plot area of 1,42,420 Sq.Mtr &amp; total BUA of 64,372 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide STP within 6 Months to treat the sewage generated from hospital.</li> <li>2. HCE shall submit/extend the BGs as per HCE BG regime.</li> </ol>
61	MPCB- CONSENT- 0000205474	Noble Hospital153/ A/1,2,4/1, Magarpattacity Road, Hadapsar	NOT APPROVED  Renewal of Combined Consent & BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization for 250 Beds Hospital on total plot area of 5813 Sq.Mtr &amp; total BUA of 9319 Sq.mtr.</p> <p>Committee also noted that.</p> <ol style="list-style-type: none"> <li>1. HCE has increased CI by Rs. 49.9544 Crs without obtaining prior consent from Board office.</li> <li>2. HCE is not operating the STP round the clock, discharged the sewage into municipal sewer line without treatment, all STP tanks found empty &amp; disinfection facility for treated sewage is not provided.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. HCE has not provided OWC followed by composting facility for treatment &amp; disposal of biodegradable waste.</p> <p>After due deliberation, it was decided not to consider the case &amp; issue SCN for refusal of consent due to above lapses/non-compliances.</p>
62	MPCB- CONSENT- 0000176892	B.Y.L. Nair Ch. Hospital & T.N. Medical College B.Y.L. NAIR CH. HOSPITAL & T.N. MEDICAL COLLEGE MUMBAI CENTRAL	NOT APPROVED  Renewal of Combined Consent & BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of Combine Consent to Operate &amp; BMW Authorization of 1623 beds Hospital on total plot area of 47,938.36 Sq.Mtr &amp; total BUA of 11,650 Sq.Mtr.</p> <p>Committee also noted that.</p> <ol style="list-style-type: none"> <li>HCE has not provided ETP/STP for treatment of sewage generated from hospital. The generated sewage is discharged into Municipal Sewer line for further treatment into STP provided by MCGM.</li> <li>HCE has delayed the application by 320 days for renewal of consent which attracts the penal fees of Rs. 4,01,920/- which is not paid by HCE.</li> <li>HCE has not submitted BG of Rs. 2.75 Lakh as per previous consent.</li> </ol> <p>After due deliberation, it was decided not to consider the case &amp; issue SCN for refusal of consent due to above lapses.</p>
63	MPCB- CONSENT- 0000205667	Kalpataru Properties Pvt. Ltd., Subdivided Plot No. 5A, bearing C.S. No. 1/289 (Pt), Lower Parel Division, Mumbai.	APPROVED  Consent to Establish	Commissioning of the project or up to 5 years whichever is earlier.	<p>Committee noted that PP has applied for grant of Consent to Establish for proposed Residential and Commercial Construction project having Total plot area of 18,939.16 Sq.m and Total construction BUA of 2,28,022.755 Sq.m.</p> <p>Committee also noted that PP has applied for Environmental Clearance vide letter No. SIA/MH/INFRA2/458814/2024 dtd. 17/01/2024. Not obtained.</p> <p>Committee further noted that PP has submitted a copy of the IOD sanction plan, not started construction activity on site.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation it was decided to grant Consent to Establish with a condition for not to take effective steps towards commissioning of the project prior obtaining Environment Clearance and by imposing BG and standard conditions for Infrastructure projects.</p>
64	MPCB- CONSENT- 0000203098	Worldwide Oilfield Machine Pvt. Ltd.Gat No.778 Gat No.778, At & Post- Velu Bhor	<p>NOT APPROVED</p> <p>Consent to Operate of expansion with Renewal of Consent.</p>	----	<p>Committee noted that, PP applied for first Consent to Operate of expansion with Renewal of Consent.</p> <p>Committee also noted that, Effluent generation is from phosphating section, ETP construction/ fabrication work was found in progress. JVS are exceeding the consent limit.</p> <p>Fume extraction system, bag filter with stack work was found completed 90 %. Bag filter work order issued.</p> <p>Committee further noted that, PP yet not provided APC system to phosphating section, Not provided APC to powder coating section, not completed work of ETP for expansion. Enormous difference in capital investment</p> <p>After due deliberation, it is decided to issue SCN for the above non compliances.</p>
65	MPCB- CONSENT- 0000206137	Nyati Hotels & resort Pvt. LtdPlot No. D 30, At. Sr. No. 8 (P), 9 (P), 10 (P), Tal. Haveli, Dist. Pune.	<p>APPROVED</p> <p>1st Consent to Operate (Expansion) and amalgamatio n with existing</p>	31.05.2026	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Expansion) and amalgamation with existing Renewal of Consent to Operate of Hotel activity Swimming pool, Club House, Banquet Halls, Restaurant with existing 116 Rooms + Additional Expansion 65 Rooms Total 181 Rooms having Total Plot Area of 33,747 Sq.m and Total Construction Built Up Area of 17,352.11 Sq.m.</p> <p>Committee also noted that PP has provided STP &amp; OWC.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			Renewal of Consent to Operate		After due deliberation it was decided to grant 1st Consent to Operate (Expansion) and amalgamation with existing Renewal of Consent to Operate by extending the existing BG and by imposing standard conditions for Infrastructure projects.
66	MPCB- CONSENT- 0000206243	ZF Steering Gear (India) Ltd Plot No 1242/44 Plot No. 1242/44 Vadhu (BK) Talika Shirur Dist Pune Shirur	NOT APPROVED  Renewal of Consent	-----	<p>Committee noted that, PP applied for Renewal of consent for mfg of Power Steering &amp; Mechanical steering Gear.</p> <p>Committee also noted that, provided Effluent Treatment Plant (ETP) of designed capacity of 10.00 CMD consisting of Primary (Collection tank, Neutralization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, activated carbon filter), Sludge treatment (Sludge drying bed) for the treatment of 5 CMD of trade effluent.</p> <p>Committee noted that, PP not provided MEE to achieve ZLD. Industry having 2 nos of DG set for which they have not provided RECD. CGWA NOC not obtained.</p> <p>After due deliberation, it is decided to issue SCN for the above non compliances.</p>
67	MPCB- CONSENT- 0000207311	Midea India Private Limited Plot No A4 Supa Parner Industrial Park Parner	NOT APPROVED  Consent to Establish (Expansion)	----	<p>Committee noted that PP applied for consent to Establish (Expansion).</p> <p>Committee further noted that PP proposed ETP comprises primary, secondary, and tertiary treatment.</p> <p>Committee also further noted that proposed to provide necessary APC.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to issue show cause notice for following non-compliances:</p> <ol style="list-style-type: none"> <li>1. You have not provided adequate ETP and STP as the industrial effluent quantity as per application is Capacity of ETP (160CMD) - Actual Effluent Generation at full fledge production (174 CMD +11 CMD) while as per application for STP Capacity of STP (80CMD) - Actual Effluent Generation at full fledge production (121 CMD).</li> <li>2. You have not mentioned the cost of Land in the undertaking submitted for showing the Capital investment.</li> <li>3. Industry has not submitted Bank Guarantee of Rs. 25 lakh as per existing consent to operate.</li> </ol>
68	MPCB-CONSENT-0000205642	Cipla Ltd., CTS 82, 82/1 to 17 Vikhroli Mumbai	APPROVED Renewal of Consent	30.04.2029	<p>Committee noted that PP has applied for grant of renewal of consent for R&amp;D activity for pharmaceutical products.</p> <p>Committee also noted that Industry has obtained renewal of consent dtd. 18.06.2019 which was valid upto 30.04.2024 for the Capital Investment Rs. 645.87 Cr.</p> <p>Committee further noted that I.E-66 CMD &amp; D.E-85 CMD. Provided combined ETP for treatment of industrial and domestic effluent. Combine ETP comprises of Primary-Secondary and Tertiary treatment. SDB is provided. submitted bank guarantee of Rs. 25 lakh as per earlier consent conditions.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of consent for R&amp;D activity for pharmaceutical products.</p> <p>Consent shall be issued after submission of additional consent fee.</p>
69	MPCB- CONSENT- 0000206988	Nyati Foundation and Nyati Hotels and Resorts Pvt LtdS. No. 33/42, At. Village. Kudaje, Tal. Mulshi, Dist. Pune.	APPROVED  Consent to 1 <sup>st</sup> Operate	31.07.2026	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate for Hotel activity including Restaurant, Lodging &amp; Boarding, Swimming pool and laundry activity with Ayurvedic therapy and Spa activity having Total Plot Area of 87,921.86 Sq.m and Construction Built Up Area of 17,376.55 Sq.m.</p> <p>Committee also noted that PP has obtained Consent to Establish, provided ETP, STP and OWC.</p> <p>After due deliberation, it was decided to grant 1<sup>st</sup> Consent to Operate by imposing BG and standard conditions for Infrastructure projects.</p>
70	MPCB- CONSENT- 0000207192	MOIL LIMITED GUMGAON MINE7, 139, 163(1), 163(2), 164 ETC VILLAGE GUMGAON POST KHAPA SAONER	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for renewal of consent to operate for Manganese Ore Mine-203200 T/Y by underground project on total mine lease area- 85.89 Hectare.</p> <p>Committee also noted that EC obtained by PP vide dtd. 27.01.2020 and renewal of consent is valid upto valid up to 30.06.2024 for Manganese ore quantity-203200 T/Y. ETP provided for workshop effluent and tyre washing activity having capacity – 5KL and effluent quantity is not mentioned and as per previous consent IE was 750 CMD including mine water. STP provided 150 CMD and applied sewage quantity is 10 CMD against consented 150 CMD sewage without justification. Mobile water tanker -01 no has provided during the visit found in operation and for fixed water sprinkler system with chemical fogging system on roads during the visit</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>found in operation. CAAQMS is installed and connected to MPCB Server. Tyre wash system is provided.</p> <p>Committee further noted that, Ambient JVS results of sample collected on 29.01.2024 is exceeding with the parameter PM10-314.3 ug/m3 and PM10-295.3 ug/m3. JVS of STP outlet collected on 29.01.2024 is exceeding the BOD parameter-46 mg/l against BOD standard-30 mg/l. Details of OB and HW details with disposal and membership of CHWTSDf are not submitted. PP has not submitted latest assessed multi-unit C.A. certificate, justification for enhancement in C.I. production quantity, mine lease approval, forest clearance, water budget, ETP details, details of APCS for various sources, BG submission details and JVS exceedance.</p> <p>After due deliberation, it was decided to not to consider the case and issue Show Cause Notice for Refusal of consent for above non-compliance.</p>
71	MPCB- CONSENT- 0000206982	Viraj Profiles Pvt. Ltd.Survey no. 110, 111, 114, 116, 118, 119 & 120 Village Mahagaon Palghar	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that, PP has applied for Renewal of consent to operate for Manufacturing of SS Fastener &amp; Threaded Bar /Hexagon &amp; Squares /Wire Rods /Bright Bar /Angles /Channel /Flats- 267800 Ton/Year with pickling, annealing and shot blasting activity.</p> <p>Committee also noted that Previous consent was valid upto 30.04.2024 and PP has provided ETP with a capacity of 1100 CMD against effluent 515 CMD followed by UF, RO, MEE to achieve ZLD. Provided MBBR Based STP of capacity 150 CMD for same quantity of sewage. PP has submitted in reply that 60 CMD treated effluent is used for process &amp; secondary purposes and 68 CMD is used for gardening however, disposal area is not submitted. PP has provided PNG fired annealing, hardening, tempering, and batch furnaces, with recuperator as APC with stack. PNG fired thermic fluid heater are with stack and Scrubbers (4 Nos) to the pickling section. Shot blasting unit is equipped with dust collector.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, PP has submitted that HW cat.12.1 acidic and alkaline residue and 12.2- spent acid &amp; alkali is not disposed through CHWT/SDF and submitted that they are using acids like Hydrofluoric and Nitric acid in diluted quantity for pickling and after use same are used for further dilution and same has treated in the ETP with other effluent and concluded that completely eliminated spent acidic and alkaline residue. However, mass material balance is not submitted.</p> <p>PP has submitted that they have obtained consent for metal recovery unit at G-77 Tarapur Boiser and sludge contains metal send to metal recovery. But HW Authorization under Rule 9 is not submitted. BG of Rs. 49.0 Lakh is not submitted. As per JVS reports communicated by the SRO, JVS results of the scrubber stack collected on 31.03.2023- HCl-822 mg/Nm<sup>3</sup>, JVS collected on 22.09.2023 HCl-621 mg/Nm<sup>3</sup>. JVS collected on 27.10.2023 HCl-481 mg/Nm<sup>3</sup> and JVS collected on 17.10.2023, HCl-321 mg/Nm<sup>3</sup> are exceeding the standard limit -35 mg/Nm<sup>3</sup>. PP has replied that they are not using HCL in pickling hence HCL traces are not possible.</p> <p>After due deliberation, it was decided to not to consider the case and issue Show Cause Notice for Refusal of consent for following non-compliance.</p> <ol style="list-style-type: none"> <li>1. Non submission of manufacturing process with mass material balance for removal of HW cate 12.1 (acidic &amp; alkaline residue) and 12.2 (spent acid) from the consent.</li> <li>2. PP has not submitted HW Authorization under Rule 9 of Hazardous &amp; Other waste (M&amp;TM) Rules, 2016 for HW re processing for Plot No G-77</li> <li>3. PP has not submitted Bank Guarantee of Rs. 49.0 Lakh as per consent conditions.</li> <li>4. PP has not submitted the treated effluent disposal area for domestic effluent.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
72	MPCB- CONSENT- 0000207516	Automotive Stamping & Assemblies Ltd. (ASAL)Gat No. 427 Juna Chakan, Medankarwadi Khed	NOT APPROVED  Renewal of Consent	-----	<p>Committee noted that, PP applied for Renewal of Consent to Operate, for “Manufacturing &amp; dispatch of Sheet metal components, welded and coated sub-assemblies and moulds (with Surface treatment activity i.e. Phosphating).</p> <p>Committee also noted that Source of Water supply: - <u>Outside Agency (Lake water supplied by tanker. (Details from PP)</u></p> <p>separate legal action proposal has been submitted vide: MPCB-LEGAL_ACTIONS-180524001- for various non compliances and APCs not provided to phosphating section.</p> <p>Committee further noted that, PP has not obtain CGWA NOC.</p> <p>After due deliberation, it was decided to issue SCN for the above non compliances.</p>
73	MPCB- CONSENT- 0000207830	Britannia Industries Ltd., B 28 Ranjangaon Shirur	NOT APPROVED  Consent to 1 <sup>st</sup> Operate for Expansion.	----	<p>Committee noted that, PP applied for consent to 1st operate with amalgamation of existing consent.</p> <p>Committee also noted that, they have provided Combine ETP of capacity 480 CMD in the form of primary, secondary &amp; tertiary treatment. Treated effluent used for HRTS- 2.5 Acre, Gardening, flushing.</p> <p>Committee further noted that, Industry having 3 nos of DG set of Capacity 500 KVA for which RECD not provided. Plastic waste is not disposed as per EPR.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>PP Not submitted compliance of Consent condition no. 15 regarding explore the possibility of recycling maximum treated effluent in to process to minimize use of fresh water.</p> <p>After due deliberation, it is decided to issue SCN for the above non compliances.</p>
74	MPCB- CONSENT- 0000205733	SQUARE PORT SHIPYARD PRIVATE LIMITED (PREVIOUSLY KNOWN AS BHARATI SHIPYARD LTD) S.NO.- 102/52 VILLAGE- USGAON, TAL- DAPOLI, DIST- RATHAGIRI. DAPOLI	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that, Renewal of consent to operate for manufacturing of drill Rings, Ship &amp; other off shore vessels-8 Nos/Y with change in name from M/s. Bharati Shipyard Ltd.</p> <p>Committee also noted that Previous consent was granted in the name of M/s. Bharati Shipyard Ltd. vide dtd. 18.07.2016 with validity upto 31.12.2019 For same mfg. activity. Reportedly previous industry is closed down due to financial issue and same has taken over under the provision of Insolvency and Bankruptcy code 2016 by M/s. Square Port Pvt. Ltd. through court. Sale certificate issued by Liquidator on 10.05.2023. EC granted in the name of M/s. Bharati Shipyard Ltd. vide dtd. 16.09. 2008 for Development at a Modern shipyard at Usgaon (Port Dabhol). I.E. is nil. STP provided for DE. Membership of CHWTSDF is submitted.</p> <p>Committee further noted that, Warning Notice issued on 26.03.2024 and SCN for Closure on 15-04-2024 for Non-compliance for unconsented unit, change of name and court order details, legal documents, DG with inadequate stack height, EC and inadequate STP, etc. PP has submitted reply vide dtd.28.03.2024 and 16.04.2024. PP has replied to the warning notice and SCN submitted that Sale certificate is issued on 10.05.2023 and only maintenance and cleaning work is carried out without production activity. DG set was in operation without adequate stack height and PP has</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>submitted the proper maintenance of STP will be done. Submitted BG of Rs. 5.0 Lakh as per previous consent in this new name of industry.</p> <ol style="list-style-type: none"> <li>1. PP has not submitted Industry document and Environmental Clearance for change in name from M/s. Bharati Shipyard Ltd. to M/s. Square Port Shipyard Pvt. Ltd.</li> <li>2. PP has not submitted approval of Maharashtra Maritime Board.</li> <li>3. PP has not submitted the details of air and water pollution control system including the oil spill mitigation measures.</li> </ol> <p>After due deliberation, it was decided to issue Show Cause Notice for Refusal of consent for non-compliance.</p>
75	MPCB- CONSENT- 0000208851	Chouwgule Lavgan Shiprepair Private Limited (Formerly known as Chouwgule and Company Pvt. Ltd.)Sr. No. 39,41& 42 (Paiki) Village. Sande Lavgan, Po. Jaigad, Tal. & Dist. Ratnagiri. Ratnagiri	APPROVED  Consent to Establish for Expansion	Commissio ning of the unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish for Expansion in existing ship repair facility &amp; construction of Jetty project i.e. increase in length of Jetty 360 mtr.</p> <p>Committee also noted that, PP has obtained EC vide dtd. 14.05.2024 (CRZ section). Renewal of Consent to operate is valid upto 30.09.2026 for Provision of repair, refit and conversion services for Ships, Rigs and Floating structures and Fabrication of Offshore Structures &amp; Decommissioning of Rigs and Offshore Structures Load within premises (without Shipbreaking activities) -200 Nos/M. PP has provided ETP of capacity 65 CMD &amp; 105 CMD for treatment of trade effluent generated during ship repairing activity. STP provided MBBR- 40 CMD for DE. After expansion IE will be 72.8 CMD and DE will be 16.4 CMD. Treated effluent utilized for on land gardening purposes. From the expansion generated trade and domestic effluent will be treated in existing ETP (capacities 65 &amp;</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>105 CMD) and STP (capacity 40 CMD) respectively and treated effluent of expansion will be utilized for flushing and gardening purpose.</p> <p>Committee further noted that, PP has provided dust collector as APCS at blasting section. Whenever painting of ship carrying, will be provided barrier of curtains. CHWTSDF membership is submitted with Architect certificate. BG is valid upto 31.03.2027. Submitted Architect certificate of existing Total BUA is 85476.43 Sq. M and as per EC proposed expansion Jetty area is 11700 Sq. M. and presently no construction has been done for this proposed expansion.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for Expansion in existing ship repair facility &amp; construction of Jetty project i.e. increase in length of Jetty 360 meter by imposing standard and following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall not carry out Shipbreaking activities in this industry premises.</li> <li>2. PP shall comply with the conditions stipulated in the CRZ clearance issued by MOEFCC Gol vide F. No. 11-54/2007-IA-III dtd 14/05/2024.</li> <li>3. PP shall not dispose the effluent into the sea/coastal water.</li> <li>4. PP shall submit the BG of Rs.25.0 Lakh for compliance of consent to establish conditions and compliance of CRZ clearance.</li> </ol> <p>Consent shall be issued after receipt of the details of BG forfeiture as per existing consent condition from Regional Officer.</p>
76	MPCB- CONSENT- 0000192192	Sinarmas Pulp and Paper Private Limited (SPPPL)NA Dherand Shahpur	NOT APPROVED  Consent to Establish	-----	Committee noted that, PP applied for consent to Establish for mfg Tissue – 200000 MT/Y Writing Printing Paper – 1200000 MT/Y, Converting operations (sheeting, cutting, packaging etc (Tissue, WPP, Board and other paper products) –

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Industrial Area, Raigad District Maharashtra Panvel			<p>12000 MT/Y, Packing Board – 1200000 MT/Y, (By using raw material as pulp). As per application BUA – 287750 sq.mtr.</p> <p>Committee also noted that, MIDC applied for Environmental Clearance under 7 (c), (Industrial Park, Estate/ Complexes/ Areas). Expert Appraisal Committee meeting held on 08th -09th August, 2023 and Minutes of the 336th meeting are available. As per MoM 3 types of industries will be in estates - Chemical Fertilizers – Project activity as per Schedule is 5(a) b. Pesticide industry and pesticide specific intermediates - Project activity as per Schedule is 5(b) c. Pulp &amp; Paper industry excluding manufacturing of paper from wastepaper and manufacture of paper from ready pulp without bleaching - Project activity as per Schedule is 5(f). Land allotment for Sinnarmas Pvt. Ltd., - 280 Ha. Committee directed MIDC to obtain permission from CZMA, prepare EIA report and for public hearing.</p> <p>PP proposed to provide – ETP with Screening Chamber 2. Grit Chamber 3. Equalization Tank with Provision of Coarse Bubble Diffuser. 4. Aeration Tank 5. Secondary Clarifier &amp; Sludge Pit 6. Sludge Drying Bed 7. Clear Water Tank 8. Multi Grade Filter 9. Activated Carbon Filter 10. Dozer (Chlorine Contact Chamber) 11. V-Notch 12. Treated water tank. PP proposed to provide STP. PP not submitted details of recycle water</p> <p>A) Industry has not submitted details of Boiler, DG set and any APC. B) Industry did not submit any clarification regarding Environmental Clearance. C) Not submitted details of disposal of treated effluent. D) Details of ETP with recycling water. Clear cut water Budget.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to kept case in abeyance and call detail information from PP and call for Personal Hearing.
77	MPCB- CONSENT- 0000209015	DYP Hospitality Pvt. Ltd.2104/15, & 2103/42 2104/15 & 2103/42, E Ward, Old PB Road Kolhapur. Karvir	APPROVED  Establish for expansion	Commissioning of unit or 5 years whichever is earlier	<p>Committee noted that PP has applied for Consent to Establish for expansion for construction of five star hotel comprising 192 rooms, 3 suites, VIP lounge, 18 shops, 2 banquet halls, kitchen, back office, restaurant, gym, swimming pool on total plot area of 19,502 Sq.Mtr &amp; construction BUA of 28,705.86 Sq.Mtr.</p> <p>Committee also noted that PP has obtained Renewal of consent to operate vide No. dated 13.04.2018, valid up to 31.05.2027 for hotel activity (five star), restaurant with laundry activity on total plot area of 6742.07 Sq.Mtr &amp; construction BUA of 9859.3 Sq.Mtr. Obtained EC vide No. dated 18.08.2023 for proposed expansion of existing mall -multiplex (commercial building) &amp; hotel on total plot area of 19,502.9 Sq.Mtr &amp; total construction BUA of 44,072.21 (FSI) + 42,053.6 (Non FSI) = 86,123.81 Sq.Mtr. PP has proposed to provide STP for treatment of sewage generated from expansion.</p> <p>Committee also noted that PP has obtained the consent to operate vide dated 15.05.2015, valid up to 31.05.2016 for mall &amp; multiplex (existing) bearing construction BUA of 8042.38 (FSI) + 11832.11 (Non FSI) = 19874.49 Sq.Mtr which is not renewed &amp; attracts the penal fees. Now, PP has proposed the expansion of hotel activity for construction BUA of 28705.86 (FSI) + 15354.83 (Non FSI) = 44060.69 Sq.Mtr showing only FSI area. PP has obtained EC vide dated 18.08.2023 for proposed expansion construction of five star hotel comprising 192 rooms, 3 suites, VIP lounge, 18 shops, 2 banquet halls, kitchen, back office, restaurant, gym, swimming pool on total plot area of 19,502 Sq.Mtr &amp; construction BUA of 44,070.21 (FSI) + 42,053.6 (Non FSI) = 86,123.81 Sq.Mtr. As per EC, BG of Rs. 365.58 Lakh &amp; penalty of Rs. 69,61,099/- is imposed towards violation &amp; accordingly, paid by PP.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for construction of five star hotel comprising 192 rooms, 3 suites, VIP lounge, 18 shops, 2 banquet halls, kitchen, back office, restaurant, gym, swimming pool on total plot area of 19,502 Sq.Mtr &amp; construction BUA of 28,705.86 Sq.Mtr (FSI) by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide STP to treat the sewage generated from expansion.</li> <li>2. PP shall comply with the conditions stipulated in EC obtained vide dated 18.08.2023.</li> <li>3. PP shall submit separate application for renewal of consent of existing mall &amp; multiplex with requisite fees.</li> <li>4. PP shall submit BG of Rs. 10.0 Lakh towards compliance of consent &amp; EC conditions.</li> </ol>
78	MPCB- CONSENT- 0000207185	Mohanrao Shinde Sahakari. Sakhar. Karkhana. Ltd.335, 333, 241, 350/3, 1010 Arag Miraj	NOT APPROVED  Renewal of Consent	-----	<p>Committee noted that, PP applied for Renewal of Consent for 4000 TCD &amp; 15 mw co-generation.</p> <p>Committee also noted that JVS are exceeding the consent limit. PP did not submit BG as per Consent, there is huge increase in CI and not submitted justification for same.</p> <p>After due deliberation, it was decided to issue SCN for the above non compliances.</p>
79	MPCB- CONSENT- 0000207295	TATA MEMORIAL HOSPITAL Dr. Ernest Borges Marg, Parel,	APPROVED  Combined Consent & BMW Authorization	31.05.2029	<p>Committee noted that HCE has applied for Renewal of Combined Consent to operate &amp; BMW Authorization with increase in CI of 604 beds hospital on total plot area of 15026.36 Sq.Mtr &amp; total BUA of 63788.91 Sq.mtr.</p> <p>Committee also noted that, previously HCE has obtained Renewal of combined consent to operate &amp; BMW authorization vide dated 28.03.2024, valid up to 31.05.2024 with CI Rs. 1319.50 Crs. The IE- 20 CMD, DE – 600</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			, Consent to Operate		<p>CMD. HCE has provided ETP of capacity 10 CMD &amp; STP of capacity 150 CMD. The JVS result of STP outlet collected on 14.06.2024 is well within limit. As per HCE BG regime BG of 3.25 Lakh, valid up to 30.09.2024. HCE has increased the CI by Rs. 29.85 Crs., for the same, HCE has paid requisite fees.</p> <p>After due deliberation it was decided to consider the case for Renewal of Combined Consent to operate &amp; BMW Authorization with increase in CI of 604 beds hospital on total plot area of 15026.36 Sq.Mtr &amp; total BUA of 63788.91 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE authority shall properly operate STP &amp; ETP to achieve consented norms.</li> <li>2. HCE shall submit/extend BGs as per BG regime of HCE.</li> </ol>
80	MPCB- CONSENT- 0000209567	Partap Industries Ltd.Plot No. T-33, Plot No. T-33, Additional Industrial Area,MIDC Nandgaon Peth, Amravati, Tal. & Dist -Amravati Amravati	APPROVED  Consent to 1 <sup>st</sup> Operate	31.08.2027	<p>Committee noted that, PP applied for 1<sup>st</sup> consent to Operate for expansion with amalgamation of existing for textile processing.</p> <p>Committee also noted that, PP provided ETP of capacity 75 M3 comprises of Screen Chamber, Oil &amp; Grease Separator, Collection / Equalization Tank, Flash Mixer, Primary Settling tank , Aeration Tank , Secondary Settling Tank , Final water Storage tank, SDB, PSF, PCF, RO Plant. The final treated water passes through RO plant &amp; the 60 % permeate recycled back into process &amp; 40 % reject will be disposed to CETP for further treatment &amp; disposal. Also, they are installing STP with a capacity of 25 M3.</p> <p>Committee further noted that, Industry has provided Common stack of height 30 meters to Boiler having capacity of 3 TPH with air pollution control system i.e. Dust Collector &amp; Wet Scrubber and Thermic Fluid Heater of capacity 1000000 Kcal / Hr with Dust collection system. Fuel-Coal / Biomass Briquette / Agro waste/ Cashew Cake.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant 1<sup>st</sup> consent to Operate., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control systems.</li> <li>2. The BG obtain against C to E is released.</li> </ol>
81	MPCB- CONSENT- 0000209376	BITS School of Management S. No. 9, 10, 11, 12, 13, 31, 33, Village-Kamba S. No. 9, 10, 11, 12, 13, 31, 33, Village-Kamba, Taluka-Kalyan, District-Thane. Kalyan	APPROVED  Consent to 1 <sup>st</sup> Operate	30.04.2025	<p>Committee noted that PP has applied for grant consent to 1st operate (Part) for plot area 253645 sq mtr and BUA 11954.94 sq mtr. With CI of Rs. 65 Cr</p> <p>Committee also noted that PP has obtained consent to establish on 23.6.2022 for 2,53,645 sq mtr plot area and 1,60,540.7 sq mtr BUA. Obtained part operate for 36986 sq mtr BUA and 253645 sq mtr plot area dated 09.12.2023. Obtained EC on 31.03.2022 for total plot area of 253645 sq.mtrs. and total BUA of 160540.67 sq.mtrs.</p> <p>Committee further noted that PP has obtained OC on 21.12.2023 for building Student Housing 02 and Faculty Housing 01. Architects certificate submitted dated 17.06.2024. Bank Guarantee of Rs. 25 lakh has been submitted.</p> <p>After due deliberation, it was decided to grant consent to 1st operate (Part) for plot area 253645 sq mtr and BUA 11954.94 sq mtr. With CI of Rs. 65 Cr., by imposing bank guarantee and standard conditions for Infrastructure projects.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
82	MPCB- CONSENT- 0000208826	Sanvijay Alloys & Power LimitedA- 23 MIDC Area Tadali Growth Centre Tadali Chandrapur	APPROVED  Renewal of Consent	31.05.2029	<p>Committee noted that PP has applied for Renewal of Consent for the manufacturing of sponge iron – 12000 MT/M, power generation – 25 MW &amp; power generation through WHRB – 8 MW &amp; Char – 2400 MT/M.</p> <p>Committee also noted that previously PP has obtained renewal of consent vide dtd. 29.09.2022 which is valid up to 31.05.2024 and EC vide dated 18.01.2006 &amp; 09.12.2019. PP has provided ETP for treatment of effluent, the treated effluent is 100% recycled in process. PP has provided the ESP to kiln &amp; bag filters to stock house, coal injector, feed mix, cooler discharge, intermediate bins, product separation, product separation, coal crusher, coal screening, iron ore house &amp; iron ore screen house. Industry has installed 80 Nos of fixed type water sprinklers in plant premises &amp; periphery of unit. The JVS result of stack dated 19.09.2023 &amp; 29.05.2024 is well within the limit. Industry has provided OCEMS to stack of CPP, WHRB &amp; common stack of kiln, it is connected to Boards. Also, provided 1 CAAQMS at southeast corner of plant within premises. PP has submitted the BG of Rs. 25.0 Lakh which is valid up to 20.07.2025 &amp; as per EC BG of Rs. 1.95 Crs which is valid up to 11.12.2024.</p> <p>After due deliberation it was decided to consider the case for Renewal of Consent for the manufacturing of sponge iron – 12000 MT/M, power generation – 25 MW &amp; power generation through WHRB – 8 MW &amp; Char – 2400 MT/M by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in EC &amp; Consent.</li> <li>2. PP shall operate pollution control system scientifically to achieve consented norms.</li> <li>3. PP shall extend/submit BG of Rs. 1.95 Crs as per condition stipulated in EC towards effective implementation of EMP comprising plan &amp; natural &amp; community Resource augmentation plan.</li> <li>4. PP shall submit/extend the BG of Rs. 25 Lakh towards O &amp; M of PCs and compliance of EC &amp; consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
83	MPCB- CONSENT- 0000208703	Dr Babasaheb Ambedkar Memorial HospitalByculla east,Mumbai 400026,Mumbai City,Mumbai City	APPROVED  Combined Consent & BMW Authorization , Consent to Operate	30.04.2029	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combined Consent to operate &amp; BMW Authorization of 366 beds hospital on total plot area of 15811 Sq.Mtr &amp; total BUA of 13053 Sq.mtr.</p> <p>Committee also noted that HCE has not obtained BMW authorization &amp; consent which attracts penal fees. The IE- Nil CMD, DE – 131 CMD. HCE has not provided ETP &amp; STP to treat the effluent generated from hospital. The effluent generated is being discharged into MCGM sewer line. HCE is established in 1978, however, HCE has not obtained authorization as well as consent since 2012 which attracts the penal fees of Rs. 3,39,288/-, consent fees of Rs. 2,70,000 for grant of consent for the period up to 30.04.2029.</p> <p>Committee further noted that HCE has paid Rs. 17,04,700/-, out of this Rs. 3,39,288/- + 2,70,000/- = 6,09,288/- is adjusted for grant of 1<sup>st</sup> combine consent to operate &amp; BMW authorization for the period up to 30.04.2029 &amp; Rs. 10,95,412/- is balance with Board which will be considered next renewal of consent.</p> <p>After due deliberation, it was decided to consider the case for 1st Combined Consent to operate &amp; BMW Authorization of 366 beds hospital on total plot area of 15811 Sq.Mtr &amp; total BUA of 13053 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE authority shall provide own STP &amp; ETP to treat the sewage &amp; effluent generated from hospital.</li> <li>2. HCE shall submit BGs as per BG regime of HCE.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
84	MPCB- CONSENT- 0000209535	JNPA- Nhava Sheva Distribution Terminal-Shallow Water Berth 450 mtrs lengthNA Nhava Sheva Uran	APPROVED  Renewal of consent to operate (Split)	30.06.2026	<p>Committee noted that, PP has Applied for split of existing renewal of consent to operate for All A, B, C Class of cargos at port through ship at Shallow Water Berth having length 450 meters including list of 69 items of material for Total handling quantity – 4.5 MTPA out of 26.6 MTPA..</p> <p>Committee also noted that PP has submitted Award of concession vide dtd.09.06.2023 with Nhava Sheva Distribution Pvt. Ltd. On PPP basis for 30 years period. Previous application UAN No. 175102 was refused by the Board vide dtd. 13.05.2024 for non-submission of information. PP has obtained EC for Nhava Sheva Port Project vide dtd.16.09.1988 has been awarded before EIA Notification 2006 and the Ministry of surface Transport has granted Environmental Clearance vide dtd. 25.05.1999 for construction of shallow water berth at JNPT. Also MCZMA has recommended the proposal as per 173 meeting and recommended proposal to MOEFCC for Clearance under CRZ Notification, 2019 dtd. 24.05.2024. PP has obtained consent to operate vide dtd. 19.03.2021 for Handling of Containers Dry and Liquid bulk cargos at following terminals 1) JNPT Container Terminal having 3 Nos of berth, length 680 Mtrs &amp; shallow water berth having 2 Nos of berth &amp; length of berth and container storage area for this both is 61.5 Ha. 2) All A, B, C Class of liquid cargos for receipt and distribution will handled by JNPT container Terminal and shallow water berth including list of ( 69 items) material of Total handling quantity– 26.6 MTPA with validity upto 30.09.2025 with C.I. of Rs. 3640.5 Crs. Now, PP has applied to split of existing renewal of consent to operate for All A, B, C Class of cargos at port through ship at Shallow Water Berth having length 450 meters including list of 69 items of material for Total handling quantity – 4.5 MTPA out of 26.6 MTPA with C.I. of Rs. 130.86 Crs. PP has also obtained consent</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>to establish vide dtd. 23.03.2024 for Construction of Warehouse and other facilities development for Upgradation, equipping and operation, maintenance, and transfer of Shallow Water Berth at JNPA – 18000 Sq.M.</p> <p>Committee further noted that, PP has submitted that IE generation is nil. DE presently disposed through septic tank and proposed STP is on MBBR based of 10 CMD capacity with existing bio-toilets. PP has submitted that membership of CHWTSDF is obtained for disposal of HW and non HW is disposed by sale and JNPA facility. BG is submitted. PP has submitted that JNPA will continue with the earlier practice of renewal of consent to operate in existing JNPA container without operation and JNPA has made Concession of agreement with NSFTPL and NSDTPL on PPP basis for 30 years and applied for terminal 3 no berths and shallow water berths (2 Nos) separately to split the consents by keeping original consent as facilitator.</p> <p>After due deliberation, it was decided to split the consent by keeping original consent without operation as a facilitator and by imposing standard conditions and BG of Rs. 25.0 Lakh for compliance of consent conditions.</p>
85	MPCB- CONSENT- 0000209545	JNPA- Nhava Sheva Free Port Terminal Pvt LtdNA Sheva, Navi Mumbai Uran	APPROVED  Renewal of consent to operate (Split)	31.03.2026	<p>Committee noted that, PP has Applied for split of existing renewal of consent to operate for All A, B, C Class of cargos for receipt and distribution will be handled by JNPT container Terminal 3 Nos- length 680 meters including list of 69 items of material of Total handling quantity – 22.1 out of 26.6 MTPA.</p> <p>Committee also noted that, previous application, UAN No. 173457 was refused by the Board vide dtd. 13.05.2024 for non-submission of information. PP has submitted Award of concession vide dtd.30.03.3023 with Nhava Sheva Freeport Pvt. Ltd. On PPP basis for 30 years period. PP</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>has obtained EC for Nhava Sheva Port Project vide dtd.16.09.1988 which has been awarded before EIA Notification 2006 and obtained Environmental and CRZ Clearance granted by MOEFCC vide dated 15/03/2024 for Widening of Existing Container Berth at Jawaharlal Nehru Port, Navi Mumbai, Maharashtra (Cargo Handling Capacity of 22.1 MTPA). PP has obtained consent to operate vide dtd. 19.03.2021 for Handling of Containers Dry and Liquid bulk cargos at following terminals 1) JNPT Container Terminal having 3 Nos of berth, length 680 Mtrs &amp; shallow water berth having 2 Nos of berth &amp; length of berth and container storage area for this both is 61.5 Ha. 2) All A, B, C Class liquid cargos for receipt and distribution will be handled by JNPT container Terminal and shallow water berth including list of (69 items) material of Total handling quantity– 26.6 MTPA with validity upto 30.09.2025 with C.I. of Rs. 3640.5 Crs.</p> <p>Committee further noted that, Now, PP has applied for renewal of consent to operate for All A, B, C Class of cargos for receipt and distribution will be handled by JNPT container Terminal 3 Nos- length 680 meters including list of 69 items of material of Total handling quantity – 22.1 out of 26.6 MTPA with C.I. of Rs. 872.16 Crs. PP has also obtained consent to establish vide dtd.23.10.2023 for Expansion for widening of existing container berth by 15.0 Mtrs towards land side for smooth vehicles maneuvering for keeping hatch covers vide dtd 23/10/2023. PP has submitted that IE generation is nil. DE presently disposed by septic tank and proposed STP MBBR based of 60 CMD against 50 CMD domestic effluent with capacities of 5 KLD 6 Nos, 10 KLD and 20 KLD each. PP has submitted that membership of CHWTSDF is obtained for disposal of HW and non HW is disposed by sale and JNPA facility. BG submitted. PP has</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>submitted that JNPA will continue with the earlier practice of renewal of consent to operate in existing JNPA container without operation and JNPA has made Concession of agreement with NSFTPL and NSDTPL on PPP basis for 30 years and applied for terminal 3 no berths and shallow water berths (2 Nos) separately to spilt the consents by keeping original consent as facilitator.</p> <p>After due deliberation, it was decided to split the consent by keeping original consent without operation as a facilitator and by imposing standard conditions and BG of Rs. 25.0 Lakh for compliance of consent conditions.</p>
86	MPCB- CONSENT- 0000208850	Godrej & Boyce Mfg. Co. Ltd., at South side of Khalapur – Pen Road, Village Vadval & Tambati Khalapur	APPROVED  Consent to 1 <sup>st</sup> Operate (Part) Expansion & amalgamation with existing consent.	31.12.2028	<p>Committee noted that PP applied for 1st C to O for part Expansion &amp; it's amalgamation in existing C to O.</p> <p>Committee further noted that PP has obtained Environment Clearance.</p> <p>Committee further noted that PP provided ETP comprises Primary, Secondary and Tertiary treatment with RO.</p> <p>Committee also further noted that PP provides cyclone dust collector followed by bag filter as an APC.</p> <p>After due deliberation, it was decided to grant 1st C to O for part Expansion &amp; it's amalgamation in existing C to O and by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 50 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. Industry shall comply with EC &amp; Consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
87	MPCB- CONSENT- 0000210212	KALIKA STEEL ALLOYS PVT LTDPlot NoC- 7,C-8, C-9, C- 10/1, C-10/2, C- 10/3 & C-11 PHASE- I, ADDITIONAL MIDC, JALNA JALNA	APPROVED  Renewal of consent with Consent to 1 <sup>st</sup> operate expansion	30.06.2029	<p>Committee noted that PP has applied for Renewal of Consent to operate with 1st C to O for expansion for the manufacturing of MS Billets – 1360 + 440 = 1800 MT/d, MS TMT bars/structural steel, angle, channels – 1360 + 440 = 1800 MT/d.</p> <p>Committee also noted that PP has obtained Consent to establish for expansion vide dated 12.05.2022 &amp; 1<sup>st</sup> Consent to Operate for expansion with amalgamation of existing consent vide dated 06.03.2023, valid up to 30.06.2024. PP has obtained EC for existing activity vide dated 30.09.2014 &amp; for expansion vide dated 10.06.2022. The Domestic Effluent is 50 CMD for the same, PP has provided STP of capacity 50 CMD.</p> <p>Committee further noted that PP has provided fume extraction system along with secondary emission control system to 4 Nos of induction furnaces of capacity 20 Ton, 30 Ton &amp; 40 Ton – 2 Nos respectively. Dust collection system to heating furnaces as an APCs. The JVS result of stack dated 21.08.2023 &amp; 28.11.2023 is well within limit for the parameter TPM. PP has submitted BG of Rs. 25 Lakh valid up to 31.10.2025 towards O &amp; M of PCs and compliance of consent &amp; EC conditions and BG of Rs. 10.0 Lakh, valid up to 09.06.2025.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Consent to operate with 1<sup>st</sup> C to O for expansion for the manufacturing of MS Billets – 1360 + 440 = 1800 MT/d, MS TMT bars/structural steel, angle, channels – 1360 + 440 = 1800 MT/d by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate the air pollution control system scientifically to achieve emission standards.</li> <li>2. PP shall comply with conditions stipulated in EC vide dated 30.09.2014 &amp; 10.06.2022.</li> <li>3. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of EC &amp; consent conditions.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
88	MPCB-CONSENT-0000210425	Dr. D Y Patil Medical College, Hospital and Research Institute E Ward, Kadamwadi	APPROVED  Combined Consent & BMW Authorization , Consent to Establish	Commissioning of unit or 5 years whichever is earlier.	<p>Committee noted that HCE has applied for Consent to Establish for expansion for construction of medical &amp; nursing college on total of 60,600 Sq.Mtr &amp; total BUA of 57,945.06 Sq.Mtr.</p> <p>Committee also noted the HCE has obtained Renewal of combine consent &amp; BMW authorization vide dated 24.07.2023, valid up to 31.03.2028 with CI Rs. 122.58 Crs for 810 beds hospital on total plot area of 60,600 Sq.Mtr &amp; built up area of 41,354 Sq.Mtr. HCE has obtained EC vide dated 24.06.2020 for hospital on total plot area of 60,600 Sq.Mtr &amp; construction BUA of 42,726.32 Sq.mtr. The IE- Nil, DE – 81 CMD. HCE has proposed to provide STP. The treated sewage will be used on land for gardening purposes &amp; remaining will be discharged into Municipal sewer line. HCE has provided STP with a capacity of 300 CMD for treatment of sewage generated from hospital to the tune of 295 CMD.</p> <p>Committee further noted, HCE has started the construction for the expansion without obtaining consent to establish which attracts the penal fees, the penal fee is of Rs. 626000/- (as per amnesty scheme), accordingly HCE has paid the same. Regional Officer Kolhapur had issued Interim Direction on 05.06.2024, mentioning EC for new building, Consent from the Board for new building, upgradation of ETP, forfeiture of BG of Rs. 1.0 Lakh and top up of BG of Rs. 2.0 Lakhs. Accordingly, PP has submitted reply of the same and mentioned that, as the proposed expansion construction is only for educational Building hence exempted from the EC. Now applied for C to E for the construction. PP has started the work of upgradation of the exiting ETP and will complete the same within one month.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for construction of medical &amp; nursing college on total of 60,600 Sq.Mtr &amp; total BUA of 57,945.06 Sq.Mtr by imposing following conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>1. HCE shall provide STP to treat the sewage generated from institute campus.</li> <li>2. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.</li> </ol>
89	MPCB- CONSENT- 0000211629	Vilasrao Deshmukh Government Medical College and Hospital Main Road Latur, Latur, Latur (M C), Latur	NOT APPROVED  Combined Consent & BMW Authorization , Consent to Operate	-----	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combined Consent &amp; BMW Authorization for 700 beds Hospital on total plot area of 10,921 Sq.Mtr &amp; total BUA of 79,337 Sq.Mtr.</p> <p>Committee also noted that previously, HCE has applied for 1<sup>st</sup> combine consent &amp; BMW authorization vide UAN no. 175378, dated 03.07.2023 which was refused due to non-submission of reply/any say towards SCN issued vide dated 11.12.2023.</p> <p>Committee further noted that.</p> <ol style="list-style-type: none"> <li>1. HCE has not submitted the details of Environment Clearance as total BUA is 79,337 Sq.Mtr.</li> <li>2. HCE has not provided ETP for treatment of effluent generated from laundry activity, pathological lab, operation theatre which is being discharged into Municipal drainage without any treatment.</li> <li>3. HCE has not paid additional fees of Rs. 11,25,000/- for grant of combine consent &amp; BMW authorization.</li> <li>4. HCE has not submitted the compliance report as per SCN issued vide dated 11.12.2023.</li> </ol> <p>After due deliberation, it was decided not to consider the case for 1<sup>st</sup> combine consent to operate &amp; BMW authorization &amp; issue SCN for refusal of consent due to above lapses &amp; non-compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
90	MPCB- CONSENT- 0000208769	Viraj Profiles Pvt. Ltd. Survey No- 40/3/1/A, 117/1/1, 117/4 Village Saravali Palghar	NOT APPROVED Consent to Establish for expansion	-----	<p>Committee noted that, PP has applied for grant of consent to establish for expansion manufacturing of Stainless steel forged &amp; finished Round Bar product- 28000 MT/A.</p> <p>Committee also noted that, PP has proposed to engage in manufacturing process of Reheating, forging, Annealing/quenching, cutting, turning &amp; polishing from ingot. PP has proposed to do expansion activity on adjacent plot area. PP has obtained renewal of consent vide dtd. 28.03.2022 for Stainless Steel Forged Products-2000 MT/M with validity upto 31.12.2026. PP has applied for nil trade effluent and proposed sewage 5.5 CMD will be treated in the existing STP.</p> <p>Committee further noted that, PP has proposed 3 PNG fired furnace with common stack height 30 meter. Recuperator is proposed as an APCS. PP has not submitted, requisite consent fees, BG, adequacy of STP and water supply details.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for Refusal of consent for above non-compliance.</p>
91	MPCB- CONSENT- 0000208086	Tube Investments of India Limited, Unit: Tube Products of India. Plot No. C-1 Phaltan Industrial Area Phaltan	APPROVED Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that, PP applied for first Consent to Establish for the propose to manufacture for CDW &amp; ERW Steel Tubes-4500 MT/M.</p> <p>Committee also noted that, Industry proposed to provide full-fledged ETP consisting of Oil Skimmer, Flash Mixer, Primary Clariflocculator, Aeration tank (iron oxidation), Secondary clariflocculator, Pressure sand filter, Iron removal filter, Activated carbon filter, UF &amp; RO System, Sludge Handling (Thickener &amp; Filter press) and Waste water handling, Zero liquid discharge system.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Industry has Proposed provide STP of 20 M3/day. Treated effluent is used for gardening within the premises.</p> <p>Industry has proposed to provide scrubber for Pickling Section.</p> <p>Committee further noted that, PP submitted revised layout plan for BUA – 18926 sq. mtr which not attract EC.</p> <p>After due deliberation, it was decided to grant, Consent to Establish., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions.</li> <li>2. Industry shall not exceed the BUA than given revised layout plan.</li> </ol>
92	MPCB- CONSENT- 0000211026	Dighi Port Limited (North side), Agardanda Tal. Murud, Dist. Raigad,	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that, PP has applied for Renewal of consent to operate for Port activities at Dighi (North Side), Phase-I having 2 no.s of Jetties/Berths (Multi-Purpose Births) and Facilities for storage and handling of Dry &amp; liquid cargos.</p> <p>Committee also noted that, PP has obtained EC vide dtd.30.09.2005 with Corrigendum of EC on 26.12.2005 for construction of 4 new multipurpose Berth and further on 27.01.2022 in respect of berth size. PP has obtained part consent to operate vide dtd. 2.03.2023 valid upto 30/06/2024 for Port activities at Agardanda (North Side), Phase-I having 2 no.s of Jetties/Berths (Multi-Purpose Births) and Facilities for storage and handling of Dry &amp; liquid cargos. PP has obtained consent to operate for Port activities at Dighi (South Side) Phase-I having 2 no.s of Jetties/Berths (Multi-Purpose Berths) and Facilities for storage and handling of General/Dry cargo, liquid cargos and container vide dtd.03.01.2024 with validity upto 30.11.2024.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>The committee further noted that, I.E. is Nil. and STP of capacity 15 CMD (MBBR Based) is in progress. Not justified adequacy of STP against 130 CMD swage. Additional DG sets of 3 nos of 350 KVA and 2 Nos of 1500 KVA installed in comparison with previous consent. PP has not submitted, latest Multi unit C.A. certificate with justification for decrease in C.I. from Rs. 334.01 Crs to Rs. 196.5183 Crs and balance sheet. CE and CRZ compliance, STP adequacy, clarification letter issued by MOEFCC for full project details on 6.02.2023, Non provision of material handling equipment's, Non submission of BG and handling capacity.</p> <p>After due deliberation, it was decided, not to consider the case and to issue Show Cause Notice for Refusal of consent for above noncompliance.</p>
93	MPCB- CONSENT- 0000214135	Sanvijay Rolling & Engineering Limited (Unit- B-2)Plot No. B-202 To B-206 MIDC Butibori Hingna	APPROVED  Renewal of consent	31.01.2027	<p>Committee noted that PP has applied for Renewal of Consent for the manufacturing of Steel billets/blooms &amp; structural steel i.e. angles, beams, girders, rounds, rods, circles, channels, etc. – 3,00,000 Ton/Y.</p> <p>Committee also noted that previously PP has obtained renewal of consent vide dated 28.10.2023 which is valid up to 20.01.2024 with CI of Rs. 285.32 Crs. Obtained EC vide dated 18.01.2006 for manufacturing Steel billets, slabs, ingots &amp; structural steel viz. angles, beams, gridles, channels, rods, etc., - 2.0 Lakh MT/Y. However, PP has not obtained EC towards remaining production of 1.0 Lakh MT/Y &amp; as per MoEF&amp;CC notification dated 07.06.2024, PP has applied for EC &amp; it is under process as ToR obtained vide dated 21.09.2021. PP has provided the ETP comprising primary treatment. The treated effluent is 100% recycled in process.</p> <p>Committee further noted that Common ACGC system comprising bag house to induction furnace, AOD converter with separate stacks, multicyclone type dust collector to reverberatory furnace as an APCs. The</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>JVS result of stack dated 22.06.2023 is not meeting with consented limit for the parameter TPM – 233 mg/Nm<sup>3</sup> against 50 mg/Nm<sup>3</sup> &amp; So<sub>2</sub> – 440 mg/m<sup>3</sup> against 300 mg/Nm<sup>3</sup>. The result of AAQM dated 22.06.2023 is not meeting with NAQ standards for the parameter PM – 208 microgram/m<sup>3</sup>. PP has submitted BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions which is valid up to 13.09.2024.</p> <p>After due deliberation, it was decided to consider the case Renewal of Consent for the manufacturing of Steel billets/blooms &amp; structural steel i.e. angles, beams, girders, rounds, rods, circles, channels, etc. – 3,00,000 Ton/Y following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall obtain EC as per MoEF&amp;CC Notification vide No. S. O. 2215 (E), dated 07.06.2024.</li> <li>2. PP shall 100% recycle the treated effluent in process to achieve ZLD.</li> <li>3. PP shall achieve emission standards stipulated in consent.</li> <li>4. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</li> </ol>
94	MPCB- CONSENT- 0000214056	Ganesh Benzoplast LtdPlot No. 7, JNPT Nhava Sheva JNPT Nhava Sheva Uran	APPROVED  Establish for expansion	Commissio ning of unit or 5 years whichever is earlier	<p>Committee noted that PP has applied for Consent to Establish for expansion in Non CRZ area for enhancement of existing Tanks such as T-135 by 500 KL, T-137 by 1500 KL, T-139 by 1000 KL, Tank – 140 D by 2352.28 KL, T-141 by 500 KL &amp; additional 7 Nos of tanks for storage &amp; handling of edible oil &amp; non-classified chemicals in tanks such as T-143 – 1583 KL, T 144- 273 KL, T 145 – 1100 KL, T 146 – 704 KL, T 147 – 275 KL, T 148 – 704 KL.</p> <p>Committee also noted that PP has obtained 1<sup>st</sup> consent to operate for expansion with amalgamation of existing consent vide dated 03.01.2023, valid up to 31.01.2025 with CI Rs. 181.82 Crs for total 41 Nos of tanks for storage &amp; handling of chemicals/products.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has provided ETP comprises primary, secondary treatment, the treated effluent is reused for floor washing. The JVS result of ETP outlet dated 20.04.2024 is well within limit &amp; JVS result of ETP outlet dated 07.05.2024 is not meeting with consented limit for the parameters BOD – 180 mg/l against 30 mg/l &amp; COD – 595.6 mg/l against 250 mg/l. Board office has issued PD vide dated 10.03.2023 due to i) As nala behind the industry found with effluent, physical appearance &amp; smell noticed like molasses, Board officials visited in &amp; around to industry, observed small traces of effluent at some places in the storm water drain near boundary, which is adjacent backside nala, ii) Industry has not comply with SCN issued by Board vide dated 28.09.2021.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion in Non CRZ area for enhancement of existing Tanks such as T-135 by 500 KL, T-137 by 1500 KL, T- 139 by 1000 KL, Tank – 140 D by 2352.28 KL, T-141 by 500 KL &amp; additional 7 Nos of tanks for storage &amp; handling of edible oil &amp; non-classified chemicals in tanks such as T-143 – 1583 KL, T 144- 273 KL, T 145 – 1100 KL, T 146 – 704 KL, T 147 – 275 KL, T 148 – 704 KL by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the provision of MSIHC Rules, 1989 &amp; amended thereto.</li> <li>2. PP shall upgrade the existing ETP to treat the effluent generated from expansion to achieve consented norms.</li> <li>3. PP shall submit/extend BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</li> </ol>
95	MPCB- CONSENT- 0000214461	ESIC HOSPITAL BIBVEWADI PUNEEMPLOYE ES STATE INSURANCE CORPORATION	APPROVED  Renewal of Combined Consent &	13.07.2027	Committee noted that HCE has applied for Renewal of Combine Consent to Operate & BMW Authorization for existing 100 beds Hospital on total plot area of 63,486.13 Sq.Mtr & total BUA of 11,887.31 Sq.Mtr.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		HOSPITAL MINISTRY OF LABOUR AND EMPLOYMENT GOVT OF INDIA, SURVERY NO 690 BIBVEWADI PUNE 411037 MAHARASHTRA, Pune (Municipal Corporation.), Pune	BMW Authorization		<p>Committee also noted that previously HCE has obtained 1<sup>st</sup> combine consent to operate &amp; BMW authorization vide dated 19.01.2023, valid up to 13.07.2024 and obtained consent to establish for expansion vide dated 24.12.2023 for 500 Beds hospital. Also, applied for EC for expansion vide proposal No. SIA/MH/Infra2/438280/2023, dated 27.07.2023 which is discussed &amp; approved in SEIAA meeting dated 17.10.2023.</p> <p>Committee further noted that, HCE has provided ETP &amp; STP of capacity 10 CMD &amp; 150 CMD and proposed to provide ETP &amp; STP of capacity 40 CMD &amp; 180 CMD for treatment of effluent/sewage generated from expansion. HCE has submitted BG of Rs. 1.5 Lkah, as per existing consent, valid up to 13.11.2024.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combine Consent to Operate &amp; BMW Authorization for existing 100 beds Hospital on total plot area of 63,486.13 Sq.Mtr &amp; total BUA of 11,887.31 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall operate ETP &amp; STP to achieve consented norms.</li> <li>2. HCE shall submit/extend BGs as per HCE BG regime.</li> <li>3.</li> </ol>
96	MPCB- CONSENT- 0000215493	Development of Greenfield Port at Vadhavan, District Palghar, Maharashtra Vadhavan, District Palghar, Maharashtra Vadhavan, District Palghar, Maharashtra Dahanu	APPROVED  Consent to Establish	Commissio ning of the unit or 5 years whichever is earlier	<p>Committee noted that, PP applied for consent to establish Phase-I of proposed development of Greenfield Port at Vadhavan, Tal. Dahanu, District Palghar by Jawaharlal Nehru Port Authority (JNPA).</p> <p>Committee also noted that the total area of the project is 17,471 ha out of which 16,900 ha has been declared as Port Limit and 571 ha outside Port Limit for the Road and Rail Connectivity. The cargo handling capacity of the port would be 298 MTPA. Total Reclamation and land filling area is 1,448 ha (1162 ha. in Phase-1) in offshore area with quantity of 200 Mcum. Breakwater is of total length 10.14 km. Phase I comprises of container terminal, with total berth of 9000 m ( 4 terminals in Phase I and (5 terminals in phase 2 each of 1000 m), capable of handling vessels size of 24,000 TEU &amp; above, Multipurpose berths of 1000 m (4 berths each of 250 m), 1</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Ro-Ro berth of 250 m including storage and onshore facilities Four (4 Nos). Yet construction has not started. PP has obtained EC vide dtd. 16.02.2024 and project is located in the ecologically fragile area in Dahanu Taluka Palghar District. DTEPA is the Monitoring Authority and DTEPA has granted permission to establish a major port at Dahanu Taluka in the off-coast of Vadhavan on 31st July 2023. Trade effluent generation is nil and water consumption is 4000 CMD and proposed sewage generation is of 3500 CMD. For which, PP has proposed to construct STP of 250 CMD capacity (2 nos), 500 CMD capacity (2 nos) and 1000 CMD (2 Nos) with SBR technology. Bio toilets proposed to be provided on the berths. HW is to be disposed through Auth. Recycler/CHWTSDF.</p> <p>Committee further noted that, Hon'ble Bombay High Court Writ Petition No. 677 OF 2024 is disposed with directions to the JNPA and MPCB regarding Public Hearing. Hon'ble Bombay High Court, PIL No.14 of 2024 and Writ Petition No. 15320 of 2023 have dismissed stating as Court do not find any justifiable ground to interfere with the approval granted by the DTEPA. DTEPA is an Authority has considered all relevant aspects having material bearing on the issue as to whether approval should be granted to the Greenfield Port. It has also proposed mitigation measures by constituting a Monitoring Committee for different subjects to have constant monitoring. A Grievance Committee has also been constituted for considering the grievances of all stakeholders as well as all those concerned with the project. Before the Hon'ble Supreme Court matters are tagged as <b>a.</b> 21094/2021 Filed on 06-09-2021, <b>b.</b> 885/2020 W.P.(C) No. 000287/ 2020, <b>c.</b> 21094/2021 C.A. No. 005718 - 005719 / 2021, <b>d.</b> 8844/2021 W.P.(C) No. 001093 - / 202, <b>e.</b> 28358/2021 C.A. No. 007008 -007009 / 2021 and same matter is listed on 13.08.2024. Before the Hon'ble Bombay High Court Civil-W.P. 9473 of 2023 {(L) No.17261 of 2023} are pending.</p> <p>After due deliberation, it was decided to consider the case for grant of consent to establish Phase-I of proposed development of Greenfield Port at Vadhavan, Tal. Dahanu, District Palghar by Jawaharlal Nehru Port Authority (JNPA) by imposing standard and following conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in Environmental clearance granted by the MOEFCC, Govt of India obtained vide File No. 10-52/2020-IA-III dtd. 16.02.2024.</li> <li>2. PP shall obtain Forest Clearance for diversion of forest land as per Forest (Conservation) Act, 1980 for the proposed road alignment if the proposed alignment is to pass through the forest area and proponent shall submit an undertaking for the same as per EC.</li> <li>3. No Petroleum Oil (POL) Jetty shall be established in the port area.</li> <li>4. No liquid petroleum product storage and handling shall be carried out in the port facility.</li> <li>5. Construction activity shall be carried out strictly according to the provisions of the CRZ Notification, 2019. No construction works other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.</li> <li>6. All the recommendations and conditions specified by the Maharashtra Coastal Zone Management Authority vide letter No. IA/MH/CRZ/439228/2023 dated 06th February, 2024 shall be implemented in letter and spirit.</li> <li>7. PP shall establish an independent Monitoring Committees to oversee the project as per EC.</li> <li>8. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed emission standards.</li> <li>9. The project proponent shall install a system to carry out Ambient Air Quality monitoring with at least 4 locations within and outside the project area.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>10. PP shall submit the BG of Rs. 25.0 Lakh towards compliance of consent and EC conditions.</p> <p>11. This consent is issued without prejudice the any Hon'ble court order/Direction.</p>
97	Review Item	ABPL Propcon LLP., Plot No 1, Vill Ghorpadi, Tal Haveli Pune	NOT APPROVED AMMEDMENT	-----	<p>PP has applied for amendment in consent regarding stack height of Stack height. PP has submitted report stating sulphur content 0.25% of HSD.</p> <p>After due deliberation, it was decided to not to consider PP's request regarding change in stack.</p>
98	MPCB- CONSENT- 0000201606	Sunshield Chemicals Ltd., 31/7, 32/4, 32/5, 33/1, 33/2, 33/3 Village - Wave Sudhagad Dist. – Raigad	APPROVED Consent to Establish for expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied Consent to Establish for expansion for construction of warehouse for storage of raw material &amp; finished goods on total plot area of 21240 Sq.Mtr &amp; construction BUA of 5385.68 Sq.Mtr and additional 5 TPH boiler.</p> <p>Committee also noted that Industry has obtained renewal of consent dated 19.03.2021 which is valid up to 28.02.2026 with CI Rs. 116.15</p> <p>Committee further noted that PP has proposed to provide 5 TPH briquette fired boiler with wet scrubber. The boiler steam will be used to heat the product viz Diphenyl amine, phenol, tri starented phenol, etc., which will be stored in solid state &amp; process purpose they require in molten &amp; liquid state.</p> <p>After due deliberation, it was decided to grant Consent to Establish for expansion for construction of warehouse for storage of raw material &amp; finished goods on total plot area of 21240 Sq.Mtr &amp; construction BUA of 5385.68 Sq.Mtr and additional 5 TPH boiler by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>1. PP shall provide adequate air pollution control system to proposed 5 TPH boiler.</li> <li>2. PP shall submit/extend BG to form the sum of Rs. 25.0 Lakh towards compliance of consent conditions.</li> </ol>
99	MPCB-CONSENT-0000195208	Haier Appliances (India) Pvt. Ltd., Plot B-3, MIDC Ranjangaon, Taluka. Shirur, District. Pune. 412220	APPROVED 1 <sup>st</sup> Consent to Operate for expansion with Renewal of Consent.	28.02.2028	<p>Committee noted that PP applied for 1st Consent to Operate for Expansion with amalgamation of existing Renewal of Consent.</p> <p>Committee also noted that, the existing consent is valid up to 28.02.2028 and obtain C to E for expansion on 24.12.2023.</p> <p>Committee further noted that, industrial effluent generated from Leakage testing of equipment's, they have provided ETP of capacity 30 CMD which is operated Batchwise. Daily generation of Domestic effluent is @90 CMD for which they have provided STP- 2 nos of each capacity 75 CMD. Treated effluent used for gardening.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate for Expansion with amalgamation of existing Renewal of Consent., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Existing BG is considered for same.</li> </ol>
100	MPCB-CONSENT-0000212920	ABIS Proteins Private Limited- Chicken Processing Plant. Plot No. 46, Sector No. 24, Auric Bidkin, Tal. Paithan, Dist.	APPROVED Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that, PP applied for consent to Establish for Chicken Processing - 72000 MT/Annum ( All Types of Food Products Including Meat and Meat Processed Products (Chicken)).</p> <p>Committee also noted that, PP proposed that Primary treated wastewater will be send to CETP Auric Bidkin for further disposal. the sewage effluent will be generated 15 CMD and sewage effluent will be sent to Common</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Chatrapati Sambhaji Nagar			<p>STP at Auric Bidkin for further disposal. Industry will provide Boiler of 12 TPH with Bag filter and stack height 30 mtr.</p> <p>Committee further noted that as per application BUA – 42411.99 sq.mtr. which attracts Environmental Clearance.</p> <p>After due deliberation, it was decided to grant Consent to Establish, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions.</li> <li>2. PP shall not take effective steps for establishment till obtain Environmental Clearance.</li> </ol>
101	MPCB-CONSENT-0000216727	SSPM Medical College and Lifetime Hospital, Gat No. 1400, A/p. Padave, Tal. Kudal, Dist. Sindhudurg	APPROVED  Combined Consent & BMW Authorization , Consent to Operate	31.07.2027	<p>Committee noted that HCE has applied for Renewal of Combined Consent to Operate &amp; BMW Authorization with expansion for 350 (existing) + 300 (increased) = 650 beds Hospital on existing total plot area of 1,49,250 Sq.Mtr &amp; total BUA of 31,415.86 Sq.mtr.</p> <p>Committee also noted that previously HCE has obtained combined consent to operate &amp; BMW authorization vide dated 18.11.2022 which is valid up to 31.07.2024 for Hospital – 350 Nos of beds on total plot area of 1,49,250 Sq.Mtr &amp; total BUA of 31,415.86 Sq.mtr. The IE- 2.5 CMD, DE – 25.0 CMD which is not proper as compared to number of beds. HCE has not provided ETP. As per application, provided STP of capacity 400 CMD, however, its details not submitted.</p> <p>Committee further noted that HCE has submitted the application wrongly for consent to establish for 650 Beds instead of renewal of combine consent to operate &amp; BMW authorization with increase in number of beds. HCE has</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>installed the additional beds &amp; in use without obtaining consent which attracts the penal fees of Rs. 4,38,600/- which is not paid by HCE. HCE has not submitted the details of CTF membership, CA certificate, clarity on construction BUA for increased beds, BG details. HCE has increased the CI by Rs. 109.65 Crs towards increased number of beds by 300 Nos without obtaining consent to establish, for the same not paid fees of Rs. 2,19,300/- . HCE authority has paid consent fees of 3,29,300/-only for one term. The additional fees of Rs. 2,19,300/- + 4,38,600/- + 6,58,600/- = 13,16,500/- for grant of renewal of combine consent to operate &amp; BMW authorization with expansion for the period up to 31.07.2027.</p> <p>After due deliberation it was decided to consider the case for Renewal of Combined Consent to Operate &amp; BMW Authorization with expansion for 350 (existing) + 300 (increased) = 650 beds Hospital on existing total plot area of 1,49,250 Sq.Mtr &amp; total BUA of 31,415.86 Sq.mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE authority shall provide ETP to treat the effluent within next 3 Months.</li> <li>2. HCE authority shall upgrade the existing STP to treat the sewage generated from existing &amp; increased beds within next 3 Months.</li> <li>3. HCE authority shall operate the ETP, STP to achieve consented norms.</li> <li>4. HCE shall submit BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of CA certificate, details of BGs, BMW details, penal, STP ETP details &amp; consent fees.</p>
<p>The meeting is ended with vote of thanks.</p>					