

**REPORT ON  
AMBIENT NOISE MONITORING OF  
METROPOLITAN CITIES IN MAHARASHTRA–  
2017**



**MAHARASHTRA POLLUTION CONTROL BOARD**

**Kalpataru Point, 3rd Floor, Sion (East),  
Mumbai–400022**

**Website: [www.mpcb.gov.in](http://www.mpcb.gov.in)**

December, 2017

## **Foreword**

The lack of infrastructure and fast paced life in major metropolitan cities of India has made the urban environment extremely crowded, busy as well as noisy and as a result the people living these major metropolitan areas are suffering from the impacts of noise pollution. In order to access the impact of noise pollution, an Ambient Noise Level Monitoring Program is being initiated by Maharashtra Pollution Control Board in 27 Municipal Corporation across the state in 99 locations for a period of 24 hours. The survey is being conducted on 24<sup>th</sup> and 26<sup>th</sup> of December, 2017 considering a working and a non-working day), as per CPCB protocol. It is also aimed at generating long term ambient noise level data and trend, at the identified locations, by repeating the monitoring survey every year, since 2007.

This report contains the methodology and observations made during the study. Results are reported as  $L_{eq}$  day time,  $L_{eq}$  night time,  $L_{10}$ ,  $L_{50}$ ,  $L_{90}$ ,  $L_{max}$ ,  $L_{min}$  in dB(A) and are compared with ambient noise standards for the areas as well as with previous year's results.

Field monitoring of this study was conducted by M/s Ashwamedh Engineers & Consultants C. S. L, Nashik and was supported by all Regional offices of the Board, in the field. The entire study work including planning, co-ordination and report preparation was done at PAMS division of the Board, The contributions of Dr. Vidyanand Motghare, Joint Director (Air), Shri. S.C. Kollur and Shri. Salil Save are appreciated.

## CONTENTS

<b>ABBREVIATIONS .....</b>	<b>3</b>
<b>INTRODUCTION.....</b>	<b>4</b>
<b>SOUND .....</b>	<b>4</b>
<b>AMBIENT NOISE MONITORED AT METROPOLITAN CITIES - 2016.....</b>	<b>5</b>
<b>METHODOLOGY OF THE SURVEY.....</b>	<b>6</b>
<b>RESULTS.....</b>	<b>7</b>
1. <b>MUMBAI SOUTH .....</b>	<b>7</b>
2. <b>THANE .....</b>	<b>9</b>
3. <b>PUNE .....</b>	<b>11</b>
4. <b>NASHIK.....</b>	<b>12</b>
5. <b>AURANGABAD .....</b>	<b>14</b>
6. <b>NAGPUR .....</b>	<b>15</b>
7. <b>KALYAN.....</b>	<b>17</b>
8. <b>AMRAVATHI.....</b>	<b>18</b>
9. <b>JALGAON .....</b>	<b>19</b>
10. <b>KOLHAPUR .....</b>	<b>21</b>
11. <b>SANGLI .....</b>	<b>23</b>
12. <b>MIRA - BHAYANDER .....</b>	<b>24</b>
13. <b>VASAI - VIRAR .....</b>	<b>26</b>
14. <b>ULHASNAGAR.....</b>	<b>27</b>
15. <b>BHIWANDI - NIZAMPUR .....</b>	<b>28</b>
16. <b>CHANDRAPUR .....</b>	<b>30</b>
17. <b>NANDED - WAGHALA.....</b>	<b>31</b>
18. <b>AHMEDNAGAR.....</b>	<b>33</b>
19. <b>DHULE .....</b>	<b>34</b>
20. <b>MALEGAON.....</b>	<b>36</b>
21. <b>PIMPRI - CHINCHWAD .....</b>	<b>37</b>
22. <b>PARBHANI .....</b>	<b>38</b>
23. <b>LATUR.....</b>	<b>40</b>
24. <b>AKOLA .....</b>	<b>41</b>
25. <b>SOLAPUR .....</b>	<b>42</b>
<b>CONCLUSION.....</b>	<b>7</b>
<b>DEFINITIONS .....</b>	<b>45</b>
<b>ANNEXURE I - DETAILED LIST OF LOCATIONS .....</b>	<b>47</b>
<b>ANNEXURE II - SOUND LEVEL METER .....</b>	ERROR! BOOKMARK NOT DEFINED.
<b>ANNEXURE III - NOISE POLLUTION (R &amp; C) RULES, 2000 AMENDMENT DT. 21ST APRIL 2009 .....</b>	<b>52</b>
<b>ANNEXURE IV -HOURLY NOISE LEVELS DURING METROPOLITAN CITIES - 2016</b>	<b>54</b>

## **Abbreviations**

**CPCB** Central Pollution Control Board

---

**dB** Decibel

---

**dB(A)** Decibels with "A" weighting

---

**EPA** Environmental Protection Act, 1986

---

**Hz** Hertz

---

**MPCB** Maharashtra Pollution Control Board

---

**KHz** Kilo Hertz

---

**L<sub>Aeq</sub>** Equivalent continuous A-weighted sound pressure level (dB)

---

**L<sub>max</sub>** Maximum sound pressure level (dB)

---

**L<sub>min</sub>** Minimum sound pressure level (dB)

---

**SPL** Sound Pressure Level

## Introduction

Noise pollution is considered as the environmental pollution caused in the environment by the excess level of noise through many sources. Noise pollution is also known as the noise disturbance. Excessive noise is harmful to the health and cause imbalance to the human or animal life. It has been a massive environmental issue in India which needs a proper attention to be solved however it is less dangerous than the water, air and soil pollution. Outdoor noise is hugely caused by the sources like machines, transportation systems, poor urban planning (construction of side-by-side industrial and residential buildings), etc. Indoor noise sources are household machines, building activities, loud music, etc. The most common impairment caused by the noise pollution is the permanent hearing loss due to ear drum damage.

Noise pollution has become one of the big problems in India affecting the human lives in many ways. We all should know the causes, effects and most importantly the preventive measures of the noise pollution in order to get prevented from the effects of it. There are many preventive measures of the noise pollution, some are like promoting soundproof rooms construction in the industries, industries and factories should be away from the residential building, repairing of motorbikes having damaged exhaust pipes, ban of noisy vehicles, airports, bus, railway stations and other transport terminals should be far from the living places, declaring silence zones near educational institutes and hospitals, allowing more vegetation along with roads and residential areas in order to reduce noise pollution by absorbing sound.

## Sound

Sound is usually made up of a wide range of different frequencies. The spread of sound energy across the audible frequency "spectrum" (about 20Hz – 20 kHz) is one factor that helps to make it identifiable to the human ear. The human ear is a very sensitive system with an extensive dynamic range. To accommodate this very large range, sound levels are measured using the **decibel (dB) scale**.

A sound level meter theoretically has a flat response, in other words it responds exactly the same at different frequencies. Unlike a sound level meter, the human ear responds differently at different frequencies, so a weighting, or filter, can be used so that the meter responds more like the human ear. The most commonly used weighting is referred to as the 'A' weighting and readings are usually measured in dBA. The "**Sound Pressure Level" (SPL)**" is twenty times the logarithm to the base 10 of the ratio of the effective pressure (p) of a sound to the reference pressure (Pr) of 20  $\mu\text{Pa}$ . Thus the sound pressure level in dB =  $20 \log_{10} P/Pr$ .

In most cases, the sound and noise we hear are not steady. Apart from variation in tones, the magnitude or the sound pressure level of a sound or noise changes with time. The equivalent continuous noise level ( $L_{eq}$ ) is the sound pressure level of a steady sound that has, over a given period, the same energy as a fluctuating sound in question. It was calculated using following equation:

$$L_{eq,T} = 10 \log \left( 1 / n \sum_{i=1}^n 10^{\frac{L_i}{10}} \right)$$

Where,  $L_i$  = levels observed at an equally spaced time during interval T.

The sound level limits specified by CPCB, represent the general limitation on noise produced by noise sources. Some noises, however, are annoying no matter where or in what kind of environment they exist. High level impulsive noises represent a special category and, consequently, are restricted by an absolute limitation.

The noise standards for firecrackers were notified by the environment (Protection) (Second Amendment) Rules, 1999 vide G.S.R682 (E), dated the 5<sup>th</sup> Oct, 1999 and

inserted as serial no. 89 of Schedule I of the Environment (Protection Rules), 1986. Subsequently these Rules were amended by the Environment (Protection) Second Amendment Rules, 2006 vide G.S.R. 640(E), dated the 16<sup>th</sup> October, 2006, under the Environment (Protection) Act, 1986).

**According to these standards the manufacture, sale or use of fire-crackers generating noise level exceeding 125 dB (A) at 4 meters distance from the point of bursting shall be prohibited** (For more details, refer **Annexure-IV**).

The Central Pollution Control Board (CPCB) constituted a National Committee of Experts on Noise Pollution Control. The Committee recommended noise standards for ambient air and for automobiles, domestic appliances and construction equipment, which were later notified under The Environment (Protection) Act, 1986 as given below:

**Table 2.1: Standards of Noise Levels under EPA (1986)  
Noise Pollution (Regulation & Control) Rules, 2000**

<b>Area Code</b>	<b>Category of Area</b>	<b>Limits in dB(A) L<sub>eq</sub></b>	
		<b>Day time</b>	<b>Night time</b>
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

**Note:**

1. Day time is reckoned from 6 A.M. To 10 P.M.
2. Night time is reckoned in from 10 P.M. and 6 A.M.
3. Silence zone is referred as areas within 100 meters around premises such as hospitals, educational institutions and courts. The Silence zones are to be declared by the Competent Authority.
4. Use of vehicular horns, loudspeakers and bursting of crackers shall be banned in these zones.
5. Mixed categories of areas should be declared as one of the four above mentioned categories by the Competent Authority and the corresponding standards shall apply.
6. State GR / Notification: Implementation Authority for Noise Rules in Maharashtra is enclosed at **Annexure-III**.

### **Ambient Noise Monitored at Metropolitan cities - 2017**

In order to assess the ambient noise levels in the environment during a working and a non-working day, Maharashtra Pollution Control Board (MPCB) has taken initiative to carry out Noise monitoring at 99 locations all over Maharashtra for 2 days period i.e. on 24<sup>th</sup> and 26<sup>th</sup> December, 2017 for 24Hrs. at various locations in different cities in Maharashtra. The main aim of the project is to determine the trends and variations of noise levels at various areas of the city in different land uses and to create awareness about noise pollution through availability of scientific noise level data.

## **Methodology of the survey**

The noise measurements were done using calibrated Sound Level Meters (Type II) made at the fast response mode keeping in view the quickly changing nature of noise levels, using 'A' filter.

The main purpose of noise monitoring was to find out the impact of noise generated during a working and a non-working day at the same location both days and during the same period.

The present study covered 25 Municipal Corporation having 99 locations all over the Maharashtra (Table 4.1). These locations comprised of mixed categories of area including Residential, Commercial and Silence zone. For detailed list of locations refer **Annexure -I**

**Table 4.1: Noise Monitoring Locations in Maharashtra**

<b>Sr.</b>	<b>City</b>	<b>Number of locations</b>
1.	Mumbai	15
2.	Thane	05
3.	Pune	05
4.	Nashik	05
5.	Aurangabad	03
6.	Nagpur	05
7.	Kalyan	03
8.	Amravathi	03
9.	Jalgaon	03
10.	Kolhapur	05
11.	Sangli	03
12.	Mira-Bhayander	03
13.	Vasai-Virar	03
14.	Ulhasnagar	03
15.	Bhiwandi-Nizampur	03
16.	Chnadrapur	03
17.	Nanded-Waghala	03
18.	Ahmednagar	03
19.	Dhule	03
20.	Malegaon	03
21.	Pimpri-Chinchwad	03
22.	Prabhani	03
23.	Latur	03
24.	Akola	03
25.	Solapur	05
<b>TOTAL</b>		<b>99</b>

## Results


### 1. Mumbai South

The noise level on antop hill was high on both day time & night time on the first day of noise monitoring with 76.2 dB(A) & 75.1 DB(A) respectively and also during the second day during night time with 64.4 dB(A). On the second day day time, the noise level was high at Santacruz was with 80.5 dB(A).

**Table 5.1: Ambient Noise Level in Mumbai**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Backside of High Court	24.12.2017	68.0	62.9	68.2	72.3	75.8	61.0
2.	Mumbadevi Temple	24.12.2017	62.3	57.5	59.7	70.9	72.9	56.5
3.	Borivali National Park	24.12.2017	59.2	54.0	57.6	67.4	69.4	53.1
4.	Antop Hill	24.12.2017	76.2	69.1	78.0	82.1	85.2	58.9
5.	Shivaji Park, Dadar	24.12.2017	72.2	69.8	72.0	77.5	80.2	61.0
6.	Santacruz Airport	24.12.2017	71.5	67.5	72.2	74.1	75.8	63.2
7.	Ghatkopar (W)	24.12.2017	65.5	59.0	64.1	73.2	74.1	56.7
8.	Vashi Naka, Chembur	24.12.2017	73.5	66.0	73.5	79.3	83.5	62.1
9.	Goregaon (E)	24.12.2017	68.7	61.8	66.5	81.6	92.3	56.4
10.	Charkop, Kandivali	24.12.2017	66.7	64.4	66.7	70.4	72.3	58.6
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Backside of High Court	24.12.2017	55.0	41.4	58.7	66.1	69.5	38.6
2.	Mumbadevi Temple	24.12.2017	48.8	37.8	47.1	60.8	61.5	36.3
3.	Borivali National Park	24.12.2017	51.3	48.6	49.6	55.2	56.3	48.4
4.	Antop Hill	24.12.2017	75.1	64.2	72.7	87.6	89.6	61.2
5.	Shivaji Park, Dadar	24.12.2017	55.1	39.3	53.5	72.0	76.9	38.5
6.	Santacruz Airport	24.12.2017	69.6	64.8	68.3	77.3	78.1	64.4
7.	Ghatkopar (W)	24.12.2017	52.9	43.0	46.8	70.1	72.3	42.8
8.	Vashi Naka, Chembur	24.12.2017	62.1	51.7	61.2	74.8	77.3	51.1
9.	Goregaon (E)	24.12.2017	65.2	47.5	55.4	93.5	95.7	46.5
10.	Charkop, Kandivali	24.12.2017	55.2	47.2	49.7	73.3	77.6	46.9
Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>

1.	Backside of High Court	26.12.2017	74.6	64.7	72.1	86.6	88.9	63.3
2.	Mumbadevi Temple	26.12.2017	75.8	66.8	75.2	86.2	89.0	65.2
3.	Borivali National Park	26.12.2017	67.9	59.2	69.1	76.0	78.9	52.2
4.	Antop Hill	26.12.2017	77.1	64.0	80.2	84.5	88.0	56.5
5.	Shivaji Park, Dadar	26.12.2017	78.6	70.2	80.3	85.7	88.2	58.3
6.	Santacruz Airport	26.12.2017	80.5	71.6	81.3	88.2	90.2	64.9
7.	Ghatkopar (W)	26.12.2017	79.7	71.4	81.6	86.1	88.2	60.0
8.	Vashi Naka, Chembur	26.12.2017	80.1	64.2	83.7	88.3	89.2	55.5
9.	Goregaon (E)	26.12.2017	73.2	65.3	73.1	82.5	85.7	59.2
10.	Charkop, Kandivali	26.12.2017	76.4	68.4	76.6	83.4	84.0	63.3
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Backside of High Court	26.12.2017	59.0	47.0	61.1	66.8	67.3	46.5
2.	Mumbadevi Temple	26.12.2017	54.4	41.8	55.2	64.3	67.6	40.3
3.	Borivali National Park	26.12.2017	47.9	41.6	43.9	58.5	62.0	40.8
4.	Antop Hill	26.12.2017	64.4	59.6	61.5	71.8	75.2	58.6
5.	Shivaji Park, Dadar	26.12.2017	61.9	52.5	61.3	70.8	79.3	51.4
6.	Santacruz Airport	26.12.2017	56.1	45.3	54.4	67.9	68.3	44.1
7.	Ghatkopar (W)	26.12.2017	59.7	50.9	59.7	68.3	72.1	47.1
8.	Vashi Naka, Chembur	26.12.2017	60.8	46.0	59.4	73.6	89.4	43.9
9.	Goregaon (E)	26.12.2017	51.8	36.3	49.4	75.0	78.2	36.2
10.	Charkop, Kandivali	26.12.2017	72.4	69.1	71.4	75.9	83.2	68.0

**Chart 5.1: Ambient Noise levels in Mumbai**

## 2. Thane


The highest noise level during day time on the first day monitored was observed at Wagle Estate with 74.6 dB(A) and Ghokhale road was found to have high noise levels during night time with 79.7 dB(A). On the second day the highest noise level both during day time and night time was observed at Gaondevi Mandir, Naupada with 80.3 dB(A) and 64.4 dB(A) respectively.

**Table 5.2: Ambient Noise Level in Thane**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Main Road- Gaondevi Mandir, Naupada	24.12.2017	65.1	54.4	67.1	71.6	72.0	44.8
2.	Tembhi Naka	24.12.2017	63.5	56.5	62.8	71.6	76.3	55.3
3.	Ghokhale Road	24.12.2017	71.5	61.2	72.6	82.0	83.9	54.6
4.	Pokharan - Vartak Nagar	24.12.2017	68.5	58.4	69.0	77.5	79.5	53.8
5.	Wagle Estate	24.12.2017	74.6	69.3	74.2	80.2	82.7	67.3
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Main Road- Gaondevi Mandir, Naupada	24.12.2017	54.9	41.2	53.3	68.7	68.8	41.0
2.	Tembhi Naka	24.12.2017	70.5	59.5	72.0	79.6	81.0	53.0
3.	Ghokhale Road	24.12.2017	79.7	66.8	79.6	91.9	92.9	64.1

4.	Pokharan - Vartak Nagar	24.12.2017	75.9	71.1	73.3	83.7	86.1	69.8
5.	Wagle Estate	24.12.2017	70.9	67.3	71.1	75.3	75.5	61.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Main Road- Gaondevi Mandir, Naupada	26.12.2017	80.3	72.1	81.6	87.0	87.4	60.3
2.	Tembhi Naka	26.12.2017	75.4	68.9	75.0	82.8	89.1	66.8
3.	Ghokhale Road	26.12.2017	76.1	70.8	76.8	80.7	82.3	60.8
4.	Pokharan - Vartak Nagar	26.12.2017	68.7	64.2	66.7	75.9	77.8	61.0
5.	Wagle Estate	26.12.2017	72.4	69.8	72.9	74.6	75.1	66.9
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Main Road- Gaondevi Mandir, Naupada	26.12.2017	64.4	57.4	63.3	72.4	75.4	54.3
2.	Tembhi Naka	26.12.2017	60.9	55.4	60.5	67.9	68.3	52.6
3.	Ghokhale Road	26.12.2017	63.6	58.1	63.5	70.2	71.7	54.3
4.	Pokharan - Vartak Nagar	26.12.2017	53.2	47.4	51.9	61.2	63.5	46.7
5.	Wagle Estate	26.12.2017	59.9	53.6	59.4	65.8	66.6	52.2

Chart 5.2: Ambient Noise levels in Thane




### 3. Pune

The highest noise level during day time on first day of monitoring was observed at Swargate with 70.3 dB(A) and during night time was observed at Visharantwadi with 54.9 dB(A). On the second day of noise monitoring, the highest level of noise during day time was observed at Hadapsar with 75.9 dB(A) and the highest noise level during night time was observed at Swargate with 53.9 dB(A).

**Table 5.3: Ambient Noise Level in Pune**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Nucleus Mall	24.12.2017	67.5	60.5	68.5	74.3	74.6	57.9
2.	Pune University	24.12.2017	69.2	63.2	69.7	73.0	78.7	59.1
3.	Swargate	24.12.2017	70.3	64.9	69.3	77.7	80.2	59.3
4.	Hadapsar	24.12.2017	68.4	61.8	67.8	75.1	77.3	60.3
5.	Visharantwadi	24.12.2017	63.8	59.7	63.0	69.0	71.1	58.4
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Nucleus Mall	24.12.2017	46.8	44.5	49.0	63.1	63.9	43.9
2.	Pune University	24.12.2017	52.0	45.3	49.0	61.5	66.3	44.3
3.	Swargate	24.12.2017	53.6	47.0	53.6	61.4	64.3	46.3
4.	Hadapsar	24.12.2017	50.1	44.0	47.9	60.5	62.5	43.2
5.	Visharantwadi	24.12.2017	54.9	44.7	48.8	61.4	65.7	43.6
Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Nucleus Mall	26.12.2017	66.3	59.5	66.7	71.6	74.1	59.1
2.	Pune University	26.12.2017	69.6	63.5	70.2	74.5	78.3	59.7
3.	Swargate	26.12.2017	71.6	64.4	71.1	78.7	81.9	62.5
4.	Hadapsar	26.12.2017	75.9	65.4	78.5	81.7	82.8	59.8
5.	Visharantwadi	26.12.2017	67.0	59.7	68.1	70.7	76.3	58.1
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Nucleus Mall	26.12.2017	52.7	43.4	49.8	62.9	74.1	59.1
2.	Pune University	26.12.2017	51.6	45.2	48.7	60.6	78.3	59.7
3.	Swargate	26.12.2017	53.9	47.2	53.6	61.1	81.9	62.5
4.	Hadapsar	26.12.2017	52.6	45.2	48.6	63.2	82.8	59.8
5.	Visharantwadi	26.12.2017	51.3	44.9	48.7	60.2	76.3	58.1

**Chart 5.3: Ambient Noise levels in Pune**

#### 4. Nashik


In Nashik the highest noise level on both the days for day time and night time was observed at Dwaraka Circle with 71.9 dB(A) on first day time and 66.2 dB(A) during first day night time and 72.1 dB(A) during second day time and 66.9 dB(A) during the second day night time.

**Table 5.4: Ambient Noise Level in Nashik**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dwarka Circle	24.12.2017	71.9	67.5	71.8	78.7	79.6	66.8
2.	Pandit Colony Near PMC	24.12.2017	57.5	50.7	60.3	61.7	62.5	49.4
3.	Pavan Nagar CIDCO	24.12.2017	58.1	51.2	59.6	61.6	62.1	50.2
4.	Bytco	24.12.2017	67.2	66.5	70.0	76.1	76.9	64.2
5.	Udyog Bhavan, Satpur	24.12.2017	67.1	61.8	67.8	71.6	71.9	60.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dwarka Circle	24.12.2017	66.2	63.4	65.5	68.9	70.1	60.4
2.	Pandit Colony Near PMC	24.12.2017	60.0	55.8	56.8	57.7	58.9	55.2

3.	Pavan Nagar CIDCO	24.12.2017	54.3	49.4	52.1	57.0	57.4	49.1
4.	Bytco	24.12.2017	61.1	58.9	60.7	63.6	65.8	58.4
5.	Udyog Bhavan, Satpur	24.12.2017	59.3	55.7	57.9	62.6	68.4	55.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Dwarka Circle	26.12.2017	72.1	66.9	71.7	77.3	79.4	65.4
2.	Pandit Colony Near PMC	26.12.2017	63.0	60.2	63.3	65.4	66.4	58.4
3.	Pavan Nagar CIDCO	26.12.2017	59.8	50.3	60.6	65.7	66.2	45.7
4.	Bytco	26.12.2017	71.6	68.4	70.5	75.8	76.4	67.3
5.	Udyog Bhavan, Satpur	26.12.2017	68.0	63.8	68.5	71.5	73.5	60.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Dwarka Circle	26.12.2017	66.9	64.9	66.3	69.4	69.5	64.3
2.	Pandit Colony Near PMC	26.12.2017	57.2	54.2	57.3	59.2	61.1	54.1
3.	Pavan Nagar CIDCO	26.12.2017	52.1	49.2	50.2	56.2	58.7	48.5
4.	Bytco	26.12.2017	65.9	60.5	66.6	69.8	70.5	57.9
5.	Udyog Bhavan, Satpur	26.12.2017	60.2	55.0	60.1	66.1	67.8	54.1

Chart 5.4: Ambient Noise levels in Nashik




## 5. Aurangabad

In Aurangabad the highest noise level on both the days for day time and night time was observed at Nirala Bazaar with 67 dB(A) on first day time and 55.5 dB(A) during first day night time and 68.1 dB(A) during second day time and 57.1 dB(A) during the second day night time.

**Table 5.5: Ambient Noise Level in Aurangabad**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ghati Hospital	24.12.2017	60.4	54.9	61.1	65.5	67.4	52.6
2.	Nirala Bazaar	24.12.2017	67.0	59.3	68.4	72.3	73.7	56.5
3.	CIDCO N-4	24.12.2017	63.1	56.9	64.7	67.1	69.1	54.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ghati Hospital	24.12.2017	50.6	45.7	51.4	54.7	56.2	44.6
2.	Nirala Bazaar	24.12.2017	55.5	50.7	54.7	62.0	63.5	48.2
3.	CIDCO N-4	24.12.2017	52.4	48.0	51.9	56.7	59.4	46.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ghati Hospital	26.12.2017	62.1	54.6	63.2	67.5	69.3	51.6
2.	Nirala Bazaar	26.12.2017	68.1	59.8	68.6	75.2	79.6	57.5
3.	CIDCO N-4	26.12.2017	65.2	60.9	65.3	68.9	70.6	58.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ghati Hospital	26.12.2017	53.0	48.9	52.7	57.3	58.6	47.2
2.	Nirala Bazaar	26.12.2017	57.1	52.4	56.8	62.4	64.8	50.4
3.	CIDCO N-4	26.12.2017	54.6	51.5	54.0	58.6	60.2	49.5

**Chart 5.5: Ambient Noise levels in Aurangabad**


## 6. Nagpur

In Nagpur the highest noise level on both the days for day time and night time was observed at Sitabardi Police Station with 69.3 dB(A) on first day time and 64.3 dB(A) during first day night time and 70.9 dB(A) during second day time and 66.5 dB(A) during the second day night time.

**Table 5.6: Ambient Noise Level in Nagpur**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Govt. Medical College	24.12.2017	61.7	56.9	61.8	67.6	70.6	53.4
2.	Sitabardi Police Station	24.12.2017	72.0	69.8	72.1	75.4	78.7	63.7
3.	Shivaji Nagar	24.12.2017	61.8	59.0	62.3	65.6	68.1	50.6
4.	Mahal	24.12.2017	64.8	57.8	66.2	69.8	70.8	55.2
5.	Sadar	24.12.2017	62.1	58.7	62.9	64.0	69.1	55.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Govt. Medical College	24.12.2017	45.1	38.0	44.3	53.3	55.1	36.6
2.	Sitabardi Police Station	24.12.2017	60.1	53.1	60.3	67.5	68.5	50.9

3.	Shivaji Nagar	24.12.2017	48.2	40.1	44.6	59.0	59.9	39.3
4.	Mahal	24.12.2017	58.4	53.9	56.5	65.6	68.5	52.8
5.	Sadar	24.12.2017	50.4	43.5	47.7	59.8	60.5	42.2
Sr.	Location	Date	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Govt. Medical College	26.12.2017	64.5	57.8	66.1	70.5	72.1	46.9
2.	Sitabardi Police Station	26.12.2017	72.8	70.3	73.0	75.6	77.7	62.7
3.	Shivaji Nagar	26.12.2017	65.3	62.2	64.7	69.7	71.3	59.6
4.	Mahal	26.12.2017	63.4	53.8	65.6	69.3	70.3	52.3
5.	Sadar	26.12.2017	63.5	60.2	63.6	68.2	69.6	54.0
Sr.	Location	Date	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Govt. Medical College	26.12.2017	42.3	36.1	41.4	51.1	52.4	36.0
2.	Sitabardi Police Station	26.12.2017	61.7	56.2	63.1	66.3	69.0	54.0
3.	Shivaji Nagar	26.12.2017	44.1	38.5	42.6	51.3	54.0	37.0
4.	Mahal	26.12.2017	59.2	54.1	58.8	64.2	68.5	53.6
5.	Sadar	26.12.2017	51.9	44.0	52.6	59.5	60.5	43.6


**Chart 5.6: Ambient Noise levels in Nagpur**

## 7. Kalyan

In Kalyan, bail bazaar had the highest noise level during day time with 77.5 dB(A) and Katemanivali had the higest noise level during night time with 72.3 dB(A). On the second day of noise monitoring, the highest noise level both during day time and night time was observed at Birla College with 73.5 dB(A) and 62.9 dB(A) respectively.

**Table 5.7: Ambient Noise Level in Kalyan**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Katemanivali	24.12.2017	74.8	70.3	73.0	81.3	89.9	68.9
2.	Birla College	24.12.2017	76.7	72.8	76.3	81.2	85.7	68.2
3.	Bail Bazar	24.12.2017	77.5	72.4	77.7	81.9	83.5	71.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Katemanivali	24.12.2017	72.3	65.9	70.8	81.0	85.5	64.6
2.	Birla College	24.12.2017	67.4	57.4	66.5	75.6	88.6	54.5
3.	Bail Bazar	24.12.2017	71.5	68.0	70.8	75.5	76.2	65.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Katemanivali	26.12.2017	72.3	68.3	71.3	77.9	81.3	67.2
2.	Birla College	26.12.2017	73.5	67.5	73.5	78.3	85.1	65.7
3.	Bail Bazar	26.12.2017	70.3	65.7	69.5	75.9	79.7	64.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Katemanivali	26.12.2017	56.4	45.4	54.1	70.6	76.5	40.3
2.	Birla College	26.12.2017	62.9	42.9	49.2	63.1	65.2	42.3
3.	Bail Bazar	26.12.2017	62.8	48.5	49.7	54.6	55.3	47.2

**Chart 5.7: Ambient Noise levels in Kalyan**


## 8. Amravathi

In Amravati the highest noise level on both the days for day time and night time was observed at Rajkamal Chowk with 74.1 dB(A) on first day time and 55.2 dB(A) during first day night time and 73.8 dB(A) during second day time and 56.3 dB(A) during the second day night time.

**Table 5.8: Ambient Noise Level in Amravathi**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ervin Hospital Square	24.12.2017	65.1	56.6	68.4	70.5	71.1	50.5
2.	Budhwara	24.12.2017	65.4	56.5	67.4	70.2	70.6	51.4
3.	Rajkamal Chowk	24.12.2017	74.1	66.3	75.1	82.7	84.2	53.1
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ervin Hospital Square	24.12.2017	47.3	40.2	46.8	56.4	58.0	38.0
2.	Budhwara	24.12.2017	47.7	39.9	46.9	57.6	60.3	39.3
3.	Rajkamal Chowk	24.12.2017	55.2	46.7	54.4	63.8	66.5	45.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Ervin Hospital	26.12.2017	64.8	57.1	66.6	69.5	70.0	54.8

Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Ervin Hospital Square	26.12.2017	49.0	42.0	49.8	56.7	58.4	41.1
2.	Budhwara	26.12.2017	50.0	45.2	48.7	57.4	58.2	44.5
3.	Rajkamal Chowk	26.12.2017	56.3	48.2	56.3	64.5	68.4	44.6


**Chart 5.8: Ambient Noise levels in Amravathi**

## 9. Jalgaon

Shashtri Tower Chowk was observed to have higher noise levels on the first day of noise monitoring during day time and night time and also on the second day during day time with 72.3 dB(A), 61 dB(A) and 74.7 dB(A) respectively. On the second day of the noise level monitoring the highest noise level during night time was observed at Shivaji Chowk with 60 dB(A).

**Table 5.9: Ambient Noise Level in Jalgaon**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Near Civil Hospital	24.12.2017	66.7	62.9	68.4	69.3	70.3	60.2
2.	Shivaji Chowk	24.12.2017	71.5	65.8	72.1	75.7	77.2	63.0
3.	Shashtri Tower Chowk	24.12.2017	72.3	64.9	74.0	76.9	77.6	62.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Near Civil Hospital	24.12.2017	56.6	52.2	57.2	60.8	61.5	50.2
2.	Shivaji Chowk	24.12.2017	60.6	56.8	59.8	64.9	64.9	55.9
3.	Shashtri Tower Chowk	24.12.2017	61.0	57.3	60.7	65.7	65.9	56.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Near Civil Hospital	26.12.2017	66.6	64.5	66.9	69.3	70.8	61.9
2.	Shivaji Chowk	26.12.2017	73.2	69.9	73.7	77.4	79.6	65.6
3.	Shashtri Tower Chowk	26.12.2017	74.7	70.9	75.3	78.2	79.9	64.0
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Near Civil Hospital	26.12.2017	57.5	51.5	58.1	61.6	63.4	51.3
2.	Shivaji Chowk	26.12.2017	60.0	55.7	58.3	65.9	66.8	54.9
3.	Shashtri Tower Chowk	26.12.2017	58.5	51.7	58.7	63.8	68.1	50.2

**Chart 5.9: Ambient Noise levels in Jalgaon**

## 10. Kolhapur


In Kolhapur, Rajarampuri chowk had the highest noise level during the first day of the noise monitoring with 78 dB(A). The highest noise level on the first day night time and second day both during day and night time was observed at Dabhorakar Corner with 54.9 dB(A), 79.4 dB(A) and 61.1 dB(A) respectively.

**Table 5.10: Ambient Noise Level in Kolhapur**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Collector Office	24.12.2017	78.0	69.1	78.6	83.7	85.4	65.8
2.	Shahupuri	24.12.2017	65.3	52.2	63.5	81.7	82.8	50.9
3.	Dasara Chowk	24.12.2017	68.2	57.6	68.1	78.5	80.9	54.6
4.	Tararani Putala	24.12.2017	69.5	61.9	70.9	74.9	80.6	56.7
5.	Shivaji Chowk	24.12.2017	68.8	60.9	70.1	74.7	78.1	53.9
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Collector Office	24.12.2017	46.8	34.2	42.4	66.2	67.2	33.9
2.	Shahupuri	24.12.2017	52.0	41.7	46.9	72.6	73.5	40.6
3.	Dasara Chowk	24.12.2017	53.6	41.8	51.5	71.2	76.8	41.7
4.	Tararani Putala	24.12.2017	50.1	42.2	45.3	65.5	67.9	41.6

5.	Shivaji Chowk	24.12.2017	54.9	43.4	51.0	68.4	68.6	43.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Collector Office	26.12.2017	77.9	73.9	78.8	81.1	84.5	64.8
2.	Shahupuri	26.12.2017	75.5	69.0	76.4	81.3	82.3	59.9
3.	Dasara Chowk	26.12.2017	79.3	76.4	79.7	83.0	87.5	67.5
4.	Tararani Putala	26.12.2017	76.7	73.6	77.1	79.4	80.2	72.7
5.	Shivaji Chowk	26.12.2017	79.4	75.0	79.1	82.9	91.1	71.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Collector Office	26.12.2017	55.6	46.2	53.2	65.2	79.8	46.0
2.	Shahupuri	26.12.2017	54.6	49.0	53.4	60.0	67.4	48.4
3.	Dasara Chowk	26.12.2017	51.5	44.0	50.3	61.0	65.4	41.9
4.	Tararani Putala	26.12.2017	54.1	45.1	49.1	69.3	70.7	42.2
5.	Shivaji Chowk	26.12.2017	61.1	48.8	56.0	77.3	83.2	47.7

Chart 5.10: Ambient Noise levels in Kolhapur




## 11.Sangli

In Sangli, the highest noise level on the day time on both the days was observed at Miraj Market with 70.6 dB(A) on the first day and 72.4 dB(A) on the second day. During night time, the highest noise level on the first day was observed at RajwadaChowk with 51.7 dB(A) and on the second day it was observed at Miraj market with 51.7 dB(A).

**Table 5.11: Ambient Noise Level in Sangli**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Harbhat Road	24.12.2017	67.2	62.4	66.9	72.4	75.4	61.9
2.	Rajwada Chowk	24.12.2017	68.2	63.9	69.3	72.5	72.7	61.6
3.	Miraj Market	24.12.2017	70.6	66.6	71.3	73.0	75.0	64.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Harbhat Road	24.12.2017	51.7	45.3	49.3	60.1	63.1	44.5
2.	Rajwada Chowk	24.12.2017	51.6	44.3	50.6	60.5	62.7	44.2
3.	Miraj Market	24.12.2017	51.6	45.3	51.1	58.8	62.5	44.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Harbhat Road	26.12.2017	69.9	63.5	71.7	73.2	75.6	60.8
2.	Rajwada Chowk	26.12.2017	68.1	61.7	68.5	73.0	73.9	57.3
3.	Miraj Market	26.12.2017	72.4	69.0	72.5	75.8	76.3	67.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Harbhat Road	26.12.2017	50.9	44.3	47.9	60.2	60.9	43.5
2.	Rajwada Chowk	26.12.2017	51.5	45.0	49.8	59.7	62.5	44.9
3.	Miraj Market	26.12.2017	51.7	44.0	50.6	60.2	65.7	43.9

**Chart 5.11: Ambient Noise levels in Sangli**

## 12. Mira - Bhayander


In Mira – Bhayander, the highest noise level on the first day of monitoring during day time and night time was observed at golden police chowki with 81.1 dB(A) and shivaji chowk Kashi meera with 60.9 dB(A) respectively. On the second day, the highest noise level both during day time and night time was observed at Bhakti Vedant Hospital, Tenkar pada with 71.5 dB(A) and Golden police Chawki with 72.5 dB(A) respectively.

**Table 5.12: Ambient Noise Level in Mira - Bhayander**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Bhakti Vedant Hospital, Tenkar pada	24.12.2017	79.2	64.2	82.0	88.4	89.5	51.8
2.	Golden police Chawki	24.12.2017	81.1	67.3	86.4	89.5	90.0	61.1
3.	Shivaji Chak Kashi meera	24.12.2017	65.3	59.6	67.0	69.5	69.7	54.6
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Bhakti Vedant Hospital, Tenkar pada	24.12.2017	60.6	52.3	59.0	70.0	73.2	50.3
2.	Golden police Chawki	24.12.2017	56.1	47.9	53.9	67.0	74.3	45.6
3.	Shivaji Chak Kashi	24.12.2017	60.9	52.6	62.1	67.6	68.7	51.1

	meera							
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Bhakti Vedant Hospital, Tenkar pada	26.12.2017	71.5	69.1	71.0	74.0	75.6	67.4
2.	Golden police Chawki	26.12.2017	64.7	58.0	63.2	74.2	78.3	56.3
3.	Shivaji Chak Kashi meera	26.12.2017	69.6	65.5	68.5	75.4	80.8	62.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Bhakti Vedant Hospital, Tenkar pada	26.12.2017	58.4	50.8	57.5	60.9	62.3	50.3
2.	Golden police Chawki	26.12.2017	72.5	53.2	57.8	76.5	79.5	51.2
3.	Shivaji Chak Kashi meera	26.12.2017	71.4	52.9	58.6	76.1	78.2	52.3

Chart 5.12: Ambient Noise levels in Mira - Bhayander




### 13. Vasai - Virar

The highest noise level at Vasai – Virar on both days of noise monitoring during day time was observed at Valiv phata with 80.1 dB(A) and 73.6 dB(A) respectively. During night time the highest noise level was observed at Valiv phata on the first day with 73.6 dB(A) and at N.B.Estate on the second day of noise monitoring with 68.2 dB(A).

**Table 5.13: Ambient Noise Level in Vasai - Virar**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Range office, Satwali	24.12.2017	73.6	60.9	77.6	79.2	80.0	55.2
2.	Valiv phata	24.12.2017	80.1	64.5	86.2	89.4	90.8	54.6
3.	N.B. Estate	24.12.2017	79.0	67.0	82.2	88.5	89.0	57.5
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Range office, Satwali	24.12.2017	50.8	30.6	51.0	73.4	80.3	30.5
2.	Valiv phata	24.12.2017	53.7	34.4	50.2	80.2	88.5	33.6
3.	N.B. Estate	24.12.2017	45.8	37.0	46.6	54.2	55.2	36.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Range office, Satwali	26.12.2017	65.5	53.1	66.8	74.5	78.5	48.9
2.	Valiv phata	26.12.2017	73.6	66.1	74.8	78.7	82.5	56.0
3.	N.B. Estate	26.12.2017	63.5	57.6	62.5	71.2	73.8	53.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Range office, Satwali	26.12.2017	65.5	43.0	50.0	68.9	72.2	42.4
2.	Valiv phata	26.12.2017	73.6	55.8	60.1	65.3	69.1	55.0
3.	N.B. Estate	26.12.2017	63.5	50.5	60.7	73.5	73.6	46.7

**Chart 5.13: Ambient Noise levels in Vasai - Virar**


#### 14.Ulhasnagar

In Ulhasnagar the highest noise level on both the days for day time and night time was observed at Gaol Maidan with 79.2 dB(A) on first day time and 54.9 dB(A) during first day night time and 68.4 dB(A) during second day time and 62.5 dB(A) during the second day night time.

**Table 5.14: Ambient Noise Level in Ulhasnagar**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Gaol Maidan	24.12.2017	79.2	62.9	83.7	87.3	88.6	53.1
2.	Doodh Naka	24.12.2017	77.7	64.8	80.8	85.4	87.5	56.7
3.	CHM college	24.12.2017	68.5	61.7	65.6	79.8	86.4	60.5
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Gaol Maidan	24.12.2017	54.9	42.2	48.0	78.7	79.3	40.0
2.	Doodh Naka	24.12.2017	49.2	43.7	46.2	59.2	63.7	42.2
3.	CHM college	24.12.2017	51.1	43.7	48.8	60.7	74.8	40.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>

1.	Gaol Maidan	26.12.2017	68.4	64.6	68.5	71.9	73.6	62.0
2.	Doodh Naka	26.12.2017	62.6	57.1	60.0	75.2	76.1	54.6
3.	CHM college	26.12.2017	59.5	54.5	60.3	62.6	62.9	53.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Gaol Maidan	26.12.2017	68.4	42.0	60.6	64.7	69.0	39.7
2.	Doodh Naka	26.12.2017	62.6	48.5	54.2	61.9	61.9	46.0
3.	CHM college	26.12.2017	59.5	43.5	45.6	53.9	55.1	42.6


**Chart 5.14: Ambient Noise levels in Ulhasnagar**

## 15. Bhiwandi - Nizampur

The highest noise level both during day time and night time on the first day of noise monitoring was observed at Dhamankar Naka with 72.3 dB(A) and 52.7 dB(A) respectively and The highest noise level both during day time and night time on the second day of noise monitoring was observed at Shelar Near Nadi naka with 68.4 dB(A) and 64.7 dB(A) respectively

**Table 5.15: Ambient Noise Level in Bhiwandi - Nizampur**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dhamankar Naka	24.12.2017	72.3	68.7	70.6	77.7	84.8	66.6
2.	Indira Gandhi Memorial Hospital	24.12.2017	69.3	64.2	67.1	80.3	81.7	63.1
3.	Shelar Near Nadi naka	24.12.2017	71.0	64.7	68.5	83.4	88.9	60.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dhamankar Naka	24.12.2017	52.7	41.4	48.4	68.0	75.8	40.1
2.	Indira Gandhi Memorial Hospital	24.12.2017	48.9	40.2	44.7	61.6	70.7	40.0
3.	Shelar Near Nadi naka	24.12.2017	45.8	38.1	45.2	52.5	66.6	37.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dhamankar Naka	26.12.2017	63.6	57.5	62.4	69.6	72.4	54.6
2.	Indira Gandhi Memorial Hospital	26.12.2017	67.6	59.4	68.8	77.6	80.1	52.2
3.	Shelar Near Nadi naka	26.12.2017	68.4	55.8	66.6	83.6	96.6	52.9
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dhamankar Naka	26.12.2017	63.6	58.5	61.7	67.6	68.4	56.8
2.	Indira Gandhi Memorial Hospital	26.12.2017	67.6	49.7	56.1	63.0	63.9	48.8
3.	Shelar Near Nadi naka	26.12.2017	68.4	54.3	62.1	68.0	70.4	50.6

**Chart 5.15: Ambient Noise levels in Bhiwandi - Nizampur**

## 16.Chandrapur


The highest noise level both during day time and night time was observed on the first day of monitoring at Jatpura Gate with 85 dB(A) and at Warora Naka 77.9 dB(A) respectively.

**Table 5.16: Ambient Noise Level in Chandrapur**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Warora Naka	24.12.2017	74.9	71.9	74.6	79.3	81.1	64.4
2.	Jetpura Gate	24.12.2017	71.9	69.9	71.9	74.3	75.2	68.0
3.	Gandhi Chowk	24.12.2017	85.0	81.1	86.0	87.4	95.7	67.5
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Warora Naka	24.12.2017	62.9	54.5	65.3	68.7	68.8	52.0
2.	Jetpura Gate	24.12.2017	65.1	60.0	65.0	70.7	71.0	56.8
3.	Gandhi Chowk	24.12.2017	66.9	57.9	68.9	73.8	78.1	56.8
Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Warora Naka	26.12.2017	76.9	73.1	78.9	80.5	81.8	66.8

2.	Jetpura Gate	26.12.2017	82.5	75.3	85.3	86.5	89.0	71.7
3.	Gandhi Chowk	26.12.2017	77.4	73.3	75.9	82.1	87.8	71.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Warora Naka	26.12.2017	58.9	51.9	58.7	65.7	69.6	51.8
2.	Jetpura Gate	26.12.2017	65.6	56.1	66.5	74.1	77.4	50.6
3.	Gandhi Chowk	26.12.2017	55.3	49.1	53.5	65.2	65.4	48.7

Chart 5.16: Ambient Noise levels in Chandrapur




### 17. Nanded - Waghala

Shivaji Nagar in Nanded – Waghala was observed to have the highest noise level both during day time and night time with 80.4 dB(A) and 65.7 dB(A) respectively which was shown on the first day of monitoring. .

Table 5.17: Ambient Noise Level in Nanded - Waghala

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Dr. Shankarao Chavan Govt. Medical College & Hospital Vishnupuri	24.12.2017	68.1	57.5	70.2	75.0	76.3	53.7

2.	District Court Station Road	24.12.2017	65.2	58.4	66.2	70.2	72.3	52.0
3.	Govt. Polytechnic College	24.12.2017	64.2	56.5	65.5	69.9	71.6	54.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dr. Shankaraao Chavan Govt. Medical College & Hospital Vishnupuri	24.12.2017	51.4	47.3	51.1	55.5	58.2	47.0
2.	District Court Station Road	24.12.2017	53.3	49.5	54.0	56.9	59.8	46.7
3.	Govt. Polytechnic College	24.12.2017	51.0	47.2	51.1	54.3	55.8	46.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dr. Shankaraao Chavan Govt. Medical College & Hospital Vishnupuri	26.12.2017	67.3	57.1	69.4	72.4	77.4	53.1
2.	District Court Station Road	26.12.2017	63.4	57.8	63.0	69.3	74.3	51.6
3.	Govt. Polytechnic College	26.12.2017	65.7	57.9	66.3	71.7	75.1	54.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Dr. Shankaraao Chavan Govt. Medical College & Hospital Vishnupuri	26.12.2017	56.8	48.5	54.3	60.7	68.3	46.2
2.	District Court Station Road	26.12.2017	53.7	49.5	52.4	58.4	63.4	48.3
3.	Govt. Polytechnic College	26.12.2017	51.9	48.9	51.4	55.2	56.3	47.1

**Chart 5.17: Noise levels on 18<sup>th</sup> & 19<sup>th</sup> January, 2016 in Nanded - Waghala**


### 18.Ahmednagar

Kotala Chawk was observed to have the highest noise level both during day time and night time during the noise monitoring of 3 days. The highest noise level during day time of 74.5 dB(A) was observed on the first day of monitoring and highest noise level during night time of 69.9 dB(A) was observed on the second day of monitoring.

**Table 5.18: Ambient Noise Level in Ahmednagar**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	KotalaChawk	24.12.2017	65.7	62.4	65.7	68.4	68.7	61.7
2.	Chitale Road	24.12.2017	65.9	61.5	65.9	69.9	71.2	61.0
3.	Old Bus Stand	24.12.2017	65.5	61.5	65.2	67.4	69.4	60.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	KotalaChawk	24.12.2017	64.2	58.8	60.1	61.7	62.3	57.4
2.	Chitale Road	24.12.2017	61.2	56.0	57.0	60.0	60.7	55.1
3.	Old Bus Stand	24.12.2017	65.7	55.9	58.2	60.5	61.1	55.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>

1.	KotalaChawk	26.12.2017	65.9	60.7	65.9	69.6	70.1	59.7
2.	Chitale Road	26.12.2017	65.4	61.1	66.0	69.7	70.9	59.7
3.	Old Bus Stand	26.12.2017	66.5	61.4	65.9	72.2	72.6	60.3
Sr.	Location	Date	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	KotalaChawk	26.12.2017	61.0	56.3	61.0	66.0	66.3	55.9
2.	Chitale Road	26.12.2017	57.0	54.9	56.7	59.6	60.1	54.1
3.	Old Bus Stand	26.12.2017	58.1	55.0	58.0	61.2	62.5	54.8

**Chart 5.18: Ambient Noise levels in Ahmednagar**

## 19.Dhule


In Dhule, Fulwala Chawk was observed to have the highest noise level both during day time and night time during the noise monitoring of 3 days. The highest noise level during day time of 77.3 dB(A) was observed on the first day of monitoring and highest noise level during night time of 80.2 dB(A) was observed on the second day of monitoring.

**Table 5.19: Ambient Noise Level in Dhule**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	AgrasenChawk	24.12.2017	69.4	61.4	65.6	68.2	69.7	59.3

2.	FulwalaChawk	24.12.2017	68.8	63.3	67.3	71.0	72.1	60.9
3.	Santoshi Mata Chawk	24.12.2017	70.8	64.8	67.3	70.4	72.4	60.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	AgrasenChawk	24.12.2017	65.4	61.7	63.8	65.4	66.9	60.4
2.	FulwalaChawk	24.12.2017	62.3	55.6	57.2	64.6	65.2	55.2
3.	Santoshi Mata Chawk	24.12.2017	66.2	55.8	59.3	64.0	65.4	55.2
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	AgrasenChawk	26.12.2017	68.6	66.0	68.9	70.8	71.6	63.4
2.	FulwalaChawk	26.12.2017	71.8	68.2	71.4	77.4	79.4	62.4
3.	Santoshi Mata Chawk	26.12.2017	68.6	66.0	68.9	70.4	72.6	62.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	AgrasenChawk	26.12.2017	58.3	54.6	58.4	61.7	65.1	53.4
2.	FulwalaChawk	26.12.2017	60.0	54.8	58.8	65.4	66.1	54.3
3.	Santoshi Mata Chawk	26.12.2017	59.7	55.0	60.1	64.2	65.8	54.2

Chart 5.19: Ambient Noise levels in Dhule




## 20. Malegaon

The highest noise level during day time was observed at Mosampul with 86.6 dB(A) on the first day of monitoring and the highest level of noise during night time was observed at Malegaon Camp with 75.8 dB(A) on the second day of monitoring.

**Table 5.20: Ambient Noise Level in Malegaon**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Mosampul	24.12.2017	71.2	64.7	67.0	69.7	70.5	63.4
2.	Central Bus Stand	24.12.2017	71.6	69.6	71.6	75.7	78.4	68.8
3.	Malegaon Camp	24.12.2017	70.0	63.3	68.5	78.5	79.5	62.0
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Mosampul	24.12.2017	68.1	57.3	59.8	64.5	65.1	57.2
2.	Central Bus Stand	24.12.2017	65.2	60.6	63.3	67.4	72.5	60.4
3.	Malegaon Camp	24.12.2017	67.4	62.9	64.4	77.6	79.0	62.5
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Mosampul	26.12.2017	70.8	64.7	70.6	76.3	77.4	63.4
2.	Central Bus Stand	26.12.2017	69.3	65.3	69.8	72.5	72.6	64.5
3.	Malegaon Camp	26.12.2017	70.0	66.3	69.5	73.3	75.6	65.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Mosampul	26.12.2017	66.6	62.2	65.4	70.8	71.4	61.9
2.	Central Bus Stand	26.12.2017	65.8	63.0	65.3	68.7	69.1	62.4
3.	Malegaon Camp	26.12.2017	65.4	62.0	64.6	69.7	70.3	61.4

**Chart 5.20: Ambient Noise levels in Malegaon**


### 21. Pimpri - Chinchwad

The highest noise level both during day time and night time was observed on the first day of monitoring at Pimpri - Chinchwad. The highest noise level during day time of 83.8 dB(A) was observed at Pimpri (Dilux Chauk) and at night time of 80.7 dB(A) was observed at Thergaon (Dange Chauk).

**Table 5.21: Ambient Noise Level in Pimpri - Chinchwad**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Kakade Angan	24.12.2017	65.6	60.4	66.0	70.9	73.4	58.3
2.	Pimpri	24.12.2017	73.8	69.3	74.6	79.0	79.8	60.3
3.	Bhosari	24.12.2017	62.8	58.7	63.6	65.4	67.8	56.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Kakade Angan	24.12.2017	50.5	44.2	47.5	60.5	63.8	43.2
2.	Pimpri	24.12.2017	52.8	45.0	49.0	63.5	66.3	44.2
3.	Bhosari	24.12.2017	49.7	43.4	47.8	57.8	60.1	43.1
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>

1.	Kakade Angan	26.12.2017	67.2	59.8	67.5	73.3	77.6	59.3
2.	Pimpri	26.12.2017	74.9	68.7	76.1	79.8	81.5	63.4
3.	Bhosari	26.12.2017	63.7	59.7	63.8	67.0	69.8	58.1
Sr.	Location	Date	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Kakade Angan	26.12.2017	50.9	45.2	47.6	60.4	61.2	42.1
2.	Pimpri	26.12.2017	52.7	44.8	49.5	62.8	63.5	44.6
3.	Bhosari	26.12.2017	51.0	43.6	50.1	59.5	61.3	42.3

**Chart 5.21: Ambient Noise levels in Pimpri - Chinchwad**

## 22. Parbhani


Shivaji Chawk, Parbhani was found to be the nosiest during noise monitoring and first was found to have the highest noise level both during day time and night time with 90.4 dB(A) and 76.1 dB(A) respectively.

**Table 5.22: Ambient Noise Level in Parbhani**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Shaniwar Bazar	24.12.2017	66.9	59.9	68.0	72.2	73.6	57.4
2.	Railway Station Court	24.12.2017	63.6	56.0	64.5	69.9	71.4	53.7

3.	Civil Hospital	24.12.2017	61.7	53.1	61.8	68.7	70.9	51.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Shaniwar Bazar	24.12.2017	54.2	49.7	53.0	60.7	63.6	48.4
2.	Railway Station Court	24.12.2017	53.0	49.5	52.0	58.4	61.0	47.3
3.	Civil Hospital	24.12.2017	52.1	47.8	51.1	57.3	58.5	47.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Shaniwar Bazar	26.12.2017	69.2	61.1	69.5	76.0	77.5	56.3
2.	Railway Station Court	26.12.2017	65.4	57.4	65.8	71.1	72.5	53.2
3.	Civil Hospital	26.12.2017	64.0	56.5	64.5	70.4	71.7	55.5
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			$L_{eq}$	$L_{10}$	$L_{50}$	$L_{90}$	$L_{max}$	$L_{min}$
1.	Shaniwar Bazar	26.12.2017	56.2	48.9	54.8	64.6	66.5	47.5
2.	Railway Station Court	26.12.2017	54.1	49.1	53.7	59.6	62.8	46.4
3.	Civil Hospital	26.12.2017	51.9	48.0	51.5	56.4	59.5	46.2

Chart 5.22: Ambient Noise levels in Parbhani




### 23.Latur

In Latur, on the first day of monitoring Ganjgolai was found to be having high noise levels both during day time and night time with 87.9 dB(A) and 77.8 dB(A) respectively.

**Table 5.23: Ambient Noise Level in Latur**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shahu College	24.12.2017	66.8	59.5	66.5	74.7	77.9	56.8
2.	Civil Hospital	24.12.2017	65.6	57.5	66.0	73.1	75.8	54.5
3.	CJM Court	24.12.2017	70.8	55.7	74.9	80.0	81.4	51.7
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shahu College	24.12.2017	57.0	52.2	58.0	61.1	62.7	49.5
2.	Civil Hospital	24.12.2017	54.4	50.8	54.2	59.2	60.4	49.4
3.	CJM Court	24.12.2017	56.5	50.2	54.6	65.0	65.5	49.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shahu College	26.12.2017	64.9	57.0	65.5	71.1	72.5	53.5
2.	Civil Hospital	26.12.2017	63.8	55.0	65.4	69.9	71.6	51.6
3.	CJM Court	26.12.2017	67.3	57.6	68.4	76.5	78.1	54.9
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shahu College	26.12.2017	52.3	48.3	52.6	55.7	56.8	47.7
2.	Civil Hospital	26.12.2017	51.7	49.0	52.2	54.1	54.9	48.1
3.	CJM Court	26.12.2017	55.2	49.9	54.4	61.3	63.6	49.4


**Chart 5.23: Ambient Noise levels in Latur****24.Akola**

In Akola, on the first day of monitoring City Kotawali Chawk near police station was found to be having high noise levels both during day time and night time with 75.5 dB(A) and 65.5 dB(A) respectively.

**Table 5.24: Ambient Noise Level in Akola**

Sr.	Location	Date	Day Time (6AM-10PM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Collector Office	24.12.2017	64.4	52.2	67.0	71.3	73.1	48.3
2.	Civil line Chawk / Ratanlal plot	24.12.2017	65.0	53.2	67.1	73.4	75.1	49.5
3.	City Kotawali Chawk near police station	24.12.2017	67.4	54.5	71.4	75.0	78.2	51.8
Sr.	Location	Date	Night Time (10PM-6AM) values in dB(A)					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>50</sub>	L <sub>90</sub>	L <sub>max</sub>	L <sub>min</sub>
1.	Collector Office	24.12.2017	57.2	50.8	56.1	66.1	67.6	50.1
2.	Civil line Chawk / Ratanlal plot	24.12.2017	53.6	50.2	51.7	59.1	61.5	49.3
3.	City Kotawali Chawk near police station	24.12.2017	56.3	51.1	54.5	62.9	65.6	50.7

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Collector Office	26.12.2017	63.0	50.5	64.9	71.1	72.8	45.2
2.	Civil line Chawk / Ratanlal plot	26.12.2017	64.6	53.0	67.6	72.8	74.4	48.2
3.	City Kotawali Chawk near police station	26.12.2017	67.3	55.7	70.3	76.0	78.0	50.4
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Collector Office	26.12.2017	57.3	51.8	56.8	64.7	65.3	50.8
2.	Civil line Chawk / Ratanlal plot	26.12.2017	53.8	50.5	52.3	58.8	62.2	48.8
3.	City Kotawali Chawk near police station	26.12.2017	56.3	51.3	53.9	62.9	64.2	50.9


**Chart 5.24: Noise levels on 10<sup>th</sup> & 11<sup>th</sup> January, 2016 in Akola**

## 25.Solapur

The first day of monitoring was found to be having high noise levels both during day time and night time with 73.8 dB(A) at Ashok chowk and 70.7 dB(A) at Saat rasta Reailway Station respectively.

**Table 5.25: Ambient Noise Level in Solapur**

<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shivaji Chowk	24.12.2017	85.6	71.6	89.7	94.8	95.7	68.8
2.	Parak Chowk	24.12.2017	69.6	61.3	68.2	78.1	84.9	58.3
3.	Civil Line	24.12.2017	70.5	64.1	70.7	75.7	79.3	58.9
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shivaji Chowk	24.12.2017	65.7	54.0	65.2	78.5	78.5	52.6
2.	Parak Chowk	24.12.2017	49.3	42.1	49.3	55.7	56.3	39.1
3.	Civil Line	24.12.2017	53.5	47.9	52.5	60.6	64.9	46.8
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Day Time (6AM-10PM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shivaji Chowk	26.12.2017	82.0	69.8	84.8	90.8	96.9	59.0
2.	Parak Chowk	26.12.2017	71.7	61.8	74.6	77.3	78.1	49.2
3.	Civil Line	26.12.2017	73.4	69.8	74.3	76.1	78.5	68.3
<b>Sr.</b>	<b>Location</b>	<b>Date</b>	<b>Night Time (10PM-6AM) values in dB(A)</b>					
			<b>L<sub>eq</sub></b>	<b>L<sub>10</sub></b>	<b>L<sub>50</sub></b>	<b>L<sub>90</sub></b>	<b>L<sub>max</sub></b>	<b>L<sub>min</sub></b>
1.	Shivaji Chowk	26.12.2017	64.9	55.7	64.1	75.9	77.9	54.9
2.	Parak Chowk	26.12.2017	48.0	41.7	46.8	54.8	56.0	39.4
3.	Civil Line	26.12.2017	57.9	49.9	57.4	69.1	70.2	48.9

**Chart 5.26: Noise levels in Solapur**

## Conclusion

The study reveals that Noise levels at many locations exceeded the noise norms laid down for respective zones (Industrial, Commercial, Residential or Silence). Also, increasing trends in noise levels are observed at most of the locations this year as compared to last year. This indicates anthropogenic activities including traffic movement has increased in urban area which is contributing ambient noise levels. The ambient noise levels should be reduced or controlled with more awareness among public, especially in silence zone and other areas.

Successful noise management should be based on the fundamental principles of precaution, the polluter pays and prevention. Due to the initiative of Maharashtra Pollution Control Board, awareness ave been increased within the public.

## Definitions

### **A-Weighting**

"A-weighting" is the frequency weighting characteristic as specified in IEC 123 or IEC 179 and intended to approximate the relative sensitivity of the normal human ear to different frequencies (pitches) of sound.

### **A-weighted Sound Pressure Level**

The "A-weighted sound pressure level" is the sound pressure level modified by application of the A-weighting. It is measured in dBA, A-weighted, and denoted as dBA.

### **Decibel**

The "decibel" is a dimensionless measure of sound level or sound pressure level; see sound pressure level.

### **Equivalent Sound Level**

The "equivalent sound level" sometimes denoted  $L_{eq}$ , is the value of the constant sound level which would result in exposure to the same total A-weighted energy as would the specified time-varying sound, if the constant sound level persisted over an equal time interval. It is measured in dBA.

### **Fast Response**

"Fast response" is a dynamic characteristic setting of a sound level meter meeting the applicable specifications.

### **Percentile Sound Level**

The "x percentile sound level", designated  $L_x$ , is the sound level exceeded x percent of a specified time period, It is measured in dBA.

### **Sound**

"Sound" is an oscillation in pressure, stress, particle displacement or particle velocity, in a medium with internal forces (e.g. elastic, viscous), or the superposition of such propagated oscillations, which may cause an auditory sensation.

### **Sound Level**

"Sound level" is the A-weighted sound pressure level.

### **Sound Level Meter**

A "sound level meter" is an instrument which is sensitive to and calibrated for the measurement of sound.

### **Sound Pressure Level**

The "sound pressure level" is twenty times the logarithm to the base 10 of the ratio of the effective pressure (p) of a sound to the reference pressure (Pr) of 20  $\mu$ Pa. Thus the sound pressure level in dB =  $20 \log_{10} P/Pr$ .

# **ANNEXURE I**

**Annexure I - Detailed list of locations**

<b>Sr. No.</b>	<b>City</b>	<b>Location name (details)</b>
<b>1.</b>	<b>Mumbai</b>	Backside of High Court
		Mumbadevi Temple
		Borivali National Park
		Antop Hill
		Shivaji Park, Dadar
		Santacruz Airport
		Ghatkopar (W)
		Vashi Naka, Chembur
		Goregaon (E)
		Charkop, Kandivali
<b>2.</b>	<b>Thane</b>	Backside of High Court
		Shiv Mandir - In front of Kopineshwar Mandir
		Tembhi Naka - Four Way Road (Junction)
		Ghokhale Road - Near Woodland Shoes
		Pokharan - Vartak Nagar
<b>3.</b>	<b>Pune</b>	Wagle Estate
		Nucleus Mall
		Pune University
		Aundh
		Karve Road
<b>4.</b>	<b>Nashik</b>	Vishrantwadi
		Dwarka Circle
		Pandit Colony Near PMC
		Pavan Nagar CIDCO
		Bytco

<b>Sr. No.</b>	<b>City</b>	<b>Location name (details)</b>
		Udyog Bhavan, Satpur
<b>5.</b>	<b>Aurangabad</b>	Ghati Hospital
		Nirala Bazaar
		CIDCO N-4
<b>6.</b>	<b>Nagpur</b>	Govt. Medical College
		Sitabardi Police Station
		Shivaji Nagar
		Mahal
		Sadar
<b>7.</b>	<b>Kalyan</b>	Katemanivali - Near Tesai Talav
		Birla College - Near the gate
		Bail Bazar - Police Chowki
<b>8.</b>	<b>Amravathi</b>	Ervin Hospital Square
		Budhwara
		Rajkamal Chowk
<b>9.</b>	<b>Jalgaon</b>	Near Civil Hospital
		Shivaji Chowk
		Shashtri Tower Chowk
<b>10.</b>	<b>Kolhapur</b>	Collector Office
		Shahupuri
		Dasara Chowk
		Tararani Putala
		Shivaji Chowk
<b>11.</b>	<b>Sangli</b>	Harbhat Road
		Rajwada Chowk
		Miraj Market

<b>Sr. No.</b>	<b>City</b>	<b>Location name (details)</b>
<b>12.</b>	<b>Mira-Bhayander</b>	Bhakti Vedant Hospital, Tenkar pada
		Golden police Chawki
		Shivaji Chak Kashi meera
<b>13.</b>	<b>Vasai-Virar</b>	Range office, Satwali, Vasai East
		Valiv phata, Vasai East
		N.B. Estate, Virar West
<b>14.</b>	<b>Ulhasnagar</b>	Shivaji Chowk No. 3 - Near the Chowk
		Camp No. 5 Bus Stop - Bus Stop
		Camp No. 1 Gol Maidan - Gol Maidan
<b>15.</b>	<b>Bhiwandi-Nizampur</b>	Dhamankar Naka
		Indira Gandhi Memorial Hospital
		Shelar Near Nadi naka
<b>16.</b>	<b>Chandrapur</b>	Warora Naka
		Jetpura Gate
		Gandhi Chowk
<b>17.</b>	<b>Nanded-Waghala</b>	Dr. Shankarao Chavan Govt. Medical College & Hospital Vishnupuri
		District Court Station Road
		Govt. Polytechnic College
<b>18.</b>	<b>Ahmednagar</b>	Kotala Chawk
		Chitale Road
		Old Bus Stand
<b>19.</b>	<b>Dhule</b>	Agrasen Chawk
		Fulwala Chawk
		Santoshi Mata Chawk
<b>20.</b>	<b>Malegaon</b>	Mosampul
		Satana Naka

<b>Sr. No.</b>	<b>City</b>	<b>Location name (details)</b>
		Malegaon Camp
<b>21.</b>	<b>Pimpri-Chinchwad</b>	Kakade Angan
		Pimpri
		Bhosari
<b>22.</b>	<b>Parbhani</b>	Shaniwar Bazar
		Railway Station Court
		Civil Hospital
<b>23.</b>	<b>Latur</b>	Shahu College
		Civil Hospital
		CJM Court
<b>24.</b>	<b>Akola</b>	Collector Office
		Civil line Chawk / Ratanlal plot
		City Kotawali Chawk near police station
<b>25.</b>	<b>Solapur</b>	Shivaji Chowk
		Parak Chowk
		Civil Line

## **ANNEXURE II**

**Annexure II - Noise Pollution (R & C) Rules,2000 amendment dt. 21<sup>st</sup>  
April 2009**

ध्वनी प्रदूषण (नियंत्रण व नियमन) नियम, २०००  
ची प्रभावीपणे अंमलबजावणी करण्यासाठी  
प्राधिकरणाची नियुक्ती करण्याबाबत

महाराष्ट्र शासन  
पर्यावरण विभाग, मंत्रालय,  
शासन निर्णय क्रमांक : ध्वनीप्र-२००३/प्र.क्र.१५/तांक-१  
नविन प्रशासन भवन, ३५ वा भजला, मादाम कामा रोड, मुंबई - ४०० ०३२  
दिनांक: २३ एप्रिल, २००९

- वाचा - १) शासन निर्णय क्रमांक : ध्वनीप्र-२०००/प्र.क्र.२४/तांक ३, दिनांक १६ ऑगस्ट, २००० आणि दिनांक १५ जून, २००१  
२) मे. उच्च न्यायालयाच्या मुंबई खंडपीठामध्ये दाखल करण्यात आलेल्या सार्वजनिक हिताच्या याचिका क्र. (१) २०५३/२००३, (२) ७४/२००७, (३) ८५/२००७ आणि (४) १/२००९ मधील दिनांक २६/२/२००९ चे आदेश

#### प्रस्तावना :-

पर्यावरण विभाग, शासन निर्णय क्र. एन.पी./२०००/२४/क्र.३, दिनांक १६/८/२००० व दिनांक १५/०६/२००१ रोजी ध्वनी प्रदूषण (नियंत्रण व नियमन) नियम, २००० च्या २ (क) नुसार, राज्यातील पोलीस आयुक्त असलेल्या शहरामध्ये पोलीस उप आयुक्त व इतर ठिकाणी जिल्हा पोलीस अधिकाऱ्यांना एक सदस्य प्राधिकरण म्हणून ध्वनी प्रदूषण नियमाची अंमलबजावणी करण्यासाठी नियुक्ती करण्यात आली आहे.

मा. उच्च न्यायालय, मुंबई खंडपीठाने वरील याचिकांमध्ये महाराष्ट्र शासन व इतर विभागांनी ध्वनी प्रदूषण (नियंत्रण व नियमन) नियम, २००० ची प्रभावी अंमलबजावणी करण्याकरीता दिनांक २६/२/२००९ रोजी उराविक निर्देश दिलेले आहेत. त्यानुसार स्थानिक स्वराज्य संस्थांनी शहरी भागात शांतता झोन जाहीर करणे आवश्यक आहे.

#### शासन निर्णय :-

- १) मा. उच्च न्यायालयाच्या आदेशानुसार तसेच ध्वनी प्रदूषण (नियंत्रण व नियमन) नियम, २००० च्या कलम ३ (५) नुसार स्थानिक स्वराज्य संस्थांनी शहरी भागात शांतता झोन त्वरीत जाहिर करून योग्य ते आदेश काढावेत. तसेच शहरात शांतता झोनचे फलक लावून आदेशाची प्रभावी अंमलबजावणी करण्यासाठी योग्य ती प्रसिद्धी करावी.
- २) शैक्षणिक संस्थांच्या सभोवताली १०० मीटर क्षेत्र
- ३) सर्व न्यायालयाच्या सभोवतीली १०० मीटर क्षेत्र
- ४) रुग्णालयाच्या सभोवताली १०० मीटर क्षेत्र
- ५) ध्वनी प्रदूषणाची वाढती पातळी व निरनिराळे प्रदूषण स्रोत विचारात घेता, शासनाच्या निरनिराळ्या विभागांनी सधःस्थितीत ते राबवीत असलेल्या नियमाढारे ध्वनी प्रदूषण नियंत्रण व नियमनाची अंमलबजावणी करावी. त्याकरिता परिशिष्ट ३ मध्ये नमूद केल्याप्रमाणे, शासनाच्या संबंधित विभागांच्या अधिपत्यांनालील संस्थांच्या अधिकाऱ्यांना पदनाम प्राधिकरण म्हणून जाहीर करण्यात येत आहे. याबाबत संबंधीत रोटा/संच-०१००[ मु०८-५-२००९ ]-१

A.


विभागांनी स्वतंत्र आदेश निर्गमित करावेत. सदर प्राधिकरण, ते राबवित असलेल्या नियमाच्या तरतुदीनुसार तरतु ध्वनी प्रदूषण (नियंत्रण व नियमन) नियम, २००० च्या तरतुदीनुसार ध्वनी प्रदूषण नियंत्रण व नियमनाची कार्यवाही करण्यास सक्षम असेल.

३) ध्वनी प्रदूषण करणारे उपकरणे / स्त्रोत जसे D.G. Sets (15-500 KVA); Coal Washeries ; Fire Crackers Generator Sets with Diesel (upto 1000 KVA) manufactured on or after 1st July, 2003 ; Vehicles & manufacturing stage from the year, 2003 and 1st April, 2005 respectively as well as Noise Limits for Automobiles and Domestic appliances and construction equipments at the manufacturing stage laid down under the provisions of the Environment (Protection) Act, 1986 and Rules made there under इत्यादीची सभोधतालच्या हवेतील ध्वनी प्रदूषण गुणवत्तेच्या विहित मर्यादा परिशिष्ट २ मध्ये नमूद केल्याप्रमाणे असेल.

४) या शासन निर्णयान्वये, पर्यावरण विभागाने यापूर्वी दिनांक १६ ऑगस्ट, २००० आणि दिनांक १५ जून, २००१ रोजी या विषयाबाबत निर्गमित केलेला शासन निर्णय खारीज करण्यात येत आहे. हा शासन निर्णय निर्गमित झाल्याच्या दिनांकापासून लागू राहील.

महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नावाने.

B.



(ग.न.वड्डे)

संचालक (पर्यावरण)

प्रत माहितीसाठी :-

मा.मुख्यमंत्रांचे प्रधान सचिव

मा.उपमुख्यमंत्रांचे प्रधान सचिव

मा. मुख्यसचिव

अतिरिक्त मुख्यसचिव, गृह विभाग, मंत्रालय

अतिरिक्त मुख्यसचिव, सार्वजनिक आरोग्य विभाग, मंत्रालय

प्रधान सचिव (अ. व सु.), गृह विभाग

प्रधान सचिव, नगर विकास विभाग (१), मंत्रालय

प्रधान सचिव, नगर विकास विभाग (२), मंत्रालय

प्रधान सचिव, महसूल विभाग, मंत्रालय

प्रधान सचिव, उच्च व तंत्रशिक्षण विभाग, मंत्रालय,

प्रधान सचिव, शालेय शिक्षण विभाग, मंत्रालय

सचिव, गृह विभाग (परिवहन),

सचिव, पर्यावरण

मा. मंत्री (पर्यावरण), यांचे खाजगी सचिव,

मा. राज्यमंत्री (पर्यावरण), यांचे खाजगी सचिव,

सर्व मा. मंत्री / राज्यमंत्री यांचे खाजगी सचिव

सर्व जिल्हाधिकारी

सर्व पोलीस आयुक्त / उप आयुक्त

सर्व जिल्हा पोलीस अधिकारी / उप अधिकारी

पर्यावरण विभाग सर्व अधिकारी / कार्यासन /निवडनस्ती - तांक १

परिशिष्ट - १

एच-०१०० - १३

ध्वनी प्रदूषण व नियमन व नियंत्रणाची अंमलबजावणी करण्यासाठी शासनाच्या अधिपत्याखाली  
असलेल्या संस्थांमधील संबंधीत अधिका-याची पदनाम प्राधिकरण न्हणून नियुक्ती

Sr. No	Officer /Agency	Concerned Department	Duties
1.	District Magistrate, Sub-Divisional Magistrate,	Revenue	Corresponding Rules for the enforcement of the Noise Pollution Control measures within their respective jurisdiction.
2.	Police Commissioner or any other officer not below the rank of the Deputy Superintendent of Police designated for the maintenance of Ambient Air Quality Standards, as mentioned in the Rule 2(c) of Noise Pollution( Regulation and Control) Rules, 2000.	Home	The Police Authorities will be responsible for initiating further legal actions in respect of the violations..
3.	Municipal Commissioner, Additional/Deputy Municipal Commissioner/ Chief Officer of Municipal Council/Committee Govt. of Maharashtra not below the rank of the Deputy Superintendent of Police.	Urban Developement	<p>Corresponding Rules for the enforcement of noise standards laid down under the Environment (Protection) Rules, 1986 at source for construction projects, utilities for buildings (ACs, DG sets etc.), domestic appliances, development and other activities in their jurisdiction.</p> <p>The urban local bodies shall be responsible for demarcation of the silent zones as per the Noise Rules, 2000 and displaying the same adequately.</p> <p>The urban local bodies shall include an Action Plan for noise control in the Environmental Status Report submitted by them annually, including noise monitoring and noise mapping studies.</p> <p>The Local Body and Urban Development Deptt., Govt. of Maharashtra will not grant any permissions for development activities in consistent with or in conflict with the categorization of zone. In case of overlapping zones, stringent standards will prevail over in that particular area.</p>
4.	Registrar /Head Master of the Educational Institutions duly approved by the concerned Government not below the rank of the Deputy Superintendent of Police	Higher & Technical Education/ School Education	Corresponding Rules for the enforcement and maintenance of the Ambient Noise Standards laid down for domestic appliances, automobiles etc. in respect of any activity in its jurisdiction.
5.	Dean/Superintendent of the Government Hospitals not below the rank of the Deputy Superintendent of Police	Public Health	Corresponding Rules for the enforcement and maintenance of the Ambient Noise Standards laid down for domestic appliances, automobiles etc. in respect of any activity in its

			Jurisdiction
A.	6. Head of M.M.R.D.A., M.S.R.D.C., C.I.D.C.O., having local jurisdiction constituted under various Laws and Public Works Department.	Urban Development	<p>Corresponding Rules for the enforcement and maintenance of Noise Standards laid down under the Environment (Protection) Rules, 1986 at source for construction projects, utilities for buildings (ACs, DG sets etc.), domestic appliances, development and other activities in their jurisdiction</p> <p>These Developmental Authorities should include adequate noise abatement measures in their project activities such as noise barriers to the bridges and flyovers, tree plantation for roads etc.</p>
E	7. Member Secretary and any officer Maharashtra Pollution Control Board not below the rank of the Deputy Superintendent of Police	Environment Department	<p>(i) Monitoring of Ambient Noise Levels in case of specific requests from other authorities referred in the table and communicating the results to the respective Authorities for further necessary action at their end.</p> <p>(ii) For the enforcement of Noise Pollution Control Measures and Standards in Industrial areas.</p>
	8. (i) Any officer from the State Transport Department / Deputy Regional Transport Officer in their respective jurisdiction not below the rank of the Deputy Superintendent of Police  (ii) Head of Maharashtra State Road Transport Corporation or any officer/ Depot Manager not below the rank of the Deputy Superintendent of Police.  (iii) Traffic Police Authorities not below the rank of the Deputy Superintendent of Police	Home Department (Transport)	<p>Enforcement and maintenance of the Noise Standards laid down under Environment (Protection) Rules, 1986 and Motor Vehicles Act, 1939 for the new and operating vehicles within their respective jurisdiction.</p> <p>The noise levels generated by the in-use vehicles should be monitored while grant of Pollution Under Control Certificate.</p>

परिशिष्ट- २

**Schedule**

(Under rule 3(1) and 4(1) of Noise Pollution (Control and Regulation) Rules, 1999)

Ambient Air Quality Standards In respect of Noise

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial Area	75	70
(B)	Commercial Area	65	55
(C)	Residential Area	55	45
(D)	Silence Zone	50	40

- i. Day time shall mean from 6.00 a.m. to 10.00 p.m.
- ii. Night time shall mean from 10.00 p.m. to 6.00 a.m.
- iii. Silence Zone is defined as an area comprising not less than 100 meters around hospitals, educational institutions and courts. The silence zones are zones which are declared as such by the competent authority.
- iv. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

\*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.

"A" , in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Leq : it is an energy mean of the noise level, over a specified period.

**2. Standards / Guidelines for control of Noise Pollution from Stationary Diesel Generator (DG) Sets.**

**(A) Noise Standards for DG sets (15-500 KVA)**

The total sound power level, Lw of a DG set should be less than,  $94 + 10 \log_{10} (\text{KVA})$ , dB(A), at the manufacturing stage, where, KVA is the nominal power rating of a DG set. This level should fall by 5 dB(A) every five years, till 2007, i.e. in 2002 and then in 2007

**(B) Mandatory acoustic enclosure/acoustic treatment of room for stationary DG sets (5KVA and above).**

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

The acoustic enclosure / acoustic treatment of the room should be designed for minimum 25 dB (A) Insertion Loss or for meeting the ambient noise standards, whichever is on the higher side (if the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure/acoustic treatment. Under such circumstances, the performance may be checked for noise reduction upto actual ambient noise level, preferably in the night time). The measurement for Insertion Loss may be done at different points at 0.5 m from the acoustic enclosure/room, and then averaged.

The DG set should also be provided with proper exhaust muffler with insertion loss of minimum 25dB (A).

- A. (C) Guidelines for the manufacturers/users of DG sets (5 KVA and above).
01. The manufacturer should offer to the user a standard acoustic enclosure of 25 dB(A) insertion Loss and also a suitable exhaust muffler, with Insertion Loss of 25 dB(A).
  02. The user should make efforts to bring down the noise levels due to the D.G. set, outside his premises, within the ambient noise requirements by proper siting and control measures.
  03. The manufacturer should furnish noise power levels of the unsilenced DG sets as per standards prescribed under (A).
  04. The total sound power level of a D.G. set, at the user's end, shall be within 2 dB(A) of the total sound power level of the DG set, at the manufacturing stage as prescribed under (A).
  05. Installation of a DG set must be strictly in compliance with the recommendations of the DG set manufacturer.
  - E 06. A proper routine and preventive maintenance procedure for the DG set should be set and followed in consultation with the DG set manufacturer, which would help to prevent noise levels of the DG set from deteriorating with use.

### 3. Noise Level Standards for Coal Washerries

Operational / Working Zone – not to exceed 85 dB(A) L<sub>eq</sub> for 8 hours exposure.

The Ambient Air Quality Standards in respect of noise as notified under Environment (Protection) Rules, 1986 shall be followed at the boundary line of the coal washery.

#### Code of Practice of Coal Washery

Water or Water mixed chemical shall be sprayed at all strategic coal transfer points such as conveyors, loading/unloading points etc. As far as practically possible conveyors, transfer points etc. shall be provided with enclosures.

- \* The crushers/pulverizers of the coal washeries shall be provided with enclosures, fitted with suitable air pollution control measures and finally emitted through a stack of minimum height of 30m, conforming particulate matter emission standards of 150 mg/Nm<sup>3</sup> or provided with adequate water sprinkling arrangement.
- \* Water sprinkling by using fine atomizer nozzles arrangement shall be provided on the coal heaps and on land around the crushers/pulverisers.
- \* Area, in and around the coal washery shall be pucca either asphalted or concreted.
- \* Water consumption in the coal washery shall not exceed 1.5 cubic meter per tonne of coal.
- \* The efficiency of the settling ponds of the waste water treatment system of the coal washery shall not be less than 90%.
- \* Green belt shall be developed along the road side, coal handling plants, residential complex, office building and all around the boundary line of the coal washery.
- \* Storage bunkers, hoppers, rubber decks in chutes and centrifugal chutes shall be provided with proper rubber linings.

13

- \* Vehicles movement in the coal washery area shall be regulated effectively to avoid traffic congestion. High pressure horn shall be prohibited. Smoke emission from heavy duty vehicle operating in the coal washeries should conform the standards prescribed under Motor Vehicle Rules, 1989.

#### **4. Noise Standards for fire-crackers**

- A.(i) The manufacturer, sale or use of fire-crackers generating noise level exceeding 125 dB(A) or 145 dB(C)<sub>pk</sub> at 4 meters distance from the point of bursting shall be prohibited.
- (ii) For individual fire-cracker constituting the series (joined fire crackers), the above mentioned limit be reduced by  $5 \log_{10} (N)$  dB, where N=Number of crackers joined together.

B. The broad requirements for measurement of noise from fire-crackers shall be-

- (i) The measurements shall be made on a hard concrete surface of minimum 5 meter diameter or equivalent.
- (ii) The measurement shall be made in free field conditions i.e., there shall not be any reflecting surface upto 15 meter distance from the point of bursting.
- (iii) The measurement shall be made with an approved sound level meter.

C. The Department of Explosives shall ensure implementation of these standards.

#### **5. Noise Limits for Generator Sets run with diesel**

**Noise limit for diesel generator sets (upto 1000 KVA) manufactured on or after 1<sup>st</sup> July, 2003**

The maximum permissible sound pressure level for new diesel generator (DG) sets with rated capacity upto 1000 KVA, manufactured on or after the 1<sup>st</sup> July, 2003 shall be 75 dB(A) at 1 meter from the enclosure surface.

The diesel generator sets should be provided with integral acoustic enclosure at the manufacturing stage itself.

The implementation of noise limit for these diesel generator sets shall be regulated as given in below mentioned paragraph.

#### **Requirement of certification**

Every manufacturer of engine or every importer of engine or product must have valid certificates of Type Approval and certificates of Conformity of Production for each year, for all engine models being manufactured or for all engines or product models being imported, after the effective date with the emission limit as specified in earlier paragraph.

८

6. (1) Noise limits for vehicles applicable at manufacturing stage  
from the year, 2003.

Sr.No.	Type of Vehicle	Noise Limits dB(A)	Date of Implementation
(1)	(2)	(3)	(4)
1.	Two Wheeler		1 <sup>st</sup> January, 2003
	Displacement upto 80 cm <sup>3</sup>	75	
	Displacement more than 80 cm <sup>3</sup> but upto 175 cm <sup>3</sup>	77	
	Displacement more than 175 cm <sup>3</sup>	89	
2.	Three Wheeler		1 <sup>st</sup> January, 2003
	Displacement upto 175 cm <sup>3</sup>	77	
	Displacement more than 175 cm <sup>3</sup>	80	
3.	Passenger Car	75	1 <sup>st</sup> January, 2003
4.	Passenger or Commercial Vehicles		1 <sup>st</sup> July, 2003
	Gross vehicle weight upto 4 tonnes	80	
	Gross vehicle weight more than 4 tonnes but upto 12 tonnes	83	
	Gross vehicle weight more than 12 tonnes	85	

(2) Noise Limits for vehicles at manufacturing stage applicable on and from 1<sup>st</sup> April, 2005

Sr.No.	Type of vehicles	Noise Limits
1.0	Two Wheelers	
1.1	Displacement upto 80 cc	75
1.2	Displacement more than 80 cc but upto 175 cc	77
1.3	Displacement more than 175 cc	80
2.1	Three Wheelers	
2.1	Displacement upto 175 cc	77
2.2	Displacement more than 175 cc	80
3.0	Vehicles used for the carriage of passengers and capable of having not more than nine seats, including the driver's seat	74
4.0	Vehicles used for the carriage of passengers having more than nine seats including the driver's seat and a maximum Gross Vehicle Weight (GVW) of more than tonnes	
4.1	With an engine power less than 150KW	78
4.2	With an engine power of 150 KW or above	80
5.0	Vehicles used for the carriage of passengers having more than nine seats including the driver's seat: Vehicle used for the carriage of goods.	
5.1	With a maximum GVW not exceeding 2 tonnes	76
5.2	With a maximum GVW greater than 3 tonnes but not exceeding 3.5 tonnes	77
6.0	Vehicles used for the transport of goods with a maximum GVW exceeding 3.5 tonnes	
6.1	With an engine power less than 75 KW	77
6.2	With an engine power of 75 KW or above but less than 150KW	78
6.3	With an engine power of 150 KW or above	80

7. Noise Standards Part E:-

A. Noise limits for Automobiles (Free Field Distance at 7.5 meter in dB(A) at the manufacturing stage.

- |     |   |    |
|-----|---|----|
| (a) | Motorcycle, Scooters and Three Wheelers                       | 80 |
| (b) | Passenger Cars  | 82 |
| (c) | Passenger or Commercial vehicles upto 4 MT                    | 85 |
| (d) | Passenger or Commercial vehicles above 4 MT and<br>Upto 12 MT | 89 |
| (e) | Passenger or Commercial vehicles exceeding 12 MT              | 91 |

B. Domestic appliances and construction equipments at the manufacturing stage to be achieved by 31<sup>st</sup> December, 1993.

- |     |  |       |
|-----|--|-------|
| (a) | Window Air Conditioners of 1 ton to 1.5 ton  | 68    |
| (b) | Air Coolers  | 60    |
| (c) | Refrigerators  | 46    |
| (d) | Diesel generator of domestic purposes  | 85-90 |
| (e) | Compactors (rollers), Front Loaders, Concrete<br>Mixers, Cranes (moveable), Vibrators and Saws | 75    |

# **ANNEXURE III**

**Annexure III –Hourly Noise Levels during Metropolitan cities - 2017**

Sr.	Location name	Mumbai 24 <sup>th</sup> December 2017, Sunday																								
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
1.	Backside of High Court	72	71	78	73	72	75	71	76	78	81	83	83	68	68	68	74	69	66	74	79	77	75	74	72	72
2.	Mumbadevi Temple	72	73	79	75	73	72	72	73	79	75	73	72	57	66	71	69	66	60	75	79	79	76	72	71	
3.	Borivali National Park	76	73	68	79	71	75	67	71	76	76	74	73	74	78	78	78	76	75	76	69	75	70	77	71	
4.	Antop Hill	70	62	65	66	69	52	64	66	64	65	66	76	76	70	72	70	67	61	63	58	55	54	56	84	
5.	Shivaji Park, Dadar	77	78	78	78	76	76	95	89	81	77	88	88	94	85	91	90	88	95	76	69	49	38	36	57	
6.	Santacruz Airport	58	60	61	63	64	70	65	66	61	57	65	71	74	76	76	86	72	64	82	60	65	64	71	51	
7.	Ghatkopar (W)	55	55	61	70	72	71	71	70	69	71	72	72	82	77	76	82	78	72	64	58	57	52	58		
8.	Vashi Naka, Chembur	66	69	70	78	78	78	82	86	84	79	75	72	72	80	71	77	80	74	59	53	48	42	44	52	
9.	Goregaon (E)	71	62	62	60	67	58	67	67	65	66	75	74	81	87	83	86	78	58	53	52	52	53	58	82	
10.	Charkop, Kandivali	68	70	69	68	68	71	83	85	87	87	82	71	79	79	74	70	63	62	77	77	84	76	82	73	

		Thane 24 <sup>th</sup> December 2017, Sunday																							
Sr.	Location name	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
11.	Main Road-Gaondevi Mandir, Naupada	68	71	72	75	77	72	79	72	74	78	72	77	80	80	82	71	81	69	73	68	70	72	73	74
12.	Tembhi Naka	67	71	73	82	80	75	76	69	75	65	73	71	75	84	88	80	82	71	68	71	66	63	66	74
13.	Ghokhale Road	62	68	74	82	77	76	64	74	70	70	74	80	74	83	83	78	79	80	76	75	59	60	61	69
14.	Pokharan Vartak Nagar	63	72	76	71	80	77	79	73	71	69	73	74	82	88	78	70	77	72	67	65	62	70	73	75
15.	Wagle Estate	77	72	71	68	64	70	65	68	67	74	75	73	81	79	72	76	80	83	71	77	68	61	65	70

		Pune 24 <sup>th</sup> December 2017, Sunday																							
Sr.	Location name	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
16.	Nucleus Mall	58	63	64	71	74	75	79	78	75	75	76	79	79	79	80	77	65	59	51	48	47	44	46	52
17.	Pune University	60	62	64	64	66	68	69	66	64	64	68	69	70	70	66	65	64	58	52	49	48	45	47	52
18.	Aundh	55	57	61	71	76	76	72	72	71	78	74	76	80	73	69	64	65	61	50	49	46	46	48	50
19.	Karve Road	60	62	61	65	69	77	81	78	69	67	80	81	85	85	78	67	67	64	59	48	48	47	48	53
20.	Vishrantwadi	58	60	60	65	71	73	72	72	72	73	71	68	72	76	72	69	68	61	51	49	45	44	48	52

		<b>Nashik</b> <b>24<sup>th</sup> December 2017, Sunday</b>																								
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
21.	Dwarka Circle	79	77	79	77	76	65	62	63	63	58	60	65	68	70	71	69	70	65	64	62	62	63	64	68	
22.	Pandit Colony Near PMC	59	58	63	65	64	66	67	66	67	62	63	65	61	62	61	60	60	59	56	55	55	56	56	58	
23.	Pavan Nagar CIDCO	45	48	51	60	58	60	63	64	61	57	61	58	63	56	57	57	59	63	62	61	60	58	62	63	
24.	Bytco	76	78	77	76	65	62	63	63	69	70	63	62	68	73	70	64	63	62	61	60	58	62	63	63	
25.	Udyog Bhavan, Satpur	77	75	72	73	69	69	63	62	63	62	63	61	66	64	62	60	60	63	62	61	60	58	62	63	

		<b>Aurangabad</b> <b>24<sup>th</sup> December 2017, Sunday</b>																								
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
26.	Ghati Hospital	71	72	74	73	74	74	75	77	75	73	73	75	77	80	84	73	72	68	66	60	57	55	58	62	
27.	Nirala Bazaar	63	65	70	74	73	72	69	68	67	66	68	69	71	74	78	70	71	68	64	59	58	53	57	59	
28.	CIDCO N-4	65	67	68	70	72	73	72	70	72	70	69	71	73	75	78	72	71	67	65	62	58	54	59	62	

		<b>Nagpur</b> <b>24<sup>th</sup> December 2017, Sunday</b>																								
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
29.	Govt. Medical College	53	57	57	57	62	62	62	63	66	65	67	71	68	62	60	57	55	53	50	45	40	39	37	44	

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Nagpur 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
30.	Sitabardi Police Station	64	69	70	71	72	71	72	73	73	76	74	79	73	73	72	70	69	67	58	56	51	54	63	64
31.	Shivaji Nagar	51	59	59	61	64	66	64	63	61	61	63	62	66	68	62	61	60	57	42	42	39	41	48	59
32.	Mahal	55	57	58	60	61	64	65	66	67	69	70	71	70	67	69	69	64	60	58	55	55	53	54	
33.	Sadar	55	59	61	63	64	64	63	69	63	60	64	62	64	63	63	58	61	60	58	49	44	42	46	

Sr.	Location name	Kalyan 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
34.	Katemanivali	59	71	73	78	69	77	68	64	62	68	68	73	69	98	96	95	84	68	58	54	39	42	43	47
35.	Birla College	60	59	64	71	70	72	65	61	60	69	72	72	66	68	68	72	61	66	57	56	47	44	49	59
36.	Bail Bazar	74	72	73	76	80	52	71	60	62	57	75	74	71	74	78	74	64	61	74	76	67	74	70	

Sr.	Location name	Amravathi 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
37.	Ervin Hospital Square	47	53	55	54	56	55	55	52	52	54	55	54	55	56	56	53	51	48	42	38	40	40	41	44
38.	Budhwara	53	57	64	63	62	66	66	67	65	61	65	66	69	71	69	69	63	61	53	48	56	44	46	53
39.	Rajkamal Chowk	53	61	63	68	72	77	76	72	70	70	70	70	76	74	76	72	70	62	60	58	56	56	59	60

		<b>Jalgaon</b> <b>24<sup>th</sup> December 2017, Sunday</b>																									
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00		
40.	Near Civil Hospital	61	63	67	69	70	71	71	70	69	66	68	68	71	72	73	71	68	67	66	65	63	63	65	66		
41.	Shivaji Chowk	66	67	68	69	71	74	76	76	77	73	74	78	79	79	80	78	72	69	67	66	62	61	65	67		
42.	Shashtri Tower Chowk	67	68	69	71	71	73	75	77	78	77	77	77	79	81	82	79	76	73	70	68	64	64	67	67		

		<b>Kolhapur</b> <b>24<sup>th</sup> December 2017, Sunday</b>																									
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00		
43.	Collector Office	49	44	60	67	68	72	75	75	68	70	71	76	77	78	73	76	69	64	57	48	55	48	48	50		
44.	Shahupuri	69	60	68	70	79	71	77	72	72	76	81	76	72	74	66	71	75	56	52	51	50	51	55	64		
45.	Dasara Chowk	46	54	58	67	71	73	71	73	74	69	73	75	67	71	74	77	70	62	64	48	46	47	47	51		
46.	Tararani Putala	53	55	64	66	73	72	74	57	71	56	58	74	64	56	65	61	61	59	45	49	50	50	55	54		
47.	Shivaji Chowk	48	53	56	65	69	75	70	66	69	75	71	74	70	75	78	79	69	59	47	54	55	48	54			

		<b>Sangli</b> <b>24<sup>th</sup> December 2017, Sunday</b>																									
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00		
48.	Harbhat Road	54	59	67	72	61	77	69	78	75	79	65	67	72	73	73	75	65	55	45	47	46	44	51	51		

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Sangli 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
49.	Rajwada Chowk	53	58	68	71	72	73	75	72	79	78	77	79	77	81	78	69	58	53	49	49	53	53	51	51
50.	Miraj Market	56	64	69	76	74	79	70	79	74	71	77	81	80	82	80	61	53	50	50	48	50	55	50	56

Sr.	Location name	Mira-Bhayander 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
51.	Bhakti Vedant Hospital, Tenkar pada	75	77	71	66	68	57	83	82	78	87	78	75	59	56	56	59	61	60	59	60	63	63	70	77
52.	Golden police Chawki	81	72	92	75	79	84	72	76	87	85	74	65	61	59	57	55	57	71	79	82	74	74	79	
53.	Shivaji Chak Kashi meera	67	70	72	74	72	71	71	71	73	76	72	76	73	75	75	74	75	71	90	91	93	87	96	92

Sr.	Location name	Vasai-Virar 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
54.	Range office, Satwali, Vasai East	81	83	90	83	78	77	76	77	77	69	78	74	77	78	80	79	73	68	85	83	85	87	82	76
55.	Valiv phata, Vasai East	72	75	75	72	77	68	73	65	66	69	76	73	70	71	80	69	72	61	79	83	78	78	77	94
56.	N.B. Estate, Virar West	57	62	62	65	68	72	70	67	73	74	74	71	75	78	75	78	80	71	61	55	55	54	56	61

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Ulhasnagar 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
57.	Gaol Maidan (Commerical & Residentail)	68	73	74	77	86	94	86	83	74	72	83	81	77	72	71	68	61	63	82	86	84	79	75	72
58.	Doodh Naka, Ulhasnagr sector 5	69	73	80	81	76	71	77	79	89	76	74	70	68	65	63	65	65	70	59	59	48	48	50	54
59.	CHM college	62	76	69	79	77	76	72	70	71	77	78	68	83	85	86	86	82	72	78	76	81	74	70	58

Sr.	Location name	Bhiwandi-Nizampur 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
60.	Dhamankar Naka	61	70	71	72	72	73	73	74	70	70	70	72	74	77	80	78	77	70	59	54	53	50	40	39
61.	Indira Gandhi Memorial Hospital	65	72	63	71	72	72	72	73	75	73	72	73	72	70	76	78	77	69	66	64	65	70	68	
62.	Shelar Near Nadi naka	57	58	62	60	69	62	63	64	63	65	66	68	71	72	74	74	72	69	59	43	43	43	44	50

Sr.	Location name	Chandrapur 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
63.	Warora Naka	75	73	77	75	76	78	77	77	76	74	73	76	83	78	73	72	70	65	62	58	55	54	63	69
64.	Jetpura Gate	64	72	73	74	75	75	74	77	74	73	75	76	82	78	75	75	68	62	60	49	45	48	61	65
65.	Gandhi Chowk	57	62	65	67	73	75	75	74	72	70	71	70	68	67	65	60	62	58	54	44	45	43	57	59

Sr.	Location name	Nanded-Waghala 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
66.	Dr. Shankarao Chavan Govt. Medical College & Hospital Vishnupuri	55	57	65	67	76	77	76	74	75	77	78	75	71	78	74	71	56	54	52	49	49	47	48	53
67.	District Court Station Road	56	61	63	65	68	70	67	69	70	68	68	71	72	70	68	67	65	64	60	56	50	50	52	54
68.	Govt. Polytechnic College	55	56	59	61	64	67	67	71	66	69	71	71	70	66	63	60	58	56	53	52	49	49	50	52

Sr.	Location name	Ahmednagar 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
69.	KotalaChawk	60	57	66	66	73	72	63	61	71	66	62	70	61	71	60	60	58	57	61	61	61	65	67	65
70.	Chitale Road	59	59	62	66	62	65	64	69	67	70	65	66	72	62	60	60	55	54	53	57	55	62	65	66
71.	Old Bus Stand	60	58	64	71	72	74	71	73	61	65	62	71	75	65	65	61	61	61	61	61	71	68	67	

Sr.	Location name	Dhule 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
72.	Agrasen Chawk	65	70	67	69	71	69	71	75	74	66	67	65	66	63	69	64	67	56	64	67	64	62	64	63
73.	Fulwala Chawk	67	69	76	71	69	79	85	77	72	69	74	63	66	67	65	68	64	67	66	54	61	62	66	70

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	02:00	03:00	04:00	05:00
		- 07:00	- 08:00	- 09:00	- 10:00	- 11:00	- 12:00	- 13:00	- 14:00	- 15:00	- 16:00	- 17:00	- 18:00	- 19:00	- 20:00	- 21:00	- 22:00	- 23:00	- 00:00	- 01:00	- 02:00	- 03:00	- 04:00	- 05:00	- 06:00
74.	Santoshi Mata Chawk	65	74	72	54	72	72	70	66	70	69	73	79	67	65	64	68	66	66	57	64	63	64	68	68

Sr.	Location name	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	02:00	03:00	04:00	05:00
		- 07:00	- 08:00	- 09:00	- 10:00	- 11:00	- 12:00	- 13:00	- 14:00	- 15:00	- 16:00	- 17:00	- 18:00	- 19:00	- 20:00	- 21:00	- 22:00	- 23:00	- 00:00	- 01:00	- 02:00	- 03:00	- 04:00	- 05:00	- 06:00
75.	Mosampul	66	64	62	64	70	67	70	78	78	77	74	77	79	78	63	65	63	64	63	67	67	80	77	77
76.	Central Bus Stand	67	70	73	67	66	64	62	80	78	75	66	64	63	78	79	73	79	77	63	64	63	65	62	74
77.	Malegaon Camp	67	66	64	62	80	78	67	70	70	75	66	64	63	78	79	73	78	75	66	63	64	66	64	70

Sr.	Location name	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	02:00	03:00	04:00	05:00
		- 07:00	- 08:00	- 09:00	- 10:00	- 11:00	- 12:00	- 13:00	- 14:00	- 15:00	- 16:00	- 17:00	- 18:00	- 19:00	- 20:00	- 21:00	- 22:00	- 23:00	- 00:00	- 01:00	- 02:00	- 03:00	- 04:00	- 05:00	- 06:00
78.	Kakade Angan	65	64	59	62	65	67	66	65	63	60	61	63	64	65	65	66	62	59	49	46	44	44	48	50
79.	Pimpri	74	73	78	77	78	80	77	82	76	77	79	75	78	78	78	74	71	69	54	49	48	46	52	55
80.	Bhosari	52	56	63	61	69	68	61	68	63	61	60	71	72	73	64	63	56	58	49	46	46	45	52	52

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Parbhani 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
81.	Shaniwar Bazar	57	60	60	63	64	66	68	70	66	68	69	71	72	73	69	65	61	57	54	50	49	47	50	54
82.	Railway Station Court	53	58	60	60	61	63	66	65	67	69	70	70	69	70	70	65	61	57	54	51	50	49	52	52
83.	Civil Hospital	56	56	58	60	61	63	64	65	68	69	69	71	70	69	66	61	58	57	54	51	48	47	50	51

Sr.	Location name	Latur 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
84.	Shahu College	58	54	71	62	64	58	57	59	69	72	79	67	72	68	66	63	64	61	60	54	51	50	52	56
85.	Civil Hospital	58	56	59	61	64	66	69	65	72	69	73	74	76	79	79	60	56	54	52	55	52	49	54	56
86.	CJM Court	56	59	56	61	79	70	72	76	83	78	77	81	79	81	79	74	68	64	56	51	50	49	53	54

Sr.	Location name	Akola 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
87.	Collector Office	48	52	53	57	69	64	67	70	72	70	65	69	73	70	67	66	60	57	55	51	50	51	68	65
88.	Civil line Chawk / Ratanlal plot	50	52	55	59	61	65	69	71	73	68	67	70	73	75	67	65	62	58	55	52	51	51	49	51
89.	City Kotawali Chawk near police station	52	54	55	58	61	67	72	75	78	74	72	73	75	73	71	69	66	62	60	56	53	52	51	51

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Sholapur 24 <sup>th</sup> December 2017, Sunday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
90.	Shivaji Chowk	69	70	79	73	78	78	84	94	94	94	92	92	88	94	96	95	76	79	66	64	55	53	55	79
91.	Parak Chowk	61	58	73	85	67	73	73	69	67	62	67	77	67	79	65	70	55	48	50	47	39	43	56	55
92.	Civil Line	59	63	69	65	75	76	66	68	68	73	76	75	79	75	74	68	65	54	47	48	50	52	53	59

Sr.	Location name	Mumbai 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
93.	Backside of High Court	64	66	67	69	68	69	64	67	62	67	66	69	70	71	68	68	61	54	53	58	60	59	56	61
94.	Mumbadevi Temple	56	72	76	72	74	69	68	64	64	72	73	80	72	77	76	72	67	62	60	54	54	51	54	55
95.	Borivali National Park	65	57	55	57	66	65	62	65	62	66	68	70	71	78	88	79	78	57	55	41	41	60	39	47
96.	Antop Hill	62	65	69	70	69	72	71	70	71	71	72	74	81	83	84	80	78	72	62	64	46	42	52	61
97.	Shivaji Park, Dadar	51	70	66	67	77	66	69	67	68	68	68	70	72	72	75	73	66	59	52	44	41	40	53	62
98.	Santacruz Airport	65	63	67	75	65	67	70	73	64	66	67	68	76	81	80	77	72	80	58	57	55	56	59	63
99.	Ghatkopar (W)	48	53	56	56	55	57	62	61	61	67	63	69	62	71	70	66	61	49	48	37	35	38	44	46
100.	Vashi Naka, Chembur	77	76	71	70	69	76	77	80	72	76	88	71	91	84	83	80	72	70	64	61	57	60	53	66
101.	Goregaon (E)	67	69	73	74	69	71	72	73	73	68	72	75	74	76	82	89	92	77	62	56	51	50	50	54

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	02:00	03:00	04:00	05:00
		- 07:00	- 08:00	- 09:00	- 10:00	- 11:00	- 12:00	- 13:00	- 14:00	- 15:00	- 16:00	- 17:00	- 18:00	- 19:00	- 20:00	- 21:00	- 22:00	- 23:00	- 00:00	- 01:00	- 02:00	- 03:00	- 04:00	- 05:00	- 06:00
102.	Charkop, Kandivali	66	66	78	77	79	80	83	84	85	85	86	88	71	74	72	72	69	77	74	61	60	61	62	64

Sr.	Location name	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	02:00	03:00	04:00	05:00
		- 07:00	- 08:00	- 09:00	- 10:00	- 11:00	- 12:00	- 13:00	- 14:00	- 15:00	- 16:00	- 17:00	- 18:00	- 19:00	- 20:00	- 21:00	- 22:00	- 23:00	- 00:00	- 01:00	- 02:00	- 03:00	- 04:00	- 05:00	- 06:00
103.	Main Road- Gaondevi Mandir, Naupada	63	63	65	68	68	71	70	72	71	73	75	73	78	79	82	78	73	69	65	61	56	51	54	59
104.	Tembhi Naka	63	63	65	67	68	67	68	67	67	67	69	69	73	73	75	73	71	65	58	55	53	50	55	58
105.	Ghokhale Road	64	67	69	69	71	69	68	68	69	70	71	72	70	67	71	70	69	66	63	58	55	50	57	62
106.	Pokharan Vartak Nagar	58	59	57	58	59	60	59	58	59	58	59	61	69	75	75	66	63	56	52	46	45	44	47	57
107.	Wagle Estate	62	65	67	67	66	69	68	69	65	66	67	68	66	66	68	67	66	64	60	57	53	48	53	55

Sr.	Location name	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	00:00	01:00	02:00	03:00	04:00	05:00
		- 07:00	- 08:00	- 09:00	- 10:00	- 11:00	- 12:00	- 13:00	- 14:00	- 15:00	- 16:00	- 17:00	- 18:00	- 19:00	- 20:00	- 21:00	- 22:00	- 23:00	- 00:00	- 01:00	- 02:00	- 03:00	- 04:00	- 05:00	- 06:00
108.	Nucleus Mall	59	60	65	68	69	71	72	66	64	67	69	70	73	73	69	62	65	62	49	49	46	44	47	56
109.	Pune University	59	63	69	71	71	69	66	65	65	64	66	70	71	72	70	65	65	58	53	48	47	45	47	53
110.	Aundh	57	55	63	70	66	65	58	59	58	67	71	77	73	74	71	63	65	59	48	50	46	44	49	53

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Pune 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
111.	Karve Road	58	61	63	60	63	65	57	71	74	60	71	80	81	77	70	62	64	60	59	49	48	48	45	54
112.	Vishrantwadi	59	60	61	62	64	65	64	63	64	62	59	65	64	62	66	61	67	62	52	50	46	42	44	55

Sr.	Location name	Nashik 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
113.	Dwarka Circle	80	79	78	76	77	70	70	68	67	67	65	67	70	71	72	70	70	67	66	65	64	63	66	70
114.	Pandit Colony Near PMC	48	51	51	60	59	60	61	63	60	58	59	58	60	57	58	57	58	60	62	63	58	57	59	60
115.	Pavan Nagar CIDCO	45	47	49	60	59	60	61	63	61	58	60	60	64	63	60	60	59	57	51	53	51	52	54	59
116.	Bytco	78	78	75	77	70	68	65	61	60	58	65	66	65	62	62	62	62	65	59	58	56	60	63	64
117.	Udyog Bhavan, Satpur	76	76	72	72	70	70	65	63	60	63	62	63	65	66	66	62	58	59	58	59	57	60	65	

Sr.	Location name	Aurangabad 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
118.	Ghati Hospital	57	58	60	62	63	68	66	67	63	68	66	67	68	65	63	60	57	58	52	55	51	49	53	55
119.	Nirala Bazaar	59	60	65	71	68	69	67	70	72	69	71	75	72	72	70	68	66	65	60	57	55	50	55	57
120.	CIDCO N-4	56	59	62	65	67	68	70	68	65	65	69	70	70	70	69	66	59	57	58	55	52	48	52	56

		Nagpur 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
121.	Govt. Medical College	47	58	58	63	65	67	67	69	71	70	72	69	68	64	63	61	52	51	44	40	36	36	37	42
122.	Sitabardi Police Station	63	70	73	73	74	75	75	76	75	73	74	78	72	72	71	72	69	65	64	63	58	57	54	63
123.	Shivaji Nagar	64	66	61	65	64	64	63	65	65	65	67	67	70	71	69	60	54	50	42	39	37	40	44	47
124.	Mahal	52	53	54	57	60	63	64	65	67	67	67	69	69	69	70	69	69	62	60	59	58	57	54	54
125.	Sadar	54	59	61	63	65	64	64	63	64	64	63	63	61	69	70	68	58	61	59	53	45	44	44	52

		Kalyan 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
126.	Katemanivali	49	55	55	59	66	73	79	80	72	66	70	81	84	87	76	80	76	68	54	56	52	45	43	49
127.	Birla College	47	56	59	67	73	80	69	71	70	56	76	68	77	82	83	81	77	70	59	48	45	46	48	53
128.	Bail Bazar	63	65	65	70	79	83	83	71	73	76	75	78	77	85	81	77	73	66	59	53	50	54	54	65

		Amravathi 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
129.	Ervin Hospital Square	51	52	52	53	55	55	55	53	53	52	53	54	55	55	55	49	53	48	44	38	38	37	39	43

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

		Amravathi 26 <sup>th</sup> December 2017, Tuesday																								
Sr.	Location name	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
130.	Budhwara	50	56	61	66	63	65	64	69	64	62	64	66	71	74	68	66	61	58	51	46	42	42	43	49	
131.	Rajkamal Chowk	57	60	63	66	71	76	79	78	75	72	72	73	76	77	75	74	70	65	60	57	55	53	56	59	

		Jalgaon 26 <sup>th</sup> December 2017, Tuesday																								
Sr.	Location name	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
132.	Near Civil Hospital	64	63	65	68	71	71	70	70	70	68	70	67	70	69	68	66	65	62	63	64	63	62	64	65	
133.	Shivaji Chowk	66	67	68	72	70	73	75	78	73	76	78	80	83	82	78	76	75	71	69	65	63	64	63	68	
134.	Shashtri Tower Chowk	67	69	69	72	73	78	80	82	80	81	82	79	83	80	79	78	76	74	71	68	67	66	63	65	

		Kolhapur 26 <sup>th</sup> December 2017, Tuesday																								
Sr.	Location name	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
135.	Collector Office	41	51	53	61	70	65	75	69	63	71	70	74	76	78	65	60	60	61	48	46	46	45	49	51	
136.	Shahupuri	62	65	67	65	72	75	73	74	68	73	79	71	70	69	64	73	69	53	48	46	49	47	45	55	
137.	Dasara Chowk	49	55	65	66	72	70	66	59	65	59	62	66	71	72	73	65	59	62	49	45	45	44	47	49	
138.	Tararani Putala	53	57	63	64	65	75	75	62	72	63	60	69	63	59	62	59	60	48	47	76	48	56	57		
139.	Shivaji Chowk	57	53	51	65	61	68	73	71	64	72	70	71	69	71	76	77	70	59	47	45	45	48	45	50	

		<b>Sangli</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																								
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
140.	Harbhat Road	50	57	65	68	64	64	66	83	79	80	86	82	85	85	79	83	69	59	45	47	42	41	43	53	
141.	Rajwada Chowk	51	49	57	69	67	59	53	77	80	77	78	85	85	88	80	80	60	57	49	51	47	47	50	55	
142.	Miraj Market	55	61	56	62	70	62	64	78	82	74	85	88	83	83	81	62	54	52	48	47	47	49	49	55	

		<b>Mira-Bhayander</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																								
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
143.	Bhakti Vedant Hospital, Tenkar pada	60	58	65	62	58	71	65	59	65	62	58	60	65	60	62	65	67	65	60	57	57	57	57	57	
144.	Golden police Chawki	74	77	80	78	73	75	76	78	72	74	77	78	83	79	72	77	72	61	63	59	51	63	57	61	
145.	Shivaji Chak Kashi meera	71	70	73	75	70	71	72	70	66	62	71	72	73	73	82	86	88	81	47	43	43	40	42	54	

		<b>Vasai-Virar</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																								
<b>Sr.</b>	<b>Location name</b>	06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00	
146.	Range office, Satwali, Vasai East	70	75	75	86	81	82	67	71	71	71	66	73	75	69	68	68	61	57	51	51	49	50	53	54	
147.	Valiv phata, Vasai East	78	80	78	78	86	81	81	78	76	71	77	71	85	86	86	82	77	69	58	55	46	57	47	48	
148.	N.B. Estate, Virar West	65	80	77	75	74	76	74	67	72	62	83	82	72	70	70	70	64	69	74	64	56	66	53	55	

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Ulhasnagar 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
149.	Gaol Maidan (Commerical & Residentail)	64	73	69	79	73	79	68	66	67	69	64	69	77	78	76	71	43	43	40	77	66	55	46	62
150.	Doodh Naka, Ulhasnagr sector 5	57	65	77	84	96	68	89	64	65	71	90	88	77	88	87	75	65	57	79	70	84	64	56	67
151.	CHM college	79	62	64	65	70	73	63	69	79	73	79	66	67	69	83	85	69	56	66	53	49	50	53	73

Sr.	Location name	Bhiwandi-Nizampur 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
152.	Dhamankar Naka	61	64	65	66	61	67	65	65	67	62	63	65	67	78	79	79	71	76	64	61	60	62	61	64
153.	Indira Gandhi Memorial Hospital	57	57	62	61	60	66	62	65	68	71	64	58	75	74	80	64	71	56	60	60	52	49	48	57
154.	Shelar Near Nadi naka	57	58	60	57	57	63	64	69	63	65	62	58	60	61	76	63	68	63	55	54	59	44	54	50

Sr.	Location name	Chandrapur 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
155.	Warora Naka	68	80	82	83	82	82	82	85	82	81	83	80	78	80	78	70	68	61	61	59	65	60	64	
156.	Jetpura Gate	73	78	92	92	95	95	90	91	91	91	92	93	87	84	78	78	69	64	59	49	47	52	60	68
157.	Gandhi Chowk	67	67	75	73	76	72	75	75	73	72	75	75	73	75	70	75	68	65	57	56	51	50	49	67

Sr.	Location name	Nanded-Waghala 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
158.	Dr. Shankarao Chavan Govt. Medical College & Hospital Vishnupuri	57	58	60	65	73	74	76	73	74	75	73	72	70	71	72	69	60	58	54	51	50	48	53	55
159.	District Court Station Road	55	56	59	66	70	72	74	75	77	69	65	68	71	68	64	64	63	59	58	56	51	48	52	53
160.	Govt. Polytechnic College	52	52	57	60	62	64	66	67	69	68	66	64	67	66	62	61	59	55	53	51	49	47	50	52

Sr.	Location name	Ahmednagar 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
161.	KotalaChawk	64	61	65	70	69	62	67	71	63	66	65	69	68	69	62	62	64	63	61	65	59	69	65	68
162.	Chitale Road	65	61	72	66	74	64	62	71	70	65	68	63	67	63	62	62	60	58	59	59	61	63	64	67
163.	Old Bus Stand	63	60	68	64	65	67	69	65	63	69	65	69	69	68	62	61	65	63	60	65	66	67	73	

Sr.	Location name	Dhule 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
164.	Agrasen Chawk	60	67	73	73	74	77	63	66	75	79	71	68	66	67	66	66	67	63	66	65	66	65	67	65
165.	Fulwala Chawk	61	69	71	75	76	76	66	66	67	63	70	70	64	68	65	74	74	70	56	54	67	62	56	58

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

<b>Sr.</b>	<b>Location name</b>	<b>Dhule</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
166.	Santoshi Mata Chawk	65	75	87	74	70	66	71	75	69	69	77	72	66	72	64	63	67	63	68	66	65	65	69	66

<b>Sr.</b>	<b>Location name</b>	<b>Malegaon</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
167.	Mosampul	67	70	77	66	64	62	64	64	78	79	78	63	77	73	80	77	80	77	67	65	63	64	63	67
168.	Central Bus Stand	66	64	62	80	67	70	70	67	76	75	75	66	79	78	73	79	77	64	63	63	65	63	64	63
169.	Malegaon Camp	62	67	66	67	64	75	80	78	70	70	78	66	64	63	79	73	79	77	66	64	63	65	63	63

<b>Sr.</b>	<b>Location name</b>	<b>Pimpri-Chinchwad</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
170.	Kakade Angan	60	62	64	63	62	66	68	66	64	60	63	62	63	64	66	67	61	59	48	47	43	45	47	50
171.	Pimpri	60	70	78	77	77	80	78	80	77	78	76	75	76	79	80	78	66	68	49	48	49	46	49	56
172.	Bhosari	56	56	62	62	70	70	62	68	66	66	70	73	72	76	65	63	59	57	47	44	45	44	51	57

**REPORT ON AMBIENT NOISE MONITORING METROPOLITAN CITIES - 2017**

Sr.	Location name	Parbhani 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
173.	Shaniwar Bazar	52	57	62	65	69	66	70	71	73	74	68	71	72	75	69	67	63	65	54	52	49	49	53	57
174.	Railway Station Court	55	53	58	62	63	66	67	69	71	74	65	70	68	68	66	64	62	57	56	53	50	48	51	53
175.	Civil Hospital	52	53	55	57	61	62	65	66	70	71	72	72	70	68	65	61	60	57	53	50	47	48	50	53

Sr.	Location name	Latur 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
176.	Shahu College	55	58	57	61	69	67	69	71	73	68	73	62	70	66	61	65	59	51	56	52	50	49	54	52
177.	Civil Hospital	53	56	62	68	65	63	62	65	67	69	71	76	72	70	80	65	60	56	56	52	49	49	53	53
178.	CJM Court	54	51	59	54	65	68	71	72	72	70	76	78	74	70	69	68	63	62	61	55	53	51	54	55

Sr.	Location name	Akola 26 <sup>th</sup> December 2017, Tuesday																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
179.	Collector Office	45	49	52	55	68	62	65	69	72	70	64	67	73	68	64	65	59	59	55	52	53	51	65	64
180.	Civil line Chawk / Ratanlal plot	48	52	54	58	60	64	68	71	73	69	69	69	73	74	67	64	62	57	55	53	52	51	49	51
181.	City Kotawali Chawk near police station	50	55	57	57	60	67	72	77	78	72	73	75	75	73	69	69	64	62	61	55	53	51	52	51

<b>Sr.</b>	<b>Location name</b>	<b>Sholapur</b> <b>26<sup>th</sup> December 2017, Tuesday</b>																							
		06:00 - 07:00	07:00 - 08:00	08:00 - 09:00	09:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 13:00	13:00 - 14:00	14:00 - 15:00	15:00 - 16:00	16:00 - 17:00	17:00 - 18:00	18:00 - 19:00	19:00 - 20:00	20:00 - 21:00	21:00 - 22:00	22:00 - 23:00	23:00 - 00:00	00:00 - 01:00	01:00 - 02:00	02:00 - 03:00	03:00 - 04:00	04:00 - 05:00	05:00 - 06:00
182.	Shivaji Chowk	59	70	76	70	85	85	91	90	91	83	85	89	83	97	85	75	75	70	65	56	57	55	64	78
183.	Parak Chowk	56	49	69	75	74	75	78	75	75	76	78	76	77	74	74	67	56	48	45	43	39	52	45	54
184.	Civil Line	68	71	75	76	72	77	75	69	71	72	75	74	75	75	79	72	70	69	58	51	50	49	57	59