


ACTION PLAN FOR INDUSTRIAL CLUSTER IN SEVERLY POLLUTED AREA

**Monitoring, sampling, analysis of Stack,
Ambient Air Quality, Surface Water,
Ground Water, Waste Water**

पिंपरी-चिंचवड Pimpri-Chinchwad



Maharashtra Pollution Control Board

Kalptaru Point, Sion East, Mumbai - 400022

June, 2018

Index

Acknowledgement:	3
Abbreviations:	4
1. Introduction:	5
2. Scope of Work.....	6
2.1 Stack Emission Parameters.....	6
2.2 Ambient Air Quality Parameters	7
2.3 Water/Waste Water Parameters	7
2.3 Methodology followed in Sampling and Analysis	9
3. Result of Analysis:	9
3.1 Stack Emission:	9
3.2 Ambient Air Quality:	12
3.3 Water/ Waste Water Quality:	16
3.4 Ground Water Quality:	27
4. Summary and Conclusion.....	38
4.1 Stack Emission Monitoring:.....	38
4.2 Ambient Air Quality Monitoring:	39
4.3 Waste Water Quality Monitoring:	39
4.3 Ground Water Quality Monitoring:	40
5. CEPI Score	41
5.1 Comparison of CEPI scores:	41
6. Conclusion	45
7. References	46
8. Annexure	47
Annexure I: Stack Emission Sampling and Analysis Methodology	47
Annexure II: Ambient Air Sampling and Analysis Methodology	49
Annexure III: Water/Wastewater Sampling and Analysis Methodology.....	51
Annexure IV: National Ambient Air Quality Standards, 2009	55
Annexure V: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI).....	56
Annexure VI: Drinking Water Specification-IS 10500:2012	60
Annexure VII: CPCB Water Quality Criteria:	64
Annexure VIII: Water Quality Parameters Requirements and Classification	65

Acknowledgement:

We gratefully acknowledge **Dr. P. Anbalagan**, Member Secretary, Maharashtra Pollution Control Board, for entrusting this very important and prestigious project to us.

Our special thanks are to Regional and Sub Regional Officer of the concerned areas, for guidance during the sampling. The contribution of **Shri V. M Motghare** (Joint director APC) and Mr. Sameer Hundlekar (Field officer) is appreciated.

We would also like to extend our thanks to the concerned staff of Regional Hospitals, who has provided us the health data, which is the most important component of this revised concept of CEPI.

By undertaking this project and completing in schedule time, we consider ourselves very lucky since we have helped the mankind by giving the data on pollution load and further action by the Board, to bring down the pollution level.

We also thank our associates for working on this project for making the write up, making graphs and feeding the data on computer.

This acknowledgement will be incomplete if we do not thank our laboratory analysts and others who made this project a success by timely analysing the samples.

We also thank our sampling team members for conducting the sampling in this vast area.

Abbreviations:

APHA	American Public Health Association
BDL	Below Detection Limit
BOD	Biochemical Oxygen Demand
CEPI	Comprehensive Environmental Pollution Index
CETP	Common Effluent Treatment Plant
COD	Chemical Oxygen Demand
CPA	Critically Polluted Areas
SPA	Severely Polluted Areas
DO	Dissolved Oxygen
ETP	Effluent Treatment Plant
MIBK	Methyl Isobutyl Ketone
MPCB	Maharashtra Pollution Control Board
NAAQS	National Ambient Air Quality Standards
NO_x	Oxides of Nitrogen
ND	Not Detected
PAH	Poly Aromatic Hydrocarbons
PCB	Poly Chlorinated Biphenyls
PCT	Poly Chlorinated Terphenyls
PM₁₀	Particulate Matter (size less than 10 µm)
PM_{2.5}	Particulate Matter (size less than 2.5 µm)
SO₂	Sulphur Dioxide
STAP	Short Term Action Plan
WHO	World Health Organization

1. Introduction:

India has experienced rapid industrial growth in last few years. Maharashtra is one of the most industrialised states in the country. The state has identified industrial sectors like auto, engineering, chemical, electronics and textile as focus sectors. Industrial processes and activities consume materials and resources for manufacturing products generating emissions, effluents and solid wastes. Rise in growth in industrial activities is leading to manifold impacts to the environment. This environmental pollution is a wide-reaching problem and if not controlled to certain tolerable levels, it is likely to influence the human health too. Long term exposure to the polluted air and water causes chronic health problems. Hence, scientists are exploring the quantum of pollution load as well as to device certain strategies and technologies so that our sustainable development would not be jeopardized otherwise our long-cherished dream of establishing eco-socialism on this watery planet could not come true.

The extent of pollution varies with the size of the industry, the nature of the industry, the type of products used and produced etc. In view of this, Central Pollution Control Board (CPCB) has evolved the concept of Comprehensive Environmental Pollution Index (CEPI) during 2009-10 as a tool for comprehensive environmental assessment of prominent industrial clusters and formulation of remedial Action Plans for the identified critically polluted areas. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed. Later on, proposals were received from the SPCBs, State Governments, and Industrial Associations and concerned Stake-holders for revisiting the criteria of assessment under CEPI concept. After careful examination and consideration of the suggestions of concerned stake-holders, it was decided to prepare the revised concept of CEPI by eliminating the subjective factors but retaining the factors which can be measured precisely. Hence, revised concept came into existence, which is termed as Revised CEPI Version 2016.

The present report is also based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial clusters or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data, ecological damage, and visual environmental conditions. For the study, Central Pollution Control Board (CPCB) has selected a total of 88 industrial areas or clusters in consultation with the Ministry of Environment & Forests Government of India. Out of these, 5 critically polluted industrial clusters namely Tarapur, Dombivali, Navi Mumbai, Aurangabad and Chandrapur, are identified and 3 severely polluted industrial clusters namely Pimpri-Chinchwad, Nashik and Chembur from Maharashtra are added into this list.

Pimpri-Chinchwad is part of Pune Metropolitan City in the state of Maharashtra, India. Pimpri-Chinchwad today is one of the major industrial hubs in Asia. Industrialization started in 1954 with the arrival of Hindustan Antibiotics Limited. PCMC is now home to the Indian operations of major automobile companies like Premier Limited, Mahindra & Mahindra Ltd., Mahindra Engineering services, Bajaj Auto, BEL Optronics Devices Limited, TATA Motors (formerly TELCO), Kinetic Engineering, Force Motors (formerly Bajaj Tempo) Daimler Chrysler, Thermax and Autoline Industries. In addition to this, several heavy industries such as Forbes-Marshall, ThyssenKrupp and GEA Ecoflex, Alfa Laval & Sandvik Asia have their manufacturing units in the town and also the German company KSB Pumps, Swedish bearing company SKF.

2. Scope of Work

The Scope of Work consisted of the following:

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water, and Ground Water Quality for identified five Critically Polluted areas (CPAs) in Maharashtra i.e. **Chandrapur, Dombivli, Aurangabad, Navi Mumbai, and Tarapur** and 3 Severely Polluted areas (SPAs) in Maharashtra i.e. **Chembur, Pimpri-Chinchwad and Nashik** as per standard methods.

- At each of the 5 CPAs and 3 SPAs, 24 hourly ambient air quality monitoring to be carried out.
- Representative samples for surface water quality, waste water quality and ground water quality to be collected from prominent surface and ground water bodies located in and around the clusters/areas.
- Submission of complete monitoring, sampling and analysis reports including the summary of the parameters exceeding the prescribed standards/norms for all the 5 CPAs and 3 SPAs.
- Submission of 3 copies of final report with photographs at prominent locations and the CD (soft copy) on completion of the project for every critically polluted and severely polluted area separately.

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water and Ground Water Quality for Pimpri-Chinchwad:

- The sampling was carried out in 6 days i.e. 21st, 23rd, 26th, 28th, 29th May and 4th June 2018 for Pimpri-Chinchwad region.
- A total of 6 Stack Monitoring Samples, 6 Ambient Air Quality Monitoring Samples, 6 Waste Water Samples, 6 Ground Water Samples and 2 VOC Samples from Stack were collected and analyzed.

2.1 Stack Emission Parameters

The Stack Emissions were analyzed with the following parameters:

1. Acid Mist
2. Ammonia
3. Carbon Monoxide
4. Chlorine
5. Fluoride(gaseous)
6. Fluoride (particulate)
7. Hydrogen Chloride
8. Hydrogen Sulphide
9. Oxides of Nitrogen
10. Oxygen
11. Polyaromatic Hydrocarbons (Particulate)
12. Suspended Particulate Matter
13. Sulphur Dioxide
14. Benzene
15. Toluene

16. Xylene
17. Volatile Organic Compounds (VOCs)

2.2 Ambient Air Quality Parameters

The Ambient Air Quality was analyzed with the following parameters:

1. Sulphur Dioxide (SO₂)
2. Nitrogen Dioxide (NO₂)
3. Particulate Matter (PM₁₀)
4. Particulate Matter (PM_{2.5})
5. Ozone (O₃)
6. Lead (Pb)
7. Carbon Monoxide (CO)
8. Ammonia (NH₃)
9. Benzene (C₆H₆)
10. Benzo (a) Pyrene (BaP) (Particulate Phase Only)
11. Arsenic (As)
12. Nickel (Ni)

2.3 Water/Waste Water Parameters

The Water/Waste Water was analyzed with the following parameters:

- a. Prominent Surface Water bodies such as outfalls of CETPs, ETPs, treated effluent drainage, river, canal, ponds, lakes and other such water supply resources flowing through the area or flowing adjoining the CPA.
- b. Ground Water Quality data of prominent ground water resources such as observation wells of Central Ground Water Board, drinking water wells, hand pumps, bore wells, hand pumps, bore wells and other such water supply resources located in the industrial cluster/area under consideration or in the peripheral areas.

Basic water quality parameters for surface water and ground water both are as follows:

i. Simple Parameters:

1. Sanitary Survey
2. General Appearance
3. Colour
4. Smell
5. Transparency
6. Ecological (Presence of animals like fish, insects) (Applicable to only surface water)

ii. Regular Monitoring Parameters:

7. pH
8. Oil & Grease
9. Suspended Solids

10. Dissolved Oxygen (% saturation) (Not applicable for ground waters)
11. Chemical Oxygen Demand
12. Biochemical Oxygen Demand
13. Electrical Conductivity
14. Nitrite-Nitrogen
15. Nitrate-Nitrogen
16. (NO₂ + NO₃)-Nitrogen
17. Free Ammonia
18. Total Residual Chlorine
19. Cyanide
20. Fluoride
21. Sulphide
22. Dissolved Phosphate
23. Sodium Absorption Ratio (SAR)
24. Total Coliforms (MPN/100 ml)
25. Faecal Coliforms (MPN/100 ml)

iii. Special Parameters:

26. Total Phosphorous
27. Total Kjeldahl Nitrogen(TKN)
28. Total Ammonia (NH₄ +NH₃)-Nitrogen
29. Phenols
30. Surface Active Agents
31. Organo Chlorine Pesticides
32. Polynuclear aromatic hydrocarbons (PAH)
33. Polychlorinated Biphenyls (PCB)and Polychlorinated Terphenyls (PCT)
34. Zinc
35. Nickel
36. Copper
37. Hexavalent Chromium
38. Chromium (Total)
39. Arsenic (Total)
40. Lead
41. Cadmium
42. Mercury
43. Manganese

44. Iron
45. Vanadium
46. Selenium
47. Boron

iv. Bioassay (Zebra Fish) Test: For specified samples only.

2.3 Methodology followed in Sampling and Analysis

Industries, places and locations that have been chosen for the sampling are representative of the city/area. Sampling has been done at the potential polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions. Methodology for sampling, preservation and analysis have been done according to the references incorporated. Methodology of various types of parameters is presented under following annexure:

1. Stack Emission Sampling and Analysis Methodology – **Annexure I**
2. Ambient Air Sampling and Analysis Methodology - **Annexure II**
3. Water/Wastewater Sampling and Analysis Methodology - **Annexure III**

3. Result of Analysis:

Results of Analysis are tabulated below for Stack Emission Monitoring, Ambient Air Quality Monitoring, Waste Water Analysis and Water Analysis. These are followed by their respective graphical representation.

***Kindly note:**

- NA specifies the sample is not analysed for the specific parameter.
- BDL specifies that the result obtained is below detection limit.

3.1 Stack Emission:

Stack Emission Monitoring Results are compared against The Environment (Protection) Rules, 1986 General Emission Standard - Part D.

Sr.	Name of Industry	Stack Identity	Table No.
1.	Atlas Castalloy Ltd.	Melting Furnace	I
2.	Tata Motors	Boiler	I
3.	Amphenol Interconnect India Pvt Ltd.	Stack 1	I
4.	Rich Graviss Product Pvt. Ltd.	Boiler	II
5.	Alfa Laval (I) Pvt. Ltd.	Plant Booth	II

Sr.	Name of Industry	Stack Identity	Table No.
6.	Exide Industries Ltd.	Strip caster & Casting	II

*** The VOC result of stack emission is provided in Table No. III**

Table No. I

Name of Industry			Atlas Castalloy Ltd.	Tata Motors	Amphenol Interconnect India Pvt Ltd.
Sr.	Parameter	Unit	Results		
1.	Particulate Matter (as PM)	mg/Nm ³	25	12	BDL
	Std. Limit	mg/Nm³	150	150	-
2.	Sulphur Dioxide (as SO ₂)	mg/Nm ³	10.8	8.27	BDL
		kg/day	85	0.28	BDL
	Std. Limit	mg/Nm³	100	100	-
3.	Nitrogen Dioxide (NO ₂)	mg/Nm ³	21.2	21.7	11.1
	Std. Limit	mg/Nm³	50	50	50
4.	Acid Mist (as H ₂ SO ₄)	mg/Nm ³	BDL	BDL	1.91
	Std. Limit	mg/Nm³	35	35	35
5.	Carbon Monoxide (CO)	mg/Nm ³	BDL	6.41	BDL
	Std. Limit	mg/Nm³	-	-	-

Table No. II


Name of Industry			Rich Graviss Product Pvt. Ltd.	Alfa Laval (I) Pvt. Ltd.	Exide Industries Ltd.
Sr.	Parameter	Unit	Results		
1.	Particulate Matter (as PM)	mg/Nm ³	15	11	11

Name of Industry			Rich Graviss Product Pvt. Ltd.	Alfa Laval (I) Pvt. Ltd.	Exide Industries Ltd.
Sr.	Parameter	Unit	Results		
	Std. Limit	mg/Nm³	150	150	150
2.	Sulphur Dioxide (as SO ₂)	mg/Nm ³	5.42	11	5.42
		kg/day	0.77	0.73	0.8
	Std. Limit	mg/Nm³	100	100	100
3.	Nitrogen Dioxide (NO ₂)	mg/Nm ³	11.6	BDL	11.2
	Std. Limit	mg/Nm³	50	-	50
4.	Acid Mist (as H ₂ SO ₄)	mg/Nm ³	BDL	BDL	BDL
	Std. Limit	mg/Nm³	-	-	-
5.	Carbon Monoxide (CO)	mg/Nm ³	BDL	BDL	BDL
	Std. Limit	mg/Nm³	-	-	-

Table No. III

Name of Industry			Atlas Castalloy Ltd.	Exide Industries Ltd.
Sr.	Parameter	Unit	Results	
1.	VOC			
I.	Methyl Isobutyl Ketone	mg/Nm ³	ND	ND
II.	Benzene	mg/Nm ³	ND	ND
III.	Toulene	mg/Nm ³	ND	ND
IV.	Xylene	mg/Nm ³	ND	ND
V.	Ethyl Benzene	mg/Nm ³	ND	ND
VI.	Ethyl Acetate	mg/Nm ³	ND	ND

Graphs: Stack Monitoring for Pimpri-Chinchwad:



3.2 Ambient Air Quality:

In order to arrive at conclusions, the Ambient Air Quality Monitoring Results are compared against National Ambient Air Quality Standards, 2009 (**Annexure IV**).

Sr.	Location	Location detail	Table No.
1.	Tower Line Trivehi Naga	Jai Matadi Building Terrace	I
2.	A-5 Bansal Residency Near Podar School	Kakade Angan Terrace	I
3.	Shree Ram Building Ankush Sainath Nagar	Shree Ram Niwas Terrace	I
4.	Roxi Hotel, Ambedkar chowk	Roxi Hotel Terrace	II
5.	Tapkir Nagar	Mr Salve Home Terrace	II
6.	Opposite Pudamiji Pepar Mill Thergaon	Mr Premnath Home Terrace	II



Table No. I

Location				Tower Line Trivehi Naga	A-5 Bansal Residency Near Podar School	Shree Ram Building Ankush Sainath Nagar
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO ₂)	µg/m ³	80	6.66	6.77	6.55
2.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	6.34	6.78	6.12
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	387	244	194
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	96	61	48
5.	Ozone (O ₃)	µg/m ³	180	BDL	BDL	BDL
6.	Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m ³	4	1.1	2.17	1.56
8.	Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
9.	Benzene (C ₆ H ₆)	µg/m ³	5	BDL	BDL	BDL
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
11.	Arsenic (As)	ng/m ³	6	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m ³	20	BDL	BDL	BDL

Table No. II

Location				Roxi Hotel, Ambedkar chowk	Tapkir Nagar	Opposite Pudamiji Pepar Mill Thergaon
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO ₂)	µg/m ³	80	7.8	7	6.56
2.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	5.7	5.1	6.45
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	41	307	150
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	9	75	37
5.	Ozone (O ₃)	µg/m ³	180	BDL	BDL	BDL
6.	Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m ³	4	1.1	1.2	0.86
8.	Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
9.	Benzene (C ₆ H ₆)	µg/m ³	5	BDL	BDL	BDL
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
11.	Arsenic (As)	ng/m ³	6	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m ³	20	BDL	BDL	BDL

Graphs: Ambient Air Quality Monitoring for Pimpri-Chinchwad:



3.3 Water/ Waste Water Quality:

Water Analysis Results are compared against CPCB document on criteria for Comprehensive Environmental Assessment of Industrial Clusters-Water Quality Parameters Requirement and Classification (Annexure VI), CPCB Water Quality Criteria (Annexure V) and Drinking Water Specification, IS 10500:2012 (Annexure IV), Wastewater Analysis Results are compared with General Standards for Discharge of Environmental Pollutants Part A: Effluents, The Environment (Protection) Rules, 1986, Schedule VI.

Sr.	Location	Source	Table No.
1.	Tata Motors	STP Outlet	I
2.	Alfa Laval (India) Ltd.	STP Outlet	I
3.	Rich Graviss Product Pvt. Ltd.	STP Outlet	I
4.	Exide Industries Ltd.	STP Outlet	II
5.	Amphenol Interconnect India Pvt Ltd.	STP Outlet	II
6.	Atlas Castalloy Ltd.	Combined Outlet	II

Table No. I

Location				Tata Motors	Alfa Laval (India) Ltd.	Rich Graviss Product Pvt. Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Sanitary Survey			Very clean neighbourhood and catchment	Very clean neighbourhood and catchment	Very clean neighbourhood and catchment
2.	General Appearance			No floating matter	No floating matter	No floating matter
3.	Temperature	°C		29	30	29
4.	Colour	Hazen		5	1	2
5.	Smell	-		Disagreeable	Disagreeable	Disagreeable
6.	Transparency	m		2	-	2.4
7.	pH	-	5.5 -9.0	7.47	7.12	7.2
8.	Oil & Grease	mg/L	10.0	BDL	BDL	BDL

Location				Tata Motors	Alfa Laval (India) Ltd.	Rich Graviss Product Pvt. Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
9.	Suspended Solids	mg/L	100.0	28	9	32
10.	Dissolved Oxygen (% Saturation)	%		65	37	28
11.	Chemical Oxygen Demand	mg/L	250.0	30	10	120
12.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30.0	11	3.9	42
13.	Electrical Conductivity (at 25 °C)	µmho/cm		1770	1107	1268
14.	Nitrite Nitrogen (as NO ₂)	mg/L		0.08	2.15	0.06
15.	Nitrate Nitrogen (as NO ₃)	mg/L	10.0	12.1	42.6	17.5
16.	(NO ₂ + NO ₃)-Nitrogen	mg/L	5.0	12.18	44.75	17.56
17.	Free Ammonia (as NH ₃ -N)	mg/L	5.0	BDL	BDL	BDL
18.	Total Residual Chlorine	mg/L	1.0	BDL	BDL	BDL
19.	Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
20.	Fluoride (as F)	mg/L	2.0	BDL	1.26	0.96

Location				Tata Motors	Alfa Laval (India) Ltd.	Rich Graviss Product Pvt. Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
21.	Sulphide (as S ²⁻)	mg/L	2.0	BDL	BDL	BDL
22.	Dissolved Phosphate (as P)	mg/L	5.0	0.56	0.81	0.38
23.	Sodium Absorption Ratio	mg/L		BDL	BDL	BDL
24.	Total Coliforms	MPN index/ 100 ml	100.0	22	47	Absent
25.	Faecal Coliforms	MPN index/ 100 ml	1000.0	14	11	BDL
26.	Total Phosphate (as P)	mg/L	1.0	1.14	1.67	0.95
27.	Total Kjeldahl Nitrogen (as N)	mg/L	100.0	6.94	2.91	23
28.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	5.0	3.28	BDL	5.66
29.	Phenols (as C ₆ H ₅ OH)	mg/L	3.0	BDL	BDL	BDL
30.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL	BDL	BDL
31.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	2.0	BDL	BDL	BDL

Location				Tata Motors	Alfa Laval (India) Ltd.	Rich Graviss Product Pvt. Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
II.	Atrazine	µg/L	0.2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.1	BDL	BDL	BDL
IV.	Dieldrin	µg/L	2.0	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.01	BDL	BDL	BDL
VI.	Beta HCH	µg/L	2.0	BDL	BDL	BDL
VII.	Delta HCH	µg/L	3.0	BDL	BDL	BDL
VIII.	Butachlor	µg/L	0.2	BDL	BDL	BDL
IX.	Chlorpyrifos	µg/L		BDL	BDL	BDL
X.	p,p DDT	µg/L	0.05	BDL	BDL	BDL
XI.	o,p DDT	µg/L	100.0	BDL	BDL	BDL
XII.	p,p DDE	µg/L	250.0	BDL	BDL	BDL
XIII.	o,p DDE	µg/L	30.0	BDL	BDL	BDL
XIV.	p,p DDD	µg/L		BDL	BDL	BDL
XV.	o,p DDD	µg/L		BDL	BDL	BDL
XVI.	Alpha Endosulfan	µg/L	10.0	BDL	BDL	BDL
XVII.	Beta Endosulfan	µg/L		BDL	BDL	BDL
VIII.	Endosulfan Sulphate	µg/L	5.0	BDL	BDL	BDL
XIX.	Y HCH (Lindane)	µg/L	1.0	BDL	BDL	BDL
32.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL	BDL	BDL

Location				Tata Motors	Alfa Laval (India) Ltd.	Rich Graviss Product Pvt. Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
33.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL	BDL	BDL
34.	Zinc (as Zn)	mg/L	5.0	BDL	BDL	BDL
35.	Nickel (as Ni)	mg/L	3.0	1.22	BDL	0.057
36.	Copper (as Cu)	mg/L		0.307	BDL	BDL
37.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.1	BDL	BDL	BDL
38.	Total Chromium (as Cr)	mg/L	2.0	BDL	BDL	BDL
39.	Total Arsenic (as As)	mg/L	0.2	BDL	BDL	BDL
40.	Lead (as Pb)	mg/L	0.1	BDL	BDL	BDL
41.	Cadmium (as Cd)	mg/L	2.0	0.389	BDL	BDL
42.	Mercury (as Hg)	mg/L	0.01	BDL	BDL	BDL
43.	Manganese (as Mn)	mg/L	2.0	BDL	BDL	0.725
44.	Iron (as Fe)	mg/L	3.0	BDL	BDL	0.298
45.	Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
46.	Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
47.	Boron (as B)	mg/L		0.371	BDL	BDL

Location				Tata Motors	Alfa Laval (India) Ltd.	Rich Graviss Product Pvt. Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
48.	Bioassay Test on fish	% survival	90% survival after 96h in 100% effluent	0	100	100

Table No. II

Location				Exide Industries Ltd.	Amphenol Interconnect India Pvt Ltd.	Atlas Castalloy Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Sanitary Survey			Reasonably clean neighbourhood	Very clean neighbourhood and catchment	Reasonably clean neighbourhood
2.	General Appearance			Floating matter evident	No floating matter	No floating matter
3.	Temperature	°C		33	32	30
4.	Colour	Hazen		1	1	3
5.	Smell	-		Agreeable	Disagreeable	Disagreeable
6.	Transparency	m		1.2	1.6	-
7.	pH	-	5.5 -9.0	7.4	7.5	8.12
8.	Oil & Grease	mg/L	10.0	BDL	BDL	1.2
9.	Suspended Solids	mg/L	100.0	28	6	148
10.	Dissolved Oxygen (% Saturation)	%		60	82	80



Location				Exide Industries Ltd.	Amphenol Interconnect India Pvt Ltd.	Atlas Castalloy Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
11.	Chemical Oxygen Demand	mg/L	250.0	40	100	8800
12.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30.0	14	37	3250
13.	Electrical Conductivity (at 25 °C)	µmho/cm		762	1740	5800
14.	Nitrite Nitrogen (as NO ₂)	mg/L		0.9	3	3
15.	Nitrate Nitrogen (as NO ₃)	mg/L	10.0	24.8	44	18.4
16.	(NO ₂ + NO ₃)-Nitrogen	mg/L	5.0	25.7	47	21.4
17.	Free Ammonia (as NH ₃ -N)	mg/L	5.0	0.21	0.2	BDL
18.	Total Residual Chlorine	mg/L	1.0	BDL	BDL	BDL
19.	Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
20.	Fluoride (as F)	mg/L	2.0	1.44	BDL	1.42
21.	Sulphide (as S ₂ -)	mg/L	2.0	BDL	BDL	BDL
22.	Dissolved Phosphate (as P)	mg/L	5.0	0.52	BDL	0.55


Location				Exide Industries Ltd.	Amphenol Interconnect India Pvt Ltd.	Atlas Castalloy Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
23.	Sodium Absorption Ratio	mg/L		BDL	BDL	BDL
24.	Total Coliforms	MPN index/ 100 ml	100.0	47	39	140
25.	Faecal Coliforms	MPN index/ 100 ml	1000.0	14	14	17
26.	Total Phosphate (as P)	mg/L	1.0	1.56	0.23	1.38
27.	Total Kjeldahl Nitrogen (as N)	mg/L	100.0	34	22	89.2
28.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	5.0	8.88	6.7	BDL
29.	Phenols (as C ₆ H ₅ OH)	mg/L	3.0	BDL	BDL	BDL
30.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL	BDL	BDL
31.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	2.0	BDL	BDL	BDL
II.	Atrazine	µg/L	0.2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.1	BDL	BDL	BDL
IV.	Dieldrin	µg/L	2.0	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.01	BDL	BDL	BDL

Location				Exide Industries Ltd.	Amphenol Interconnect India Pvt Ltd.	Atlas Castalloy Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
VI.	Beta HCH	µg/L	2.0	BDL	BDL	BDL
VII.	Delta HCH	µg/L	3.0	BDL	BDL	BDL
VIII.	Butachlor	µg/L	0.2	BDL	BDL	BDL
IX.	Chlorpyriphos	µg/L		BDL	BDL	BDL
X.	p,p DDT	µg/L	0.05	BDL	BDL	BDL
XI.	o,p DDT	µg/L	100.0	BDL	BDL	BDL
XII.	p,p DDE	µg/L	250.0	BDL	BDL	BDL
XIII.	o,p DDE	µg/L	30.0	BDL	BDL	BDL
XIV.	p,p DDD	µg/L		BDL	BDL	BDL
XV.	o,p DDD	µg/L		BDL	BDL	BDL
XVI.	Alpha Endosulfan	µg/L	10.0	BDL	BDL	BDL
XVII.	Beta Endosulfan	µg/L		BDL	BDL	BDL
XVIII.	Endosulfan Sulphate	µg/L	5.0	BDL	BDL	BDL
XIX.	Y HCH (Lindane)	µg/L	1.0	BDL	BDL	BDL
32.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL	BDL	BDL
33.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL	BDL	BDL
34.	Zinc (as Zn)	mg/L	5.0	BDL	BDL	0.298
35.	Nickel (as Ni)	mg/L	3.0	0.014	1.12	0.013

Location				Exide Industries Ltd.	Amphenol Interconnect India Pvt Ltd.	Atlas Castalloy Ltd.
Sr.	Parameters	Unit	Std. Limit	Results		
36.	Copper (as Cu)	mg/L		BDL	0.285	0.049
37.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.1	BDL	BDL	BDL
38.	Total Chromium (as Cr)	mg/L	2.0	BDL	BDL	BDL
39.	Total Arsenic (as As)	mg/L	0.2	BDL	BDL	BDL
40.	Lead (as Pb)	mg/L	0.1	0.012	BDL	0.148
41.	Cadmium (as Cd)	mg/L	2.0	BDL	0.306	BDL
42.	Mercury (as Hg)	mg/L	0.01	BDL	BDL	BDL
43.	Manganese (as Mn)	mg/L	2.0	0.045	0.021	0.099
44.	Iron (as Fe)	mg/L	3.0	0.198	0.115	0.734
45.	Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
46.	Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
47.	Boron (as B)	mg/L		0.249	0.376	18.6
48.	Bioassay Test on fish	% survival	90% survival after 96h in 100% effluent	100	100	0

Graphs: Water/Waste Water Quality Monitoring for Pimpri-Chinchwad:





3.4 Ground Water Quality:

Sr.	Location	Source	Table No.
1.	Ramdas Borate Borate Vasti	Well Water	I
2.	Raju Saste	Well Water	I
3.	Shantaram Laximan Borate	Well Water	I
4.	Mula-Mutha River	River	II
5.	Ram Hari Borate	Well Water	II
6.	Mohan Nagar	Bore well	II

Table No. I

Location				Ramdas Borate Borate Vasti	Raju Saste	Shantaram Laximan Borate
Sr.	Parameters	Unit	Std. Limit	Results		
1.	General Appearance			Generally clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood
2.	Temperature			Floating Matter evident	No Floating Matter	No Floating Matter
3.	Colour	Hazen		30	29	29
4.	Smell	-		1	1	1
5.	Transparency	-	Agreeable	Agreeable	Disagreeable	Agreeable
6.	pH	mg/L	6.5-8.5	-	-	-
7.	Oil & Grease	mg/L	100	7.24	7.47	7.43
8.	Suspended Solids	%	500	BDL	BDL	BDL
9.	Dissolved Oxygen (% Saturation)	mg/L		6	22	10
10.	Chemical Oxygen Demand	mg/L	10 (WHO, 1993)	59	82	42
11.	Biochemical Oxygen Demand (3 days, 27°C)	µmho/cm	0.3 (WHO, 1993)	BDL	BDL	BDL
12.	Electrical Conductivity (at 25°C)	mg/L	750	BDL	BDL	BDL
13.	Nitrite Nitrogen (as NO ₂)	mg/L		625	629	668

Location				Ramdas Borate Borate Vasti	Raju Saste	Shantaram Laximan Borate
Sr.	Parameters	Unit	Std. Limit	Results		
14.	Nitrate Nitrogen (as NO ₃)	mg/L	45	0.21	BDL	0.4
15.	(NO ₂ + NO ₃)- Nitrogen	mg/L	1.0	14.4	10.1	6
16.	Free Ammonia (as NH ₃ -N)	mg/L	0.5	14.6	10.1	6.4
17.	Total Residual Chlorine	mg/L	0.2	BDL	BDL	BDL
18.	Cyanide (as CN)	mg/L		BDL	BDL	BDL
19.	Fluoride (as F)	mg/L	1	BDL	BDL	BDL
20.	Sulphide (as S ²⁻)	mg/L	0.05	0.26	0.56	0.23
21.	Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
22.	Sodium Absorption Ratio	MPN index/ 100 ml		BDL	BDL	BDL
23.	Total Coliforms	MPN index/ 100 ml	ND	BDL	BDL	BDL
24.	Faecal Coliforms	mg/L	ND	39	47	140
25.	Total Phosphate (as P)	mg/L	0.5	12	13	32
26.	Total Kjeldahl Nitrogen	mg/L	0.001	0.15	0.17	<0.1

Location				Ramdas Borate Borate Vasti	Raju Saste	Shantaram Laximan Borate
Sr.	Parameters	Unit	Std. Limit	Results		
27.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	0.5	0.56	0.56	0.78
28.	Phenols (as C ₆ H ₅ OH)	mg/L	0.001	BDL	BDL	BDL
29.	Surface Active Agents (as MBAS)			BDL	BDL	BDL
30.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	0.05	BDL	BDL	BDL
II.	Atrazine	µg/L	20	BDL	BDL	BDL
III.	Aldrin	µg/L	2	BDL	BDL	BDL
IV.	Dieldrin	µg/L	0.03	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.03	BDL	BDL	BDL
VI.	Beta HCH	µg/L	0.01	BDL	BDL	BDL
VII.	Delta HCH	µg/L	0.04	BDL	BDL	BDL
VIII.	Butachlor	µg/L	125	BDL	BDL	BDL
IX.	p,p DDT	µg/L	0.04	BDL	BDL	BDL
X.	o,p DDT	µg/L	1	BDL	BDL	BDL
XI.	p,p DDE	µg/L	1	BDL	BDL	BDL
XII.	o,p DDE	µg/L	1	BDL	BDL	BDL
XIII.	p,p DDD	µg/L	1	BDL	BDL	BDL
XIV.	o,p DDD	µg/L	1	BDL	BDL	BDL
XV.	Alpha Endosulfan	µg/L	1	BDL	BDL	BDL

Location				Ramdas Borate Borate Vasti	Raju Saste	Shantaram Laximan Borate
Sr.	Parameters	Unit	Std. Limit	Results		
XVI.	Beta Endosulfan	µg/L	0.4	BDL	BDL	BDL
XVII.	Endosulfan Sulphate	µg/L	0.4	BDL	BDL	BDL
XVIII.	Y HCH (Lindane)	µg/L	0.4	BDL	BDL	BDL
31.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	2.0	BDL	BDL	BDL
32.	Polychlorinated Biphenyls (PCB)	mg/L	0.0001	BDL	BDL	BDL
33.	Zinc (as Zn)	mg/L	0.0005	0.059	BDL	0.102
34.	Nickel (as Ni)	mg/L	5.0	BDL	BDL	BDL
35.	Copper (as Cu)	mg/L	0.02	BDL	BDL	BDL
36.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.05	BDL	BDL	BDL
37.	Total Chromium (as Cr)	mg/L	1	0.02	BDL	BDL
38.	Total Arsenic (as As)	mg/L	0.05	BDL	BDL	BDL
39.	Lead (as Pb)	mg/L	0.01	BDL	BDL	BDL
40.	Cadmium (as Cd)	mg/L	0.01	BDL	BDL	BDL
41.	Mercury (as Hg)	mg/L	0.003	BDL	BDL	BDL
42.	Manganese (as Mn)	mg/L	0.001	0.036	BDL	BDL

Location				Ramdas Borate Borate Vasti	Raju Saste	Shantaram Laximan Borate
Sr.	Parameters	Unit	Std. Limit	Results		
43.	Iron (as Fe)	mg/L	0.1	BDL	BDL	0.08
44.	Vanadium (as V)	mg/L	0.3	BDL	BDL	BDL
45.	Selenium (as Se)	mg/L		BDL	BDL	BDL
46.	Boron (as B)	mg/L	0.01	BDL	BDL	BDL
47.	Bioassay Test on fish	% survival		100	100	100

Table No. II

Location				Mula-Mutha River	Ram Hari Borate	Mohan Nagar
Sr.	Parameters	Unit	Std. Limit	Results		
1.	General Appearance			Generally clean neighbourhood	Generally clean neighbourhood	Very clean neighbourhood and catchment
2.	Temperature			Floating Matter evident	Floating Matter evident	Floating Matter evident
3.	Colour	Hazen		30	29	30
4.	Smell	-		1	1	1
5.	Transparency	-	Agreeable	Agreeable	Agreeable	Disagreeable
6.	pH	mg/L	6.5-8.5	-	-	-
7.	Oil & Grease	mg/L	100	7.15	7.7	7.52
8.	Suspended Solids	%	500	BDL	BDL	BDL



Location				Mula-Mutha River	Ram Hari Borate	Mohan Nagar
Sr.	Parameters	Unit	Std. Limit	Results		
9.	Dissolved Oxygen (% Saturation)	mg/L		16	6	14
10.	Chemical Oxygen Demand	mg/L	10 (WHO, 1993)	38	60	45
11.	Biochemical Oxygen Demand (3 days, 27°C)	µmho/cm	0.3 (WHO, 1993)	11	BDL	BDL
12.	Electrical Conductivity (at 25°C)	mg/L	750	4	BDL	BDL
13.	Nitrite Nitrogen (as NO ₂)	mg/L		257	649	448
14.	Nitrate Nitrogen (as NO ₃)	mg/L	45	0.3	0.06	0.12
15.	(NO ₂ + NO ₃)-Nitrogen	mg/L	1.0	1.53	6.61	BDL
16.	Free Ammonia (as NH ₃ -N)	mg/L	0.5	1.83	6.67	0.12
17.	Total Residual Chlorine	mg/L	0.2	BDL	BDL	BDL
18.	Cyanide (as CN)	mg/L		BDL	BDL	BDL
19.	Fluoride (as F)	mg/L	1	BDL	BDL	BDL
20.	Sulphide (as S ²⁻)	mg/L	0.05	0.17	0.45	0.24
21.	Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL


Location				Mula-Mutha River	Ram Hari Borate	Mohan Nagar
Sr.	Parameters	Unit	Std. Limit	Results		
22.	Sodium Absorption Ratio	MPN index/ 100 ml		0.18	0.2	BDL
23.	Total Coliforms	MPN index/ 100 ml	ND	BDL	BDL	BDL
24.	Faecal Coliforms	mg/L	ND	39	280	27
25.	Total Phosphate (as P)	mg/L	0.5	7.8	22	6.8
26.	Total Kjeldahl Nitrogen	mg/L	0.001	0.52	0.28	0.27
27.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	0.5	2.24	1	1.23
28.	Phenols (as C ₆ H ₅ OH)	mg/L	0.001	1.17	BDL	BDL
29.	Surface Active Agents (as MBAS)			BDL	BDL	BDL
30.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	0.05	BDL	BDL	BDL
II.	Atrazine	µg/L	20	BDL	BDL	BDL
III.	Aldrin	µg/L	2	BDL	BDL	BDL
IV.	Dieldrin	µg/L	0.03	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.03	BDL	BDL	BDL
VI.	Beta HCH	µg/L	0.01	BDL	BDL	BDL
VII.	Delta HCH	µg/L	0.04	BDL	BDL	BDL

Location				Mula-Mutha River	Ram Hari Borate	Mohan Nagar
Sr.	Parameters	Unit	Std. Limit	Results		
VIII.	Butachlor	µg/L	125	BDL	BDL	BDL
IX.	p,p DDT	µg/L	0.04	BDL	BDL	BDL
X.	o,p DDT	µg/L	1	BDL	BDL	BDL
XI.	p,p DDE	µg/L	1	BDL	BDL	BDL
XII.	o,p DDE	µg/L	1	BDL	BDL	BDL
XIII.	p,p DDD	µg/L	1	BDL	BDL	BDL
XIV.	o,p DDD	µg/L	1	BDL	BDL	BDL
XV.	Alpha Endosulfan	µg/L	1	BDL	BDL	BDL
XVI.	Beta Endosulfan	µg/L	0.4	BDL	BDL	BDL
XVII.	Endosulfan Sulphate	µg/L	0.4	BDL	BDL	BDL
VIII.	Y HCH (Lindane)	µg/L	0.4	BDL	BDL	BDL
31.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	2.0	BDL	BDL	BDL
32.	Polychlorinated Biphenyls (PCB)	mg/L	0.0001	BDL	BDL	BDL
33.	Zinc (as Zn)	mg/L	0.0005	0.097	BDL	BDL
34.	Nickel (as Ni)	mg/L	5.0	BDL	BDL	BDL
35.	Copper (as Cu)	mg/L	0.02	BDL	BDL	BDL
36.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.05	BDL	BDL	BDL

Location				Mula-Mutha River	Ram Hari Borate	Mohan Nagar
Sr.	Parameters	Unit	Std. Limit	Results		
37.	Total Chromium (as Cr)	mg/L	1	BDL	BDL	BDL
38.	Total Arsenic (as As)	mg/L	0.05	BDL	BDL	BDL
39.	Lead (as Pb)	mg/L	0.01	BDL	BDL	BDL
40.	Cadmium (as Cd)	mg/L	0.01	BDL	BDL	BDL
41.	Mercury (as Hg)	mg/L	0.003	BDL	BDL	BDL
42.	Manganese (as Mn)	mg/L	0.001	BDL	BDL	0.049
43.	Iron (as Fe)	mg/L	0.1	0.066	0.067	0.133
44.	Vanadium (as V)	mg/L	0.3	BDL	BDL	BDL
45.	Selenium (as Se)	mg/L		BDL	BDL	BDL
46.	Boron (as B)	mg/L	0.01	BDL	BDL	BDL
47.	Bioassay Test on fish	% survival		0	100	50

Graphs: Ground Water Quality Monitoring for Pimpri-Chinchwad:





4. Summary and Conclusion

Based on the study done, the results are summarised and concluded as follows:

4.1 Stack Emission Monitoring:

Six industries from Pimpri-Chinchwad were selected for Stack emission monitoring.

- 1. Particulate matter (PM):** Out the 6 stacks, all the results obtained is within the standard emission for the specified industry.
- 2. Sulphur dioxide (SO₂):** Emission of SO₂.was well within the limit in all 6 stacks sampled. The highest level of SO₂ was observed at Alicon Atlas Castalloy Ltd. with 10.8 mg/Nm³ emission.
- 3. Nitrogen dioxide (NO₂):** Emission of NO₂.was also well within the limit in all 6 stacks sampled.
- 4. Acid Mist (as H₂SO₄):** Acid Mist was observed only at Amphenol Interconnect India Pvt Ltd. with a concentration of 1.91 mg/Nm³.
- 5. Carbon Monoxide (CO):** The concentration of carbon monoxide was observed only at Tata power with 6.41 mg/Nm³.

4.2 Ambient Air Quality Monitoring:

Six ambient air samples were collected from Pimpri-Chinchwad region. The parameters monitored were studied as per the NAAQ standards. The variations of each parameter within the area under study are discussed below:

- 1. Sulphur dioxide (SO₂):** All the locations are observed with very low concentrations of SO₂. The highest level of SO₂ was observed at Roxi Hotel with 7.8 µg/m³ which is very much lower than the standard limit of NAAQS i.e. 80 µg/m³.
- 2. Nitrogen dioxide (NO₂):** Values of nitrogen dioxide are also observed below the standard limit of 80 µg/m³ at all the 6 locations. The highest level of NO₂ was observed at A-5 Bansal Residency with a result of 6.78 µg/m³.
- 3. Particulate Matter (PM₁₀):** PM₁₀ concentration of 5 locations was higher than the standard limit of 100 µg/m³. The highest concentration of PM₁₀ was observed at Tower Line Trivehi Nagar with a result of 387 µg/m³.
- 4. Particulate Matter (PM_{2.5}):** Values of PM_{2.5} are also observed below the standard limit of 60 µg/m³ only at all the 3 out of 6 locations monitored. The highest level of PM_{2.5} was observed at Tower Line Trivehi Nagar with a result of 96 µg/m³.
- 5. Ozone (O₃):** Ozone was found to be below detectable limit in all location.
- 6. Lead (Pb):** Lead was found to be below detectable limit in all location.
- 7. Carbon Monoxide (CO):** Concentration of carbon monoxide has been found to well within the limits in all 6 locations monitored with the highest concentration at A-5 Bansal Residency with 2.17 mg/m³.
- 8. Ammonia (NH₃):** Ammonia was found to be below detectable limit in all location.
- 9. Benzene (C₆H₆):** Benzene was found to be below detectable limit in all location.
- 10. Benzo(a)pyrene (BaP):** BaP was below detectable limit in all 6 locations monitored.
- 11. Arsenic (As):** Arsenic was found to be below detectable limit in all location.
- 12. Nickel (Ni):** Nickel was found to be below detectable limit in all location.

4.3 Waste Water Quality Monitoring:

To understand the quality of treated effluent, samples were collected from 6 industries of Pimpri-Chinchwad. Considering the general parameters of all the industries mentioned, following are the conclusions:

- 1. Colour:** Colour units are found well within the limits in all samples.
- 2. Odour:** odour of only 1 sample is found agreeable out of the 6 water samples collected.
- 3. pH:** it is observed in between 7.1 and 8.1 which is well within the range.
- 4. Suspended Solids:** Concentration of Suspended solids was exceeding at Aicon Atlas Castalloy Ltd. Wit 148 mg/L.
- 5. Chemical Oxygen Demand:** The highest COD was observed at Aicon Atlas Castalloy Ltd with 8800 mg/L concentration.

- 6. Biochemical Oxygen Demand:** 3 out of the 6 samples collected was exceeding the limit required as per standard of BOD. The highest BOD was observed at Alico Atlas Castalloy Ltd with 3250 mg/L concentration.
- 7. Sulphide:** Sulphide was found to be below detectable limit in all location.
- 8. Total Ammonia:** 4 out of 6 water samples collected only had the concentration of Ammonia ranging in between 3.28 mg/L to 8.8 mg/L.
- 9. Total Kjeldahl Nitrogen:** All samples collected, were well within the limit required as per standard.
- 10. Fish Bioassay:** 100% Survival was attained in 4 water samples collected for Bioassay test. In the remaining 2 water samples, no fishes survived at all.
- 11. Heavy metals:** All the heavy metals are found below the standard limits in all the samples.

4.3 Ground Water Quality Monitoring:

Four ground water samples were collected from Pimpri-Chinchwad region.

- 1) Colour (Hazen Units):** Colour units are below the acceptable standard of all water samples collected.
- 2) Odour:** Odour was found disagreeable at 2 out of 6 samples collected
- 3) Chemical Oxygen Demand:** The COD was detected only at Mula-Mutha River with 11 mg/L concentration.
- 4) Biological Oxygen Demand:** BOD was also detected only at Mula-Mutha River with 4 mg/L concentration.

Following are the parameters which are compared with ISO 10500:2012 Drinking water specifications.

- 1) Nitrite:** Values of Nitrite at all location was well within the standard.
- 2) Nitrate:** Results of Nitrate are also observed below standard limit.
- 3) Residual Free Chlorine:** Values are below the detectable limit in all 6 samples collected.
- 4) Total Ammonia:** Total ammonia was observed only at Mula-Mutha River with 1.17 mg/L concentration.
- 5) Fluoride:** Values are well within the standard.
- 6) Sulphide:** All the readings of sulphide are below detectable limit in all 6 samples collected.
- 7) Sodium Absorption Ratio:** These values fit within range of water quality criteria of CPCB.
- 8) Total Kjeldahl nitrogen:** All 6 water samples collected exceeded the standard limit of TKN and ranged in between 0.56 mg/L to 2.24 mg/L concentration.

- 9) Fish Bioassay:** Mohan Nagar Near borewell water and Mula-Mutha River water sample had 50% and 0% survival of fishes respectively. Remaining all location 100% survival was observed.
- 10) Boron:** All 4 samples showed below detectable limit..
- 11) Surface Active Agents:** All 4 samples showed below detectable limit.
- 12) Metals:** All the metals except Copper, Lead and Total Chromium at few locations are observed within the acceptable limits of drinking water standards.

5. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as early warning tool which helps in categorization of industrial clusters/areas in terms of priority of needing attention.

CPCB had evolved certain methodology to calculate CEPI, in which a score has been fixed for different environmental components based on the level of pollution. The scoring system involves an algorithm that takes into account the basic selection criteria. This approach is based on the basic hazard assessment logic that can be summarized as below.

Hazard = pollutant source, pathways, and receptor

CPCB has calculated CEPI for the identified critically polluted industrial clusters. It is calculated separately for air, water, and land. The basic framework and scoring system of the CEPI – based on three factors namely pollutant, pathway, and receptor – has been described further under this section.

To overcome the subjectivity, revised concept is proposed by eliminating the subjective factors as described in the previous section but retaining the factors which can be measured precisely.


- I. Revised concept is prepared by eliminating the debatable factors but retaining the factors which can be measured precisely.
- II. It is decided to develop the Comprehensive Environmental Pollution Index (CEPI) retaining the existing algorithm of Source, Pathway and Receptor.
- III. Health component was also retained in the revised concept in line with the suggestions of Secretary, MoEFCC during the meeting held in MoEF.

Outlines of revised CEPI 2016 criteria

The outlines of the revised CEPI criteria are as follows:

1. It is proposed to develop the Comprehensive Environmental Pollution Index (CEPI) based on Sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.
2. For assessment of the environmental quality of the area i.e. CEPI score, the concept of SNLF i.e. a surrogate number which represents the level of exposure (a function of percentage sample Exceedance & Exceedance Factor) shall be used.
3. Health component to be evaluated based on the health data available from major hospitals in the area was also retained in the revised concept.

The evaluation criterion of the revised CEPI version 2016 is described in the flowchart given below:



Here, health data collected for Receptor Score C is included in **Annexure I**

Based on Sub-Index Score (score of individual environmental component like air, water etc.):

- **Score more than 63:** A Critical Level of Pollution in the respective level of environmental component
- **Score between 51-63:** Severe to critical level of pollution with reference to respective environmental component

Cut-off Score

- **Score 50:** Severely Polluted Industrial Clusters/areas
- **Score 60:** Critically Polluted Industrial Clusters/areas

Based on Aggregated CEPI Score (score includes sub-index score of all individual environmental components together):

- **Aggregated CEPI score >70:** Critically polluted areas
- **Aggregated CEPI score between 60-70:** Severely polluted areas

Since the inception of the programme, MPCB has also formulated Action Plans to mitigate the environmental pollution problems for each of the 8 Critically Polluted Areas (CPAs) in Maharashtra. Based on available information, parameters selected and monitored in continuation with this, CEPI has been calculated and Short-Term Action Plan (STAP) as well as Long Term Action Plan (LTAP) was prepared in 2010.

Subsequently NAAQS 2009 came in force. List of parameters to be considered increased and expanded including more critical and hazardous pollutants like benzene, BaP, Metals, etc. existing in the environment. There was revision of standards (limiting values) as well. In this present report of February, 2019 prepared by MPCB, CEPI is calculated considering all these revised standards' limiting values, list of parameters and complete scope of monitoring.

5.1 Comparison of CEPI scores:

Below given Table shows aggregated CEPI of present report in comparison with:

1. CEPI score by CPCB in 2009
2. CEPI score MPCB 2016
3. CEPI score MPCB February 2017
4. CEPI score MPCB June 2017
5. CEPI score MPCB February 2018

Results show that present CEPI score (40.82) of Pimpri-Chinchwad considering all revised standards is more or less the same as CPCB CEPI Score of February 2018 (43.49) report.

Detailed results of Air, Water and Land are given below:

Air

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
CEPI score June 2018	2.4	3.8	9.12	-	-	-	12.4	-	-	-	5	10	37
CEPI score February 2018	2	4	8	-	-	-	11.45	-	-	-	5	10	34.5
CEPI score June 2017	2.9	3	8.7	-	-	-	12.8	-	-	-	0	10	31.5
CEPI score February 2017	2	5	10	5	0	0	5	4	2.9	0	11.6	10	36.6
CPCB Report 2009	5.75	5	28.75	6	0	0	6	3	3.50	0	10.50	10	55.25

Water:

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
CEPI score June 2018	3.1	1.5	4.65	-	-	-	10.5	-	-	-	0	10	25.15
CEPI score February 2018	4	3.58	15.2	-	-	-	12.2	-	-	-	0	10	37.4
CEPI score June 2017	3.9	4.55	17.55	-	-	-	10.1	-	-	-	0	10	37.65
CEPI score February 2017	2.9	6	17.4	5	0	4	9	4	2	3	11	10	47.4
CPCB Report 2009	3	5	15	7	0	3	10	5	3.5	0	17.5	10	52.5

Land:

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
CEPI score June 2018	3.1	2.74	8.49	-	-	-	8.5	-	-	-	0	10	26.99
CEPI score February 2018	2.9	4.6	13.34	-	-	-	10.57	-	-	-	3	10	36.91
CEPI score June 2017	3.3	4.8	15.84	-	-	-	10.2	-	-	-	0	10	36.04
CEPI score February 2017	4	5	20	3	4	0	7	4	2	0	8	10	45.0
CPCB Report 2009	3	5	15	6	0	3	9	3	4	0	12	10	46.0

Aggregated CEPI:

	Air Index	Water Index	Land Index	CEPI
CEPI score June 2018	37	25.15	26.99	40.82
CEPI score February 2018	34.45	37.4	36.91	43.49
CEPI score June 2017	31.5	37.65	36.04	40.79
CEPI score February 2017	36.6	47.4	45.0	50.1
CPCB Report 2009	55.25	52.50	46.00	66.06

6. References

- 1) Criteria for Comprehensive Environmental Assessment of Industrial Clusters, December 2009, CPCB, EIAS/4/2009-10
- 2) Comprehensive Environmental Assessment of Industrial Clusters, December 2009, CPCB, EIAS/5/2009-10
- 3) Action Plan for Industrial Cluster: Chandrapur, November 2010, MPCB
- 4) Action Plan for Industrial Cluster: Chembur, November 2010, MPCB
- 5) Action Plan for Industrial Cluster: Aurangabad, November 2010, MPCB
- 6) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 7) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 8) Standard Methods for the Examination of Water and Waste Water, American Public Health Association, 22nd Edition, 2012.
- 9) IS 3025 (various parts)
- 10) www.mpcb.gov.in
- 11) www.cpcb.gov.in

7. Annexure

Annexure I: Stack Emission Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Acid Mist (as Sulphuric Acid)	US EPA Method no.m-8	Barium thorine titration Method	0.6 mg/Nm ³
2.	Ammonia	IS 11255 (Part 6):1999, Reaffirmed 2003	Titration/Nessler Reagent / Spectrophotometric Method	1 mg/Nm ³
3.	Carbon Monoxide	USEPA Method 10B	GC-FID Method	0.2 mg/Nm ³
4.	Chlorine	US EPA Method 26 for sampling	Titrimetric	0.001 mg/Nm ³
5.	Fluoride (Gaseous)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.025 mg/Nm ³
6.	Fluoride (Particulate)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.005 mg/Nm ³
7.	Hydrogen Chloride	US EPA Method 26 for sampling	Titrimetric	0.25 mg/Nm ³
8.	Hydrogen Sulphide	IS 11255 (Part 4):1985	Titrimetric	1 mg/Nm ³
9.	Oxides of Nitrogen	IS 11255 (Part 7): 2005	PDSA Colorimetric Method	10 mg/Nm ³
10.	Oxygen	IS 13270 : 1992	ORSAT Apparatus	1 %
11.	Poly Aromatic Hydrocarbons (Particulate)	IS 5182 (Part 12) : 2004, Reaffirmed 2009 CPCB Guidelines, May 2011, Page No.39	GC-FID Method	0.25 mg/Nm ³
12.	Suspended Particulate Matter	IS 11255 (Part 1):1985, Reaffirmed 2003	Gravimetric Method	10 mg/Nm ³

Sr.	Parameters	Method References	Techniques	Detection Limit
13.	Sulphur Dioxide	IS 11255 (Part 2): 1985, Reaffirmed 2003	Titrimetric IPA thiorine Method	5.0mg/Nm ³
				0.02kg/day
14.	BTX (Benzene, Toluene, Xylene)	NIOSH (NMAM) 1501	Adsorption and Desorption followed by GC-FID analysis	0.001 mg/Nm ³
15.	VOC (Volatile Organic Compounds)	NIOSH (NMAM) 1501 for sampling	Adsorption and Desorption followed by GC-FID or GC/MS analysis	-
i	Methyl Isobutyl Ketone	-	-	0.001 mg/Nm ³
ii	Benzene	-	-	0.001 mg/Nm ³
iii	Toluene	-	-	0.001 mg/Nm ³
iv	Xylene	-	-	0.001 mg/Nm ³
v	Ethyl Benzene	-	-	0.001 mg/Nm ³
vi	Ethyl Acetate	-	-	0.001 mg/Nm ³

Annexure II: Ambient Air Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Sulphur Dioxide (SO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.1	Improved West & Gaeke Method	4 µg/m ³
2.	Nitrogen Dioxide (NO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.7	Modified Jacob & Hochheiser Method	3 µg/m ³
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.11	Gravimetric Method	2 µg/m ³
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 15	Gravimetric Method	0.4 µg/m ³
5.	Ozone (O ₃)	APHA, Method No. 820, Page no. 836	Chemical Method	19.6 µg/m ³
6.	Lead (Pb)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.02 µg/m ³
7.	Carbon Monoxide (CO)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume II, May 2011, Page No. 16	Non Dispersive Infra Red (NDIR) spectroscopy	0.05 mg/m ³
8.	Ammonia (NH ₃)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 35	Indophenol Blue Method	4.0µg/m ³
9.	Benzene (C ₆ H ₆)	IS 5182 (Part 11):2006	Adsorption and Desorption followed by GC-FID analysis	1.0 µg/m ³
10.	Benzo (a) Pyrene (BaP) – particulate phase only,	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 39	Solvent extraction followed by GC-FID analysis	0.2 ng/m ³

Sr.	Parameters	Method References	Techniques	Detection Limit
11.	Arsenic (As)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.3ng/m ³
12.	Nickel (Ni)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	3.0ng/m ³

Annexure III: Water/Wastewater Sampling and Analysis Methodology

Sr.	Parameters	Methods References	Techniques	Detection Limit
1.	Sampling Procedure for Chemical Parameters	IS 3025 (Part 1): 1987, Reaffirmed 1998, Amds.1& APHA, 22 nd Ed., 2012, 1060 B, 1-39	-	-
2.	Sampling Procedure for Microbiological Parameters	APHA, 22 nd Ed., 2012, 1060 B, 1-39, 9040, 9-17, and 9060B, 9-35	-	-
3.	Temperature	APHA, 22 nd Ed., 2012, 2550-B, 2-69	By Thermometer	-
4.	Colour	APHA, 22 nd Ed., 2012 , 2120-B, 2-26	Visible Comparison Method	1 Hazen Unit
5.	Odour	IS 3025 (Part 5): 1983, Reaffirmed 2006	Qualitative Method	-
6.	pH	APHA, 22 nd Ed., 2012, 4500-H ⁺ - B, 4-92	By pH Meter	1
7.	Oil & Grease	APHA, 22 nd Ed., 2012, 5520-B, 5-40	Liquid -liquid Partition-Gravimetric Method	1.0 mg/L
8.	Suspended Solids	IS 3025(Part 17): 1984, Reaffirmed 2006,Amds.1	Filtration /Gravimetric Method	5.0 mg/L
9.	Dissolved Oxygen	IS 3025(Part 38): 1989, Reaffirmed 2009	Iodometric Method-Azide modification	0.05 mg/L
10.	Chemical Oxygen Demand	APHA,22 nd Ed., 2012 , 5220-B, 5-17	Open Reflux Method	5.0 mg/L
11.	Biochemical Oxygen Demand	IS 3025(Part 44): 1993,Reaffirmed 2009,Amds.1	Iodometric Method	5.0 mg/L
12.	Electrical Conductivity	APHA, 22 nd Ed., 2012, 2510- B, 2-54	By Conductivity Meter	0.1 μ mho/cm
13.	Nitrite-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120	Colorimetric Method	0.006 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
14.	Nitrate-Nitrogen	APHA, 22 nd Ed., 2012 ,4500-NO ₃ , B-4-122	UV Spectrophotometer Screening Method	0.2 mg/L
15.	(NO ₂ + NO ₃)-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120 APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	Colorimetric Method V Spectrophotometer Screening Method	0.2 mg/L
16.	Free Ammonia	APHA, 22 nd Ed., 2012 , 4500 NH ₃ , F, 4 -115	Colorimetric Method	0.006 mg/L
17.	Total Residual Chlorine	IS 3025 (Part 26) :1986 , Reaffirmed 2009, Ed. 2.1(2004-02)	Iodometric Method	0.1 mg/L
18.	Cyanide (CN)	APHA, 22 nd Ed., 2012 ,4500-CN, C & E, 4-41 & 4-43	Colorimetric Method	0.001 mg/L
19.	Fluoride (F)	APHA, 22 nd Ed., 2012, 4500-F ⁻ , D, 4-87	SPADNS Method	0.05 mg/L
20.	Sulphide (S ²⁻)	APHA, 22 nd Ed., 2012, 4500 -S ²⁻ , C-4-175, F-4-178	Iodometric Method	0.08 mg/L
21.	Dissolved Phosphate (P)	APHA, 22 nd Ed., 2012 , 4500 P, E, 4-155	Ascorbic Acid Method	0.03 mg/L
22.	Sodium Absorption Ratio	IS 11624 :1986, Reaffirmed 2006	By Calculation	0.3
23.	Total Phosphorous (P)	APHA, 22 nd Ed., 2012 , 4500 P, E, 4-155	Ascorbic Acid Method	0.03 mg/L
24.	Total Kjeldahl Nitrogen	APHA, 22 nd Ed., 2012, 4500 NH ₃ , B & C, 4 -110, 4-112	Titrimetric Method	0.1 mg/L
25.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	APHA, 22 ^d Ed., 2012 , 4500 NH ₃ , F, 4 -115	Colorimetric Method	0.001 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
26.	Phenols (C ₆ H ₅ OH)	APHA, 22 nd Ed., 2012, 5530- B & C, 5-44 & 5-47	Chloroform Extraction Method	0.001 mg/L
27.	Surface Active Agents	APHA, 22 nd Ed., 2012, 5540-B & C, 5-50	Methylene Blue Extraction Method	0.1 mg/L
28.	Organo Chlorine Pesticides	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
29.	Polynuclear aromatic hydrocarbons (PAH)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
30.	Polychlorinated Biphenyls (PCB)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
31.	Zinc (Zn)	IS 3025(Part 2): 2004	ICP Method	0.1 mg/L
32.	Nickel (Ni)	IS 3025(Part 2): 2004	ICP Method	0.05 mg/L
33.	Copper (Cu)	IS 3025(Part 2): 2004	ICP Method	0.03 mg/L
34.	Hexavalent Chromium (Cr ⁶⁺)	APHA, 22 nd Ed., 2012, 3500-Cr, B, 3-69	Colorimetric Method	0.02 mg/L
35.	Total Chromium (Cr)	IS 3025(Part 2): 2004	ICP Method	0.02 mg/L
36.	Total Arsenic (As)	IS 3025(Part 2): 2004	ICP Method	0.005 mg/L
37.	Lead (Pb)	IS 3025(Part 2): 2004	ICP Method	0.008 mg/L
38.	Cadmium (Cd)	IS 3025(Part 2): 2004	ICP Method	0.002 mg/L
39.	Mercury (Hg)	IS 3025(Part 2): 2004	ICP Method	0.0008 mg/L
40.	Manganese (Mn)	IS 3025(Part 2): 2004	ICP Method	0.02 mg/L
41.	Iron (Fe)	IS 3025(Part 2): 2004	ICP Method	0.06 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
42.	Vanadium (V)	IS 3025(Part 2): 2004	ICP Method	0.05 mg/L
43.	Selenium (Se)	IS 3025(Part 2): 2004	ICP Method	0.005 mg/L
44.	Boron (B)	IS 3025(Part 2): 2004	ICP Method	0.1 mg/L
45.	Total Coliforms	APHA, 22 nd Ed., 2012,9221-B, 9-66	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
46.	Faecal Coliforms	APHA, 22 nd Ed., 2012,9221-E, 9-74	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
47.	Bioassay (Zebra Fish) Test	IS 6582, 1971, Reaffirmed 1987	Static Technique	-

Annexure IV: National Ambient Air Quality Standards, 2009

The Gazette of India

EXTRAORDINARY PART III-Section 4 PUBLISHED BY AUTHORITY
NEW DELHI, WEDNESDAY, **NOVEMBER 18, 2009** No. B-29016/20/90/PCI-I

National Ambient Air Quality Standards: Central Pollution Control Board

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No.14 of 1981), and in suppression of the Notification No(s). S.O.384(E), dated 11th April, 1994 and S.O.935(E), dated 14th October, 1998, the **Central Pollution Control Board** hereby notify the National Ambient Air Quality Standards **with immediate effect**, namely:

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient Air		
			Industrial, Residential, Rural and Other Areas	Ecologically Sensitive Areas (Notified by Central Government)	Methods of Measurement
(1)	(2)	(3)	(4)	(5)	(6)
1	Sulphur Dioxide (SO ₂) $\mu\text{g}/\text{m}^3$	Annual *	50	20	– Improved West and Gaeke – Ultraviolet fluorescence
		24 hours **	80	80	
2	Nitrogen Dioxide (NO ₂) $\mu\text{g}/\text{m}^3$	Annual *	40	30	– Modified Jacob & Hochheiser (Na-Arsenite) – Chemiluminescence
		24 hours **	80	80	
3	Particulate Matter (size less than 10 μm) or PM ₁₀ $\mu\text{g}/\text{m}^3$	Annual *	60	60	– Gravimetric – TOEM – Beta attenuation
		24 hours **	100	100	
4	Particulate Matter (size less than 2.5 μm) or PM _{2.5} $\mu\text{g}/\text{m}^3$	Annual *	40	40	– Gravimetric – TOEM – Beta attenuation
		24 hours **	60	60	
5	Ozone (O ₃) $\mu\text{g}/\text{m}^3$	8 hours **	100	100	– UV photometric – Chemiluminescence – Chemical Method
		1 hour **	180	180	
6	Lead (Pb) $\mu\text{g}/\text{m}^3$	Annual *	0.50	0.50	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper – EDXRF using Teflon filter
		24 hours **	1.0	1.0	
7	Carbon Monoxide (CO) mg/m^3	8 hours **	02	02	– Non Dispersive Infra Red (NDIR) spectroscopy
		1 hour **	04	04	
8	Ammonia (NH ₃) $\mu\text{g}/\text{m}^3$	Annual *	100	100	– Chemiluminescence – Indophenol blue method
		24 hours **	400	400	
9	Benzene (C ₆ H ₆) $\mu\text{g}/\text{m}^3$	Annual *	05	05	– Gas Chromatography based continuous analyzer – Adsorption and Desorption followed by GC analysis
10	Benzo (a) Pyrene (BaP) – particulate phase only, ng/m^3	Annual *	01	01	– Solvent extraction followed by HPLC/GC analysis
11	Arsenic (As) ng/m^3	Annual *	06	06	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.
12	Nickel (Ni) ng/m^3	Annual *	20	20	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 08 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2 % of the time, they may exceed the limits but not on two consecutive days of monitoring.

Note: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigation.

SANT PRASAD GAUTAM, Chairman, Central Pollution Control Board [ADVT-III/4/184/09/Ext.]

Note: The notifications on National Ambient Air Quality Standards were published by the Central Pollution Control Board in the Gazette of India. Extraordinary vide notification No(s). S.O. 384(E), dated 11th April, 1994 and S.O. 935(E), dated 14th October, 1998.

$\mu\text{g}/\text{m}^3$: micro-gram/ m^3 i.e. $10^{-6}\text{gm}/\text{m}^3$

ng/m^3 : nano-gram/ m^3 i.e. $10^{-9}\text{gm}/\text{m}^3$

Annexure V: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
1.	Colour and Odour	See Note 1	--	See Note I	See Note 1
2.	Suspended solids, mg/L, Max.	100	600	200	a. For process waste water - 100 b. For cooling water effluent- 10 percent above total suspended matter of influent cooling water.
3.	Particle size of suspended solids	Shall pass 850 micron IS Sieve			a. Floatable solids, Max 3 mm b. Settleable solids Max 850 microns
4.	Dissolved solids (Inorganic), mg/L, Max.	2100	2100	2100	--
5.	pH value	5.5 -9.0	5.5 -9.0	5.5 -9.0	5.5-9.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
6.	Temperature °C, Max	Shall not exceed 40 in any section of the stream within 15 mts. Downstream from the effluent outlet	45 at the point of discharge	--	45 at the point of discharge
7.	Oil and Grease, mg/L, Max	10	20	10	20
8.,	Total Residual chlorine, mg/L, Max	1.0	--	--	1.0
9.	Ammonical Nitrogen (as N), mg/L, Max	50	50	--	50
10.	Total Kjeldahl Nitrogen (as N), mg/L, Max.	100	--	--	100
11.	Free Ammonia (as NH ₃), mg/L, Max	5.0	--	--	5.0
12.	Biochemical oxygen demand (5 days, at 20° c) mg/L, Max	30	350	100	100
13.	Chemical oxygen demand, mg/L, Max	250	--	--	250
14.	Arsenic (as As), mg/l, Max	0.2	0.2	0.2	0.2
15.	Mercury (as Hg). Mg/L, Max	0.01	0.01	--	0.01
16.	Lead (as Pb), mg/L, Max	0.1	1.0	-	1.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
17.	Cadmium (as Cd), mg/L,	2.0	1.0	--	2.0
18.	Hexavalent Chromium (as Cr ⁺⁶) mg/L, Max	.1	2.0	--	1.0
19.	Total Chromium (as Cr), mg/L, Max	2.0	2.0	--	2.0
20.	Copper (as Cu), mg/L, Max.	3.0	3.0	--	3.0
21.	Zinc (as Zn), mg/L, Max.	5.0	15	0--	15
22.	Selenium (as Se), mg/l, Max.	0.05	0.05	--	0.05
23.	Nickel (as Ni), mg/l, Max.	3.0	3.0	--	5.0
24.	Boron (as B), mg/l, Max.	2.0	2.0	2.0	--
25.	Percent Sodium, Max.	--	60	60	--
26.	Residual Sodium carbonate, mg/l, Max.	--	--	5.0	--
27.	Cyanide (as Cn), mg/L, Max.	0.2	2.0	0.2	0.2
28.	Chloride (as Cl), mg/L, Max.	1000	1000	600	--
29.	Fluoride (as F), mg/IL, Max.	2.0	15	--	15
30.	Dissolved Phosphate (as P), mg/L, Max.	5.0	--	--	--

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
31.	Sulphate (as SO ₄), mg/L, Max.	1000	1000	1000	--
32.	Sulphide (as S), mg/L, Max.	2.0	--	--	5.0
33.	Pesticides	Absent	Absent	Absent	Absent
34.	Phenolic compounds (as C ₆ H ₅ OH), mg/L, Max.	1.0	5.0	--	5.0
35.	Radioactive materials:				
	a. Alpha emitters MC/ml., Max.	10 ⁻⁷	10 ⁻⁷	10 ⁻⁸	10 ⁻⁷
	b. Beta emitters µc/ml., Max	10 ⁻⁶	10 ⁻⁶	10 ⁻⁷	10 ⁻⁶

Annexure VI: Drinking Water Specification-IS 10500:2012

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
Table 1	Organoleptic and Physical Parameters			
1.	Colour	Hazen units	Max 5	Max 15
2.	Odour	-	Agreeable	Agreeable
3.	pH value	-	6.5-8.5	No relaxation
4.	Taste	-	Agreeable	Agreeable
5.	Turbidity	NTU	Max 1	Max 5
6.	Total dissolved solids	mg/L	Max 500	Max 2000
Table 2	General parameters concerning undesirable substances in excessive amounts			
7.	Aluminium (as Al)	mg/L	Max 0.03	Max 0.2
8.	Ammonia (as total ammonia- N)	mg/L	Max 0.5	No relaxation
9.	Anionic detergents (as MBAS)	mg/L	Max 0.2	Max 1.0
10.	Barium (as Ba)	mg/L	Max 0.7	No relaxation
11.	Boron (as B)	mg/L	Max 0.5	Max 1.0
12.	Calcium (as Ca)	mg/L	Max 75	Max 200
13.	Chloramines (as Cl ₂)	mg/L	Max 4.0	No relaxation
14.	Chlorides (as Cl)	mg/L	Max 250	Max 1000
15.	Copper (as Cu)	mg/L	Max 0.05	Max 1.5
16.	Fluoride (as F)	mg/L	Max 1.0	Max 1.5
17.	Free residual chlorine	mg/L	Min 0.2	Min 1

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
18.	Iron (as Fe)	mg/L	Max 0.3	No relaxation
19.	Magnesium (as Mg)	mg/L	Max 30	Max100
20.	Manganese (as Mn)	mg/L	Max 0.1	Max 0.3
21.	Mineral Oil	mg/L	Max 0.5	No relaxation
22.	Nitrate (as NO ₃)	mg/L	Max 45	No relaxation
23.	Phenolic compounds (as C ₆ H ₅ OH)	mg/L	Max 0.001	Max 0.002
24.	Selenium (as Se)	mg/L	Max 0.01	No relaxation
25.	Silver (as Ag)	mg/L	Max 0.1	No relaxation
26.	Sulphate (as SO ₄)	mg/L	Max 200	Max 400
27.	Sulphide (as H ₂ S)	mg/L	Max 0.05	No relaxation
28.	Total Alkalinity as calcium carbonate	mg/L	Max 200	Max600
29.	Total hardness (as CaCO ₃)	mg/L	Max 200	Max 600
30.	Zinc (as Zn)	mg/L	Max 5	Max15
Table 3	Parameters Concerning Toxic Substances			
31.	Cadmium (asCd)	mg/L	Max 0.003	No relaxation
32.	Cyanide (asCN)	mg/L	Max 0.05	No relaxation
33.	Lead (as Pb)	mg/L	Max 0.01	No relaxation
34.	Mercury (asHg)	mg/L	Max 0.001	No relaxation
35.	Molybdenum (as Mo)	mg/L	Max 0.07	No relaxation
36.	Nickel (as Ni)	mg/L	Max 0.02	No relaxation
37.	Pesticides	mg/L	See Table 5	No relaxation
38.	Polychlorinatedbiphenyls	mg/L	Max 0.0005	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
39.	Poly nuclear aromatic Hydrocarbons (as PAH)	mg/L	Max 0.0001	No relaxation
40.	Total Arsenic(as As)	mg/L	Max 0.01	Max0.05
41.	Total Chromium (as Cr)	mg/L	Max 0.05	No relaxation
42.	Trihalomethanes			
a)	Bromoform	mg/L	Max 0.1	No relaxation
b)	DibromochloroMethane	mg/L	Max 0.1	No relaxation
c)	Bromodichloromethane	mg/L	Max 0.06	No relaxation
d)	Chloroform	mg/L	Max 0.2	No relaxation
Table 4	Parameters Concerning Radioactive Substances			
43.	Radioactive Materials			
a)	Alpha emitters	Bq/L	Max 0.1	No relaxation
b)	Beta emitters	Bq/L	Max 1.0	No relaxation
Table 5	Pesticide Residues Limits and Test Method			
i)	Alachor	µg/L	20	No relaxation
ii)	Atrazine	µg/L	2	No relaxation
iii)	Aldrin/ Dieldrin	µg/L	0.03	No relaxation
iv)	Alpha HCH	µg/L	0.01	No relaxation
v)	Beta HCH	µg/L	0.04	No relaxation
vi)	Butachlor	µg/L	125	No relaxation
vii)	Chlorpyriphos	µg/L	30	No relaxation
viii)	Delta HCH	µg/L	0.04	No relaxation
ix)	2,4- Dichlorophenoxyacetic acid	µg/L	30	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
x)	DDT (o,p&p,p — Isomers of DDT, DDE and DDD)	µg/L	1	No relaxation
xi)	Endosulfan (α,β & sulphate)	µg/L	0.4	No relaxation
xii)	Ethion	µg/L	3	No relaxation
xiii)	Gamma - HCH (Lindane)	µg/L	2	No relaxation
xiv)	Isoproturon	µg/L	9	No relaxation
xv)	Malathion	µg/L	190	No relaxation
xvi)	Methyl parathion	µg/L	0.3	No relaxation
xvii)	Monocrotophos	µg/L	1	No relaxation
xviii)	Phorate	µg/L	2	No relaxation
Table 6	Bacteriological Quality of Drinking Water			
44.	E.coli or thermotolerant coliform bacteria	/100	Not detectable	-
45.	Total coliform bacteria	/100 mL	Not detectable	-
	Virological Requirements			
46.	MS2 phage	/1 L	Absent	-
	Biological Requirements			
47.	Cryptosporidium	/10 L	Absent	-
48.	Giardia	/10 L	Absent	-
49.	Microscopic organisms such as algae, zooplanktons, flagellates, parasites and toxin producing organisms		Free from microscopic organisms	-

Annexure VII: CPCB Water Quality Criteria:

Designated best use	Quality Class	Primary Water Quality Criteria
Drinking water source without conventional treatment but with chlorination	A	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN*/100 ml) shall be 50 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 6 mg/L or more, and ➤ Biochemical Oxygen Demand 2 mg/L or less
Outdoor bathing (organized)	B	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100 ml) shall be 500 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 5 mg/L or more, and ➤ Biochemical Oxygen Demand 3 mg/L or less
Drinking water source with conventional treatment	C	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100ml) shall be 5000 or less ➤ pH between 6 and 9 ➤ Dissolved Oxygen 4 mg/L or more, and ➤ Biochemical Oxygen Demand 3 mg/L or less
Propagation of wildlife and fisheries	D	<ul style="list-style-type: none"> ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 4 mg/L or more, and ➤ Free ammonia (as N) 1.2 mg/L or less
Irrigation, industrial cooling, and controlled disposal	E	<ul style="list-style-type: none"> ➤ pH between 6.0 and 8.5 ➤ Electrical conductivity less than 2250 micro mhos/cm, ➤ Sodium Absorption Ratio less than 26, ➤ and Boron less than 2 mg/l.
	Below E	➤ Not Meeting A, B, C, D & E Criteria

Annexure VIII: Water Quality Parameters Requirements and Classification

Water quality parameters are classified into three categories, given in Table (i), (ii) and (iii) (Source: CPCB, 2002, "Water Quality Criteria and Goals", Monitoring of Indian National aquatic Resources Series: MINARS/17/2001-2002).

Table: Basic Water Quality Requirement and Classification (Surface Water + Ground Water)

i) Simple Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A-Excellent	B-Desirable	C-Acceptable
(i)	Sanitary Survey	Very Clean neighborhood and catchment	Reasonably clean neighborhood	Generally clean neighborhood
(ii)	General Appearance	No floating matter	No floating matter	No floating matter
(iii)	Colour	Absolutely Colourless	Almost colourless, very light shade if any	No colour of anthropogenic origin
(iv)	Smell	Odourless	Almost odourless	No unpleasant odour
(v)	Transparency	>1.0 depth	>0.5 to 0.1m depth	>0.2 to 0.5 m depth
(vi)	Ecological* (Presence of Animals)	Fish & Insects	Fish & Insects	Fish & Insects

* Applicable to only surface water

ii) Regular Monitoring Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(i)	pH	7.0 to 8.5	6.5 to 9.0	6.5 to 9.0
(ii)	DO (% Saturation)	90-110	80-120	60-140
(iii)	BOD, mg/l	Below 2	Below 5	Below 8
(iv)	EC, μ mhos/cm	<1000	<2250	<4000
(v)	(NO ₂ +NO ₃)-Nitrogen, mg/l	<5	<10	<15
(vi)	Suspended solid, mg/l	<25	<50	<100

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(vii)	Fecal Coliform, MPN/ 100 ml	<20 per 100 ml	<200 per 100 ml	<2000 per 100 ml
(viii)	Bio-assay (Zebra Fish)	No death in 5 days	No death in 3 days	No death in 2 days

Note:

1. Dissolved Oxygen (DO) not applicable for ground waters.
2. Dissolved Oxygen in eutrophicated waters should include measurement for diurnal variation.
3. Suspended solid limit is applicable only during non-monsoon period.
4. Faecal Coliform values should meet for 90% times.
5. Static Bio-Assay method may be adopted.

iii) Specific Parameters: (Only in case of need/apprehensions)

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(i)	Total Phosphorous	<0.1 mg/l	< 0.2 mg/l	< 0.3 mg/l
(ii)	T.K.N	< 1.0 mg/l	<2.0 mg/l	<3.0 mg/l
(iii)	Total Ammonia (NH ₄ + NH ₃)-Nitrogen	< 0.5 mg/l	< 1.0 mg/l	< 1.5 mg/l
(iv)	Phenols	< 2µg/l	< 5µg/l	<10 µg/l
(v)	Surface Active Agents	<20 µg/l	<100µg/l	< 200µg/l
(vi)	Organo Chlorine Pesticides	< 0.05µg/l	< 0.1µg/l	< 0.2µg/l
(vii)	PAH	< 0.05µg/l	<0.1 µg/l	<0.2 µg/l
(viii)	PCB and PCT	< 0.01µg/l	< 0.01µg/l	< 0.02µg/l
(ix)	Zinc	< 100µg/l	< 200µg/l	<300 µg/l
(x)	Nickel	< 50µg/l	< 100µg/l	< 200µg/l
(xi)	Copper	< 20µg/l	< 50µg/l	<100µg/l

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(xii)	Chromium (Total)	< 20µg/l	< 50µg/l	< 100µg/l
(xiii)	Arsenic (Total)	< 20µg/l	<50 µg/l	<100 µg/l
(xiv)	Lead	< 20µg/l	< 50µg/l	< 100µg/l
(xv)	Cadmium	< 1.0µg/l	<2.5 µg/l	< 5.0µg/l
(xvi)	Mercury	< 0.2µg/l	< 0.5µg/l	< 1.0µg/l

v.