


**MONITORING, SAMPLING AND ANALYSIS FOR
STACK AMBIENT AIR QUALITY, SURFACE
WATER QUALITY AND GROUND WATER
QUALITY IN 100 POLLUTED INDUSTRIAL
AREAS**

DURING 2019-2020

**Environmental Quality Monitoring Report For
Mahad, Maharashtra**



Maharashtra Pollution Control Board

Kalptaru Point, Sion East, Mumbai – 400 022

March, 2020

INDEX

Acknowledgement	3
Abbreviations:.....	4
1. Introduction:	5
2. Scope of Work.....	6
2.1 Frequency of Sampling:.....	7
2.2 Methodology followed in Sampling and Analysis.....	7
3. Monitoring Locations at Mahad	8
3.1 Mapping of the locations monitored	10
4. Results of Analysis.....	12
4.1 Stack Emission Monitoring:	12
4.2 Ambient Air Quality:	16
4.3 Surface Water Analysis Results:	24
4.4 Ground Water Analysis Results:.....	48
5 Summary of the Results.....	69
5.1 Stack Emission Monitoring:	69
5.2 Ambient Air Monitoring:	69
5.3 Surface Water Quality:	70
5.4 Ground Water Quality:	70
6 CEPI Score:.....	71
6.1 Comparison of CEPI scores:	73
7 Conclusions.....	74
8 Photographs	75
10. Annexures.....	79
Annexure I Health related data in impact on humans.....	79
Annexure II: Stack Emission Sampling and Analysis Methodology	80
Annexure III: Ambient Air Sampling and Analysis Methodology.....	82
Annexure IV: Water/Wastewater Sampling and Analysis Methodology	84
Annexure V: National Ambient Air Quality Standards, 2009	88
Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI).....	89
Annexure VII: Drinking Water Specification-IS 10500:2012	93
Annexure VIII: CPCB Water Quality Criteria:	97
Annexure IX: Water Quality Parameters Requirements and Classification	98

Acknowledgement

We gratefully acknowledge **Ashok Shingare**, Member Secretary, Maharashtra Pollution Control Board, for entrusting this very important and prestigious project to us.

Our special thanks to Regional and Sub Regional Officer of the concerned areas, for guidance during the sampling. The contribution of Shri **V. M Motghare** (Joint director APC) and **Mr. Sameer Hundlekar** (Field officer) is appreciated.

We would also like to extend our thanks to the concerned staff of Regional Hospitals, who has provided us the health data, which is the most important component of this revised concept of CEPI.

By undertaking this project and completing in schedule time, we consider ourselves very lucky since we have helped the mankind by giving the data on pollution load and further action by the Board, to bring down the pollution level.

We also thank our associates for working on this project for making the write up, making graphs and feeding the data on computer.

This acknowledgement will be incomplete if we do not thank our laboratory analysts and others who made this project a success by timely analysing the samples.

We also thank our sampling team members for conducting the sampling in this vast area.

Abbreviations:

APHA	American Public Health Association
BDL	Below Detection Limit
BOD	Biochemical Oxygen Demand
CEPI	Comprehensive Environmental Pollution Index
CETP	Common Effluent Treatment Plant
COD	Chemical Oxygen Demand
CPA	Critically Polluted Areas
SPA	Severely Polluted Areas
DO	Dissolved Oxygen
ETP	Effluent Treatment Plant
MIBK	Methyl Isobutyl Ketone
MPCB	Maharashtra Pollution Control Board
NAAQS	National Ambient Air Quality Standards
NO_x	Oxides of Nitrogen
ND	Not Detected
PAH	Poly Aromatic Hydrocarbons
PCB	Poly Chlorinated Biphenyls
PCT	Poly Chlorinated Terphenyls
PM₁₀	Particulate Matter (size less than 10 µm)
PM_{2.5}	Particulate Matter (size less than 2.5 µm)
SO₂	Sulphur Dioxide
STAP	Short Term Action Plan
WHO	World Health Organization

1. Introduction:

Over the years, urbanization and industrialization have led to major pollution-related issues due to increased human activities. Lack of planning and a basic understanding of the ecology affects its balance leading to pollution of water, air, soil, and other natural resources. The pollution load in respect of air quality is of relatively high order in metropolitan cities. It is associated with higher rates of several health disorders too. The development of manufacturing, especially near cities and industrial zones, is changing the environment and the natural composition of water. Pollution of natural environment not only affects people but also have adverse impact on economic growth in the long run. Analysis of pollution load shows that there are few industries in the country which contribute to more than 90percent of the pollution. Hence, scientists are exploring the quantum of pollution load as well as to devise certain strategies and technologies so that our sustainable development would not be jeopardized otherwise our long cherished dream of establishing eco-socialism on this watery planet could not come true.

Industrial pollution takes on many faces. It contaminates many sources of drinking water, releases unwanted toxins into the air and reduces the quality of soil all over the world. Every litre of waste water discharged by our industries pollutes eight times the quantity of fresh water. The extent of pollution varies with the size of the industry, the nature of the industry, the type of products used and produced etc. In view of this, Central Pollution Control Board (CPCB) has evolved the concept of Comprehensive Environmental Pollution Index (CEPI) during 2009-10 as a tool for comprehensive environmental assessment of prominent industrial clusters and formulation of remedial Action Plans for the identified critically polluted areas.

CEPI bridges the perceptive gap between experts, public, and government departments by simplifying the complexity of environmental issues. It aims at categorizing critically polluted industrial areas based on scientific criteria, so as to ascertain various dimensions of pollution. This is a combined framework used to evaluate the impacts caused by industrial clusters on the nearby environment, as a numerical value.

The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed. Later-on proposals were received from the SPCBs, State Governments, and Industrial Associations and concerned Stakeholders for revisiting the criteria of assessment under CEPI concept. After careful examination and consideration of the suggestions of concerned stake-holders, it was decided to prepare the revised concept of CEPI by eliminating the subjective factors but retaining the factors which can be measured precisely. Hence, revised concept came into existence, which is termed as Revised CEPI Version 2016.

The present report is also based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial clusters or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data, ecological damage, and visual environmental conditions. A total of 88 industrial areas or clusters have been selected by the Central Pollution Control Board (CPCB) in consultation with the Ministry of Environment & Forests Government of India for the study. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed.

2. Scope of Work

The Scope of Work consisted of the following:

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water, and Ground Water Quality at identified locations in Mahad, Maharashtra with a gap of one or two days.

Details regarding the works are provided as below:

Industrial Cluster/ Area	No. of Stack sites	Parameter of Stack	No. of AAQM sites	Parameter of AAQM	Numbers of water quality monitoring site		Parameter of Water
					Surface water	Ground water	
Mahad	6	PM, SO ₂ , NO ₂	8	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , NH ₃ , O ₃ , C ₆ H ₆ , CO, BAP, Pb, Ni, As	6	6	<p>(i) Simple Parameters Sanitary Survey, General Appearance, Colour, Smell, Transparency and Ecological</p> <p>(ii) Regular Monitoring Parameters pH, O & G, Suspended Solids, DO, COD, BOD, Electrical Conductivity, Total Dissolved Solids, Nitrite-Nitrogen, Nitrate-Nitrogen, (NO₂+NO₃) total nitrogen, Free Ammonia, Total Residual Chlorine, Cyanide, Fluoride, Chloride, Sulphate, Sulphides, Total Hardness, Dissolved Phosphates, SAR, Total Coliforms, Faecal Coliform,</p> <p>(iii) Special Parameters Total Phosphorous, TKN, Total Ammonia (NH₄+NH₃)-Nitrogen, Phenols, Surface Active Agents, Anionic detergents, Organo-Chlorine Pesticides, PAH, PCB and PCT, Zinc, Nickel, Copper, Hexa-valent Chromium, Chromium (Total), Arsenic (Total), Lead, Cadmium, Mercury, Manganese, Iron, Vanadium, Selenium, Boron</p> <p>(iv) Bio-assay (zebra Fish) Test – For specified samples only.</p>

2.1 Frequency of Sampling:

Parameter	Round of Sampling	Frequency on each Round
Ambient Air Quality Monitoring		
Particulate Matter (size less than 10 µm) or PM ₁₀	03	3 Shifts of 8 hrs each
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	03	1 Shifts of 24 hr
Sulphur Dioxide (SO ₂)	03	6 Shifts of 4 hrs each
Nitrogen Dioxide (NO ₂)	03	6 Shifts of 4 hrs each
Ammonia (NH ₃)	03	6 Shifts of 4 hrs each
Ozone (O ₃)	03	24 Shifts of 1 hr each
Benzene (C ₆ H ₆)	03	1 Shifts of 24 hr
Carbon Monoxide (CO)	03	24 Shifts of 1 hr each
Benzo (a) Pyrene (BaP) – particulate phase only	03	3 Shifts of 8 hrs each
Lead (Pb)	03	3 Shifts of 8 hrs each
Arsenic (As)	03	3 Shifts of 8 hrs each
Nickel (Ni)	03	3 Shifts of 8 hrs each
Ground Water		
As Mentioned Above	03	01 samples at each round
Surface Water		
As Mentioned Above	03	01 samples at each round

2.2 Methodology followed in Sampling and Analysis

Industries, places and locations that have been chosen for the sampling are representative of the city/ area. Sampling has been done at the potential polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions. Methodology for sampling, preservation and analysis have been done according to the references incorporated. Methodology of various types of parameters is presented under following annexure:

1. Stack Emission Sampling and Analysis Methodology – **Annexure I**
2. Ambient Air Sampling and Analysis Methodology - **Annexure II**
3. Surface Water/ Ground water Sampling and Analysis Methodology - **Annexure III**

3. Monitoring Locations at Mahad


Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
AAQM Stations at Mahad						
1.	Near MMA CETP CO-Operative Society Ltd.	18° 5'50.58"N	73°27'59.89"E	17.02.2020	19.02.2020	21.02.2020
2.	Nearby Hikal Ltd.	18° 5'43.45"N	73°27'53.50"E	17.02.2020	19.02.2020	21.02.2020
3.	MIDC Office Nagarwadi	18° 5'54.00"N	73°28'0.86"E	18.02.2020	20.02.2020	22.02.2020
4.	Backside of Sandoj India Pvt. Ltd.	18° 5'55.13"N	73°27'49.53"E	18.02.2020	20.02.2020	22.02.2020
5.	Nearby Piramal Healthcare Ltd.	18° 6'43.50"N	73°31'10.72"E	18.02.2020	20.02.2020	22.02.2020
6.	Nearby Nouryan Chemical Industries.	18° 5'56.99"N	73°29'3.62"E	18.02.2020	20.02.2020	22.02.2020
7.	Nearby Astec Life Science Ltd.	18° 6'48.31"N	73°30'51.83"E	19.02.2020	21.02.2020	23.02.2020
8.	Nearby Pidlite Industries Ltd.	18° 6'26.38"N	73°28'21.46"E	19.02.2020	21.02.2020	23.02.2020
Surface Water Sampling Locations at Mahad						
1.	Kall River, Akale Village near Bhozao Mahad	18°10'30.05"N	73°29'54.37"E	19.02.2020	22.02.2020	24.02.2020
2.	River near Siddhart Colorchem Pvt Ltd.	18° 5'47.14"N	73°28'14.45"E	19.02.2020	22.02.2020	24.02.2020
3.	Savitri River Dadli Bridge	18° 4'30.54"N	73°25'15.35"E	20.02.2020	22.02.2020	24.02.2020
4.	Savitri River near Visva Hotel	18° 5'12.17"N	73°26'40.04"E	20.02.2020	22.02.2020	24.02.2020
5.	Savitri River Nadgaon tarf Birwad	18° 6'50.10"N	73°28'39.17"E	20.02.2020	22.02.2020	24.02.2020

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
6.	Savitri River Kamble Tarf	18° 4'32.86"N	73°28'26.38"E	20.02.2020	22.02.2020	24.02.2020
Ground Water Sampling Locations at Mahad						
1.	Hand Pump near Baudhabari Village Aasanpoi	18° 5'47.40"N	73°29'13.90"E	19.02.2020	22.02.2020	24.02.2020
2.	Well at Mr. Jadhav House Aasanpoi	18° 5'55.43"N	73°29'11.39"E	19.02.2020	22.02.2020	24.02.2020
3.	Borewell at Mr. Anand Nayan farm house Aasanpoi	18° 5'52.89"N	73°29'7.24"E	19.02.2020	22.02.2020	24.02.2020
4.	Well at Deshmukh Kamble Village	18° 4'52.09"N	73°28'14.24"E	20.02.2020	22.02.2020	24.02.2020
5.	Hand Pump near Akole Village	18° 6'1.91"N	73°27'45.27"E	20.02.2020	22.02.2020	24.02.2020
6.	Handpump near Navi Nagar Village Near Mahad Police Station	18° 5'56.85"N	73°27'47.04"E	20.02.2020	22.02.2020	24.02.2020
Stack Emission monitoring at Mahad						
1.	IPCA Laboratories Ltd.	18° 6'42.30"N	73°29'10.57"E	17.02.2020	20.02.2020	22.02.2020
2.	YellowStone Chemicals Pvt. Ltd.	18° 6'36.90"N	73°29'13.49"E	17.02.2020	19.02.2020	21.02.2020
3.	V N Creative Chemical Pvt. Ltd.	18° 6'25.49"N	73°29'1.58"E	18.02.2020	20.02.2020	22.02.2020
4.	Embio Ltd.	18° 6'43.62"N	73°29'35.95"E	18.02.2020	20.02.2020	22.02.2020
5.	Sequent Scientific Ltd.	18° 6'5.61"N	73°29'28.63"E	19.02.2020	21.02.2020	24.02.2020
6.	Siddharth Colourchem	18° 5'47.14"N	73°28'14.45"E	19.02.2020	21.02.2020	23.02.2020
VOCs Emission monitoring at Mahad						


Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Privi Organic	18° 5'51.08"N	73°28'2.08"E	18.02.2020	20.02.2020	22.02.2020
2.	Laxmi Unit II	18° 6'6.70"N	73°29'7.43"E	18.02.2020	20.02.2020	22.02.2020

3.1 Mapping of the locations monitored


AAQM Stations at Mahad



Surface water sampling locations at Mahad



Ground water sampling locations at Mahad



4. Results of Analysis

Results of Analysis are tabulated below for Stack Emission Monitoring, Ambient Air Quality Monitoring, Waste Water Analysis and Water Analysis. These are followed by their respective graphical representation.

Kindly note:

- *N.A specifies the sample is not analyzed for the specific parameter.*
- *BDL specifies that the result obtained is below detection limit.*
- *Also, industrial clusters observed with below detection limit parameters are NOT included into the graphs*

4.1 Stack Emission Monitoring:

Stack Emission Monitoring Results are compared against The Environment (Protection) Rules, 1986 General Emission Standard - Part D. The limits are represented on the graphical representation.

Name of the Industry: IPCA Laboratories Ltd.

Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Particulate Matter	mg/Nm ³	68	26	15
Sulphur Dioxide (SO ₂)	mg/Nm ³	BDL	8.57	8.57
	kg/day	BDL	3.36	3.49
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	15.9	15.8

Name of the Industry: YellowStone Chemicals Pvt. Ltd.

Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Particulate Matter	mg/Nm ³	33	32	18
Sulphur Dioxide (SO ₂)	mg/Nm ³	5.3	8.57	8.57
	kg/day	1.67	2.64	2.7
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	15.8	18.3

Name of the Industry: V N Creative Chemical Pvt. Ltd.

Parameters	Units	Results		
		Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Particulate Matter	mg/Nm ³	30	137	28
Sulphur Dioxide (SO ₂)	mg/Nm ³	5.33	14.3	8.57
	kg/day	3.06	8.43	5.33
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	28.8	28

Name of the Industry: Embio Ltd.

Parameters	Units	Results		
		Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Particulate Matter	mg/Nm ³	54	21	19
Sulphur Dioxide (SO ₂)	mg/Nm ³	5.3	8.57	11.4
	kg/day	1.47	2.38	3.09
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	18.4	21.2

Name of the Industry: Sequent Scientific Ltd.

Parameters	Units	Results		
		Round-1 (19.02.2020)	Round-2 (21.02.2020)	Round-3 (24.02.2020)
Particulate Matter	mg/Nm ³	17	97	18
Sulphur Dioxide (SO ₂)	mg/Nm ³	BDL	BDL	BDI
	kg/day	BDL	BDL	BDL
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	10.5	10.6

Name of the Industry: Siddharth Colourchem

Parameters	Units	Results		
		Round-1 (19.02.2020)	Round-2 (21.02.2020)	Round-3 (23.02.2020)
Particulate Matter	mg/Nm ³	63	34	18
Sulphur Dioxide (SO ₂)	mg/Nm ³	BDL	26.7	11.4
	kg/day	BDL	2.64	1.11
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	31.2	21.2

VOCs Results**Name of the Industry: Privi Organic Ltd. (Boiler 15 TFH)**


Parameters	Units	Results		
		Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Methyl Isobutyl Ketone	mg/Nm ³	BDL	BDL	BDL
Benzene	mg/Nm ³	BDL	BDL	BDL
Toulene	mg/Nm ³	BDL	BDL	BDL
Xylene	mg/Nm ³	BDL	BDL	BDL
Ethyl Benzene	mg/Nm ³	BDL	BDL	BDL
Ethyl Acetate	mg/Nm ³	BDL	BDL	BDL
Isopropyl Alcohol	mg/Nm ³	BDL	BDL	BDL

Name of the Industry: Laxmi Organic Ltd. (Furnace 3 A)

Parameters	Units	Results		
		Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Methyl Isobutyl Ketone	mg/Nm ³	BDL	BDL	BDL
Benzene	mg/Nm ³	BDL	BDL	BDL
Toulene	mg/Nm ³	BDL	BDL	BDL
Xylene	mg/Nm ³	BDL	BDL	BDL
Ethyl Benzene	mg/Nm ³	BDL	BDL	BDL
Ethyl Acetate	mg/Nm ³	BDL	BDL	BDL

Parameters	Units	Results		
		Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Isopropyl Alcohol	mg/Nm ³	BDL	BDL	BDL

Graphs: Stack Monitoring



4.2 Ambient Air Quality:

In order to arrive at conclusions, the Ambient Air Quality Monitoring Results are compared against National Ambient Air Quality Standards, 2009 (**Annexure V**).

Location: Near MMA CETP CO-Operative Society Ltd.

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	71	41	15
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	20	7	9
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	1.85	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	13.6	4.29
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.522	0.497	0.826
Nickel (Ni)	ng/m ³	20	BDL	BDL	12.2

Location: Near Hikal Ltd.

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	150	35	13

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	35	10	6
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	1.39	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	8.21	3.64
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.932	BDL	0.977
Nickel (Ni)	ng/m ³	20	6.06	BDL	12.3

Location: MIDC Office Naggarwadi

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	79	35	16
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	20	10	4
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	3.14	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	11.5	6.87
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Arsenic (As)	ng/m ³	6	0.421	BDL	0.682
Nickel (Ni)	ng/m ³	20	3.71	BDL	12

Location: Backside of Sandoj India Pvt. Ltd.

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	200	33	81
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	48	8	23
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	3.05
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	13.5	4.88
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	1.09	1.06	0.421
Nickel (Ni)	ng/m ³	20	4.05	BDL	12.3

Location: Nearby Piramal Healthcare Ltd.

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	147	26	18
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	35	8	5
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	20	4.63
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.599	BDL	1.59
Nickel (Ni)	ng/m ³	20	BDL	BDL	12.4

Location: Nearby Nouryan Chemical Industries

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	114	48	73
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	26	12	20
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	2.78	BDL	2.69
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	16.4	5.08

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (22.02.2020)
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.491	1.01	0.323
Nickel (Ni)	ng/m ³	20	BDL	BDL	12.2



Location: Nearby Astec Lifescience Ltd.



Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (19.02.2020)	Round-2 (21.02.2020)	Round-3 (23.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	64	27	17
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	18	5	8
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	BDL	5.26
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	1.16	0.807	0.522
Nickel (Ni)	ng/m ³	20	3.62	BDL	12.3

Location: Nearby Pidlite Industries Ltd.

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (19.02.2020)	Round-2 (21.02.2020)	Round-3 (23.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	123	34	67
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	32	9	18
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	19.3	BDL	2.25
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	22.6	4.99
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.742	BDL	BDL
Nickel (Ni)	ng/m ³	20	4.24	BDL	12.1

Graphs: Ambient Air Monitoring Results





4.3 Surface Water Analysis Results:

Water Analysis Results are compared against CPCB document on criteria for Comprehensive Environmental Assessment of Industrial Clusters-Water Quality Parameters Requirement and Classification (**Annexure IX**), CPCB Water Quality Criteria (**Annexure VIII**) and Drinking Water Specification, IS 10500:2012 (**Annexure VII**), Wastewater Analysis Results are compared with General Standards for Discharge of Environmental Pollutants Part A: Effluents, The Environment (Protection) Rules, 1986, Schedule VI (**Annexure V**).

Location: Kall River, Akale Village near Bhozao Mahad

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	5.5 -9.0	7.32	7.39	7.43
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	12	20	18
Dissolved Oxygen (% Saturation)	%	60-140	60.1	70.3	95
Chemical Oxygen Demand	mg/L	250	7	5	6
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	2	2	3
Electrical Conductivity (at 25°C)	µmho/cm	4000	197.3	257	169
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	2.71	0.95	1.31
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	2.71	0.95	1.31
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Fluoride (as F)	mg/L	2	0.82	0.38	0.52
Sulphide (as S ²⁻)	mg/L	2	BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	0.2
Sodium Absorption Ratio	-		0.82	0.59	0.82
Total Coliforms	MPN index/ 100 mL		79	23	240
Faecal Coliforms	MPN index/ 100 mL		7.8	7.8	34
Total Phosphorous (as P)	mg/L		BDL	BDL	0.34
Total Kjeldahl Nitrogen (as N)	mg/L	100	0.70	14.8	1.12
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	0.2
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.062
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	BDL	BDL	BDL
Iron (as Fe)	mg/L	3	BDL	BDL	BDL
Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
Selenium (as Se)	mg/L	0.05	BDL	BDL	0.006
Boron (as B)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		1.29	15	1.4
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	80	80	60

Location: River near Siddhart Colorchem Pvt Ltd

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		75	80	15
Smell	-		Disagreeable	Disagreeable	Disagreeable
pH	-	5.5 -9.0	7.21	7.08	7
Oil & Grease	mg/L	10	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Suspended Solids	mg/L	100	78	14	98
Dissolved Oxygen (% Saturation)	%	60-140	40.6	50	75
Chemical Oxygen Demand	mg/L	250	43	24	17
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	11	9	8
Electrical Conductivity (at 25°C)	µmho/cm	4000	2950	3360	2040
Nitrite Nitrogen (as NO ₂)	mg/L	5	0.08	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	33.5	3.16	25.1
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	33.5	3.16	25.1
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.82	1.5	0.66
Sulphide (as S ²⁻)	mg/L	2	BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	0.1
Sodium Absorption Ratio	-		6.81	1.35	4.67
Total Coliforms	MPN index/ 100 mL		BDL	BDL	23
Faecal Coliforms	MPN index/ 100 mL		BDL	BDL	13
Total Phosphorous (as P)	mg/L		BDL	BDL	0.32

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	100	31.1	4.90	7.39
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	BDL
Nickel (as Ni)	mg/L	200	0.039	0.08	BDL
Copper (as Cu)	mg/L	100	0.057	0.06	0.022
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	0.067	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	0.269	0.517	0.263
Iron (as Fe)	mg/L	3	0.618	0.411	0.249
Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
Selenium (as Se)	mg/L	0.05	0.005	0.009	0.009
Boron (as B)	mg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Nitrogen	mg/L		38.4	5.59	12.9
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	70	80	50

Location: Savitri River Dadli Bridge

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	5.5 -9.0	7.91	7.13	7.02
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	12	12	BDL
Dissolved Oxygen (% Saturation)	%	60-140	85	65	90
Chemical Oxygen Demand	mg/L	250	BDL	24	BDL
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	BDL	6	BDL
Electrical Conductivity (at 25°C)	µmho/cm	4000	161.6	5080	2031
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	0.92	4.2	2.76

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	0.92	4.2	2.76
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.5	0.7	0.36
Sulphide (as S ²⁻)	mg/L	2	BDL	0.025	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	BDL
Sodium Absorption Ratio	-		0.64	6.1	2.75
Total Coliforms	MPN index/ 100 mL		23	23	1600
Faecal Coliforms	MPN index/ 100 mL		13	13	540
Total Phosphorous (as P)	mg/L		BDL	BDL	BDL
Total Kjeldahl Nitrogen (as N)	mg/L	100	3.9	9.8	3.13
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.071

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	BDL	BDL	BDL
Iron (as Fe)	mg/L	3	BDL	BDL	BDL
Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
Selenium (as Se)	mg/L	0.05	BDL	0.009	0.014
Boron (as B)	mg/L		BDL	0.341	0.32
Total Nitrogen	mg/L		4.1	10.7	3.73
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	70	60	50

Location: Savitri River near Visva Hotel

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	5.5 -9.0	6.62	7.41	7.16
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	BDL	48	8
Dissolved Oxygen (% Saturation)	%	60-140	86	80.1	85
Chemical Oxygen Demand	mg/L	250	BDL	6	10
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	BDL	2	4
Electrical Conductivity (at 25°C)	µmho/cm	4000	182	228	231
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	1.58	2.75	2.29
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	1.58	2.75	2.29
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.1	0.67	0.2
Sulphide (as S ²⁻)	mg/L	2	BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	BDL
Sodium Absorption Ratio	-		0.89	0.88	0.93

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Coliforms	MPN index/ 100 mL		33	240	49
Faecal Coliforms	MPN index/ 100 mL		23	34	23
Total Phosphorous (as P)	mg/L		BDL	BDL	BDL
Total Kjeldahl Nitrogen (as N)	mg/L	100	0.78	11	2.91
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyrifos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.165
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	0.007	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	0.001	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Manganese (as Mn)	mg/L	2	BDL	BDL	BDL
Iron (as Fe)	mg/L	3	BDL	BDL	0.062
Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
Boron (as B)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		1.12	11.6	3.41
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	80	60	70

Location: Savitri River Nadgaon tarf Birwad

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	5.5 -9.0	6.8	7.21	6.47
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	26	10	8
Dissolved Oxygen (% Saturation)	%	60-140	76	89	90
Chemical Oxygen Demand	mg/L	250	8	5	6

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	2	2	3
Electrical Conductivity (at 25°C)	µmho/cm	4000	204	186	190
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	2.17	1.66	1.38
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	2.17	1.66	1.38
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.2	0.64	0.2
Sulphide (as S ²⁻)	mg/L	2	BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	BDL
Sodium Absorption Ratio	-		0.86	0.74	0.73
Total Coliforms	MPN index/ 100 mL		140	3.5 x 10 ³	49
Faecal Coliforms	MPN index/ 100 mL		46	7.9 x 10 ²	49
Total Phosphorous (as P)	mg/L		BDL	BDL	BDL
Total Kjeldahl Nitrogen (as N)	mg/L	100	1.68	3.24	1.42
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyrifos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.105
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	BDL	BDL	BDL
Iron (as Fe)	mg/L	3	BDL	BDL	0.072
Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
Boron (as B)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		2.15	3.6	1.42

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	60	50	60

Location: Savitri River Kamble Tarf



Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	5.5 -9.0	7.12	7.31	6.63
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	28	20	28
Dissolved Oxygen (% Saturation)	%	60-140	75	86	90
Chemical Oxygen Demand	mg/L	250	160	BDL	30
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	43	BDL	9
Electrical Conductivity (at 25°C)	µmho/cm	4000	4440	162	170
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	1.57	0.8	1.35
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	1.57	0.8	1.35



Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.88	0.1	0.26
Sulphide (as S ²⁻)	mg/L	2	BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	BDL
Sodium Absorption Ratio	-		14.1	0.65	0.58
Total Coliforms	MPN index/ 100 mL		920	13	33
Faecal Coliforms	MPN index/ 100 mL		540	13	23
Total Phosphorous (as P)	mg/L		BDL	BDL	BDL
Total Kjeldahl Nitrogen (as N)	mg/L	100	5.74	0.22	1.79
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.103
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	0.007	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	BDL	BDL	BDL
Iron (as Fe)	mg/L	3	BDL	BDL	0.072
Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
Boron (as B)	mg/L		0.331	BDL	BDL
Total Nitrogen	mg/L		5.74	0.39	2.08
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	50	70	70

Graphs: Waste Water Monitoring





4.4 Ground Water Analysis Results:

Location: Hand Pump near Baudhabari Village Aasanpoi

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	6.99	7.28	7.23
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	15	12	BDL
Chemical Oxygen Demand	mg/L		12	15	9
Biochemical Oxygen Demand (3 days,27°C)	mg/L		3	4	4
Electrical Conductivity (at 25°C)	µmho/cm	4000	430	495	592
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		2.66	3.14	2.76
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	2.66	3.14	2.76
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.3	BDL	0.56
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	2.1
Sodium Absorption Ratio	-		1.2	1.63	0.83
Total Coliforms	MPN index/ 100 mL		9.2 × 10 ³	BDL	23
Faecal Coliforms	MPN index/ 100 mL		2.8 × 10 ³	BDL	13
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	4.7

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	2.24	2.24	7.5
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	0.13
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	0.057	BDL	0.063
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		BDL	BDL	0.113
Vanadium (as V)	mg/L		BDL	BDL	BDL
Selenium (as Se)	mg/L		0.007	0.006	BDL
Total Nitrogen	mg/L		BDL	BDL	BDL
Boron (as B)	mg/L		2.82	2.93	8.1
Bioassay Test on fish	% survival		50	70	70

Location: Well at Mr. Jadhav House Aasanpoi

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.13	7.21	7.1
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	8	10	14
Chemical Oxygen Demand	mg/L		9	17	22
Biochemical Oxygen Demand (3 days,27°C)	mg/L		3	4	8
Electrical Conductivity (at 25°C)	µmho/cm	4000	357	552	472
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		2.2	2.25	2.61
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	2.2	2.25	2.61
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		1.1	0.28	0.4
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		1.1	1.5	1.35
Total Coliforms	MPN index/ 100 mL		5.4 x 10 ³	BDL	BDL
Faecal Coliforms	MPN index/ 100 mL		3.5 x 10 ³	BDL	BDL
Total Phosphorous (as P)	mg/L	0.3	BDL	0.14	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	2.91	2.4	7.84
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.072
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		BDL	BDL	0.172
Vanadium (as V)	mg/L		BDL	BDL	BDL
Selenium (as Se)	mg/L		BDL	0.008	0.009
Total Nitrogen	mg/L		BDL	BDL	BDL
Boron (as B)	mg/L		3.39	2.89	8.41
Bioassay Test on fish	% survival		40	80	80

Table III: Borewell at Mr. Anand Nayan farm house Aasanpoi

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.39	7.15	6.91
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	10	6	8
Chemical Oxygen Demand	mg/L		7	12	12
Biochemical Oxygen Demand (3 days,27°C)	mg/L		2	3	5
Electrical Conductivity (at 25°C)	µmho/cm	4000	413	1516	492
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		2.03	2.51	2.32
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	2.03	2.51	2.32
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.5	1.2	0.24
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		1.14	1.74	1.06
Total Coliforms	MPN index/ 100 mL		110	BDL	130
Faecal Coliforms	MPN index/ 100 mL		33	BDL	27
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	1.57	7.73	4.14
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (19.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.113
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		BDL	BDL	0.138
Vanadium (as V)	mg/L		BDL	BDL	BDL
Selenium (as Se)	mg/L		BDL	0.007	BDL
Total Nitrogen	mg/L		BDL	BDL	BDL
Boron (as B)	mg/L		2.01	8.28	4.65
Bioassay Test on fish	% survival		80	80	70

Location: Well at Deshmukh Kamble Village

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.2	7.24	7
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	12	10	6
Chemical Oxygen Demand	mg/L		BDL	BDL	5
Biochemical Oxygen Demand (3 days,27°C)	mg/L		BDL	BDL	2
Electrical Conductivity (at 25°C)	µmho/cm	4000	312	678	205
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		2.42	6.05	1
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	2.42	6.05	1
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.4	0.3	0.3
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.82	3.12	0.84
Total Coliforms	MPN index/ 100 mL		BDL	9.2 x 10 ³	BDL
Faecal Coliforms	MPN index/ 100 mL		BDL	1.7 x 10 ³	BDL
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	7.72	12.20	3.69
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	0.225	0.097	0.117
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		BDL	BDL	0.119
Vanadium (as V)	mg/L		BDL	BDL	BDL
Selenium (as Se)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		BDL	BDL	BDL
Boron (as B)	mg/L		8.25	13.5	3.91
Bioassay Test on fish	% survival		80	30	70

Location: Hand Pump near Akole Village

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	6.69	7.68	7.12
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	8	18	8
Chemical Oxygen Demand	mg/L		10	5	10
Biochemical Oxygen Demand (3 days,27°C)	mg/L		3	2	4
Electrical Conductivity (at 25°C)	µmho/cm	4000	222	2000	197
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		0.91	0.78	0.82
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	0.91	0.78	0.82
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		3.36	0.43	0.28
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.73	0.71	0.76
Total Coliforms	MPN index/ 100 mL		4.5	BDL	BDL
Faecal Coliforms	MPN index/ 100 mL		4.5	BDL	BDL
Total Phosphorous (as P)	mg/L	0.3	0.31	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	3.9	5.82	3.13
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	0.082	0.097	0.138
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	0.02	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	0.002	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		0.088	BDL	0.161
Vanadium (as V)	mg/L		BDL	BDL	BDL
Selenium (as Se)	mg/L		BDL	BDL	0.013
Total Nitrogen	mg/L		BDL	BDL	BDL
Boron (as B)	mg/L		4.1	6	3.31
Bioassay Test on fish	% survival		80	80	70



Location: Handpump near Navi Nagar Village Near Mahad Police Station



Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	6.62	7.14	7.46
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	26	10	6
Chemical Oxygen Demand	mg/L		6	6	7
Biochemical Oxygen Demand (3 days,27°C)	mg/L		2	2	3
Electrical Conductivity (at 25°C)	µmho/cm	4000	186	320	325
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		0.9	2.22	3.24
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	0.9	2.22	3.24
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.61	0.1	0.6
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	0.79	BDL
Sodium Absorption Ratio	-		0.76	0.84	0.8
Total Coliforms	MPN index/ 100 mL		BDL	BDL	BDL
Faecal Coliforms	MPN index/ 100 mL		BDL	BDL	BDL
Total Phosphorous (as P)	mg/L	0.3	BDL	1.52	BDL


Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	2.50	0.67	3.92
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	0.067	BDL	0.412
Nickel (as Ni)	mg/L	200	0.01	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		BDL	BDL	0.106
Vanadium (as V)	mg/L		BDL	BDL	BDL
Selenium (as Se)	mg/L		BDL	0.007	BDL
Total Nitrogen	mg/L		BDL	BDL	BDL
Boron (as B)	mg/L		2.69	1.16	4.63
Bioassay Test on fish	% survival		80	70	60

Graphs: Ground Water Monitoring Results:







5 Summary of the Results

Based on the study done, the results are summarised and concluded as follows:

5.1 Stack Emission Monitoring:

In Mahad, six different stacks were monitored at IPCA Laboratories Ltd., Yellow Stone Chemicals Pvt. Ltd., V N Creative Chemical Pvt. Ltd., Sequent Scientific Ltd. and Siddharth Colourchem. Results show that concentration of all the parameters, particulate matter, nitrogen dioxide and sulphur dioxide, are below the standard limits. Particulate matter is observed in the range of 27.67 to 65 mg/Nm³ and sulphur dioxide in the range of 7.48 to 19.05 mg/Nm³. However, the nitrogen dioxide is observed with the range of 10.55 to 28.4 mg/Nm³.

Besides, stack air of two industries namely Privi Organic Ltd. and Laxmi Organic Ltd. were monitored for Volatile Organic Compounds (VoCs) and the results showed concentration of all the VoCs as BDL mg/Nm³ i.e. below detection limits.

5.2 Ambient Air Monitoring:

At Mahad, ambient air quality was monitored at eight locations namely: MMA CETP CO-Operative Society Ltd., Hikal Ltd., MIDC Office Naggarwadi, Sandoj India Pvt. Ltd., Piramal Healthcare Ltd., Nouryan Chemical Industries, Astec Lifescience Ltd. and Pidlite Industries Ltd. At all these places 12 parameters of ambient air quality standards were monitored.

1. **Sulphur dioxide (SO₂):** All the results for SO₂ are observed lower than the standard limit of 80µg/m³. It is observed below detection limit.
2. **Nitrogen Dioxide (NO_x):** All the results for NO_x are observed lower than the standard limit of 80µg/m³.
3. **Particulate Matter (PM₁₀):** It is the most critical parameter as its higher concentration in the air affects ecosystem health a lot. However, all the locations are observed with above the standard limit of 100 µg/m³ of PM₁₀ except at the Sandoj India Pvt. Ltd. Minimum of 36µg/m³ is observed at Astec Lifescience Ltd. and maximum of 104.67µg/m³ at Sandoj India Pvt. Ltd.
4. **Particulate Matter (PM_{2.5}):** Concentration of PM_{2.5} is observed in the range of 11.33 µg/m³ to 26.33µg/m³.
5. **Ozone (O₃):** All the ambient air samples shows ozone below detection level i.e. <19.6 µg/m³
6. **Lead (Pb):** Lead is categorised as known human carcinogen by CPCB. In our results, concentration of Lead is found below the detection limit i.e. below 0.02µg/m³.
7. **Carbon Monoxide (CO):** It is observed minimum of below detection limit at Piramal Healthcare Ltd. & Astec Lifescience Ltd. and maximum (10.75mg/m³) at Pidlite Industries Ltd.
8. **Ammonia (NH₃):** All the ambient air samples shows ammonia below detection level i.e. <4 µg/m³.
9. **Benzene:** Benzene falls under group C category, which includes known carcinogens. It is observed in the range of 5.26 to 13.795 µg/m³ of benzene.
10. **Benzo (a) Pyrene (BaP):** All values recorded below the detection limit i.e. less than 0.2ng/m³.

11. **Arsenic:** Arsenic values are also observed in the range of 0.55ng/m³ to 1.09ng/m³.
12. **Nickel:** All the values are observed below the standard limit of 20 ng/m³ i.e. in the range of 7.96ng/m³ to 12.4ng/m³.

5.3 Surface Water Quality:

Six samples of ETP outlet were collected from different industries in Mahad region. The quality of waste water was determined by determining various parameters as per standards and corresponding results are discussed below:

1. **pH:** At all the locations, pH of water samples is found well within the range prescribed by CPCB. It is ranged from 6.82 to 7.38.
2. **Oil and Grease:** All values within the acceptable range.
3. **Suspended Solids:** All the samples of different locations are found within the acceptable limits in the range of 12 to 63.33mg/L.
4. **Chemical Oxygen Demand:** Chemical Oxygen Demand is found within the acceptable limits in the range of 6 to 95mg/L.
5. **Biochemical Oxygen Demand:** Biological Oxygen Demand is also found within the acceptable limits in the range of 2.33 to 26mg/L.
6. **Total Kjeldahl Nitrogen:** It is observed in the range of 2.11 to 14.46mg/L.
7. **Total Ammonia:** All the samples are observed as below detection limit (BDL), except at one location i.e. Kall river, where it is observed as 0.2mg/L.
8. **Metals:** All metals like Arsenic, Nickel, Copper, Hexavalent Chromium (Cr⁶⁺) are observed either below detection limit or below their standard limits.
9. **Fish Bioassay:** Fish bioassay exhibits 56.67 to 73.33% survival.
10. Parameters like Total Residual Chlorine, Cyanide, Fluoride, Sulphide, Dissolved Phosphate, Total Ammonical Nitrogen and Phenolic compounds, also meet the criteria as prescribed by CPCB.

5.4 Ground Water Quality:

Six Borewell samples were collected from different locations namely: (i) Hand Pump near Baudhabari Village (ii) Well at Mr. Jadhav House Aasanpoi (iii) Borewell at Mr. Anand Nayan farm house (iv) Well at Deshmukh Kamble Village (v) Hand Pump near Akole Village (vi) Handpump near Navi Nagar Village Near Mahad Police Station.

1. **Colour** (Hazen Units): Colour units are below the acceptable standard.
2. **Odour** of the sample is agreeable.
3. **pH:** At all the locations, pH of water samples is found well within the range prescribed by CPCB. It is ranged from 7.07 to 7.16.
4. **Chemical Oxygen Demand:** Out of all, 50% samples exceed the standard limit. These are Hand Pump near Baudhabari Village AAsanpai (12mg/L), Well at Mr. Jadhav House AAsanpoi (1mg/L) and Borewell at Mr. Anand Nayan farm house Aasanpoi(10.33mg/L). Remaining samples are found in the range of 5 to 8.33mg/l.
5. **Biological Oxygen Demand:** BOD in all the studied samples is observed within the standard limit of 6mg/L set by WHO. This is observed in the range of 2 to 5 mg/l.

Following are the parameters which are compared with 10500:2012 Drinking water specifications.

1. **Nitrite:** Values of Nitrite are at below detection level.
2. **Nitrate:** Nitrate value ranged between 0.84mg/L and 3.15mg/L. Nitrate concentrations are below the acceptable standards of IS 10500:2012.
3. **Residual Free Chlorine:** Values are below the acceptable standards.
4. **Total Ammonia:** observed within the acceptable range.
5. **Cyanide:** Concentration of cyanide in all the bore well water is very much below the standard.
6. **Fluoride:** It is observed in the range of 0.33 to 1.35mg/L. Water sample of Hand Pump near Akole Village is observed with maximum fluoride concentration i.e. 1.35 mg/L.
7. **Sulphide:** Analytical values are below the detection limits and below the standards.
8. **Sodium Absorption Ratio:** These values fit within range of water quality criteria of CPCB.
9. **Metals:** Metals like Copper, Total Chromium, Lead, Arsenic, Cadmium and Mercury are well within the acceptable limits of drinking water standards.
10. **PAH & PCB** are also below the acceptable limits.
11. **Fish Bioassay:** Fish bioassay exhibits 60-76.67% survival

6 CEPI Score:

Comprehensive Environmental Pollution Index (CEPI) is intended to act as early warning tool which helps in categorization of industrial clusters/areas in terms of priority of needing attention.

CPCB had evolved certain methodology to calculate CEPI, in which a score has been fixed for different environmental components based on the level of pollution. The scoring system involves an algorithm that takes into account the basic selection criteria. This approach is based on the basic hazard assessment logic that can be summarized as below.

Hazard = pollutant source, pathways, and receptor

CPCB has calculated CEPI for the identified critically polluted industrial clusters. It is calculated separately for air, water, and land. The basic framework and scoring system of the CEPI – based on three factors namely pollutant, pathway, and receptor – has been described further under this section.


To overcome the subjectivity, revised concept is proposed by eliminating the subjective factors as described in the previous section but retaining the factors which can be measured precisely.

- I. Revised concept is prepared by eliminating the debatable factors but retaining the factors which can be measured precisely.
- II. It is decided to develop the Comprehensive Environmental Pollution Index (CEPI) retaining the existing algorithm of Source, Pathway and Receptor.
- III. Health component was also retained in the revised concept in line with the suggestions of Secretary, MoEFCC during the meeting held in MoEF.

The outlines of the revised CEPI criteria are as follows:

1. It is proposed to develop the Comprehensive Environmental Pollution Index (CEPI) based on Sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.
2. For assessment of the environmental quality of the area i.e. CEPI score, the concept of SNLF i.e. a surrogate number which represents the level of exposure (a function of percentage sample Exceedance & Exceedance Factor) shall be used.
3. Health component to be evaluated based on the health data available from major hospitals in the area was also retained in the revised concept.

The evaluation criterion of the revised CEPI version 2016 is described in the flowchart given below:



Here, health data collected for Receptor Score C is included in Annexure I

Based on Sub-Index Score (score of individual environmental component like air, water etc.):

Score more than 63: A Critical Level of Pollution in the respective level of environmental component

Score between 51-63: Severe to critical level of pollution with reference to respective environmental component

Cut-off Score

Score 50: Severely Polluted Industrial Clusters/areas

Score 60: Critically Polluted Industrial Clusters/areas

Based on Aggregated CEPI Score (score includes sub-index score of all individual environmental components together):

Aggregated CEPI score >70: Critically polluted areas

Aggregated CEPI score between 60-70: Severely polluted areas

Since the inception of the programme, MPCB has also formulated Action Plans to mitigate the environmental pollution problems for each of the 8 Critically Polluted Areas (CPAs) in Maharashtra. Based on available information, parameters selected and monitored in continuation with this, CEPI has been calculated and Short-Term Action Plan (STAP) as well as Long Term Action Plan (LTAP) was prepared in 2010 and every year review was taken on the same.

Subsequently NAAQS 2009 came in force. List of parameters to be considered increased and expanded including more critical and hazardous pollutants like benzene, BaP, Metals, etc. existing in the environment. There was revision of standards (limiting values) as well. In this present report of 2016 prepared by MPCB, CEPI is calculated considering all these revised standards' limiting values, list of parameters and complete scope of monitoring.

6.1 Comparison of CEPI scores:

The result shows that CEPI score of present report is 44.6. The present study is the compilation of post monsoon season, which also affects the score value. This time CEPI is observed lower than the CPCB CEPI score February 2018.

	Air Index	Water Index	Land Index	CEPI
CEPI score March 2020	41.8	20.3	23.3	44.6
CPCB CEPI score Feb 2018	41	35.75	29	47.12

7 Conclusions


This is an attempt to check the characteristics and status of environment among the different industrial clusters of Mahad city. Revised CEPI version 2016 includes 2 major modifications in terms of evaluation of data: (1) It includes Contribution of primary as well as secondary pollutants under Factor B (Max Value 50) and (2) Exhaustive collection of health data of people residing in the vicinity of industrial clusters under study, Factor C (Max Value 10). This has changed the entire criteria of calculating CEPI as compared to the previous CEPI version and hence affected the overall CEPI score also. It shows that the concentration of pollutants in air, ground water and surface water is lowered down as compared to past studies, as most of the results are observed below their standards with an exception of one or two parameters.

Parameters of air sampling are observed within the standard limit all the sampling locations. Among waste water samples, BOD and COD of CETP Inlet, CETP outlet samples are found beyond standard limit. All the ground water samples are found within the limits except BOD and COD of few the water samples, which are observed above standard limits at one location.

Moreover, the lower value (44.6) of Comprehensive Environmental Pollution Index (CEPI) in the present study as compared to past few years study also reveals the fact that the environmental pollution in this city is substantially decreased over the period of times. To achieve this target, improvement in conventional practice and procedures adopted by the industries coupled with initiatives taken by Maharashtra Pollution Control Board played a major role. Although, a decrease in environmental pollution is observed, but still there is lot of scope to improve the environmental quality of the city, for which continuous efforts, strategies, planning and actions are required. Overall CEPI figures are comprised in the table below:

	A1	A2	A	B	C	D	CEPI
Air Index	3	4	12	24.75	0	5	41.8
Water Index	2.75	4	11	4.25	0	5	20.3
Land Index	2.5	4	10	8.25	0	5	23.3
Aggregated CEPI							44.6

8 Photographs









10. Annexures

Annexure I Health related data in impact on humans

C: Receptor

Component C (Impact on Human Health) 10	
Main - 10	
% increase in cases	Marks
<5%	0
5-10%	5
>10%	10

- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, total no. of cases related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/ ground water Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

INFORMATION ON HEALTH STATISTICS IN PIL

1. Name of the Polluted Industrial area (PIA)
2. Name of major health center/organization --: M.M.A. HOSPITAL
3. Name and designation the contact person --: Dr. Ramesh Naik
Medical Superintendent , Mob. No.9503856761, 02145-233879
4. Address--: Near Telephone Exchange , Nangalwadi , MIDC, Mahad, Raigad
5. Year of Establishment

Sr.No.	Air Borne Diseases	No of Patients reported for the rears		
		2017-18	2018-19	2019-20
1	Asthma	4	10	7
2	Acute Respirationy infection	295	344	319
3	Bronehitis	--	--	--
4	Cancer	--	--	--
5	Water Borne Diseases	--	--	--
6	Gastroenlerilis	--	--	--
7	Diarrhea	38	56	22
8	Renal Diseases			

Health Status Data received From the Hospital

सदर रुग्ण हे प्रा. आ. केंद्राच्या कार्यक्षेत्रातील असुन

बाहयरुग्ण विळागात आढळुन आले आहेत.



Naik

Medical Superintendent
MMA Hospital

200811-FTS 0077

INFORMATION ON HEALTH STATISTICS IN PIL

- 1.Name of the Polluted industrial area (PIA)
- 2.Name of major health center/ organization--:**R.H.Mahad**
- 3.Name and designation the contact person--:**P.H.C. Birwadi**
4. Address--: **Birwadi Raigad 02145 250265**
- 5.Year of establishment

Sl.No	Air Borne Diseases	NO of Patients reported for the rears		
		2017-18	2018-19	2019-20
1	Asthma	3	7	5
2	Acute Respirationy infection	156	135	115
3	Bronehitis	--	--	--
4	Cancer	1	--	--
Water Borne Diseases				
5	Gastroenlerilis	15	22	28
6	Diarrhea	20	35	24
7	Renal diseases	2	5	8
8	Cancer	--	--	--

Health status Data received From the Hospital

सदर रुग्ण हे प्रा. आ. केंद्रच्या कार्यक्षेत्रातील असुन

बाह्यरुग्ण विभागात अडळुन आले आहेत.


Medical Officer
राष्ट्रीय आरोग्य केंद्र, रायगड, विरवाडी,
Ta.: Mahad, Dist. Raigad,
प्राथमिक आरोग्य केंद्र विरवाडी
ता.महाड, जि.रायगड.

CEPI File

26.
10/8

Annexure II: Stack Emission Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Acid Mist (as Sulphuric Acid)	US EPA Method no.m-8	Barium thorine titration Method	0.6 mg/Nm ³
2.	Ammonia	IS 11255 (Part 6):1999, Reaffirmed 2003	Titration/ Nessler Reagent/ Spectrophotometric Method	1 mg/Nm ³
3.	Carbon Monoxide	USEPA Method 10B	GC-FID Method	0.2 mg/Nm ³
4.	Chlorine	US EPA Method 26 for sampling	Titrimetric	0.001 mg/Nm ³
5.	Fluoride (Gaseous)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.025 mg/Nm ³
6.	Fluoride (Particulate)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.005 mg/Nm ³
7.	Hydrogen Chloride	US EPA Method 26 for sampling	Titrimetric	0.25 mg/Nm ³
8.	Hydrogen Sulphide	IS 11255 (Part 4):1985	Titrimetric	1 mg/Nm ³
9.	Oxides of Nitrogen	IS 11255 (Part 7): 2005	PDSA Colorimetric Method	10 mg/Nm ³
10.	Oxygen	IS 13270 : 1992	ORSAT Apparatus	1 %
11.	Poly Aromatic Hydrocarbons (Particulate)	IS 5182 (Part 12) : 2004, Reaffirmed 2009 CPCB Guidelines, May 2011, Page No.39	GC-FID Method	0.25 mg/Nm ³
12.	Suspended Particulate Matter	IS 11255 (Part 1):1985, Reaffirmed 2003	Gravimetric Method	10 mg/Nm ³
13.	Sulphur Dioxide	IS 11255 (Part 2): 1985, Reaffirmed 2003	Titrimetric IPA thorine Method	5.0 mg/Nm ³ 0.02 kg/day

Sr.	Parameters	Method References	Techniques	Detection Limit
14.	BTX (Benzene, Toluene, Xylene)	NIOSH (NMAM) 1501	Adsorption and Desorption followed by GC-FID analysis	0.001 mg/Nm ³
15.	VOC (Volatile Organic Compounds)	NIOSH (NMAM) 1501 for sampling	Adsorption and Desorption followed by GC-FID or GC/MS analysis	-
i	Methyl Isobutyl Ketone	-	-	0.001 mg/Nm ³
ii	Benzene	-	-	0.001 mg/Nm ³
iii	Toluene	-	-	0.001 mg/Nm ³
iv	Xylene	-	-	0.001 mg/Nm ³
v	Ethyl Benzene	-	-	0.001 mg/Nm ³
vi	Ethyl Acetate	-	-	0.001 mg/Nm ³

Annexure III: Ambient Air Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Sulphur Dioxide (SO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.1	Improved West & Gaeke Method	4 µg/m ³
2.	Nitrogen Dioxide (NO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.7	Modified Jacob & Hochheiser Method	3 µg/m ³
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.11	Gravimetric Method	2 µg/m ³
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 15	Gravimetric Method	0.4 µg/m ³
5.	Ozone (O ₃)	APHA, Method No. 820, Page no. 836	Chemical Method	19.6 µg/m ³
6.	Lead (Pb)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.02 µg/m ³
7.	Carbon Monoxide (CO)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume II, May 2011, Page No. 16	Non Dispersive Infra Red (NDIR) spectroscopy	0.05 mg/m ³
8.	Ammonia (NH ₃)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 35	Indophenol Blue Method	4.0 µg/m ³
9.	Benzene (C ₆ H ₆)	IS 5182 (Part 11):2006	Adsorption and Desorption followed by GC-FID analysis	1.0 µg/m ³
10.	Benzo (a) Pyrene (BaP) – particulate phase only,	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 39	Solvent extraction followed by GC-FID analysis	0.2 ng/m ³

Sr.	Parameters	Method References	Techniques	Detection Limit
11.	Arsenic (As)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.3 ng/m ³
12.	Nickel (Ni)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	3.0 ng/m ³

Annexure IV: Water/Wastewater Sampling and Analysis Methodology

Sr.	Parameters	Methods References	Techniques	Detection Limit
1.	Sampling Procedure for Chemical Parameters	IS 3025 (Part 1): 1987, Reaffirmed 1998, Amds.1& APHA, 22 nd Ed., 2012, 1060 B, 1-39	-	-
2.	Sampling Procedure for Microbiological Parameters	APHA, 22 nd Ed., 2012, 1060 B, 1-39, 9040, 9-17, and 9060B, 9-35	-	-
3.	Temperature	APHA, 22 nd Ed., 2012, 2550-B, 2-69	By Thermometer	-
4.	Colour	APHA, 22 nd Ed., 2012, 2120-B, 2-26	Visible Comparison Method	1 Hazen Unit
5.	Odour	IS 3025 (Part 5): 1983, Reaffirmed 2006	Qualitative Method	-
6.	pH	APHA, 22 nd Ed., 2012, 4500-H ⁺ - B, 4-92	By pH Meter	1
7.	Oil & Grease	APHA, 22 nd Ed., 2012, 5520-B, 5-40	Liquid -liquid Partition-Gravimetric Method	1.0 mg/l
8.	Suspended Solids	IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1	Filtration /Gravimetric Method	5.0 mg/l
9.	Dissolved Oxygen	IS 3025 (Part 38): 1989, Reaffirmed 2009	Iodometric Method-Azide modification	0.05 mg/l
10.	Chemical Oxygen Demand	APHA, 22 nd Ed., 2012, 5220-B, 5-17	Open Reflux Method	5.0 mg/l
11.	Biochemical Oxygen Demand	IS 3025 (Part 44): 1993, Reaffirmed 2009, Amds.1	Iodometric Method	5.0 mg/l
12.	Electrical Conductivity	APHA, 22 nd Ed., 2012, 2510- B, 2-54	By Conductivity Meter	0.1 μ mho/cm
13.	Nitrite-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120	Colorimetric Method	0.006 mg/l

Sr.	Parameters	Methods References	Techniques	Detection Limit
14.	Nitrate-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	UV Spectrophotometer Screening Method	0.2 mg/l
15.	(NO ₂ + NO ₃)-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120 APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	Colorimetric Method V Spectrophotometer Screening Method	0.2 mg/l
16.	Free Ammonia	APHA, 22 nd Ed., 2012, 4500 NH ₃ , F, 4 -115	Colorimetric Method	0.006 mg/l
17.	Total Residual Chlorine	IS 3025 (Part 26): 1986, Reaffirmed 2009, Ed. 2.1 (2004-02)	Iodometric Method	0.1 mg/l
18.	Cyanide (CN)	APHA, 22 nd Ed., 2012, 4500-CN, C & E, 4-41 & 4-43	Colorimetric Method	0.001 mg/l
19.	Fluoride (F)	APHA, 22 nd Ed., 2012, 4500-F, D, 4-87	SPADNS Method	0.05 mg/l
20.	Sulphide (S ²⁻)	APHA, 22 nd Ed., 2012, 4500 -S ² , C-4-175, F-4-178	Iodometric Method	0.08 mg/l
21.	Dissolved Phosphate (P)	APHA, 22 nd Ed., 2012, 4500 P,E, 4-155	Ascorbic Acid Method	0.03 mg/l
22.	Sodium Absorption Ratio	IS11624: 1986, Reaffirmed 2006	By Calculation	0.3
23.	Total Phosphorous (P)	APHA, 22 nd Ed., 2012, 4500 P,E, 4-155	Ascorbic Acid Method	0.03 mg/l
24.	Total Kjeldahl Nitrogen	APHA, 22 nd Ed., 2012, 4500 NH ₃ , B & C, 4 -110, 4-112	Titrimetric Method	0.1 mg/l
25.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	APHA, 22 nd Ed., 2012, 4500 NH ₃ , F, 4 - 115	Colorimetric Method	0.001 mg/l
26.	Phenols (C ₆ H ₅ OH)	APHA, 22 nd Ed., 2012, 5530- B & C, 5-44 & 5-47	Chloroform Extraction Method	0.001 mg/l

Sr.	Parameters	Methods References	Techniques	Detection Limit
27.	Surface Active Agents	APHA, 22 nd Ed., 2012, 5540-B & C, 5-50	Methylene Blue Extraction Method	0.1 mg/l
28.	Organo Chlorine Pesticides	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
29.	Polynuclear aromatic hydrocarbons (PAH)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
30.	Polychlorinated Biphenyls (PCB)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
31.	Zinc (Zn)	IS 3025 (Part 2): 2004	ICP Method	0.1 mg/l
32.	Nickel (Ni)	IS 3025 (Part 2): 2004	ICP Method	0.05 mg/l
33.	Copper (Cu)	IS 3025 (Part 2): 2004	ICP Method	0.03 mg/l
34.	Hexavalent Chromium (Cr ⁶⁺)	APHA, 22 nd Ed., 2012, 3500-Cr, B, 3-69	Colorimetric Method	0.02 mg/l
35.	Total Chromium (Cr)	IS 3025 (Part 2): 2004	ICP Method	0.02 mg/l
36.	Total Arsenic (As)	IS 3025 (Part 2): 2004	ICP Method	0.005 mg/l
37.	Lead (Pb)	IS 3025 (Part 2): 2004	ICP Method	0.008 mg/l
38.	Cadmium (Cd)	IS 3025 (Part 2): 2004	ICP Method	0.002 mg/l
39.	Mercury (Hg)	IS 3025 (Part 2): 2004	ICP Method	0.0008 mg/l
40.	Manganese (Mn)	IS 3025 (Part 2): 2004	ICP Method	0.02 mg/l
41.	Iron (Fe)	IS 3025 (Part 2): 2004	ICP Method	0.06 mg/l
42.	Vanadium (V)	IS 3025 (Part 2): 2004	ICP Method	0.05 mg/l

Sr.	Parameters	Methods References	Techniques	Detection Limit
43.	Selenium (Se)	IS 3025 (Part 2): 2004	ICP Method	0.005 mg/l
44.	Boron (B)	IS 3025 (Part 2): 2004	ICP Method	0.1 mg/l
45.	Total Coliforms	APHA, 22 nd Ed., 2012, 9221-B, 9-66	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
46.	Faecal Coliforms	APHA, 22 nd Ed., 2012, 9221-E, 9-74	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
47.	Bioassay (Zebra Fish) Test	IS 6582, 1971, Reaffirmed 1987	Static Technique	-

Annexure V: National Ambient Air Quality Standards, 2009



The Gazette of India

EXTRAORDINARY PART III-Section 4 PUBLISHED BY AUTHORITY
NEW DELHI, WEDNESDAY, **NOVEMBER 18, 2009** No. B-29016/20/90/PCI-I

National Ambient Air Quality Standards: Central Pollution Control Board

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No. 14 of 1981), and in suppression of the Notification No(s). S.O.384(E), dated 11th April, 1994 and S.O.935(E), dated 14th October, 1998, the **Central Pollution Control Board** hereby notify the National Ambient Air Quality Standards **with immediate effect**, namely:

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient Air		
			Industrial, Residential, Rural and Other Areas	Ecologically Sensitive Areas (Notified by Central Government)	Methods of Measurement
(1)	(2)	(3)	(4)	(5)	(6)
1	Sulphur Dioxide (SO ₂) $\mu\text{g}/\text{m}^3$	Annual *	50	20	– Improved West and Gaeke – Ultraviolet fluorescence
		24 hours **	80	80	
2	Nitrogen Dioxide (NO ₂) $\mu\text{g}/\text{m}^3$	Annual *	40	30	– Modified Jacob & Hochheiser (Na-Arsenite) – Chemiluminescence
		24 hours **	80	80	
3	Particulate Matter (size less than 10 μm) or PM ₁₀ $\mu\text{g}/\text{m}^3$	Annual *	60	60	– Gravimetric – TOEM – Beta attenuation
		24 hours **	100	100	
4	Particulate Matter (size less than 2.5 μm) or PM _{2.5} $\mu\text{g}/\text{m}^3$	Annual *	40	40	– Gravimetric – TOEM – Beta attenuation
		24 hours **	60	60	
5	Ozone (O ₃) $\mu\text{g}/\text{m}^3$	8 hours **	100	100	– UV photometric – Chemiluminescence – Chemical Method
		1 hour **	180	180	
6	Lead (Pb) $\mu\text{g}/\text{m}^3$	Annual *	0.50	0.50	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper – EDXRF using Teflon filter
		24 hours **	1.0	1.0	
7	Carbon Monoxide (CO) mg/m^3	8 hours **	02	02	– Non Dispersive Infra Red (NDIR) spectroscopy
		1 hour **	04	04	
8	Ammonia (NH ₃) $\mu\text{g}/\text{m}^3$	Annual *	100	100	– Chemiluminescence – Indophenol blue method
		24 hours **	400	400	
9	Benzene (C ₆ H ₆) $\mu\text{g}/\text{m}^3$	Annual *	05	05	– Gas Chromatography based continuous analyzer – Adsorption and Desorption followed by GC analysis
10	Benzo (a) Pyrene (BaP) – particulate phase only, ng/m^3	Annual *	01	01	– Solvent extraction followed by HPLC/GC analysis
11	Arsenic (As) ng/m^3	Annual *	06	06	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.
12	Nickel (Ni) ng/m^3	Annual *	20	20	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 08 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2 % of the time, they may exceed the limits but not on two consecutive days of monitoring.

Note: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigation.

SANT PRASAD GAUTAM, Chairman, Central Pollution Control Board [ADVT-III/4/184/09/Exty.]

Note: The notifications on National Ambient Air Quality Standards were published by the Central Pollution Control Board in the Gazette of India. Extraordinary vide notification No(s). S.O. 384(E), dated 11th April, 1994 and S.O. 935(E), dated 14th October, 1998.

$\mu\text{g}/\text{m}^3$: micro-gram/ m^3 i.e. $10^{-6}\text{gm}/\text{m}^3$

ng/m^3 : nano-gram/ m^3 i.e. $10^{-9}\text{gm}/\text{m}^3$

**Annexure VI: General Standards for Discharge of Environmental Pollutants,
Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)**

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
1.	Colour and Odour	See Note 1	--	See Note I	See Note 1
2.	Suspended solids, mg/l, Max.	100	600	200	a) For process waste water - 100 b) For cooling water effluent- 10 percent above total suspended matter of influent cooling water.
3.	Particle size of suspended solids	Shall pass 850 micron IS Sieve			a. Floatable solids, Max 3 mm b. Settleable solids Max 850 microns
4.	Dissolved solids (Inorganic), mg/l, Max.	2100	2100	2100	--
5.	pH value	5.5 -9.0	5.5 -9.0	5.5 -9.0	5.5-9.0
6.	Temperature °C, Max	Shall not exceed 40 in any section of the stream within 15 mts. Downstream from the effluent outlet	45 at the point of discharge	--	45 at the point of discharge

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
7.	Oil and Grease mg/l, Max	10	20	10	20
8.,	Total Residual chlorine, mg/l, Max	1.0	--	--	1.0
9.	Ammonical Nitrogen (as N), mg/l, Max	50	50	--	50
10.	Total Kjeldahl Nitrogen (as N), mg/l, Max.	100	--	--	100
11.	Free Ammonia (as NH ₃), mg/l, Max	5.0	--	--	5.0
12.	Biochemical oxygen demand (5 days, at 20° c) mg/l, Max	30	350	100	100
13.	Chemical oxygen demand, mg/l, Max	250	--	--	250
14.	Arsenic (as As), mg/l, Max	0.2	0.2	0.2	0.2
15.	Mercury (as Hg). Mg/l, Max	0.01	0.01	--	0.01
16.	Lead (as Pb), mg/l, Max	0.1	1.0	-	1.0
17.	Cadmium (as Cd), mg/l,	2.0	1.0	--	2.0
18.	Hexavalent Chromium (as Cr ⁺⁶) mg/l, Max	1	2.0	--	1.0
19.	Total Chromium (as Cr), mg/l, Max	2.0	2.0	--	2.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
20.	Copper (as Cu), mg/l, Max.	3.0	3.0	--	3.0
21.	Zinc (as Zn), mg/l, Max.	5.0	15	0--	15
22	Selenium (as Se), mg/l, Max.	0.05	0.05	--	0.05
23	Nickel (as Ni), mg/l, Max.	3.0	3.0	--	5.0
24	Boron (as B), mg/l, Max.	2.0	2.0	2.0	--
25.	Percent Sodium, Max.	--	60	60	--
26.	Residual Sodium carbonate, mg/l, Max.	--	--	5.0	--
27.	Cyanide (as Cn), mg/l, Max.	0.2	2.0	0.2	0.2
28.	Chloride (as Cl), mg/l, Max.	1000	1000	600	--
29.	Fluoride (as F), mg/l, Max.	2.0	15	--	15
30.	Dissolved Phosphate (as P), mg/l, Max.	5.0	--	--	--
31.	Sulphate (as SO ₄), mg/l, Max.	1000	1000	1000	--
32.	Sulphide (as S), mg/l, Max.	2.0	--	--	5.0
33.	Pesticides	Absent	Absent	Absent	Absent
34.	Phenolic compounds (as C ₆ H ₅ OH), mg/l, Max.	1.0	5.0	--	5.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
35.	Radioactive materials:				
	a. Alpha emitters MC/ml., Max.	10^{-7}	10^{-7}	10^{-8}	10^{-7}
	b. Beta emitters $\mu\text{C/ml.}$, Max	10^{-6}	10^{-6}	10^{-7}	10^{-6}

Annexure VII: Drinking Water Specification-IS 10500:2012

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
Table 1	Organoleptic and Physical Parameters			
1.	Colour	Hazen units	Max 5	Max 15
2.	Odour	-	Agreeable	Agreeable
3.	pH value	-	6.5-8.5	No relaxation
4.	Taste	-	Agreeable	Agreeable
5.	Turbidity	NTU	Max 1	Max 5
6.	Total dissolved solids	mg/l	Max 500	Max 2000
Table 2	General parameters concerning substances undesirable in excessive amounts			
7.	Aluminium (as Al)	mg/l	Max 0.03	Max 0.2
8.	Ammonia (as total ammonia- N)	mg/l	Max 0.5	No relaxation
9.	Anionic detergents (as MBAS)	mg/l	Max 0.2	Max 1.0
10.	Barium (as Ba)	mg/l	Max 0.7	No relaxation
11.	Boron (as B)	mg/l	Max 0.5	Max 1.0
12.	Calcium (as Ca)	mg/l	Max 75	Max 200
13.	Chloramines (as Cl ₂)	mg/l	Max 4.0	No relaxation
14.	Chlorides (as Cl)	mg/l	Max 250	Max 1000
15.	Copper (as Cu)	mg/l	Max 0.05	Max 1.5
16.	Fluoride (as F)	mg/l	Max 1.0	Max 1.5
17.	Free residual chlorine	mg/l	Min 0.2	Min 1
18.	Iron (as Fe)	mg/l	Max 0.3	No relaxation
19.	Magnesium (as Mg)	mg/l	Max 30	Max100

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
20.	Manganese (as Mn)	mg/l	Max 0.1	Max 0.3
21.	Mineral Oil	mg/l	Max 0.5	No relaxation
22.	Nitrate (as NO ₃)	mg/l	Max 45	No relaxation
23.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	Max 0.001	Max 0.002
24.	Selenium (as Se)	mg/l	Max 0.01	No relaxation
25.	Silver (as Ag)	mg/l	Max 0.1	No relaxation
26.	Sulphate (as SO ₄)	mg/l	Max 200	Max 400
27.	Sulphide (as H ₂ S)	mg/l	Max 0.05	No relaxation
28.	Total Alkalinity as calcium carbonate	mg/l	Max 200	Max600
29.	Total hardness (as CaCO ₃)	mg/l	Max 200	Max 600
30.	Zinc (as Zn)	mg/l	Max 5	Max15
Table 3	Parameters Concerning Toxic Substances			
31.	Cadmium (as Cd)	mg/l	Max 0.003	No relaxation
32.	Cyanide (as CN)	mg/l	Max 0.05	No relaxation
33.	Lead (as Pb)	mg/l	Max 0.01	No relaxation
34.	Mercury (as Hg)	mg/l	Max 0.001	No relaxation
35.	Molybdenum (as Mo)	mg/l	Max 0.07	No relaxation
36.	Nickel (as Ni)	mg/l	Max 0.02	No relaxation
37.	Pesticides	mg/l	See Table 5	No relaxation
38.	Polychlorinated biphenyls	mg/l	Max 0.0005	No relaxation
39.	Poly nuclear aromatic Hydrocarbons (as PAH)	mg/l	Max 0.0001	No relaxation
40.	Total Arsenic(as As)	mg/l	Max 0.01	Max0.05
41.	Total Chromium (as Cr)	mg/l	Max 0.05	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
42.	Trihalomethanes			
a)	Bromoform	mg/l	Max 0.1	No relaxation
b)	Dibromochloro Methane	mg/l	Max 0.1	No relaxation
c)	Bromodichloromethane	mg/l	Max 0.06	No relaxation
d)	Chloroform	mg/l	Max 0.2	No relaxation
Table 4	Parameters Concerning Radioactive Substances			
43.	Radioactive Materials			
a)	Alpha emitters	Bq/L	Max 0.1	No relaxation
b)	Beta emitters	Bq/L	Max 1.0	No relaxation
Table 5	Pesticide Residues Limits and Test Method			
i)	Alachor	µg/L	20	No relaxation
ii)	Atrazine	µg/L	2	No relaxation
iii)	Aldrin/ Dieldrin	µg/L	0.03	No relaxation
iv)	Alpha HCH	µg/L	0.01	No relaxation
v)	Beta HCH	µg/L	0.04	No relaxation
vi)	Butachlor	µg/L	125	No relaxation
vii)	Chlorpyriphos	µg/L	30	No relaxation
viii)	Delta HCH	µg/L	0.04	No relaxation
ix)	2,4- Dichlorophenoxyacetic acid	µg/L	30	No relaxation
x)	DDT (o,p & p,p — Isomers of DDT, DDE and DDD)	µg/L	1	No relaxation
xi)	Endosulfan (α, β & sulphate)	µg/L	0.4	No relaxation
xii)	Ethion	µg/L	3	No relaxation
xiii)	Gamma - HCH (Lindane)	µg/L	2	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
xiv)	Isoproturon	µg/L	9	No relaxation
xv)	Malathion	µg/L	190	No relaxation
xvi)	Methyl parathion	µg/L	0.3	No relaxation
xvii)	Monocrotophos	µg/L	1	No relaxation
xviii)	Phorate	µg/L	2	No relaxation
Table 6	Bacteriological Quality of Drinking Water			
44.	E.coli or thermotolerant coliform bacteria	/100	Not detectable	-
45.	Total coliform bacteria	/100 mL	Not detectable	-
	Virological Requirements			
46.	MS2 phage	/1 L	Absent	-
	Biological Requirements			
47.	Cryptosporidium	/10 L	Absent	-
48.	Giardia	/10 L	Absent	-
49.	Microscopic organisms such as algae, zooplanktons, flagellates, parasites and toxin producing organisms		Free from microscopic organisms	-

Annexure VIII: CPCB Water Quality Criteria:

Designated best use	Quality Class	Primary Water Quality Criteria
Drinking water source without conventional treatment but with chlorination	A	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN*/100 ml) shall be 50 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 6 mg/l or more, and ➤ Biochemical Oxygen Demand 2 mg/l or less
Outdoor bathing (organized)	B	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100 ml) shall be 500 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 5 mg/l or more, and ➤ Biochemical Oxygen Demand 3 mg/l or less
Drinking water source with conventional treatment	C	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100ml) shall be 5000 or less ➤ pH between 6 and 9 ➤ Dissolved Oxygen 4 mg/l or more, and ➤ Biochemical Oxygen Demand 3 mg/l or less
Propagation of wildlife and fisheries	D	<ul style="list-style-type: none"> ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 4 mg/l or more, and ➤ Free ammonia (as N) 1.2 mg/l or less
Irrigation, industrial cooling, and controlled disposal	E	<ul style="list-style-type: none"> ➤ pH between 6.0 and 8.5 ➤ Electrical conductivity less than 2250 micro mhos/cm, ➤ Sodium Absorption Ratio less than 26, ➤ and Boron less than 2 mg/l.
	Below E	<ul style="list-style-type: none"> ➤ Not Meeting A, B, C, D & E Criteria

Annexure IX: Water Quality Parameters Requirements and Classification

Water quality parameters are classified into three categories, given in Table (i), (ii) and (iii) (Source: CPCB, 2002, "Water Quality Criteria and Goals", Monitoring of Indian National aquatic Resources Series: MINARS/17/2001-2002).

Table: Basic Water Quality Requirement and Classification (Surface Water + Ground Water)

i) Simple Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A-Excellent	B-Desirable	C-Acceptable
(i)	Sanitary Survey	Very Clean neighborhood and catchment	Reasonably clean neighborhood	Generally clean neighborhood
(ii)	General Appearance	No floating matter	No floating matter	No floating matter
(iii)	Colour	Absolutely Colourless	Almost colourless, very light shade if any	No colour of anthropogenic origin
(iv)	Smell	Odourless	Almost odourless	No unpleasant odour
(v)	Transparency	>1.0 depth	>0.5 to 0.1m depth	>0.2 to 0.5 m depth
(vi)	Ecological* (Presence of Animals)	Fish & Insects	Fish & Insects	Fish & Insects

* Applicable to only surface water

ii) Regular Monitoring Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(i)	pH	7.0 to 8.5	6.5 to 9.0	6.5 to 9.0
(ii)	DO (% Saturation)	90-110	80-120	60-140
(iii)	BOD, mg/l	Below 2	Below 5	Below 8
(iv)	EC, μ mhos/cm	<1000	<2250	<4000
(v)	(NO ₂ +NO ₃)-Nitrogen, mg/l	<5	<10	<15
(vi)	Suspended solid, mg/l	<25	<50	<100

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(vii)	Fecal Coliform, MPN/ 100 ml	<20 per 100 ml	<200 per 100 ml	<2000 per 100 ml
(viii)	Bio-assay (Zebra Fish)	No death in 5 days	No death in 3 days	No death in 2 days

Note:

1. Dissolved Oxygen (DO) not applicable for ground waters.
2. Dissolved Oxygen in eutrophicated waters should include measurement for diurnal variation.
3. Suspended solid limit is applicable only during non-monsoon period.
4. Faecal Coliform values should meet for 90% times.
5. Static Bio-Assay method may be adopted.

iii) Specific Parameters: (Only in case of need/apprehensions)

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(i)	Total Phosphorous	<0.1 mg/l	<0.2 mg/l	<0.3 mg/l
(ii)	T.K.N	<1.0 mg/l	<2.0 mg/l	<3.0 mg/l
(iii)	Total Ammonia (NH ₄ + NH ₃)- Nitrogen	<0.5 mg/l	<1.0 mg/l	<1.5 mg/l
(iv)	Phenols	<2 µg/l	<5 µg/l	<10 µg/l
(v)	Surface Active Agents	<20 µg/l	<100 µg/l	<200 µg/l
(vi)	Organo Chlorine Pesticides	<0.05 µg/l	<0.1 µg/l	<0.2 µg/l
(vii)	PAH	<0.05 µg/l	<0.1 µg/l	<0.2 µg/l
(viii)	PCB and PCT	<0.01 µg/l	<0.01 µg/l	<0.02 µg/l
(ix)	Zinc	<100 µg/l	<200 µg/l	<300 µg/l
(x)	Nickel	<50 µg/l	<100 µg/l	<200 µg/l
(xi)	Copper	<20 µg/l	<50 µg/l	<100 µg/l

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(xii)	Chromium (Total)	<20 µg/l	<50 µg/l	<100 µg/l
(xiii)	Arsenic (Total)	<20 µg/l	<50 µg/l	<100 µg/l
(xiv)	Lead	<20 µg/l	<50 µg/l	<100 µg/l
(xv)	Cadmium	<1.0 µg/l	<2.5 µg/l	<5.0 µg/l
(xvi)	Mercury	<0.2 µg/l	<0.5 µg/l	<1.0 µg/l