

**MONITORING, SAMPLING AND ANALYSIS FOR
AMBIENT AIR QUALITY, SURFACE WATER
QUALITY AND GROUND WATER QUALITY IN 100
POLLUTED INDUSTRIAL AREAS**

DURING DECEMBER 2019- FEBRUARY 2020

**Environmental Quality Monitoring Report For
Nashik, Maharashtra**



Maharashtra Pollution Control Board
Kalptaru Point, Sion East, Mumbai – 400 022

March, 2020

Index

Acknowledgement:	3
Abbreviations:	4
1. Introduction:	5
2. Scope of Work.....	6
2.1 Frequency of Sampling:	7
2.2 Methodology followed in Sampling and Analysis	7
3. Monitoring Locations at Nashik.....	8
3.1 Mapping of the locations monitored	10
4. Result of Analysis:	12
4.1 Stack Emission:	12
4.2 Ambient Air Quality:	16
4.3 Surface Water Quality:.....	23
4.4 Ground Water Quality:	33
5. Summary and Conclusion.....	53
5.1 Stack Emission Monitoring:.....	53
5.2 Ambient Air Quality Monitoring:	53
5.3 Surface Water Quality Monitoring:	54
5.4 Ground Water Quality Monitoring:	54
6. CEPI Score	55
6.1 Comparison of CEPI scores:	57
7. Conclusion	58
8. Photographs	59
9. Annexures.....	63
Annexure I Health related data in impact on humans	63
Annexure II: Stack Emission Sampling and Analysis Methodology.....	64
Annexure III: Ambient Air Sampling and Analysis Methodology	66
Annexure IV: Water/Wastewater Sampling and Analysis Methodology	68
Annexure V: National Ambient Air Quality Standards, 2009	72
Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)	73
Annexure VII: Drinking Water Specification-IS 10500:2012.....	77
Annexure VIII: CPCB Water Quality Criteria:	81
Annexure IX: Water Quality Parameters Requirements and Classification	82

Acknowledgement:

We gratefully acknowledge **Ashok Shingare**, Member Secretary, Maharashtra Pollution Control Board, for entrusting this very important and prestigious project to us.

Our special thanks to Regional and Sub Regional Officer of the concerned areas, for guidance during the sampling. The contribution of **Shri V. M Motghare** (Joint director APC) and **Mr. Sameer Hundlekar** (Field officer) is appreciated.

We would also like to extend our thanks to the concerned staff of Regional Hospitals, who has provided us the health data, which is the most important component of this revised concept of CEPI.

By undertaking this project and completing in schedule time, we consider ourselves very lucky since we have helped the mankind by giving the data on pollution load and further action by the Board, to bring down the pollution level.

We also thank our associates for working on this project for making the write up, making graphs and feeding the data on computer.

This acknowledgement will be incomplete if we do not thank our laboratory analysts and others who made this project a success by timely analyzing the samples.

We also thank our sampling team members for conducting the sampling in this vast area.

Abbreviations:

APHA	American Public Health Association
BDL	Below Detection Limit
BOD	Biochemical Oxygen Demand
CEPI	Comprehensive Environmental Pollution Index
CETP	Common Effluent Treatment Plant
COD	Chemical Oxygen Demand
CPA	Critically Polluted Areas
SPA	Severely Polluted Areas
DO	Dissolved Oxygen
ETP	Effluent Treatment Plant
MIBK	Methyl Isobutyl Ketone
MPCB	Maharashtra Pollution Control Board
NAAQS	National Ambient Air Quality Standards
NO_x	Oxides of Nitrogen
ND	Not Detected
PAH	Poly Aromatic Hydrocarbons
PCB	Poly Chlorinated Biphenyls
PCT	Poly Chlorinated Terphenyls
PM₁₀	Particulate Matter (size less than 10 µm)
PM_{2.5}	Particulate Matter (size less than 2.5 µm)
SO₂	Sulphur Dioxide
STAP	Short Term Action Plan
WHO	World Health Organization

1. Introduction:

Over the years, urbanization and industrialization have led to major pollution-related issues due to increased human activities. Lack of planning and a basic understanding of the ecology affects its balance leading to pollution of water, air, soil, and other natural resources. The pollution load in respect of air quality is of relatively high order in metropolitan cities. It is associated with higher rates of several health disorders too. The development of manufacturing, especially near cities and industrial zones, is changing the environment and the natural composition of water. Pollution of natural environment not only affects people but also have adverse impact on economic growth in the long run. Analysis of pollution load shows that there are few industries in the country which contribute to more than 90percent of the pollution. Hence, scientists are exploring the quantum of pollution load as well as to devise certain strategies and technologies so that our sustainable development would not be jeopardized otherwise our long cherished dream of establishing eco-socialism on this watery planet could not come true.

Industrial pollution takes on many faces. It contaminates many sources of drinking water, releases unwanted toxins into the air and reduces the quality of soil all over the world. Every liter of waste water discharged by our industries pollutes eight times the quantity of fresh water. The extent of pollution varies with the size of the industry, the nature of the industry, the type of products used and produced etc. In view of this, Central Pollution Control Board (CPCB) has evolved the concept of Comprehensive Environmental Pollution Index (CEPI) during 2009-10 as a tool for comprehensive environmental assessment of prominent industrial clusters and formulation of remedial Action Plans for the identified critically polluted areas.

CEPI bridges the perceptive gap between experts, public, and government departments by simplifying the complexity of environmental issues. It aims at categorizing critically polluted industrial areas based on scientific criteria, so as to ascertain various dimensions of pollution. This is a combined framework used to evaluate the impacts caused by industrial clusters on the nearby environment, as a numerical value.

The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed. Later-on proposals were received from the SPCBs, State Governments, and Industrial Associations and concerned Stakeholders for revisiting the criteria of assessment under CEPI concept. After careful examination and consideration of the suggestions of concerned stake-holders, it was decided to prepare the revised concept of CEPI by eliminating the subjective factors but retaining the factors which can be measured precisely. Hence, revised concept came into existence, which is termed as Revised CEPI Version 2016.

The present report is also based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial clusters or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data, ecological damage, and visual environmental conditions. A total of 88 industrial areas or clusters have been selected by the Central Pollution Control Board (CPCB) in consultation with the Ministry of Environment & Forests Government of India for the study. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed.

2. Scope of Work

The Scope of Work consisted of the following:

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water and Ground Water Quality at identified locations in Nashik, Maharashtra with a gap of one or two days.

Details regarding the works are provided as below:

Industrial Cluster/ Area	No. of Stack sites	Parameter of Stack	No. of AAQM sites	Parameter of AAQM	Numbers of water quality monitoring site		Parameter of Water
					Surface water	Ground water	
Nashik	6	PM, SO ₂ , NO ₂ , CO and NH ₃	8	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , NH ₃ , O ₃ , C ₆ H ₆ , CO, BAP, Pb, Ni, As	2	6	<p>(i) Simple Parameters</p> <p>Sanitary Survey, General Appearance, Colour, Smell, Transparency and Ecological</p> <p>(ii) Regular Monitoring Parameters</p> <p>pH, O & G, Suspended Solids, DO, COD, BOD, Electrical Conductivity, Total Dissolved Solids, Nitrite-Nitrogen, Nitrate-Nitrogen, (NO₂+NO₃) total nitrogen, Free Ammonia, Total Residual Chlorine, Cyanide, Fluoride, Chloride, Sulphate, Sulphides, Total Hardness, Dissolved Phosphates, SAR, Total Coliforms, Faecal Coliform,</p> <p>(iii) Special Parameters</p> <p>Total Phosphorous, TKN, Total Ammonia (NH₄+NH₃)-Nitrogen, Phenols, Surface Active Agents, Anionic detergents, Organo-Chlorine Pesticides, PAH, PCB and PCT, Zinc, Nickel, Copper, Hexa-valent Chromium, Chromium (Total), Arsenic (Total), Lead, Cadmium, Mercury, Manganese, Iron, Vanadium, Selenium, Boron</p> <p>(iv) Bio-assay (zebra Fish) Test – For specified samples only.</p>

2.1 Frequency of Sampling:

Parameter	Round of Sampling	Frequency on each Round
Ambient Air Quality Monitoring		
Particulate Matter (size less than 10 µm) or PM ₁₀	03	3 Shifts of 8 hrs each
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	03	1 Shifts of 24 hr
Sulphur Dioxide (SO ₂)	03	6 Shifts of 4 hrs each
Nitrogen Dioxide (NO ₂)	03	6 Shifts of 4 hrs each
Ammonia (NH ₃)	03	6 Shifts of 4 hrs each
Ozone (O ₃)	03	24 Shifts of 1 hr each
Benzene (C ₆ H ₆)	03	1 Shifts of 24 hr
Carbon Monoxide (CO)	03	24 Shifts of 1 hr each
Benzo (a) Pyrene (BaP) – particulate phase only	03	3 Shifts of 8 hrs each
Lead (Pb)	03	3 Shifts of 8 hrs each
Arsenic (As)	03	3 Shifts of 8 hrs each
Nickel (Ni)	03	3 Shifts of 8 hrs each
Ground Water		
As Mentioned Above	03	01 samples at each round
Surface Water		
As Mentioned Above	03	01 samples at each round

2.2 Methodology followed in Sampling and Analysis

Industries, places and locations that have been chosen for the sampling are representative of the city/ area. Sampling has been done at the potential polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions. Methodology for sampling, preservation and analysis have been done according to the references incorporated. Methodology of various types of parameters is presented under following annexure:

1. Stack Emission Sampling and Analysis Methodology – **Annexure I**
2. Ambient Air Sampling and Analysis Methodology - **Annexure II**
3. Surface Water/ Ground water Sampling and Analysis Methodology - **Annexure III**

3. Monitoring Locations at Nashik


Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
AAQM Stations at Nashik						
1.	Near Shakti Synergetic MIDC Ambad	19°57'22.06"N	73°44'37.20"E	11.02.2020	14.02.2020	16.02.2020
2.	Near Sudal Industries MIDC Ambad	19°56'55.88"N	73°44'55.45"E	11.02.2020	14.02.2020	16.02.2020
3.	Near Kirloskar Oil India Ltd. MIDC Ambad	19°57'26.95"N	73°44'4.26"E	17.02.2020	19.02.2020	21.02.2020
4.	Near VIR Electro Engg. Pvt. Ltd. MIDC Ambad	19°59'50.18"N	73°47'23.25"E	17.02.2020	19.02.2020	21.02.2020
5.	Near Mahindra & Mahindra Plant- I, MIDC Satpur	19°59'45.55"N	73°43'1.14"E	17.02.2020	19.02.2020	21.02.2020
6.	Near Graphite India Ltd., MIDC Satpur	20° 0'1.93"N	73°43'1.06"E	17.02.2020	19.02.2020	21.02.2020
7.	Near MSL Drive Line, MIDC Satpur	19°59'55.02"N	73°42'59.59"E	17.02.2020	19.02.2020	21.02.2020
8.	Near Lord India, MIDC Satpur	19°59'48.75"N	73°44'15.83"E	17.02.2020	19.02.2020	21.02.2020
Surface Water Sampling Locations at Nashik						
1.	Nasardi Pool Near EPF Office MIDC Satpur	19°59'20.67"N	73°45'0.95"E	05.02.2020	08.02.2020	11.02.2020
2.	Chitte Pool Anandvadi Gangapur Road, MIDC Satpur	20° 1'4.29"N	73°44'30.89"E	05.02.2020	08.02.2020	11.02.2020

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
Ground Water Sampling Locations at Nashik						
1.	Satish Sankul Lad Sai Eknath park MIDC Ambad	20° 0'16.32"N	73°47'26.75"E	03.02.2020	05.02.2020	08.02.2020
2.	Govind Vithoba Sirsath MIDC Ambad	19°95'31.15"N	73°73'8.96"E	03.02.2020	05.02.2020	08.02.2020
3.	Dashrath Pandit Nikam plot No. 4, Mauli Chowk, Datta Nagar, Village Chinchale MIDC Ambad	20° 1'14.34"N	73°47'33.79"E	03.02.2020	05.02.2020	08.02.2020
4.	Ramesh Chandra Kale Near ESI Hospital, MIDC Satpur	19°59'35.38"N	73°45'51.85"E	03.02.2020	05.02.2020	08.02.2020
5.	Sushila Hospital Plot No. 55/6, Carbon Naka, MIDC Satpur	20° 0'6.12"N	73°42'39.28"E	03.02.2020	05.02.2020	08.02.2020
6.	Rudra Evershine Society, MIDC Satpur	19°57'37.77"N	73°46'41.64"E	03.02.2020	05.02.2020	08.02.2020
Stack Emission monitoring at Nashik						
1.	Shakti Synergetic MIDC Ambad	19°57'24.92"N	73°44'33.92"E	11.02.2020	13.02.2020	16.02.2020
2.	Isovolta India Ltd. MIDC Ambad	19°56'53.76"N	73°43'30.71"E	17.02.2020	18.02.2020	19.02.2020
3.	VIR Electro Engg. Pvt. Ltd., MIDC Ambad	19°59'50.50"N	73°47'23.21"E	17.02.2020	18.02.2020	19.02.2020


Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
4.	Graphhite India Ltd. P- 88, MIDC Satpur	19°57'5.83"N	73°44'22.67"E	20.02.2020	22.02.2020	24.02.2020
5.	Ceat Ltd., MIDC Satpur	20° 0'15.19"N	73°43'27.79"E	20.02.2020	22.02.2020	24.02.2020
6.	Glenmark Pharma Ltd., MIDC Satpur	19°59'58.57"N	73°44'3.31"E	20.02.2020	22.02.2020	24.02.2020
VOCs Emission monitoring at Nashik						
1.	Kirloskar Oil India Ltd., MIDC Ambad	19°59'50.14"N	73°47'23.51"E	17.02.2020	18.02.2020	19.02.2020
2.	Mahindra & Mahindra P-1 MIDC Satpur	19°59'44.84"N	73°43'8.64"E	18.02.2020	20.02.2020	24.02.2020

3.1 Mapping of the locations monitored


AAQM Stations at Nashik



Surface water sampling locations at Nashik



Ground water sampling locations at Nashik



4. Result of Analysis:

Results of Analysis are tabulated below for Stack Emission Monitoring, Ambient Air Quality Monitoring, Waste Water Analysis and Water Analysis. These are followed by their respective graphical representation.

*Kindly note:

- *N.A specifies the sample is not analyzed for the specific parameter.*
- *BDL specifies that the result obtained is below detection limit.*
- *Also, industrial clusters observed with below detection limit parameters are NOT included into the graphs*

4.1 Stack Emission:

Stack Emission Monitoring Results are compared against The Environment (Protection) Rules, 1986 General Emission Standard - Part D. The limits are represented on the graphical representation.

Name of the Industry: Shakti Synergetic MIDC Ambad

Parameters	Units	Results		
		Round-1 (11.02.2020)	Round-2 (13.02.2020)	Round-3 (16.02.2020)
Particulate Matter	mg/Nm ³	15	21	17
Sulphur Dioxide (SO ₂)	mg/Nm ³	BDL	BDL	25.3
	kg/day	BDL	BDL	3.72
Nitrogen dioxide (NO ₂)	mg/Nm ³	19.3	19.8	19.4
Carbon Monoxide (CO)	%	5	4	5
Ammonia (NH ₃)	mg/Nm ³	BDL	BDL	BDL

Name of the Industry: Isovolta India Ltd. MIDC Ambad

Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (18.02.2020)	Round-3 (19.02.2020)
Particulate Matter	mg/Nm ³	29	21	18
Sulphur Dioxide (SO ₂)	mg/Nm ³	5.33	BDL	BDL
	kg/day	0.611	BDL	BDL
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	BDL	BDL

Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (18.02.2020)	Round-3 (19.02.2020)
Carbon Monoxide (CO)	%	3	3.25	3.14
Ammonia (NH ₃)	mg/Nm ³	BDL	BDL	BDL

Name of the Industry: VIR Electro Engg. Pvt. Ltd., MIDC Ambad

Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (18.02.2020)	Round-3 (19.02.2020)
Particulate Matter	mg/Nm ³	15	18	22
Sulphur Dioxide (SO ₂)	mg/Nm ³	9.33	BDL	12.3
	kg/day	0.525	BDL	0.972
Nitrogen dioxide (NO ₂)	mg/Nm ³	BDL	BDL	BDL
Carbon Monoxide (CO)	%	4	4.5	5
Ammonia (NH ₃)	mg/Nm ³	BDL	BDL	102

Name of the Industry: Graphhite India Ltd. P- 88, MIDC Satpur

Parameters	Units	Results		
		Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Particulate Matter	mg/Nm ³	35	159	28
Sulphur Dioxide (SO ₂)	mg/Nm ³	33.3	BDL	13.1
	kg/day	44.01	BDL	18.1
Nitrogen dioxide (NO ₂)	mg/Nm ³	73.2	BDL	26.9
Carbon Monoxide (CO)	%	5	4	5
Ammonia (NH ₃)	mg/Nm ³	BDL	50.2	BDL

Name of the Industry: Ceat Ltd., MIDC Satpur

Parameters	Units	Results		
		Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Particulate Matter	mg/Nm ³	34.3	31	32
Sulphur Dioxide (SO ₂)	mg/Nm ³	5.81	214	BDL
	kg/day	5.39	226	BDL
Nitrogen dioxide (NO ₂)	mg/Nm ³	11.7	11.6	11.8
Carbon Monoxide (CO)	%	4	4	4
Ammonia (NH ₃)	mg/Nm ³	BDL	BDL	BDL

Name of the Industry: Glenmark Pharma Ltd., MIDC Satpur

Parameters	Units	Results		
		Round-1 (20.02.2020)	Round-2 (22.02.2020)	Round-3 (24.02.2020)
Particulate Matter	mg/Nm ³	25	18	35
Sulphur Dioxide (SO ₂)	mg/Nm ³	93.3	BDL	BDL
	kg/day	2.05	BDL	BDL
Nitrogen dioxide (NO ₂)	mg/Nm ³	14.6	11.7	12
Carbon Monoxide (CO)	%	6	8	4
Ammonia (NH ₃)	mg/Nm ³	BDL	BDL	BDL

VOCs Results**Name of the Industry: Kirloskar Oil India Ltd., MIDC Ambad**


Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (18.02.2020)	Round-3 (19.02.2020)
Methyl Isobutyl Ketone	mg/Nm ³	BDL	BDL	BDL
Benzene	mg/Nm ³	BDL	BDL	BDL
Toulene	mg/Nm ³	BDL	BDL	BDL
Xylene	mg/Nm ³	BDL	BDL	BDL

Parameters	Units	Results		
		Round-1 (17.02.2020)	Round-2 (18.02.2020)	Round-3 (19.02.2020)
Ethyl Benzene	mg/Nm ³	BDL	BDL	BDL
Ethyl Acetate	mg/Nm ³	BDL	BDL	BDL
Isopropyl Alcohol	mg/Nm ³	BDL	BDL	BDL

Name of the Industry: Mahindra & Mahindra P-1 MIDC Satpur

Parameters	Units	Results		
		Round-1 (18.02.2020)	Round-2 (20.02.2020)	Round-3 (24.02.2020)
Methyl Isobutyl Ketone	mg/Nm ³	BDL	BDL	BDL
Benzene	mg/Nm ³	BDL	BDL	BDL
Toulene	mg/Nm ³	BDL	BDL	BDL
Xylene	mg/Nm ³	BDL	BDL	BDL
Ethyl Benzene	mg/Nm ³	BDL	BDL	BDL
Ethyl Acetate	mg/Nm ³	BDL	BDL	BDL
Isopropyl Alcohol	mg/Nm ³	BDL	BDL	BDL

Graphs: Stack Monitoring for Nashik:



4.2 Ambient Air Quality:

In order to arrive at conclusions, the Ambient Air Quality Monitoring Results are compared against National Ambient Air Quality Standards, 2009 (**Annexure IV**).

Location: Near Shakti Synergetic MIDC Ambad

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (11.02.2020)	Round-2 (14.02.2020)	Round-3 (16.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	137	18	156
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	32	6	37
Ozone (O ₃)	µg/m ³	100	BDL	23.8	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (11.02.2020)	Round-2 (14.02.2020)	Round-3 (16.02.2020)
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	41.34	3.03	BDL
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	BDL	0.595	0.492
Nickel (Ni)	ng/m ³	20	BDL	4.28	4.87

Location: Near Sudal Industries MIDC Ambad

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (11.02.2020)	Round-2 (14.02.2020)	Round-3 (16.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	10.6
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	129	192	186
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	28	45	50
Ozone (O ₃)	µg/m ³	100	BDL	21	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	1.2	BDL	8.6
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	BDL	0.57	BDL
Nickel (Ni)	ng/m ³	20	BDL	6.32	6

Location: Near Kirloskar Oil India Ltd. MIDC Ambad

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	16.3	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	32	266	260
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	10	68	64
Ozone (O ₃)	µg/m ³	100	BDL	BDL	22.4
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	1.32	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	2.9	BDL	BDL
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.422	0.6	BDL
Nickel (Ni)	ng/m ³	20	4.17	9	BDL

Location: Near VIR Electro Engg. Pvt. Ltd. MIDC Ambad

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	271	34	27
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	60	11	8
Ozone (O ₃)	µg/m ³	100	BDL	BDL	22.4
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	10.5	BDL
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	1.2	0.392	BDL
Nickel (Ni)	ng/m ³	20	8.43	3.07	BDL

Location: Near Mahindra & Mahindra Plant- I, MIDC Satpur

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	203	107	13
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	48	30	8
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	8.98	BDL
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	BDL	BDL	0.807
Nickel (Ni)	ng/m ³	20	6.29	3.38	BDL

Location: Near Near Graphite India Ltd., MIDC Satpur

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	193	236	87
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	42	57	25
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	BDL	BDL
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.747	1.58	0.731
Nickel (Ni)	ng/m ³	20	5.56	7.6	17.5

Location: Near MSL Drive Line, MIDC Satpur



Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	BDL	27.30	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	215	201	24
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	50	48	11
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	BDL


Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	4.16	BDL
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.574	1.08	BDL
Nickel (Ni)	ng/m ³	20	6.96	7.65	5.22

Location: Near Lord India, MIDC Satpur

Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
			Round-1 (17.02.2020)	Round-2 (19.02.2020)	Round-3 (21.02.2020)
Sulphur Dioxide (SO ₂)	µg/m ³	80	5.64	BDL	BDL
Nitrogen Dioxide (NO ₂)	µg/m ³	80	13.90	BDL	BDL
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	172	124	66
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	40	32	19
Ozone (O ₃)	µg/m ³	100	BDL	BDL	BDL
Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
Carbon Monoxide (CO)	mg/m ³	4	BDL	BDL	2.46
Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
Benzene (C ₆ H ₆)	µg/m ³	5	BDL	4.08	5.78
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
Arsenic (As)	ng/m ³	6	0.605	0.883	0.337
Nickel (Ni)	ng/m ³	20	6.03	3.64	3.01

Graphs: Ambient Air Quality Monitoring for Nashik:





4.3 Surface Water Quality:

Water Analysis Results are compared against CPCB document on criteria for Comprehensive Environmental Assessment of Industrial Clusters-Water Quality Parameters Requirement and Classification (**Annexure IX**), CPCB Water Quality Criteria (**Annexure VIII**) and Drinking Water Specification, IS 10500:2012 (**Annexure VII**), Wastewater Analysis Results are compared with General Standards for Discharge of Environmental Pollutants Part A: Effluents, The Environment (Protection) Rules, 1986, Schedule VI (**Annexure V**).

Location: Nasardi Pool Near EPF Office MIDC Satpur

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Colour	Hazen		1	4	18
Smell	-		Agreeable	Disagreeable	Disagreeable
pH	-	5.5 -9.0	8.26	6.99	6.81
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	52	42	70

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Dissolved Oxygen (% Saturation)	%	60-140	0	0	0
Chemical Oxygen Demand	mg/L	250	59	66	56
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	20	20	16
Electrical Conductivity (at 25°C)	µmho/cm	4000	843	1014	812
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	14.5	13	23
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	14.5	13	23
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.92	1.05	0.9
Sulphide (as S ²⁻)	mg/L	2	BDL	0.49	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	0.11	0.3
Sodium Absorption Ratio	-		1.57	1.39	1.65
Total Coliforms	MPN index/ 100 mL		2.8x 10 ⁴	1600	1600
Faecal Coliforms	MPN index/ 100 mL		3.9 x 10 ³	350	920
Total Phosphorous (as P)	mg/L		BDL	0.3	0.8
Total Kjeldahl Nitrogen (as N)	mg/L	100	24.8	18.1	19.3

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	5.21	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	0.77	0.82	0.59
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	0.052	0.056
Nickel (as Ni)	mg/L	200	BDL	0.019	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	0.052	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	0.306	BDL	0.026
Iron (as Fe)	mg/L	3	0.344	0.108	0.281
Vanadium (as V)	mg/L	0.2	BDL	0.1	0.034
Selenium (as Se)	mg/L	0.05	0.005	BDL	0.013
Boron (as B)	mg/L		0.159	BDL	BDL
Total Nitrogen	mg/L		28	21	24.3

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	40	60	60

Location: Chitte Pool Anandvadi Gangapur Road, MIDC Satpur



Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	5.5 -9.0	8.26	7.71	6.91
Oil & Grease	mg/L	10	BDL	BDL	BDL
Suspended Solids	mg/L	100	18	8	14
Dissolved Oxygen (% Saturation)	%	60-140	86	65	62
Chemical Oxygen Demand	mg/L	250	5	9	BDL
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	2	3	BDL
Electrical Conductivity (at 25°C)	µmho/cm	4000	722	657	194
Nitrite Nitrogen (as NO ₂)	mg/L	5	BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L	10	13.5	4.18	4.85
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	13.5	4.18	4.85



Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Free Ammonia (as NH ₃ -N)	mg/L	5	BDL	BDL	BDL
Total Residual Chlorine	mg/L	1	BDL	BDL	BDL
Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
Fluoride (as F)	mg/L	2	0.5	0.4	0.4
Sulphide (as S ²⁻)	mg/L	2	BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L	5	BDL	BDL	BDL
Sodium Absorption Ratio	-		0.9	0.68	0.82
Total Coliforms	MPN index/ 100 mL		1.4 x 10 ⁴	3.5 X 10 ³	1.6 X 10 ⁴
Faecal Coliforms	MPN index/ 100 mL		3.2 X 10 ³	3.5 X 10 ³	9.2 X 10 ³
Total Phosphorous (as P)	mg/L		BDL	BDL	BDL
Total Kjeldahl Nitrogen (as N)	mg/L	100	2.24	5.88	1.56
Total Ammonia (NH ₄ +NH ₃)- Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	0.054	0.077
Nickel (as Ni)	mg/L	200	BDL	0.016	0.027

Parameters	Unit	Std. Limit	Results		
			Round-1 (05.02.2020)	Round-2 (08.02.2020)	Round-3 (11.02.2020)
Copper (as Cu)	mg/L	100	BDL	BDL	0.113
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	0.012
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L	2	BDL	BDL	BDL
Iron (as Fe)	mg/L	3	0.157	0.108	0.206
Vanadium (as V)	mg/L	0.2	0.032	0.1	BDL
Selenium (as Se)	mg/L	0.05	0.006	BDL	BDL
Boron (as B)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		5.21	6.8	2.62
Bioassay Test on fish	% survival	90% survival of fish after 96 hours in 100% effluent	50	50	70

Graphs: Water/Waste Water Quality Monitoring for Nashik:





4.4 Ground Water Quality:

Name of the Location: Satish Sankul Lad Sai Eknath park MIDC Ambad

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	8.01	7.75	7.66
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	BDL	BDL	BDL
Chemical Oxygen Demand	mg/L		BDL	BDL	BDL
Biochemical Oxygen Demand (3 days,27°C)	mg/L		BDL	BDL	BDL
Electrical Conductivity (at 25°C)	µmho/cm	4000	469	514	584
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		23.2	25.8	22.8
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	23.2	25.8	22.8
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.2	0.5	0.7
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.53	0.68	0.66
Total Coliforms	MPN index/ 100 mL		33	23	23
Faecal Coliforms	MPN index/ 100 mL		33	7.8	23
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	1.23	1.12	24.6
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	BDL
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	0.114	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	0.022	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		0.745	0.213	0.525
Vanadium (as V)	mg/L		0.048	0.049	0.113
Selenium (as Se)	mg/L		BDL	0.006	BDL
Total Nitrogen	mg/L		6.33	6.79	29.6
Boron (as B)	mg/L		BDL	BDL	BDL
Bioassay Test on fish	% survival		50	60	90

Name of the Location: Govind Vithoba Sirsath MIDC Ambad

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.78	8.01	7.86
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	6	6	6
Chemical Oxygen Demand	mg/L		BDL	16	14
Biochemical Oxygen Demand (3 days,27°C)	mg/L		BDL	5	4
Electrical Conductivity (at 25°C)	µmho/cm	4000	1787	1875	2110
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		32.1	32.6	32.3
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	32.1	32.6	32.3
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		1.1	0.9	0.9
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.57	0.71	0.58
Total Coliforms	MPN index/ 100 mL		1600	1.1 X 10 ⁴	540
Faecal Coliforms	MPN index/ 100 mL		1600	3.3 X 10 ³	79
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	2.24	8.8	2.24
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	BDL
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	0.008	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	0.084	BDL
Iron (as Fe)	mg/L		1.39	0.357	0.529
Vanadium (as V)	mg/L		0.06	0.045	0.113
Selenium (as Se)	mg/L		0.009	0.008	BDL
Total Nitrogen	mg/L		9.3	15.9	9.34
Boron (as B)	mg/L		0.144	0.156	BDL
Bioassay Test on fish	% survival		30	40	60

Name of the Location: Dashrath Pandit Nikam plot No. 4, Mauli Chowk, Datta Nagar, Village Chinchale MIDC Ambad

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.79	7.68	7.08
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	BDL	6	6
Chemical Oxygen Demand	mg/L		13	BDL	8
Biochemical Oxygen Demand (3 days,27°C)	mg/L		5	BDL	2
Electrical Conductivity (at 25°C)	µmho/cm	4000	1173	1243	1372
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		22	23.6	22.8
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	22	23.6	22.8
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.7	0.8	0.8
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.55	0.68	0.63
Total Coliforms	MPN index/ 100 mL		110	920	920
Faecal Coliforms	MPN index/ 100 mL		27	24	220
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	0.22	1.23	2.24
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	0.304
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	0.463	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		1.39	BDL	0.111
Vanadium (as V)	mg/L		0.014	0.039	BDL
Selenium (as Se)	mg/L		0.014	BDL	BDL
Total Nitrogen	mg/L		5.06	6.42	7.26
Boron (as B)	mg/L		0.145	0.171	BDL
Bioassay Test on fish	% survival		40	60	50

Name of the Location: Ramesh Chandra Kale Near ESI Hospital, MIDC Satpur

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.73	8.05	7.39
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	BDL	BDL	BDL
Chemical Oxygen Demand	mg/L		BDL	BDL	BDL
Biochemical Oxygen Demand (3 days,27°C)	mg/L		BDL	BDL	BDL
Electrical Conductivity (at 25°C)	µmho/cm	4000	658	854	956
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		30.7	9.8	8.68
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	30.7	9.8	8.68
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.6	0.5	0.4
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.89	0.85	1.16
Total Coliforms	MPN index/ 100 mL		BDL	2.3 X 10 ³	23
Faecal Coliforms	MPN index/ 100 mL		BDL	1.3 X 10 ³	23
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	1.4	0.33	1.56
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	0.288	0.294	BDL
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		0.022	0.031	BDL
Iron (as Fe)	mg/L		0.672	0.299	0.171
Vanadium (as V)	mg/L		0.03	0.026	BDL
Selenium (as Se)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		8.15	2.48	3.46
Boron (as B)	mg/L		BDL	BDL	BDL
Bioassay Test on fish	% survival		70	60	80

Name of the Location: Sushila Hospital Plot No. 55/6, Carbon Naka, MIDC Satpur

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.68	8.1	7.9
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	BDL	BDL	BDL
Chemical Oxygen Demand	mg/L		BDL	BDL	BDL
Biochemical Oxygen Demand (3 days, 27°C)	mg/L		BDL	BDL	BDL
Electrical Conductivity (at 25°C)	µmho/cm	4000	340	358	379
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		11.9	12.1	11.6
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	11.9	12.1	11.6
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.5	0.4	0.2
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.45	0.65	1.72
Total Coliforms	MPN index/ 100 mL		4.5	23	13
Faecal Coliforms	MPN index/ 100 mL		2	7.8	7.8
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	12.3	1	3.36
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	BDL
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	0.022	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	BDL	BDL
Iron (as Fe)	mg/L		0.913	0.218	0.069
Vanadium (as V)	mg/L		0.047	0.041	BDL
Selenium (as Se)	mg/L		BDL	0.007	BDL
Total Nitrogen	mg/L		14.9	3.66	5.91
Boron (as B)	mg/L		BDL	BDL	BDL
Bioassay Test on fish	% survival		60	70	80



Name of the Location: Rudra Evershine Society, MIDC Satpur



Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Colour	Hazen		1	1	1
Smell	-		Agreeable	Agreeable	Agreeable
pH	-	6.5-9.0	7.78	8.03	7.82
Oil & Grease	mg/L		BDL	BDL	BDL
Suspended Solids	mg/L	100	BDL	BDL	BDL
Chemical Oxygen Demand	mg/L		BDL	BDL	BDL
Biochemical Oxygen Demand (3 days,27°C)	mg/L		BDL	BDL	BDL
Electrical Conductivity (at 25°C)	µmho/cm	4000	783	911	1041
Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL	BDL
Nitrate Nitrogen (as NO ₃)	mg/L		23.7	24.9	22.1
(NO ₂ + NO ₃)-Nitrogen	mg/L	15	23.7	24.9	22.1
Free Ammonia (as NH ₃ -N)	mg/L		BDL	BDL	BDL
Total Residual Chlorine	mg/L		BDL	BDL	BDL
Cyanide (as CN)	mg/L		BDL	BDL	BDL
Fluoride (as F)	mg/L		0.7	0.7	0.7
Sulphide (as S ²⁻)	mg/L		BDL	BDL	BDL
Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
Sodium Absorption Ratio	-		0.95	0.86	0.54
Total Coliforms	MPN index/ 100 mL		220	920	5.4 X 10 ³
Faecal Coliforms	MPN index/ 100 mL		220	47	3.5 X 10 ³
Total Phosphorous (as P)	mg/L	0.3	BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Total Kjeldahl Nitrogen (as N)	mg/L	3	1.12	4.59	3.58
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	1.5	BDL	BDL	BDL
Phenols (as C ₆ H ₅ OH)	mg/L	10	BDL	BDL	BDL
Surface Active Agents (as MBAS)	mg/L	200	BDL	BDL	BDL
Organo Chlorine Pesticides					
Alachlor	µg/L		BDL	BDL	BDL
Atrazine	µg/L		BDL	BDL	BDL
Aldrin	µg/L		BDL	BDL	BDL
Dieldrin	µg/L		BDL	BDL	BDL
Alpha HCH	µg/L		BDL	BDL	BDL
Beta HCH	µg/L		BDL	BDL	BDL
Delta HCH	µg/L		BDL	BDL	BDL
Butachlor	µg/L		BDL	BDL	BDL
Chlorpyriphos	µg/L		BDL	BDL	BDL
p,p DDT	µg/L		BDL	BDL	BDL
o,p DDT	µg/L		BDL	BDL	BDL
p,p DDE	µg/L		BDL	BDL	BDL
o,p DDE	µg/L		BDL	BDL	BDL
p,p DDD	µg/L		BDL	BDL	BDL
o,p DDD	µg/L		BDL	BDL	BDL
Alpha Endosulfan	µg/L		BDL	BDL	BDL
Beta Endosulfan	µg/L		BDL	BDL	BDL
Endosulfan Sulphate	µg/L		BDL	BDL	BDL
Y HCH (Lindane)	µg/L		BDL	BDL	BDL

Parameters	Unit	Std. Limit	Results		
			Round-1 (03.02.2020)	Round-2 (05.02.2020)	Round-3 (08.02.2020)
Polynuclear aromatic hydrocarbons (PAH)	µg/L	0.2	BDL	BDL	BDL
Polychlorinated Biphenyls (PCB)	µg/L	0.02	BDL	BDL	BDL
Zinc (as Zn)	mg/L	300	BDL	BDL	BDL
Nickel (as Ni)	mg/L	200	BDL	BDL	BDL
Copper (as Cu)	mg/L	100	BDL	BDL	BDL
Hexavalent Chromium (as Cr ⁶⁺)	mg/L		BDL	BDL	BDL
Total Chromium (as Cr)	mg/L	100	BDL	BDL	BDL
Total Arsenic (as As)	mg/L	100	BDL	BDL	BDL
Lead (as Pb)	mg/L	100	BDL	BDL	BDL
Cadmium (as Cd)	mg/L	5	BDL	BDL	BDL
Mercury (as Hg)	mg/L	1	BDL	BDL	BDL
Manganese (as Mn)	mg/L		BDL	0.021	0.144
Iron (as Fe)	mg/L		0.136	BDL	0.186
Vanadium (as V)	mg/L		0.079	BDL	BDL
Selenium (as Se)	mg/L		BDL	BDL	BDL
Total Nitrogen	mg/L		6.33	10.1	8.44
Boron (as B)	mg/L		BDL	BDL	BDL
Bioassay Test on fish	% survival		50	60	60

Graphs: Ground Water Quality Monitoring for Nashik:





5. Summary and Conclusion

Based on the study done, the results are summarised and concluded as follows:

5.1 Stack Emission Monitoring:

Six industries from Nashik were selected for Stack emission monitoring.

- 1. Particulate matter (PM):** All the results obtained is within the standard emission for the specified industry.
- 2. Sulphur dioxide (SO₂):** Emission of SO₂.was also well within the standard emission for the specified industry.
- 3. Nitrogen dioxide (NO₂):** Emission of NO₂. was also well within the standard emission for the specified industry.

5.2 Ambient Air Quality Monitoring:

Eight ambient air samples were collected from Nashik monitored were studied as per the NAAQ standards. The variations of each parameter within the area under study are discussed below:

- 1. Sulphur dioxide (SO₂):** All the locations are observed with below the detection limit.
- 2. Nitrogen dioxide (NO₂):** Values of nitrogen dioxide are also observed below the standard limit of 80 µg/m³ at all the 8 locations. The highest level of NO₂ was observed at Near MSL Drive Line, MIDC Satpur with a result of 9.1 µg/m³.
- 3. Particulate Matter (PM₁₀):** PM₁₀ concentration of 8 locations was higher than the standard limit of 100 µg/m³. The highest concentration of PM₁₀ was observed at Near Kirloskar Oil India Ltd. MIDC Ambad with 186 µg/m³.
- 4. Particulate Matter (PM_{2.5}):** The highest level of PM_{2.5} was also observed at Near Kirloskar Oil India Ltd. MIDC Ambad with a result of 47 µg/m³.
- 5. Ozone (O₃):** Ozone was below detectable limit at all 8 locations monitored.
- 6. Lead (Pb):** All 8 locations monitored had concentration of lead below permissible limit.
- 7. Carbon Monoxide (CO):** Concentration of carbon monoxide was also below detectable limit at all 8 locations monitored.
- 8. Ammonia (NH₃):** Ammonia was also below detectable limit at all 8 locations monitored.
- 9. Benzene (C₆H₆):** The highest level of was observed at Near Shakti Synergetic MIDC Ambad with 14.8 ng/m³.
- 10. Benzo(a)pyrene (BaP):** BaP was below detectable limit in all 6 locations monitored.

11. Arsenic (As): The concentration of Arsenic was well within the standard limit of 6 ng/m³.

12. Nickel (Ni): Ni was also well within the standard limit of 20 ng/m³.

5.3 Surface Water Quality Monitoring:

To understand the quality of treated effluent, samples were collected from 2 industries of Nashik. Considering the general parameters of all the industries mentioned, following are the conclusions:

1. **pH:** it is observed in between 6.97 and 7.67 which is well within the range.
2. **Suspended Solids:** Suspended solids of both water samples are well within the limits.
3. **Chemical Oxygen Demand:** Both samples collected, were well within the limit required as per standard. The highest COD was observed at Nasardi Bridge Near NIMA Bhavan with 100 mg/L concentration.
4. **Biochemical Oxygen Demand:** The highest BOD was observed at Nasardi Bridge Near NIMA Bhavan with 30 mg/L concentration.
5. **Sulphide:** Sulphide concentration was high at Nasardi Bridge Near NIMA Bhavan with 13.6 mg/L.
6. **Total Ammonia:** 2 water samples collected was well within the permissible limit of Ammonia.
7. **Total Kjeldahl Nitrogen:** All samples collected, were well within the limit required as per standard.
8. **Fish Bioassay:** 20% Survival was only attained in Nasardi Bridge Near NIMA Bhavan.
9. **Heavy metals:** All the heavy metals are found below the standard limits in all the samples.

5.4 Ground Water Quality Monitoring:

Six ground water samples were collected from Nashik region.

- 1) **Chemical Oxygen Demand:** The COD of all six samples was found in the range between 9 mg/L to 82 mg/L.
- 2) **Biological Oxygen Demand:** BOD of all 6 samples was found in the range between 1.83 mg/L to 3.35 mg/L.

Following are the parameters which are compared with ISO 10500:2012 Drinking water specifications.

- 1) **Nitrite:** Values of Nitrite at all location was well within the standard.

- 2) **Nitrate:** Results of Nitrate are also observed below standard limit (42 mg/L).
- 3) **Residual Free Chlorine:** Values are below the detectable limit in all 6 samples collected.
- 4) **Total Ammonia:** Values are below the detectable limit in all samples collected.
- 5) **Fluoride:** Values are below the acceptable standards, below <0.05mg/L.
- 6) **Sulphide:** All the readings of sulphide are below detectable limit in all 6 samples collected.
- 7) **Sodium Absorption Ratio:** These values fit within range of water quality criteria of CPCB.
- 8) **Total Kjeldahl nitrogen:** All 6 water samples collected exceeded the standard limit of TKN and ranged in between 0.69 mg/L to 1.14 mg/L concentration.
- 9) **Fish Bioassay:** All location obtained 100% survival was observed.
- 10) **Boron:** 5 out of the 6 water samples collected had Boron concentration higher than the prescribed value of 0.01 mg/L.
- 11) **Surface Active Agents:** All 6 samples showed below detectable limit.
- 12) **Metals:** All the metals except Copper, Lead and Total Chromium at few locations are observed within the acceptable limits of drinking water standards.

6. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as early warning tool which helps in categorization of industrial clusters/areas in terms of priority of needing attention.

CPCB had evolved certain methodology to calculate CEPI, in which a score has been fixed for different environmental components based on the level of pollution. The scoring system involves an algorithm that takes into account the basic selection criteria. This approach is based on the basic hazard assessment logic that can be summarized as below.

Hazard = pollutant source, pathways, and receptor

CPCB has calculated CEPI for the identified critically polluted industrial clusters. It is calculated separately for air, water, and land. The basic framework and scoring system of the CEPI – based on three factors namely pollutant, pathway, and receptor – has been described further under this section.

To overcome the subjectivity, revised concept is proposed by eliminating the subjective factors as described in the previous section but retaining the factors which can be measured precisely.

- I. Revised concept is prepared by eliminating the debatable factors but retaining the factors which can be measured precisely.
- II. It is decided to develop the Comprehensive Environmental Pollution Index (CEPI) retaining the existing algorithm of Source, Pathway and Receptor.


III. Health component was also retained in the revised concept in line with the suggestions of Secretary, MoEFCC during the meeting held in MoEF.

Outlines of revised CEPI 2016 criteria

The outlines of the revised CEPI criteria are as follows:

1. It is proposed to develop the Comprehensive Environmental Pollution Index (CEPI) based on Sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.
2. For assessment of the environmental quality of the area i.e. CEPI score, the concept of SNLF i.e. a surrogate number which represents the level of exposure (a function of percentage sample Exceedance & Exceedance Factor) shall be used.
3. Health component to be evaluated based on the health data available from major hospitals in the area was also retained in the revised concept.

The evaluation criterion of the revised CEPI version 2016 is described in the flowchart given below:



Here, health data collected for Receptor Score C is included in Annexure I

Based on Sub-Index Score (score of individual environmental component like air, water etc.):

Score more than 63: A Critical Level of Pollution in the respective level of environmental component

Score between 51-63: Severe to critical level of pollution with reference to respective environmental component

Cut-off Score

Score 50: Severely Polluted Industrial Clusters/areas

Score 60: Critically Polluted Industrial Clusters/areas

Based on Aggregated CEPI Score (score includes sub-index score of all individual environmental components together):

Aggregated CEPI score >70: Critically polluted areas

Aggregated CEPI score between 60-70: Severely polluted areas

Since the inception of the programme, MPCB has also formulated Action Plans to mitigate the environmental pollution problems for each of the 8 Critically Polluted Areas (CPAs) in Maharashtra. Based on available information, parameters selected and monitored in continuation with this, CEPI has been calculated and Short-Term Action Plan (STAP) as well as Long Term Action Plan (LTAP) was prepared in 2010 and every year review was taken on the same.

Subsequently NAAQS 2009 came in force. List of parameters to be considered increased and expanded including more critical and hazardous pollutants like benzene, BaP, Metals, etc. existing in the environment. There was revision of standards (limiting values) as well. In this present report of June 2019 prepared by MPCB, CEPI is calculated considering all these revised standards' limiting values, list of parameters and complete scope of monitoring.

6.1 Comparison of CEPI scores:

The result shows that CEPI score of present report is 56.2. The present study is the compilation of post monsoon season, which also affects the score value. This time CEPI is observed lower than the CPCB CEPI score February 2018.

Aggregated CEPI

	Air Index	Water Index	Land Index	CEPI
CEPI score March 2020	50	32.8	37.8	56.2
CPCB CEPI score Feb 2018	56.50	60	42	69.49

7. Conclusion

Nasik is fast growing city in industrial sector. It is having its own vast history about industries. MIDC (Maharashtra Industrial Development Co-operation) have developed industrial zone in different area like Ambad, Satpur, Gonde, Igatpuri, Sinnar. HAL (Hindustan Aeronautics Ltd.), Mahindra & Mahindra, Bosch (MICO), V.I.P., CEAT, ABB, Crompton Greaves, SIEMENCE, Kirloskar Oil Engine, Glaxo, are major industries in Nasik. About 10,000 industries are working in Nasik including Large, Medium and Small Scale.

In the 8 ambient air samples collected only PM₁₀ and CO was exceeding the limit prescribed as per NAAQS. This is mainly due to the vehicle emissions in the region.

Only two surface water samples have been collected for testing. All parameters except total coliforms and Faecal coliforms have higher concentration and the reason behind it is that the waste waters are collected from nallah which are dried due to summer season.

In the ground water samples collected, Electrical Conductivity, Total Kjeldahl Nitrogen and Iron was found in higher concentration. The ground water collected is from Borewell and well water and is not used for drinking purpose.

The overall pollution load in the region is reduced and continuous efforts have been inputted by the Regional pollution control board and state pollution control board in bringing the pollution lesser.

	A1	A2	A	B	C	D	CEPI
Air Index	3	4	12	33	0	5	50
Water Index	2.75	4	11	16.75	0	5	32.8
Land Index	1.75	4	7	25.75	0	5	37.8
Aggregated CEPI							56.2

8. Photographs









9. Annexures

Annexure I Health related data in impact on humans

C: Receptor

Component C (Impact on Human Health) 10	
Main - 10	
% increase in cases	Marks
<5%	0
5-10%	5
>10%	10


- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, total no. of cases related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/ ground water Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

Attached below health data collected for the region

INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): NASHIK
2. Name of the major health center/ organization:
3. Name and designation of the contact person:
4. Email ID & Contact No:
5. Address:
6. Year of Establishment:

Sr. No.	Diseases	No. of patients reported for the years				
		2019-2020	2018-2019	2018-2017	2017-2016	2016-2015
	Air Borne Diseases					
1.	Asthma	128	157	168	138	210
2.	Acute Respiratory Infection	9464	9792	12069	11478	10733
3.	Bronchitis	123	199	403	283	276
4.	Cancer	-	-	-	-	-
	Water Borne Diseases					
5.	Gastroenteritis	-	-	-	-	-
6.	Diarrhea	353	466	650	763	879
7.	Renal diseases	-	-	-	-	-
8.	Cancer	-	-	-	-	-



मुख्य वैद्यकीय अधिकारी
इंदिरा गांधी रुग्णालय, पंचवटी
Signature/Seal of the Municipal Health Officer
मौसम महाराष्ट्र, नाशिक

ANNEXURE B

INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): NASHIK
2. Name of the major health center/ organization: Sudarshan Hospital
3. Name and designation of the contact person: Dr. Prashant More CMO
4. Email ID & Contact No: sudarshanhosp.nsk@gmail.com 9922990332
5. Address: city plaza, opposite Kwikka temple, old Agra road Nashik
6. Year of Establishment:

Sr. No.	Diseases	No. of patients reported for the years				
		2019-2020	2018-2019	2018-2017	2017-2016	2016-2015
	Air Borne Diseases					
1.	Asthma	20	30	20	30	25
2.	Acute Respiratory Infection	28	30	15	30	40
3.	Bronchitis	25	26	21	17	15
4.	Cancer	—	—	—	—	—
	Water Borne Diseases					
5.	Gastroenteritis	27	29	37	30	25
6.	Diarrhea	29	27	31	28	18
7.	Renal diseases	13	17	18	29	28
8.	Cancer	—	—	—	—	—



Signature/Seal of the Hospital Head/ Superintendent

Annexure II: Stack Emission Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Acid Mist (as Sulphuric Acid)	US EPA Method no.m-8	Barium thorine titration Method	0.6 mg/Nm ³
2.	Ammonia	IS 11255 (Part 6):1999, Reaffirmed 2003	Titration/ Nessler Reagent/ Spectrophotometric Method	1 mg/Nm ³
3.	Carbon Monoxide	USEPA Method 10B	GC-FID Method	0.2 mg/Nm ³
4.	Chlorine	US EPA Method 26 for sampling	Titrimetric	0.001 mg/Nm ³
5.	Fluoride (Gaseous)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.025 mg/Nm ³
6.	Fluoride (Particulate)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.005 mg/Nm ³
7.	Hydrogen Chloride	US EPA Method 26 for sampling	Titrimetric	0.25 mg/Nm ³
8.	Hydrogen Sulphide	IS 11255 (Part 4):1985	Titrimetric	1 mg/Nm ³
9.	Oxides of Nitrogen	IS 11255 (Part 7): 2005	PDSA Colorimetric Method	10 mg/Nm ³
10.	Oxygen	IS 13270 : 1992	ORSAT Apparatus	1 %
11.	Poly Aromatic Hydrocarbons (Particulate)	IS 5182 (Part 12) : 2004, Reaffirmed 2009 CPCB Guidelines, May 2011, Page No.39	GC-FID Method	0.25 mg/Nm ³
12.	Suspended Particulate Matter	IS 11255 (Part 1):1985, Reaffirmed 2003	Gravimetric Method	10 mg/Nm ³
13.	Sulphur Dioxide	IS 11255 (Part 2): 1985, Reaffirmed 2003	Titrimetric IPA thorine Method	5.0 mg/Nm ³ 0.02 kg/day

Sr.	Parameters	Method References	Techniques	Detection Limit
14.	BTX (Benzene, Toluene, Xylene)	NIOSH (NMAM) 1501	Adsorption and Desorption followed by GC-FID analysis	0.001 mg/Nm ³
15.	VOC (Volatile Organic Compounds)	NIOSH (NMAM) 1501 for sampling	Adsorption and Desorption followed by GC-FID or GC/MS analysis	-
i	Methyl Isobutyl Ketone	-	-	0.001 mg/Nm ³
ii	Benzene	-	-	0.001 mg/Nm ³
iii	Toluene	-	-	0.001 mg/Nm ³
iv	Xylene	-	-	0.001 mg/Nm ³
v	Ethyl Benzene	-	-	0.001 mg/Nm ³
vi	Ethyl Acetate	-	-	0.001 mg/Nm ³

Annexure III: Ambient Air Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Sulphur Dioxide (SO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.1	Improved West & Gaeke Method	4 µg/m ³
2.	Nitrogen Dioxide (NO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.7	Modified Jacob & Hochheiser Method	3 µg/m ³
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.11	Gravimetric Method	2 µg/m ³
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 15	Gravimetric Method	0.4 µg/m ³
5.	Ozone (O ₃)	APHA, Method No. 820, Page no. 836	Chemical Method	19.6 µg/m ³
6.	Lead (Pb)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.02 µg/m ³
7.	Carbon Monoxide (CO)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume II, May 2011, Page No. 16	Non Dispersive Infra Red (NDIR) spectroscopy	0.05 mg/m ³
8.	Ammonia (NH ₃)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 35	Indophenol Blue Method	4.0 µg/m ³
9.	Benzene (C ₆ H ₆)	IS 5182 (Part 11):2006	Adsorption and Desorption followed by GC-FID analysis	1.0 µg/m ³
10.	Benzo (a) Pyrene (BaP) – particulate phase only,	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 39	Solvent extraction followed by GC-FID analysis	0.2 ng/m ³

Sr.	Parameters	Method References	Techniques	Detection Limit
11.	Arsenic (As)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.3 ng/m ³
12.	Nickel (Ni)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	3.0 ng/m ³

Annexure IV: Water/Wastewater Sampling and Analysis Methodology

Sr.	Parameters	Methods References	Techniques	Detection Limit
1.	Sampling Procedure for Chemical Parameters	IS 3025 (Part 1): 1987, Reaffirmed 1998, Amds.1& APHA, 22 nd Ed., 2012, 1060 B, 1-39	-	-
2.	Sampling Procedure for Microbiological Parameters	APHA, 22 nd Ed., 2012, 1060 B, 1-39, 9040, 9-17, and 9060B, 9-35	-	-
3.	Temperature	APHA, 22 nd Ed., 2012, 2550-B, 2-69	By Thermometer	-
4.	Colour	APHA, 22 nd Ed., 2012, 2120-B, 2-26	Visible Comparison Method	1 Hazen Unit
5.	Odour	IS 3025 (Part 5): 1983, Reaffirmed 2006	Qualitative Method	-
6.	pH	APHA, 22 nd Ed., 2012, 4500-H ⁺ - B, 4-92	By pH Meter	1
7.	Oil & Grease	APHA, 22 nd Ed., 2012, 5520-B, 5-40	Liquid -liquid Partition-Gravimetric Method	1.0 mg/l
8.	Suspended Solids	IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1	Filtration /Gravimetric Method	5.0 mg/l
9.	Dissolved Oxygen	IS 3025 (Part 38): 1989, Reaffirmed 2009	Iodometric Method-Azide modification	0.05 mg/l
10.	Chemical Oxygen Demand	APHA, 22 nd Ed., 2012, 5220-B, 5-17	Open Reflux Method	5.0 mg/l
11.	Biochemical Oxygen Demand	IS 3025 (Part 44): 1993, Reaffirmed 2009, Amds.1	Iodometric Method	5.0 mg/l
12.	Electrical Conductivity	APHA, 22 nd Ed., 2012, 2510- B, 2-54	By Conductivity Meter	0.1 μ mho/cm
13.	Nitrite-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120	Colorimetric Method	0.006 mg/l

Sr.	Parameters	Methods References	Techniques	Detection Limit
14.	Nitrate-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	UV Spectrophotometer Screening Method	0.2 mg/l
15.	(NO ₂ + NO ₃)-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120 APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	Colorimetric Method V Spectrophotometer Screening Method	0.2 mg/l
16.	Free Ammonia	APHA, 22 nd Ed., 2012, 4500 NH ₃ , F, 4 -115	Colorimetric Method	0.006 mg/l
17.	Total Residual Chlorine	IS 3025 (Part 26): 1986, Reaffirmed 2009, Ed. 2.1 (2004-02)	Iodometric Method	0.1 mg/l
18.	Cyanide (CN)	APHA, 22 nd Ed., 2012, 4500-CN, C & E, 4-41 & 4-43	Colorimetric Method	0.001 mg/l
19.	Fluoride (F)	APHA, 22 nd Ed., 2012, 4500-F, D, 4-87	SPADNS Method	0.05 mg/l
20.	Sulphide (S ²⁻)	APHA, 22 nd Ed., 2012, 4500 -S ² , C-4-175, F-4-178	Iodometric Method	0.08 mg/l
21.	Dissolved Phosphate (P)	APHA, 22 nd Ed., 2012, 4500 P,E, 4-155	Ascorbic Acid Method	0.03 mg/l
22.	Sodium Absorption Ratio	IS11624: 1986, Reaffirmed 2006	By Calculation	0.3
23.	Total Phosphorous (P)	APHA, 22 nd Ed., 2012, 4500 P,E, 4-155	Ascorbic Acid Method	0.03 mg/l
24.	Total Kjeldahl Nitrogen	APHA, 22 nd Ed., 2012, 4500 NH ₃ , B & C, 4 -110, 4-112	Titrimetric Method	0.1 mg/l
25.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	APHA, 22 nd Ed., 2012, 4500 NH ₃ , F, 4 - 115	Colorimetric Method	0.001 mg/l
26.	Phenols (C ₆ H ₅ OH)	APHA, 22 nd Ed., 2012, 5530- B & C, 5-44 & 5-47	Chloroform Extraction Method	0.001 mg/l

Sr.	Parameters	Methods References	Techniques	Detection Limit
27.	Surface Active Agents	APHA, 22 nd Ed., 2012, 5540-B & C, 5-50	Methylene Blue Extraction Method	0.1 mg/l
28.	Organo Chlorine Pesticides	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
29.	Polynuclear aromatic hydrocarbons (PAH)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
30.	Polychlorinated Biphenyls (PCB)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
31.	Zinc (Zn)	IS 3025 (Part 2): 2004	ICP Method	0.1 mg/l
32.	Nickel (Ni)	IS 3025 (Part 2): 2004	ICP Method	0.05 mg/l
33.	Copper (Cu)	IS 3025 (Part 2): 2004	ICP Method	0.03 mg/l
34.	Hexavalent Chromium (Cr ⁶⁺)	APHA, 22 nd Ed., 2012, 3500-Cr, B, 3-69	Colorimetric Method	0.02 mg/l
35.	Total Chromium (Cr)	IS 3025 (Part 2): 2004	ICP Method	0.02 mg/l
36.	Total Arsenic (As)	IS 3025 (Part 2): 2004	ICP Method	0.005 mg/l
37.	Lead (Pb)	IS 3025 (Part 2): 2004	ICP Method	0.008 mg/l
38.	Cadmium (Cd)	IS 3025 (Part 2): 2004	ICP Method	0.002 mg/l
39.	Mercury (Hg)	IS 3025 (Part 2): 2004	ICP Method	0.0008 mg/l
40.	Manganese (Mn)	IS 3025 (Part 2): 2004	ICP Method	0.02 mg/l
41.	Iron (Fe)	IS 3025 (Part 2): 2004	ICP Method	0.06 mg/l
42.	Vanadium (V)	IS 3025 (Part 2): 2004	ICP Method	0.05 mg/l

Sr.	Parameters	Methods References	Techniques	Detection Limit
43.	Selenium (Se)	IS 3025 (Part 2): 2004	ICP Method	0.005 mg/l
44.	Boron (B)	IS 3025 (Part 2): 2004	ICP Method	0.1 mg/l
45.	Total Coliforms	APHA, 22 nd Ed., 2012, 9221-B, 9-66	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
46.	Faecal Coliforms	APHA, 22 nd Ed., 2012, 9221-E, 9-74	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
47.	Bioassay (Zebra Fish) Test	IS 6582, 1971, Reaffirmed 1987	Static Technique	-

Annexure V: National Ambient Air Quality Standards, 2009



The Gazette of India

EXTRAORDINARY PART III-Section 4 PUBLISHED BY AUTHORITY
NEW DELHI, WEDNESDAY, **NOVEMBER 18, 2009** No. B-29016/20/90/PCI-I

National Ambient Air Quality Standards: Central Pollution Control Board

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No. 14 of 1981), and in suppression of the Notification No(s). S.O.384(E), dated 11th April, 1994 and S.O.935(E), dated 14th October, 1998, the **Central Pollution Control Board** hereby notify the National Ambient Air Quality Standards **with immediate effect**, namely:

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient Air		
			Industrial, Residential, Rural and Other Areas	Ecologically Sensitive Areas (Notified by Central Government)	Methods of Measurement
(1)	(2)	(3)	(4)	(5)	(6)
1	Sulphur Dioxide (SO ₂) $\mu\text{g}/\text{m}^3$	Annual *	50	20	– Improved West and Gaeke – Ultraviolet fluorescence
		24 hours **	80	80	
2	Nitrogen Dioxide (NO ₂) $\mu\text{g}/\text{m}^3$	Annual *	40	30	– Modified Jacob & Hochheiser (Na-Arsenite) – Chemiluminescence
		24 hours **	80	80	
3	Particulate Matter (size less than 10 μm) or PM ₁₀ $\mu\text{g}/\text{m}^3$	Annual *	60	60	– Gravimetric – TOEM – Beta attenuation
		24 hours **	100	100	
4	Particulate Matter (size less than 2.5 μm) or PM _{2.5} $\mu\text{g}/\text{m}^3$	Annual *	40	40	– Gravimetric – TOEM – Beta attenuation
		24 hours **	60	60	
5	Ozone (O ₃) $\mu\text{g}/\text{m}^3$	8 hours **	100	100	– UV photometric – Chemiluminescence – Chemical Method
		1 hour **	180	180	
6	Lead (Pb) $\mu\text{g}/\text{m}^3$	Annual *	0.50	0.50	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper – EDXRF using Teflon filter
		24 hours **	1.0	1.0	
7	Carbon Monoxide (CO) mg/m^3	8 hours **	02	02	– Non Dispersive Infra Red (NDIR) spectroscopy
		1 hour **	04	04	
8	Ammonia (NH ₃) $\mu\text{g}/\text{m}^3$	Annual *	100	100	– Chemiluminescence – Indophenol blue method
		24 hours **	400	400	
9	Benzene (C ₆ H ₆) $\mu\text{g}/\text{m}^3$	Annual *	05	05	– Gas Chromatography based continuous analyzer – Adsorption and Desorption followed by GC analysis
10	Benzo (a) Pyrene (BaP) – particulate phase only, ng/m^3	Annual *	01	01	– Solvent extraction followed by HPLC/GC analysis
11	Arsenic (As) ng/m^3	Annual *	06	06	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.
12	Nickel (Ni) ng/m^3	Annual *	20	20	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 08 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2 % of the time, they may exceed the limits but not on two consecutive days of monitoring.

Note: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigation.

SANT PRASAD GAUTAM, Chairman, Central Pollution Control Board [ADVT-III/4/184/09/Exty.]

Note: The notifications on National Ambient Air Quality Standards were published by the Central Pollution Control Board in the Gazette of India. Extraordinary vide notification No(s). S.O. 384(E), dated 11th April, 1994 and S.O. 935(E), dated 14th October, 1998.

$\mu\text{g}/\text{m}^3$: micro-gram/ m^3 i.e. $10^{-6}\text{gm}/\text{m}^3$

ng/m^3 : nano-gram/ m^3 i.e. $10^{-9}\text{gm}/\text{m}^3$

**Annexure VI: General Standards for Discharge of Environmental Pollutants,
Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)**

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
1.	Colour and Odour	See Note 1	--	See Note I	See Note 1
2.	Suspended solids, mg/l, Max.	100	600	200	a) For process waste water - 100 b) For cooling water effluent- 10 percent above total suspended matter of influent cooling water.
3.	Particle size of suspended solids	Shall pass 850 micron IS Sieve			a. Floatable solids, Max 3 mm b. Settleable solids Max 850 microns
4.	Dissolved solids (Inorganic), mg/l, Max.	2100	2100	2100	--
5.	pH value	5.5 -9.0	5.5 -9.0	5.5 -9.0	5.5-9.0
6.	Temperature °C, Max	Shall not exceed 40 in any section of the stream within 15 mts. Downstream from the effluent outlet	45 at the point of discharge	--	45 at the point of discharge

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
7.	Oil and Grease mg/l, Max	10	20	10	20
8.,	Total Residual chlorine, mg/l, Max	1.0	--	--	1.0
9.	Ammonical Nitrogen (as N), mg/l, Max	50	50	--	50
10.	Total Kjeldahl Nitrogen (as N), mg/l, Max.	100	--	--	100
11.	Free Ammonia (as NH ₃), mg/l, Max	5.0	--	--	5.0
12.	Biochemical oxygen demand (5 days, at 20° c) mg/l, Max	30	350	100	100
13.	Chemical oxygen demand, mg/l, Max	250	--	--	250
14.	Arsenic (as As), mg/l, Max	0.2	0.2	0.2	0.2
15.	Mercury (as Hg). Mg/l, Max	0.01	0.01	--	0.01
16.	Lead (as Pb), mg/l, Max	0.1	1.0	-	1.0
17.	Cadmium (as Cd), mg/l,	2.0	1.0	--	2.0
18.	Hexavalent Chromium (as Cr ⁺⁶) mg/l, Max	1	2.0	--	1.0
19.	Total Chromium (as Cr), mg/l, Max	2.0	2.0	--	2.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
20.	Copper (as Cu), mg/l, Max.	3.0	3.0	--	3.0
21.	Zinc (as Zn), mg/l, Max.	5.0	15	0--	15
22.	Selenium (as Se), mg/l, Max.	0.05	0.05	--	0.05
23.	Nickel (as Ni), mg/l, Max.	3.0	3.0	--	5.0
24.	Boron (as B), mg/l, Max.	2.0	2.0	2.0	--
25.	Percent Sodium, Max.	--	60	60	--
26.	Residual Sodium carbonate, mg/l, Max.	--	--	5.0	--
27.	Cyanide (as Cn), mg/l, Max.	0.2	2.0	0.2	0.2
28.	Chloride (as Cl), mg/l, Max.	1000	1000	600	--
29.	Fluoride (as F), mg/l, Max.	2.0	15	--	15
30.	Dissolved Phosphate (as P), mg/l, Max.	5.0	--	--	--
31.	Sulphate (as SO ₄), mg/l, Max.	1000	1000	1000	--
32.	Sulphide (as S), mg/l, Max.	2.0	--	--	5.0
33.	Pesticides	Absent	Absent	Absent	Absent
34.	Phenolic compounds (as C ₆ H ₅ OH), mg/l, Max.	1.0	5.0	--	5.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
35.	Radioactive materials:				
	a. Alpha emitters MC/ml., Max.	10^{-7}	10^{-7}	10^{-8}	10^{-7}
	b. Beta emitters $\mu\text{C/ml.}$, Max	10^{-6}	10^{-6}	10^{-7}	10^{-6}

Annexure VII: Drinking Water Specification-IS 10500:2012

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
Table 1	Organoleptic and Physical Parameters			
1.	Colour	Hazen units	Max 5	Max 15
2.	Odour	-	Agreeable	Agreeable
3.	pH value	-	6.5-8.5	No relaxation
4.	Taste	-	Agreeable	Agreeable
5.	Turbidity	NTU	Max 1	Max 5
6.	Total dissolved solids	mg/l	Max 500	Max 2000
Table 2	General parameters concerning substances undesirable in excessive amounts			
7.	Aluminium (as Al)	mg/l	Max 0.03	Max 0.2
8.	Ammonia (as total ammonia- N)	mg/l	Max 0.5	No relaxation
9.	Anionic detergents (as MBAS)	mg/l	Max 0.2	Max 1.0
10.	Barium (as Ba)	mg/l	Max 0.7	No relaxation
11.	Boron (as B)	mg/l	Max 0.5	Max 1.0
12.	Calcium (as Ca)	mg/l	Max 75	Max 200
13.	Chloramines (as Cl ₂)	mg/l	Max 4.0	No relaxation
14.	Chlorides (as Cl)	mg/l	Max 250	Max 1000
15.	Copper (as Cu)	mg/l	Max 0.05	Max 1.5
16.	Fluoride (as F)	mg/l	Max 1.0	Max 1.5
17.	Free residual chlorine	mg/l	Min 0.2	Min 1
18.	Iron (as Fe)	mg/l	Max 0.3	No relaxation
19.	Magnesium (as Mg)	mg/l	Max 30	Max100

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
20.	Manganese (as Mn)	mg/l	Max 0.1	Max 0.3
21.	Mineral Oil	mg/l	Max 0.5	No relaxation
22.	Nitrate (as NO ₃)	mg/l	Max 45	No relaxation
23.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	Max 0.001	Max 0.002
24.	Selenium (as Se)	mg/l	Max 0.01	No relaxation
25.	Silver (as Ag)	mg/l	Max 0.1	No relaxation
26.	Sulphate (as SO ₄)	mg/l	Max 200	Max 400
27.	Sulphide (as H ₂ S)	mg/l	Max 0.05	No relaxation
28.	Total Alkalinity as calcium carbonate	mg/l	Max 200	Max600
29.	Total hardness (as CaCO ₃)	mg/l	Max 200	Max 600
30.	Zinc (as Zn)	mg/l	Max 5	Max15
Table 3	Parameters Concerning Toxic Substances			
31.	Cadmium (as Cd)	mg/l	Max 0.003	No relaxation
32.	Cyanide (as CN)	mg/l	Max 0.05	No relaxation
33.	Lead (as Pb)	mg/l	Max 0.01	No relaxation
34.	Mercury (as Hg)	mg/l	Max 0.001	No relaxation
35.	Molybdenum (as Mo)	mg/l	Max 0.07	No relaxation
36.	Nickel (as Ni)	mg/l	Max 0.02	No relaxation
37.	Pesticides	mg/l	See Table 5	No relaxation
38.	Polychlorinated biphenyls	mg/l	Max 0.0005	No relaxation
39.	Poly nuclear aromatic Hydrocarbons (as PAH)	mg/l	Max 0.0001	No relaxation
40.	Total Arsenic(as As)	mg/l	Max 0.01	Max0.05
41.	Total Chromium (as Cr)	mg/l	Max 0.05	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
42.	Trihalomethanes			
a)	Bromoform	mg/l	Max 0.1	No relaxation
b)	Dibromochloro Methane	mg/l	Max 0.1	No relaxation
c)	Bromodichloromethane	mg/l	Max 0.06	No relaxation
d)	Chloroform	mg/l	Max 0.2	No relaxation
Table 4	Parameters Concerning Radioactive Substances			
43.	Radioactive Materials			
a)	Alpha emitters	Bq/L	Max 0.1	No relaxation
b)	Beta emitters	Bq/L	Max 1.0	No relaxation
Table 5	Pesticide Residues Limits and Test Method			
i)	Alachor	µg/L	20	No relaxation
ii)	Atrazine	µg/L	2	No relaxation
iii)	Aldrin/ Dieldrin	µg/L	0.03	No relaxation
iv)	Alpha HCH	µg/L	0.01	No relaxation
v)	Beta HCH	µg/L	0.04	No relaxation
vi)	Butachlor	µg/L	125	No relaxation
vii)	Chlorpyriphos	µg/L	30	No relaxation
viii)	Delta HCH	µg/L	0.04	No relaxation
ix)	2,4- Dichlorophenoxyacetic acid	µg/L	30	No relaxation
x)	DDT (o,p & p,p — Isomers of DDT, DDE and DDD)	µg/L	1	No relaxation
xi)	Endosulfan (α, β & sulphate)	µg/L	0.4	No relaxation
xii)	Ethion	µg/L	3	No relaxation
xiii)	Gamma - HCH (Lindane)	µg/L	2	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
xiv)	Isoproturon	µg/L	9	No relaxation
xv)	Malathion	µg/L	190	No relaxation
xvi)	Methyl parathion	µg/L	0.3	No relaxation
xvii)	Monocrotophos	µg/L	1	No relaxation
xviii)	Phorate	µg/L	2	No relaxation
Table 6	Bacteriological Quality of Drinking Water			
44.	E.coli or thermotolerant coliform bacteria	/100	Not detectable	-
45.	Total coliform bacteria	/100 mL	Not detectable	-
	Virological Requirements			
46.	MS2 phage	/1 L	Absent	-
	Biological Requirements			
47.	Cryptosporidium	/10 L	Absent	-
48.	Giardia	/10 L	Absent	-
49.	Microscopic organisms such as algae, zooplanktons, flagellates, parasites and toxin producing organisms		Free from microscopic organisms	-

Annexure VIII: CPCB Water Quality Criteria:

Designated best use	Quality Class	Primary Water Quality Criteria
Drinking water source without conventional treatment but with chlorination	A	<ul style="list-style-type: none">➤ Total coliform organisms (MPN*/100 ml) shall be 50 or less➤ pH between 6.5 and 8.5➤ Dissolved Oxygen 6 mg/l or more, and➤ Biochemical Oxygen Demand 2 mg/l or less
Outdoor bathing (organized)	B	<ul style="list-style-type: none">➤ Total coliform organisms (MPN/100 ml) shall be 500 or less➤ pH between 6.5 and 8.5➤ Dissolved Oxygen 5 mg/l or more, and➤ Biochemical Oxygen Demand 3 mg/l or less
Drinking water source with conventional treatment	C	<ul style="list-style-type: none">➤ Total coliform organisms (MPN/100ml) shall be 5000 or less➤ pH between 6 and 9➤ Dissolved Oxygen 4 mg/l or more, and➤ Biochemical Oxygen Demand 3 mg/l or less
Propagation of wildlife and fisheries	D	<ul style="list-style-type: none">➤ pH between 6.5 and 8.5➤ Dissolved Oxygen 4 mg/l or more, and➤ Free ammonia (as N) 1.2 mg/l or less
Irrigation, industrial cooling, and controlled disposal	E	<ul style="list-style-type: none">➤ pH between 6.0 and 8.5➤ Electrical conductivity less than 2250 micro mhos/cm,➤ Sodium Absorption Ratio less than 26,➤ and Boron less than 2 mg/l.
	Below E	<ul style="list-style-type: none">➤ Not Meeting A, B, C, D & E Criteria

Annexure IX: Water Quality Parameters Requirements and Classification

Water quality parameters are classified into three categories, given in Table (i), (ii) and (iii) (Source: CPCB, 2002, "Water Quality Criteria and Goals", Monitoring of Indian National aquatic Resources Series: MINARS/17/2001-2002).

Table: Basic Water Quality Requirement and Classification (Surface Water + Ground Water)

i) Simple Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A-Excellent	B-Desirable	C-Acceptable
(i)	Sanitary Survey	Very Clean neighborhood and catchment	Reasonably clean neighborhood	Generally clean neighborhood
(ii)	General Appearance	No floating matter	No floating matter	No floating matter
(iii)	Colour	Absolutely Colourless	Almost colourless, very light shade if any	No colour of anthropogenic origin
(iv)	Smell	Odourless	Almost odourless	No unpleasant odour
(v)	Transparency	>1.0 depth	>0.5 to 0.1m depth	>0.2 to 0.5 m depth
(vi)	Ecological* (Presence of Animals)	Fish & Insects	Fish & Insects	Fish & Insects

* Applicable to only surface water

ii) Regular Monitoring Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(i)	pH	7.0 to 8.5	6.5 to 9.0	6.5 to 9.0
(ii)	DO (% Saturation)	90-110	80-120	60-140
(iii)	BOD, mg/l	Below 2	Below 5	Below 8
(iv)	EC, μ hos/cm	<1000	<2250	<4000
(v)	(NO ₂ +NO ₃)-Nitrogen, mg/l	<5	<10	<15
(vi)	Suspended solid, mg/l	<25	<50	<100

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(vii)	Fecal Coliform, MPN/ 100 ml	<20 per 100 ml	<200 per 100 ml	<2000 per 100 ml
(viii)	Bio-assay (Zebra Fish)	No death in 5 days	No death in 3 days	No death in 2 days

Note:

1. Dissolved Oxygen (DO) not applicable for ground waters.
2. Dissolved Oxygen in eutrophicated waters should include measurement for diurnal variation.
3. Suspended solid limit is applicable only during non-monsoon period.
4. Faecal Coliform values should meet for 90% times.
5. Static Bio-Assay method may be adopted.

iii) Specific Parameters: (Only in case of need/apprehensions)

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(i)	Total Phosphorous	<0.1 mg/l	<0.2 mg/l	<0.3 mg/l
(ii)	T.K.N	<1.0 mg/l	<2.0 mg/l	<3.0 mg/l
(iii)	Total Ammonia (NH ₄ + NH ₃)- Nitrogen	<0.5 mg/l	<1.0 mg/l	<1.5 mg/l
(iv)	Phenols	<2 µg/l	<5 µg/l	<10 µg/l
(v)	Surface Active Agents	<20 µg/l	<100 µg/l	<200 µg/l
(vi)	Organo Chlorine Pesticides	<0.05 µg/l	<0.1 µg/l	<0.2 µg/l
(vii)	PAH	<0.05 µg/l	<0.1 µg/l	<0.2 µg/l
(viii)	PCB and PCT	<0.01 µg/l	<0.01 µg/l	<0.02 µg/l
(ix)	Zinc	<100 µg/l	<200 µg/l	<300 µg/l
(x)	Nickel	<50 µg/l	<100 µg/l	<200 µg/l
(xi)	Copper	<20 µg/l	<50 µg/l	<100 µg/l
(xii)	Chromium (Total)	<20 µg/l	<50 µg/l	<100 µg/l
(xiii)	Arsenic (Total)	<20 µg/l	<50 µg/l	<100 µg/l

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(xiv)	Lead	<20 µg/l	<50 µg/l	<100 µg/l
(xv)	Cadmium	<1.0 µg/l	<2.5 µg/l	<5.0 µg/l
(xvi)	Mercury	<0.2 µg/l	<0.5 µg/l	<1.0 µg/l