

# **ACTION PLAN FOR INDUSTRIAL CLUSTER IN CRITICALLY POLLUTED AREA**

**Monitoring, sampling, analysis of Stack,  
Ambient Air Quality, Surface Water,  
Ground Water, Waste Water**

## **डोंबीवली Dombivli**



**Maharashtra Pollution Control Board**

Kalptaru Point, Sion East, Mumbai - 400022

June, 2018

## Index

Acknowledgement: .....	3
Abbreviations: .....	4
<b>1. Introduction: .....</b>	<b>5</b>
<b>2. Scope of Work.....</b>	<b>6</b>
2.1 Stack Emission Parameters.....	6
2.2 Ambient Air Quality Parameters .....	7
2.3 Water/Waste Water Parameters .....	7
2.4 Methodology followed in Sampling and Analysis .....	10
<b>3. Result of Analysis: .....</b>	<b>10</b>
3.1 Stack Emission: .....	11
3.2 Ambient Air Quality: .....	15
3.3 Surface Water/ Waste Water Quality: .....	21
3.4 Ground Water Quality: .....	32
<b>4. Summary and Conclusion.....</b>	<b>43</b>
4.1 Stack Emission Monitoring:.....	43
4.2 Ambient Air Quality Monitoring: .....	43
4.3 Surface water/ Waste Water Quality Monitoring: .....	44
4.4 Ground Water Quality Monitoring: .....	44
<b>5. CEPI Score .....</b>	<b>46</b>
5.1 Comparison of CEPI scores: .....	48
<b>6. Conclusion .....</b>	<b>51</b>
<b>7. Efforts taken for the reduction in pollution: .....</b>	<b>52</b>
<b>8. Photographs .....</b>	<b>53</b>
<b>9. References .....</b>	<b>59</b>
<b>10. Annexure .....</b>	<b>60</b>
Annexure I Health related data in impact on humans .....	60
Annexure II: Stack Emission Sampling and Analysis Methodology .....	61
Annexure III: Ambient Air Sampling and Analysis Methodology .....	63
Annexure IV: Water/Wastewater Sampling and Analysis Methodology .....	65
Annexure V: National Ambient Air Quality Standards, 2009.....	69
Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI).....	70
Annexure VII: Drinking Water Specification-IS 10500:2012 .....	74
Annexure VIII: CPCB Water Quality Criteria: .....	78
Annexure IX: Water Quality Parameters Requirements and Classification.....	79

## **Acknowledgement:**

We gratefully acknowledge **Dr. P. Anbalagan**, Member Secretary, Maharashtra Pollution Control Board, for entrusting this very important and prestigious project to us.

Our special thanks are to Regional and Sub Regional Officer of the concerned areas, for guidance during the sampling. The contribution of **Shri V. M Motghare** (Joint director APC) and Mr. Sameer Hundlekar (Field officer) is appreciated.

We would also like to extend our thanks to the concerned staff of Regional Hospitals, who has provided us the health data, which is the most important component of this revised concept of CEPI.

By undertaking this project and completing in schedule time, we consider ourselves very lucky since we have helped the mankind by giving the data on pollution load and further action by the Board, to bring down the pollution level.

We also thank our associates for working on this project for making the write up, making graphs and feeding the data on computer.

This acknowledgement will be incomplete if we do not thank our laboratory analysts and others who made this project a success by timely analysing the samples.

We also thank our sampling team members for conducting the sampling in this vast area.

## Abbreviations:

<b>APHA</b>	American Public Health Association
<b>BDL</b>	Below Detection Limit
<b>BOD</b>	Biochemical Oxygen Demand
<b>CEPI</b>	Comprehensive Environmental Pollution Index
<b>CETP</b>	Common Effluent Treatment Plant
<b>COD</b>	Chemical Oxygen Demand
<b>CPA</b>	Critically Polluted Areas
<b>SPA</b>	Severely Polluted Areas
<b>DO</b>	Dissolved Oxygen
<b>ETP</b>	Effluent Treatment Plant
<b>MIBK</b>	Methyl Isobutyl Ketone
<b>MPCB</b>	Maharashtra Pollution Control Board
<b>NAAQS</b>	National Ambient Air Quality Standards
<b>NO<sub>x</sub></b>	Oxides of Nitrogen
<b>ND</b>	Not Detected
<b>PAH</b>	Poly Aromatic Hydrocarbons
<b>PCB</b>	Poly Chlorinated Biphenyls
<b>PCT</b>	Poly Chlorinated Terphenyls
<b>PM<sub>10</sub></b>	Particulate Matter (size less than 10 µm)
<b>PM<sub>2.5</sub></b>	Particulate Matter (size less than 2.5 µm)
<b>SO<sub>2</sub></b>	Sulphur Dioxide
<b>STAP</b>	Short Term Action Plan
<b>WHO</b>	World Health Organization

## 1. Introduction:

India has experienced rapid industrial growth in last few years. Maharashtra is one of the most industrialised states in the country. The state has identified industrial sectors like auto, engineering, chemical, electronics and textile as focus sectors. Industrial processes and activities consume materials and resources for manufacturing products generating emissions, effluents and solid wastes. Rise in growth in industrial activities is leading to manifold impacts to the environment. This environmental pollution is a wide reaching problem and if not controlled to certain tolerable levels, it is likely to influence the human health too. Long term exposure to the polluted air and water causes chronic health problems. Hence, scientists are exploring the quantum of pollution load as well as to device certain strategies and technologies so that our sustainable development would not be jeopardized otherwise our long cherished dream of establishing eco-socialism on this watery planet could not come true.

The extent of pollution varies with the size of the industry, the nature of the industry, the type of products used and produced etc. In view of this, Central Pollution Control Board (CPCB) has evolved the concept of Comprehensive Environmental Pollution Index (CEPI) during 2009-10 as a tool for comprehensive environmental assessment of prominent industrial clusters and formulation of remedial Action Plans for the identified critically polluted areas. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed. Later-on proposals were received from the SPCBs, State Governments, and Industrial Associations and concerned Stake-holders for revisiting the criteria of assessment under CEPI concept. After careful examination and consideration of the suggestions of concerned stake-holders, it was decided to prepare the revised concept of CEPI by eliminating the subjective factors but retaining the factors which can be measured precisely. Hence, revised concept came into existence, which is termed as Revised CEPI Version 2016.

The present report is also based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial clusters or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data, ecological damage, and visual environmental conditions. For the study, Central Pollution Control Board (CPCB) has selected a total of 88 industrial areas or clusters in consultation with the Ministry of Environment & Forests Government of India. Out of these, 5 critically polluted industrial clusters namely Tarapur, Dombivli, Navi Mumbai, Aurangabad and Chandrapur, are identified and 3 severely polluted industrial clusters namely Pimpri-chinchwad, Nashik and Chembur from Maharashtra are added into this list.

Dombivli MIDC is established in 1964 and is sub-divided in two Phases. Phase I is of approximately 148 Ha. & Phase II approximately 97 Ha. Residential Area is developed in between these two phases, having population approx. 2 lakh soles. Both Phases has a mix of industries, mainly Textile, Chemical & Engineering. Except for 10 large & 9 Medium units, most of the chemical manufacturing units are SSI. Textile Industry generates about 80% of the wastewater by volume, though low strength in terms of concentration of pollutants. CETPs are installed & operative in both phases. Phase I (DBESA) - 16 MLD for textile units and Phase II (DCETP) - 1.5 MLD for Chemical & other units.

## 2. Scope of Work

The Scope of Work consisted of the following:

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water, and Ground Water Quality for identified five Critically Polluted areas (CPAs) in Maharashtra i.e. **Chandrapur, Dombivli, Aurangabad, Navi Mumbai, and Tarapur** and 3 Severely Polluted areas (SPAs) in Maharashtra i.e. **Chembur, Pimpri-Chinchwad and Nashik** as per standard methods.

- At each of the 5 CPAs and 3 SPAs, 24 hourly ambient air quality monitoring to be carried out.
- Representative samples for surface water quality, waste water quality and ground water quality to be collected from prominent surface and ground water bodies located in and around the clusters/areas.
- Submission of complete monitoring, sampling and analysis reports including the summary of the parameters exceeding the prescribed standards/norms for all the 5 CPAs and 3 SPAs.
- Submission of 3 copies of final report with photographs at prominent locations and the CD (soft copy) on completion of the project for every critically polluted and severely polluted area separately.

### **Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water and Ground Water Quality for Dombivli:**

- The sampling was carried out in 6 days i.e. on 4<sup>th</sup> to & 9<sup>th</sup> June 2018 for MIDC Phase-I and Phase II.
- In Dombivli MIDC Phase -I, a total of 6 Stack Monitoring Samples, 6 Ambient Air Quality Monitoring Samples, 1 Waste Water Samples, 3 Ground Water Samples and 3 VOC Samples were collected and analyzed.
- In MIDC Phase -II, a total of 6 Stack Monitoring Samples, 6 Ambient Air Quality Monitoring Samples, 5 Waste Water Samples, 3 Ground Water Samples and 1 VOC Samples was collected and analyzed.

#### **2.1 Stack Emission Parameters**

##### **The Stack Emissions were analyzed with the following parameters:**

1. Acid Mist
2. Ammonia
3. Carbon Monoxide
4. Chlorine
5. Fluoride(gaseous)
6. Fluoride (particulate)
7. Hydrogen Chloride

8. Hydrogen Sulphide
9. Oxides of Nitrogen
10. Oxygen
11. Polyaromatic Hydrocarbons (Particulate)
12. Suspended Particulate Matter
13. Sulphur Dioxide
14. Benzene
15. Toluene
16. Xylene
17. Volatile Organic Compounds (VOCs)

## **2.2 Ambient Air Quality Parameters**

### **The Ambient Air Quality was analyzed with the following parameters:**

1. Sulphur Dioxide (SO<sub>2</sub>)
2. Nitrogen Dioxide (NO<sub>2</sub>)
3. Particulate Matter (PM<sub>10</sub>)
4. Particulate Matter (PM<sub>2.5</sub>)
5. Ozone (O<sub>3</sub>)
6. Lead (Pb)
7. Carbon Monoxide (CO)
8. Ammonia (NH<sub>3</sub>)
9. Benzene (C<sub>6</sub>H<sub>6</sub>)
10. Benzo (a) Pyrene (BaP) (Particulate Phase Only)
11. Arsenic (As)
12. Nickel (Ni)

## **2.3 Water/Waste Water Parameters**

### **The Water/ Waste Water was analyzed with the following parameters:**

- a. Prominent Surface Water bodies such as outfalls of CETPs, ETPs, treated effluent drainage, river, canal, ponds, lakes and other such water supply resources flowing through the area or flowing adjoining the CPA.

- b. Ground Water Quality data of prominent ground water resources such as observation wells of Central Ground Water Board, drinking water wells, hand pumps, bore wells, hand pumps, bore wells and other such water supply resources located in the industrial cluster/area under consideration or in the peripheral areas.

**Basic water quality parameters for surface water and ground water both are as follows:**

**i. Simple Parameters:**

1. Sanitary Survey
2. General Appearance
3. Colour
4. Smell
5. Transparency
6. Ecological(Presence of animals like fish, insects) (Applicable to only surface water)

**ii. Regular Monitoring Parameters:**

7. pH
8. Oil & Grease
9. Suspended Solids
10. Dissolved Oxygen (% saturation) (Not applicable for ground waters)
11. Chemical Oxygen Demand
12. Biochemical Oxygen Demand
13. Electrical Conductivity
14. Nitrite-Nitrogen
15. Nitrate-Nitrogen
16. (NO<sub>2</sub> + NO<sub>3</sub>)-Nitrogen
17. Free Ammonia
18. Total Residual Chlorine
19. Cyanide

20. Fluoride
21. Sulphide
22. Dissolved Phosphate
23. Sodium Absorption Ratio (SAR)
24. Total Coliforms (MPN/100 ml)
25. Faecal Coliforms (MPN/100 ml)

**iii. Special Parameters:**

26. Total Phosphorous
27. Total Kjeldahl Nitrogen(TKN)
28. Total Ammonia ( $\text{NH}_4 + \text{NH}_3$ )-Nitrogen
29. Phenols
30. Surface Active Agents
31. Organo Chlorine Pesticides
32. Polynuclear aromatic hydrocarbons (PAH)
33. Polychlorinated Biphenyls (PCB)and Polychlorinated Terphenyls (PCT)
34. Zinc
35. Nickel
36. Copper
37. Hexavalent Chromium
38. Chromium (Total)
39. Arsenic (Total)

40. Lead

41. Cadmium

42. Mercury

43. Manganese

44. Iron

45. Vanadium

46. Selenium

47. Boron

**iv. Bioassay (Zebra Fish) Test: For specified samples only.**

**2.4 Methodology followed in Sampling and Analysis**

Industries, places and locations that have been chosen for the sampling are representative of the city/area. Sampling has been done at the potential polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions. Methodology for sampling, preservation and analysis have been done according to the references incorporated. Methodology of various types of parameters is presented under following annexure:

1. Stack Emission Sampling and Analysis Methodology – **Annexure II**
2. Ambient Air Sampling and Analysis Methodology - **Annexure III**
3. Water/Wastewater Sampling and Analysis Methodology - **Annexure IV**

**3. Result of Analysis:**

Results of Analysis are tabulated below for Stack Emission Monitoring, Ambient Air Quality Monitoring, Waste Water Analysis and Water Analysis. These are followed by their respective graphical representation.

**\*Kindly note:**

- NA specifies the sample is not analysed for the specific parameter.
- BDL specifies that the result obtained is below deductible limit.
- ND specifies the sample is not detectable for the specific parameter

**Please Note: Industrial clusters observed with below detection limit parameters are NOT included into the graphs**

### .3.1 Stack Emission:

Stack Emission Monitoring Results are compared against The Environment (Protection) Rules, 1986 General Emission Standard - Part D.

Sr.	Name of Industry	Stack Identity	Phase	Table No.
1.	Shree Sainath Dyeing & Printing Pvt. Ltd.		Phase I	<b>I</b>
2.	Tirupati Textile Mills	Coal Fire Boiler	Phase I	<b>I</b>
3.	Auchtel Products Ltd.	F. O. Boiler	Phase I	<b>I</b>
4.	Evonik Catalysts India Pvt. Ltd.	Process Stack	Phase I	<b>II</b>
5.	Gharda Chemical Ltd.	Process Stack	Phase I	<b>II</b>
6.	Shrijee Lifestyle Pvt. Ltd.	Coal Fire Boiler	Phase I	<b>II</b>
7.	Metropolitan Eximchem Ltd.	Coal Fire Boiler	Phase II	<b>III</b>
8.	Metropolitan Eximchem Ltd.	SO <sub>2</sub> Scrubber	Phase II	<b>III</b>
9.	Ridham Synthetic Pvt. Ltd.		Phase II	<b>III</b>
10.	Aarti Industries Ltd.	Process Stack	Phase II	<b>IV</b>
11.	Cosmo Chemical Pvt. Ltd.	Coal Fire Boiler	Phase II	<b>IV</b>
12.	Shri Mahabir Dyeing & Printing Mills Pvt. Ltd.	Coal Fire Boiler	Phase II	<b>IV</b>

**\* The VOC result of stack emission is provided in Table No. V**

**Table No. I**

Name of Industry			Shree Sainath Dyeing & Printing Pvt. Ltd.	Tirupati Textile Mills	Auchtel Products Ltd.
Date of Sampling			<b>06.06.18</b>	<b>06.06.18</b>	<b>07.06.18</b>
Sr.	Parameter	Unit	Results		
1.	Particulate Matter (as PM)	mg/Nm <sup>3</sup>	28	16	20
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>50</b>	<b>150</b>	<b>150</b>
2.	Sulphur Dioxide (as SO <sub>2</sub> )	mg/Nm <sup>3</sup>	10.8	8.14	5.42
		kg/day	0.92	2.32	0.821
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>200</b>	<b>100</b>	<b>100</b>

<b>Name of Industry</b>			<b>Shree Sainath Dyeing &amp; Printing Pvt. Ltd.</b>	<b>Tirupati Textile Mills</b>	<b>Auchtel Products Ltd.</b>
Date of Sampling			<b>06.06.18</b>	<b>06.06.18</b>	<b>07.06.18</b>
<b>Sr.</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>		
3.	Nitrogen Dioxide (NO <sub>2</sub> )	mg/Nm <sup>3</sup>	19.1	21.8	22.2
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>50</b>	<b>50</b>	<b>50</b>
4.	Hydrogen Chloride (HCL)	mg/Nm <sup>3</sup>	BDL	BDL	BDL
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>35</b>	<b>-</b>	<b>-</b>

**Table No. II**

<b>Name of Industry</b>			<b>Evonik Catalysts India Pvt. Ltd.</b>	<b>Gharda Chemical Ltd.</b>	<b>Shrijee Lifestyle Pvt. Ltd.</b>
Date of Sampling			<b>07.06.18</b>	<b>09.06.18</b>	<b>09.06.18</b>
<b>Sr.</b>	<b>Parameter</b>	<b>Unit</b>	<b>Results</b>		
1.	Particulate Matter (as PM)	mg/Nm <sup>3</sup>	BDL	BDL	19
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>50</b>	<b>150</b>	<b>150</b>
2.	Sulphur Dioxide (as SO <sub>2</sub> )	mg/Nm <sup>3</sup>	BDL	13.6	8.28
		kg/day	BDL	BDL	3.85
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>200</b>	<b>100</b>	<b>100</b>
3.	Nitrogen Dioxide (NO <sub>2</sub> )	mg/Nm <sup>3</sup>	BDL	BDL	18.9
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>50</b>	<b>50</b>	<b>50</b>
4.	Hydrogen Chloride (HCL)	mg/Nm <sup>3</sup>	9.67	13.7	BDL
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>35</b>	<b>35</b>	<b>-</b>

**Table No. III**

Name of Industry			Metropolitan Eximchem Ltd.	Metropolitan Eximchem Ltd.	Ridham Synthetic Pvt. Ltd.
Date of Sampling			<b>04.06.18</b>	<b>04.06.18</b>	<b>04.06.18</b>
Sr.	Parameter	Unit	Results		
1.	Particulate Matter (as PM)	mg/Nm <sup>3</sup>	15	BDL	20
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>150</b>	<b>150</b>	<b>150</b>
2.	Sulphur Dioxide (as SO <sub>2</sub> )	mg/Nm <sup>3</sup>	8.14	BDL	8.14
		kg/day	0.687	BDL	1.58
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>100</b>	<b>100</b>	<b>100</b>
3.	Nitrogen Dioxide (NO <sub>2</sub> )	mg/Nm <sup>3</sup>	12.7	BDL	15.8
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>50</b>	<b>50</b>	<b>50</b>
4.	Hydrogen Chloride (HCL)	mg/Nm <sup>3</sup>	BDL	BDL	BDL
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>-</b>	<b>-</b>	<b>-</b>

**Table No. IV**


Name of Industry			Aarti Industries Ltd.	Cosmo Chemical Pvt. Ltd.	Shri Mahabir Dyeing & Printing Mills Pvt. Ltd.
Date of Sampling			<b>04.06.18</b>	<b>04.06.18</b>	<b>04.06.18</b>
Sr.	Parameter	Unit	Results		
1.	Particulate Matter (as PM)	mg/Nm <sup>3</sup>	BDL	18	22
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>150</b>	<b>150</b>	<b>150</b>
2.	Sulphur Dioxide (as SO <sub>2</sub> )	mg/Nm <sup>3</sup>	BDL	8.28	10.8
		kg/day	BDL	40.9	0.975
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>100</b>	<b>100</b>	<b>100</b>
3.	Nitrogen Dioxide (NO <sub>2</sub> )	mg/Nm <sup>3</sup>	BDL	9.57	15.8
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	<b>50</b>	<b>50</b>	<b>50</b>

Name of Industry			Aarti Industries Ltd.	Cosmo Chemical Pvt. Ltd.	Shri Mahabir Dyeing & Printing Mills Pvt. Ltd.
Date of Sampling			04.06.18	04.06.18	04.06.18
Sr.	Parameter	Unit	Results		
4.	Hydrogen Chloride (HCL)	mg/Nm <sup>3</sup>	10	BDL	BDL
	<b>Std. Limit</b>	<b>mg/Nm<sup>3</sup></b>	-	-	-

**Table No. V**

Name of Industry			Auchtel Products Ltd.	Evonik Catalysts India Pvt. Ltd.	Gharda Chemical Ltd.	Aarti Industries Ltd.
Date of Sampling			07.06.18	07.06.18	09.06.18	09.06.18
Sr.	Parameter	Unit	Results			
1.	VOC					
I.	Methyl Isobutyl Ketone	mg/Nm <sup>3</sup>	ND	ND	ND	ND
II.	Benzene	mg/Nm <sup>3</sup>	ND	ND	ND	ND
III.	Toulene	mg/Nm <sup>3</sup>	ND	ND	ND	ND
IV.	Xylene	mg/Nm <sup>3</sup>	ND	ND	ND	ND
V.	Ethyl Benzene	mg/Nm <sup>3</sup>	ND	ND	ND	ND
VI.	Ethyl Acetate	mg/Nm <sup>3</sup>	ND	ND	ND	ND

**Graphs: Stack Monitoring for Dombivli MIDC:**



### 3.2 Ambient Air Quality:

In order to arrive at conclusions, the Ambient Air Quality Monitoring Results are compared against National Ambient Air Quality Standards, 2009 (**Annexure V**).

Sr.	Location	Location detail	Phase	Table No.
1.	BKT C-21, Behind vico laboratory	Near Main Gate	Phase I	<b>I</b>
2.	Kalyan Ambernath Manufacture Association (KAMA Office)	Near Main Gate	Phase I	<b>I</b>
3.	Auchtel Products Ltd.	Near Main Gate	Phase I	<b>I</b>
4.	CETP MIDC Phase I	Near Office	Phase I	<b>II</b>
5.	Zenith industrial Rubber Product Pvt. Ltd.	Near Main Gate	Phase I	<b>II</b>
6.	CETP MIDC Phase II	Near Office	Phase II	<b>II</b>
7.	Navjeevan (Parag) Synthetics Pvt Ltd.	Near Main Gate	Phase II	<b>III</b>
8.	Suvishrhu Speciality Chemicals Pvt. Ltd.	Near Main Gate	Phase II	<b>III</b>
9.	VNS Industries Pvt. Ltd.	Near Main Gate	Phase II	<b>III</b>

Sr.	Location	Location detail	Phase	Table No.
10.	R. R. Hospital Next to Pendharkar College	Near Main Gate	Phase II	<b>IV</b>
11.	MIDC Sump Near W226	Near Office	Phase II	<b>IV</b>
12.	Dhanlaxmi Fabrics Ltd.	Near Main Gate	Phase II	<b>IV</b>

**Table No. I**

Location				BKT C-21, Behind vico laboratory	KAMA Office	Auchtel Products Ltd.
Date of Sampling				<b>07.06.18</b>	<b>07.06.18</b>	<b>07.06.18</b>
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.49	6.19	6.39
2.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.67	6.46	5.78
3.	Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	µg/m <sup>3</sup>	<b>100</b>	185	191	79
4.	Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	µg/m <sup>3</sup>	<b>60</b>	46	48	19
5.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<b>180</b>	BDL	BDL	BDL
6.	Lead (Pb)	µg/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	<b>4</b>	1.37	1.27	1.56
8.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<b>400</b>	BDL	BDL	BDL
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<b>5</b>	BDL	BDL	BDL
10.	Benzo (a) Pyrene (BaP) - particulate phase only	ng/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
11.	Arsenic (As)	ng/m <sup>3</sup>	<b>6</b>	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m <sup>3</sup>	<b>20</b>	BDL	BDL	BDL

**Table No. II**

Location				CETP MIDC Phase I	Zenith industrial Rubber Product Pvt. Ltd.	CETP MIDC Phase II
Date of Sampling				08.06.18	09.06.18	04.06.18
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.19	6.29	6.7
2.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.67	6	8.01
3.	Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	µg/m <sup>3</sup>	<b>100</b>	61	112	190
4.	Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	µg/m <sup>3</sup>	<b>60</b>	15	28	42
5.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<b>180</b>	BDL	BDL	BDL
6.	Lead (Pb)	µg/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	<b>4</b>	1.32	1.45	1.57
8.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<b>400</b>	BDL	BDL	BDL
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<b>5</b>	BDL	BDL	BDL
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
11.	Arsenic (As)	ng/m <sup>3</sup>	<b>6</b>	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m <sup>3</sup>	<b>20</b>	BDL	BDL	BDL



**Table No. III**

Location				Navjeevan (Parag) Synthetics Pvt Ltd.	Suvishrhu Speciality Chemicals Pvt. Ltd.	VNS Industries Pvt. Ltd.
Date of Sampling				04.06.18	05.06.18	05.06.18
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.9	6.47	6.2
2.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.67	6.22	6.45
3.	Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	µg/m <sup>3</sup>	<b>100</b>	109	181	152
4.	Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	µg/m <sup>3</sup>	<b>60</b>	21	40	37.9
5.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<b>180</b>	BDL	BDL	BDL
6.	Lead (Pb)	µg/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	<b>4</b>	2.15	2.51	2.37
8.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<b>400</b>	BDL	BDL	BDL
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<b>5</b>	BDL	BDL	BDL
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
11.	Arsenic (As)	ng/m <sup>3</sup>	<b>6</b>	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m <sup>3</sup>	<b>20</b>	BDL	BDL	BDL

**Table No. IV**

Location				R. R. Hospital	MIDC Sump Near W226	Dhanlaxmi Fabrics Ltd.
Date of Sampling				06.06.18	06.06.18	09.06.18
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.29	6.25	6.29
2.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	<b>80</b>	6.23	6.68	6.23
3.	Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	µg/m <sup>3</sup>	<b>100</b>	82.2	92.2	113
4.	Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	µg/m <sup>3</sup>	<b>60</b>	20.5	23	24
5.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<b>180</b>	BDL	BDL	BDL
6.	Lead (Pb)	µg/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	<b>4</b>	1.85	0.96	1.36
8.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<b>400</b>	BDL	BDL	BDL
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<b>5</b>	BDL	BDL	BDL
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m <sup>3</sup>	<b>1</b>	BDL	BDL	BDL
11.	Arsenic (As)	ng/m <sup>3</sup>	<b>6</b>	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m <sup>3</sup>	<b>20</b>	BDL	BDL	BDL

**Graphs: Ambient Air Quality Monitoring for Dombivli MIDC:**



### 3.3 Surface Water/ Waste Water Quality:

Water Analysis Results are compared against CPCB document on criteria for Comprehensive Environmental Assessment of Industrial Clusters-Water Quality Parameters Requirement and Classification (Annexure IX), CPCB Water Quality Criteria (Annexure VIII) and Drinking Water Specification, IS 10500:2012 (Annexure VII), Wastewater Analysis Results are compared with General Standards for Discharge of Environmental Pollutants Part A: Effluents, The Environment (Protection) Rules, 1986, Schedule VI.

Sr.	Location	Source	Phase	Table No.
1.	CETP	CETP Outlet	Phase I	<b>I</b>
2.	MIDC phase 2, Dombivali	Surface Water	Phase II	<b>I</b>
3.	Khambal Pada	Surface Water	Phase II	<b>I</b>
4.	Metro Junction	Surface Water	Phase II	<b>II</b>
5.	Gandinagar Nala	Surface Water	Phase II	<b>II</b>
6.	CETP	CETP Outlet	Phase II	<b>II</b>

**Table No. I**

Location				CETP Phase I	MIDC phase 2	Khambal Pada
Date of Sampling				<b>08.06.18</b>	<b>08.06.18</b>	<b>08.06.18</b>
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Colour	Hazen		5	3	3
2.	Smell	-		Disagreeable	Disagreeable	Disagreeable
3.	pH	-	<b>5.5 -9.0</b>	7.5	7.35	7.45
4.	Oil & Grease	mg/L	<b>10.0</b>	BDL	BDL	BDL
5.	Suspended Solids	mg/L	<b>100.0</b>	22	22	12
6.	Dissolved Oxygen (% Saturation)	%		47	0	6
7.	Chemical Oxygen Demand	mg/L	<b>250.0</b>	200	120	40

Location				CETP Phase I	MIDC phase 2	Khambal Pada
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
8.	Biochemical Oxygen Demand (3 days, 27° C)	mg/L	30.0	74	43	13
9.	Electrical Conductivity (at 25° C )	µmho/cm		6740	798	693
10.	Nitrite Nitrogen (as NO <sub>2</sub> )	mg/L		0.02	0.09	0.03
11.	Nitrate Nitrogen (as NO <sub>3</sub> )	mg/L	10.0	6.28	19	9.17
12.	(NO <sub>2</sub> + NO <sub>3</sub> )-Nitrogen	mg/L	5.0	6.3	19.09	9.2
13.	Free Ammonia (as NH <sub>3</sub> -N)	mg/L	5.0	0.74	BDL	BDL
14.	Total Residual Chlorine	mg/L	1.0	BDL	BDL	BDL
15.	Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
16.	Fluoride (as F)	mg/L	2.0	0.27	0.14	BDL
17.	Sulphide (as S <sup>2-</sup> )	mg/L	2.0	BDL	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L	5.0	BDL	BDL	BDL
19.	Sodium Absorption Ratio	mg/L		1.3	BDL	BDL
20.	Total Coliforms	MPN index/100 ml	100.0	140	47	32

Location				CETP Phase I	MIDC phase 2	Khambal Pada
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
21.	Faecal Coliforms	MPN index/ 100 ml	1000.0	22	14	14
22.	Total Phosphorous (as P)	mg/L	1.0	BDL	BDL	BDL
23.	Total Kjeldahl Nitrogen (as TKN)	mg/L	100.0	100	16.8	10.6
24.	Total Ammonia (NH <sub>4</sub> +NH <sub>3</sub> )-Nitrogen	mg/L	5.0	52	6.51	5.08
25.	Phenols (as C <sub>6</sub> H <sub>5</sub> OH)	mg/L	3.0	BDL	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL	BDL	BDL
27.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	2.0	BDL	BDL	BDL
II.	Atrazine	µg/L	0.2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.1	BDL	BDL	BDL
IV.	Dieldrin	µg/L	2.0	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.01	0.034	BDL	BDL
VI.	Beta HCH	µg/L	2.0	BDL	BDL	BDL
VII.	Delta HCH	µg/L	3.0	BDL	BDL	BDL
VIII.	Butachlor	µg/L	0.2	BDL	BDL	BDL
IX.	p,p DDT	µg/L	0.05	BDL	BDL	BDL
X.	o,p DDT	µg/L	100.0	BDL	BDL	BDL

Location				CETP Phase I	MIDC phase 2	Khambal Pada
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
XI.	p,p DDE	µg/L	250.0	BDL	BDL	BDL
XII.	o,p DDE	µg/L	30.0	BDL	BDL	BDL
XIII.	p,p DDD	µg/L		BDL	BDL	BDL
XIV.	o,p DDD	µg/L		BDL	BDL	BDL
XV.	Alpha Endosulfan	µg/L	10.0	BDL	BDL	BDL
XVI.	Beta Endosulfan	µg/L		BDL	BDL	BDL
XVII.	Endosulfan Sulphate	µg/L	5.0	BDL	BDL	BDL
XVIII.	γ HCH (Lindane)	µg/L	1.0	BDL	BDL	BDL
28.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL	BDL	BDL
29.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL	BDL	BDL
30.	Zinc (as Zn)	mg/L	5.0	0.08	BDL	BDL
31.	Nickel (as Ni)	mg/L	3.0	BDL	BDL	BDL
32.	Copper (as Cu)	mg/L		0.032	BDL	BDL
33.	Hexavalent Chromium (as Cr <sup>6+</sup> )	mg/L	0.1	BDL	BDL	BDL
34.	Total Chromium (as Cr)	mg/L	2.0	0.07	0.062	BDL
35.	Total Arsenic (as As)	mg/L	0.2	BDL	BDL	BDL

Location				CETP Phase I	MIDC phase 2	Khambal Pada
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
36.	Lead (as Pb)	mg/L	0.1	BDL	BDL	BDL
37.	Cadmium (as Cd)	mg/L	2.0	BDL	BDL	BDL
38.	Mercury (as Hg)	mg/L	0.01	BDL	BDL	BDL
39.	Manganese (as Mn)	mg/L	2.0	0.04	0.06	0.06
40.	Iron (as Fe)	mg/L	3.0	0.69	0.12	0.08
41.	Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
42.	Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
43.	Boron (as B)	mg/L		0.68	BDL	BDL
44.	Bioassay Test on fish	% survival	90% survival after 96h in 100%eff luent	0	50	100

**Table No. II**

Location				Metro Junction	Gandinagar Nala	CETP Phase II
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Colour	Hazen		2	1	5
2.	Smell	-		Disagreeable	Disagreeable	Disagreeable
3.	pH	-	<b>5.5 -9.0</b>	7.36	7.27	7.84
4.	Oil & Grease	mg/L	<b>10.0</b>	BDL	BDL	BDL
5.	Suspended Solids	mg/L	<b>100.0</b>	18	18	28
6.	Dissolved Oxygen (% Saturation)	%		5	0	2
7.	Chemical Oxygen Demand	mg/L	<b>250.0</b>	240	40	400
8.	Biochemical Oxygen Demand (3 days,27° C)	mg/L	<b>30.0</b>	90	15	141
9.	Electrical Conductivity (at 25° C )	µmho/cm		702	663	3740
10.	Nitrite Nitrogen (as NO <sub>2</sub> )	mg/L		0.11	0.06	0.11
11.	Nitrate Nitrogen (as NO <sub>3</sub> )	mg/L	<b>10.0</b>	10.5	13.1	15.2
12.	(NO <sub>2</sub> + NO <sub>3</sub> )-Nitrogen	mg/L	<b>5.0</b>	10.61	13.16	15.31
13.	Free Ammonia (as NH <sub>3</sub> -N)	mg/L	<b>5.0</b>	BDL	BDL	BDL
14.	Total Residual Chlorine	mg/L	<b>1.0</b>	BDL	BDL	BDL


Location				Metro Junction	Gandinagar Nala	CETP Phase II
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
15.	Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
16.	Fluoride (as F)	mg/L	2.0	0.1	1.16	0.64
17.	Sulphide (as S <sup>2-</sup> )	mg/L	2.0	BDL	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L	5.0	BDL	BDL	BDL
19.	Sodium Absorption Ratio	mg/L		BDL	BDL	0.4
20.	Total Coliforms	MPN index/ 100 ml	100.0	13	32	Absent
21.	Faecal Coliforms	MPN index/ 100 ml	1000.0	BDL	6.8	BDL
22.	Total Phosphorous (as P)	mg/L	1.0	0.1	BDL	BDL
23.	Total Kjeldahl Nitrogen (as TKN)	mg/L	100.0	10.1	13.1	3.08
24.	Total Ammonia (NH <sub>4</sub> +NH <sub>3</sub> )-Nitrogen	mg/L	5.0	4.14	4.64	0.37
25.	Phenols (as C <sub>6</sub> H <sub>5</sub> OH)	mg/L	3.0	BDL	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL	BDL	BDL



Location				Metro Junction	Gandinagar Nala	CETP Phase II
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
27.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	2.0	BDL	BDL	BDL
II.	Atrazine	µg/L	0.2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.1	BDL	BDL	BDL
IV.	Dieldrin	µg/L	2.0	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.01	BDL	BDL	BDL
VI.	Beta HCH	µg/L	2.0	BDL	BDL	BDL
VII.	Delta HCH	µg/L	3.0	BDL	BDL	BDL
VIII.	Butachlor	µg/L	0.2	BDL	BDL	BDL
IX.	p,p DDT	µg/L	0.05	BDL	BDL	BDL
X.	o,p DDT	µg/L	100.0	BDL	BDL	BDL
XI.	p,p DDE	µg/L	250.0	BDL	BDL	BDL
XII.	o,p DDE	µg/L	30.0	BDL	BDL	BDL
XIII.	p,p DDD	µg/L		BDL	BDL	BDL
XIV.	o,p DDD	µg/L		BDL	BDL	BDL
XV.	Alpha Endosulfan	µg/L	10.0	BDL	BDL	BDL
XVI.	Beta Endosulfan	µg/L		BDL	BDL	BDL
XVII.	Endosulfan Sulphate	µg/L	5.0	BDL	BDL	BDL
XVIII.	Y HCH (Lindane)	µg/L	1.0	BDL	BDL	BDL


Location				Metro Junction	Gandinagar Nala	CETP Phase II
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
28.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL	BDL	BDL
29.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL	BDL	BDL
30.	Zinc (as Zn)	mg/L	5.0	BDL	BDL	BDL
31.	Nickel (as Ni)	mg/L	3.0	BDL	BDL	BDL
32.	Copper (as Cu)	mg/L		BDL	BDL	BDL
33.	Hexavalent Chromium (as Cr <sup>6+</sup> )	mg/L	0.1	BDL	BDL	BDL
34.	Total Chromium (as Cr)	mg/L	2.0	0.181	0.236	0.238
35.	Total Arsenic (as As)	mg/L	0.2	BDL	BDL	BDL
36.	Lead (as Pb)	mg/L	0.1	BDL	BDL	BDL
37.	Cadmium (as Cd)	mg/L	2.0	BDL	BDL	BDL
38.	Mercury (as Hg)	mg/L	0.01	BDL	BDL	BDL
39.	Manganese (as Mn)	mg/L	2.0	0.055	0.04	0.042
40.	Iron (as Fe)	mg/L	3.0	0.155	0.127	0.146
41.	Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
42.	Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
43.	Boron (as B)	mg/L		BDL	BDL	BDL

Location				Metro Junction	Gandinagar Nala	CETP Phase II
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
44.	Bioassay Test on fish	% survival	90% survival after 96h in 100%effluent	100	100	100

Graphs: Surface Water/Waste Water Quality Monitoring for Dombivli MIDC:







### 3.4 Ground Water Quality:

Sr.	Location	Source	Phase	Table No.
1.	Thakurli Talav (Chole Gaon)	Lake Water (talav)	Phase I	<b>I</b>
2.	Gavdevi Talav	Well Water	Phase I	<b>I</b>
3.	Mhasoba Devstan Talav	Well Water	Phase I	<b>I</b>
4.	Lodha Vihar	Borewell water	Phase II	<b>II</b>
5.	Horizon Mall	Borewell water	Phase II	<b>II</b>
6.	Pipleshwar Mandir	Borewell water	Phase II	<b>II</b>

**Table No. I**

Location				Thakurli Talav (Chole Gaon)	Gavdevi Talav	Mhasoba Devstan Talav
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Colour	Hazen		1	1	1
2.	Smell	-	<b>Agreeable</b>	Disagreeable	Disagreeable	Agreeable
3.	pH	-	<b>6.5-8.5</b>	7.5	7.4	8.1
4.	Oil & Grease	mg/L	<b>100</b>	BDL	BDL	BDL
5.	Suspended Solids	mg/L	<b>500</b>	30	12	40
6.	Dissolved Oxygen (%Saturation)	%		80	55	80
7.	Chemical Oxygen Demand	mg/L	<b>10 (WHO, 1993)</b>	13	13	18
8.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	<b>6 (WHO, 1993)</b>	5	4	7
9.	Electrical Conductivity ( at 25°C )	µmho/cm	<b>750</b>	859	2130	777
10.	Nitrite Nitrogen (as NO <sub>2</sub> )	mg/L		7.5	7.4	8.1
11.	Nitrate Nitrogen (as NO <sub>3</sub> )	mg/L	<b>1.0</b>	BDL	BDL	BDL
12.	(NO <sub>2</sub> + NO <sub>3</sub> )-Nitrogen	mg/L	<b>45</b>	30	12	40
13.	Free Ammonia (as NH <sub>3</sub> -N)	mg/L	<b>0.5</b>	80	55	80
14.	Total Residual Chlorine	mg/L	<b>0.2</b>	BDL	BDL	BDL

Location				Thakurli Talav (Chole Gaon)	Gavdevi Talav	Mhasoba Devstan Talav
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
15.	Cyanide (as CN)	mg/L	1.5	BDL	BDL	BDL
16.	Fluoride (as F)	mg/L	1	0.5	0.33	1.16
17.	Sulphide (as S <sup>2-</sup> )	mg/L	0.05	BDL	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
19.	Sodium Absorption Ratio	mg/L		BDL	BDL	BDL
20.	Total Coliforms	MPN index/ 100 ml	ND	34	33	47
21.	Faecal Coliforms	MPN index/ 100 ml	ND	6.8	12	17
22.	Total Phosphorous (as P)	mg/L	0.5	BDL	BDL	BDL
23.	Total Kjeldahl Nitrogen	mg/L	0.001	1.01	0.34	0.5
24.	Total Ammonia (NH <sub>4</sub> +NH <sub>3</sub> )-Nitrogen	mg/L	0.5	0.61	BDL	BDL
25.	Phenols (as C <sub>6</sub> H <sub>5</sub> OH)	mg/L	0.001	BDL	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	0.02	BDL	BDL	BDL
27.	Organo Chlorine Pesticides		0.05			
I.	Alachlor	µg/L	20	BDL	BDL	BDL
II.	Atrazine	µg/L	2	BDL	BDL	BDL

Location				Thakurli Talav (Chole Gaon)	Gavdevi Talav	Mhasoba Devstan Talav
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
III.	Aldrin	µg/L	0.03	BDL	BDL	BDL
IV.	Dieldrin	µg/L	0.03	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.01	BDL	BDL	BDL
VI.	Beta HCH	µg/L	0.04	BDL	BDL	BDL
VII.	Delta HCH	µg/L	125	BDL	BDL	BDL
VIII.	Butachlor	µg/L	0.04	BDL	BDL	BDL
IX.	p,p DDT	µg/L	1	BDL	BDL	BDL
X.	o,p DDT	µg/L	1	BDL	BDL	BDL
XI.	p,p DDE	µg/L	1	BDL	BDL	BDL
XII.	o,p DDE	µg/L	1	BDL	BDL	BDL
XIII.	p,p DDD	µg/L	1	BDL	BDL	BDL
XIV.	o,p DDD	µg/L	1	BDL	BDL	BDL
XV.	Alpha Endosulfan	µg/L	0.4	BDL	BDL	BDL
XVI.	Beta Endosulfan	µg/L	0.4	BDL	BDL	BDL
XVII.	Endosulfan Sulphate	µg/L	0.4	BDL	BDL	BDL
XVIII.	Y HCH (Lindane)	µg/L	2.0	BDL	BDL	BDL
28.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.0001	BDL	BDL	BDL
29.	Polychlorinated Biphenyls (PCB)	mg/L	0.0005	BDL	BDL	BDL
30.	Zinc (as Zn)	mg/L	5.0	BDL	BDL	BDL
31.	Nickel (as Ni)	mg/L	0.02	BDL	BDL	BDL

Location				Thakurli Talav (Chole Gaon)	Gavdevi Talav	Mhasoba Devstan Talav
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
32.	Copper (as Cu)	mg/L	0.05	BDL	BDL	BDL
33.	Hexavalent Chromium (as Cr <sup>6+</sup> )	mg/L	1	BDL	BDL	BDL
34.	Total Chromium (as Cr)	mg/L	0.05	BDL	BDL	BDL
35.	Total Arsenic (as As)	mg/L	0.01	BDL	BDL	BDL
36.	Lead (as Pb)	mg/L	0.01	BDL	BDL	BDL
37.	Cadmium (as Cd)	mg/L	0.003	BDL	BDL	BDL
38.	Mercury (as Hg)	mg/L	0.001	BDL	BDL	BDL
39.	Manganese (as Mn)	mg/L	0.1	BDL	BDL	BDL
40.	Iron (as Fe)	mg/L	0.3	BDL	BDL	BDL
41.	Vanadium (as V)	mg/L		BDL	BDL	BDL
42.	Selenium (as Se)	mg/L	0.01	BDL	BDL	BDL
43.	Boron (as B)	mg/L		BDL	BDL	BDL
44.	Bioassay Test on fish	% survival	100	100	100	100

**Table No. II**



Location				Lodha Vihar	Horizon Mall	Pipleshwar Mandir
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Colour	Hazen		1	1	1
2.	Smell	-	<b>Agreeable</b>	Disagreeable	Disagreeable	Disagreeable
3.	pH	-	<b>6.5-8.5</b>	7.5	7.26	7.15
4.	Oil & Grease	mg/L	<b>100</b>	BDL	BDL	BDL
5.	Suspended Solids	mg/L	<b>500</b>	12	24	42
6.	Dissolved Oxygen (%Saturation)	%		57	30	16
7.	Chemical Oxygen Demand	mg/L	<b>10 (WHO, 1993)</b>	5	BDL	11
8.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	<b>6 (WHO, 1993)</b>	2	BDL	4
9.	Electrical Conductivity ( at 25°C )	µmho/cm	<b>750</b>	174.3	713	2720
10.	Nitrite Nitrogen (as NO <sub>2</sub> )	mg/L		BDL	0.13	BDL
11.	Nitrate Nitrogen (as NO <sub>3</sub> )	mg/L	<b>1.0</b>	3.15	1.5	0.8
12.	(NO <sub>2</sub> + NO <sub>3</sub> )-Nitrogen	mg/L	<b>45</b>	3.15	1.63	0.8
13.	Free Ammonia (as NH <sub>3</sub> -N)	mg/L	<b>0.5</b>	BDL	BDL	BDL
14.	Total Residual Chlorine	mg/L	<b>0.2</b>	BDL	BDL	BDL
15.	Cyanide (as CN)	mg/L	<b>1.5</b>	BDL	BDL	BDL



Location				Lodha Vihar	Horizon Mall	Pipleshwar Mandir
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
16.	Fluoride (as F)	mg/L	1	BDL	0.28	0.62
17.	Sulphide (as S <sup>2-</sup> )	mg/L	0.05	BDL	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L		BDL	BDL	BDL
19.	Sodium Absorption Ratio	mg/L		BDL	BDL	BDL
20.	Total Coliforms	MPN index/ 100 ml	ND	Absent	Absent	220
21.	Faecal Coliforms	MPN index/ 100 ml	ND	BDL	BDL	33
22.	Total Phosphorous (as P)	mg/L	0.5	BDL	BDL	BDL
23.	Total Kjeldahl Nitrogen	mg/L	0.001	0.39	0.34	0.39
24.	Total Ammonia (NH <sub>4</sub> +NH <sub>3</sub> )-Nitrogen	mg/L	0.5	BDL	0.31	BDL
25.	Phenols (as C <sub>6</sub> H <sub>5</sub> OH)	mg/L	0.001	BDL	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	0.02	BDL	BDL	BDL
27.	Organo Chlorine Pesticides		0.05			
I.	Alachlor	µg/L	20	BDL	BDL	BDL
II.	Atrazine	µg/L	2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.03	BDL	BDL	BDL
IV.	Dieldrin	µg/L	0.03	BDL	BDL	BDL

Location				Lodha Vihar	Horizon Mall	Pipleshwar Mandir
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
V.	Alpha HCH	µg/L	<b>0.01</b>	BDL	BDL	BDL
VI.	Beta HCH	µg/L	<b>0.04</b>	BDL	BDL	BDL
VII.	Delta HCH	µg/L	<b>125</b>	BDL	BDL	BDL
VIII.	Butachlor	µg/L	<b>0.04</b>	BDL	BDL	BDL
IX.	p,p DDT	µg/L	<b>1</b>	BDL	BDL	BDL
X.	o,p DDT	µg/L	<b>1</b>	BDL	BDL	BDL
XI.	p,p DDE	µg/L	<b>1</b>	BDL	BDL	BDL
XII.	o,p DDE	µg/L	<b>1</b>	BDL	BDL	BDL
XIII.	p,p DDD	µg/L	<b>1</b>	BDL	BDL	BDL
XIV.	o,p DDD	µg/L	<b>1</b>	BDL	BDL	BDL
XV.	Alpha Endosulfan	µg/L	<b>0.4</b>	BDL	BDL	BDL
XVI.	Beta Endosulfan	µg/L	<b>0.4</b>	BDL	BDL	BDL
XVII.	Endosulfan Sulphate	µg/L	<b>0.4</b>	BDL	BDL	BDL
XVIII.	Y HCH (Lindane)	µg/L	<b>2.0</b>	BDL	BDL	BDL
28.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	<b>0.0001</b>	BDL	BDL	BDL
29.	Polychlorinated Biphenyls (PCB)	mg/L	<b>0.0005</b>	BDL	BDL	BDL
30.	Zinc (as Zn)	mg/L	<b>5.0</b>	BDL	BDL	BDL
31.	Nickel (as Ni)	mg/L	<b>0.02</b>	BDL	BDL	BDL
32.	Copper (as Cu)	mg/L	<b>0.05</b>	BDL	BDL	BDL
33.	Hexavalent Chromium (as Cr <sup>6+</sup> )	mg/L	<b>1</b>	BDL	BDL	BDL

Location				Lodha Vihar	Horizon Mall	Pipleshwar Mandir
Date of Sampling				08.06.18	08.06.18	08.06.18
Sr.	Parameters	Unit	Std. Limit	Results		
34.	Total Chromium (as Cr)	mg/L	0.05	BDL	BDL	BDL
35.	Total Arsenic (as As)	mg/L	0.01	BDL	BDL	BDL
36.	Lead (as Pb)	mg/L	0.01	BDL	BDL	BDL
37.	Cadmium (as Cd)	mg/L	0.003	BDL	BDL	BDL
38.	Mercury (as Hg)	mg/L	0.001	BDL	BDL	BDL
39.	Manganese (as Mn)	mg/L	0.1	0.068	BDL	0.328
40.	Iron (as Fe)	mg/L	0.3	BDL	BDL	BDL
41.	Vanadium (as V)	mg/L		BDL	BDL	BDL
42.	Selenium (as Se)	mg/L	0.01	BDL	BDL	BDL
43.	Boron (as B)	mg/L		BDL	BDL	BDL
44.	Bioassay Test on fish	% survival	100	100	100	100

**Graphs: Ground Water Quality Monitoring for Dombivli MIDC:**





## 4. Summary and Conclusion

Based on the study done, the results are summarised and concluded as follows:

### 4.1 Stack Emission Monitoring:

Six industries from Phase I and six industries from Phase II were selected for Stack emission monitoring. Also VOC sample of three stack of Phase I and one stack of Phase II was collected.

- 1. Particulate matter (PM):** All the results obtained are within the standard emission for the specified industry. The highest range of Particulate matter was observed at Shree Sainath Dyeing & Printing Pvt. Ltd. with 28 mg/Nm<sup>3</sup>.
- 2. Sulphur dioxide (SO<sub>2</sub>):** All industries result of SO<sub>2</sub> also was within the limits and the highest range was observed at Gharda Chemical Ltd. with 13.6 mg/Nm<sup>3</sup>.
- 3. Nitrogen dioxide (NO<sub>2</sub>):** The highest level of NO<sub>2</sub> was observed at Auchtel Products Ltd. with 22.2 mg/Nm<sup>3</sup> but all the results were observed well within the standard emission of the specific industry.
- 4. Hydrogen Chloride (HCL):** HCL of all samples collected was also observed well within the standard emission of the specific industry.
- 5. VOC:** VOC was collected from 4 stacks in the region but VOC was not detectable in any of the samples.

### 4.2 Ambient Air Quality Monitoring:

Six ambient air samples was collected from Phase I and six samples was collected from Phase II of Dombivli region. The parameters monitored were studied as per the NAAQ standards. The variations of each parameter within the area under study are discussed below:

- 1. Sulphur dioxide (SO<sub>2</sub>):** All the locations are observed with very low concentrations of SO<sub>2</sub>. The highest level of SO<sub>2</sub> was observed at Navjeevan (Parag) Synthetics Pvt Ltd. with 6.9 µg/m<sup>3</sup> which is very much lower than the standard limit of NAAQS i.e. 80 µg/m<sup>3</sup>.
- 2. Nitrogen dioxide (NO<sub>2</sub>):** Values of nitrogen dioxide are also observed below the standard limit of 80 µg/m<sup>3</sup> at all the 12 locations. The highest level of NO<sub>2</sub> was observed at CETP R/4/2, MIDC with a result of 8.01 µg/m<sup>3</sup>.
- 3. Particulate Matter (PM<sub>10</sub>):** Out of 12 samples, 8 samples in Dombivli region showed higher level of PM<sub>10</sub> concentration than the standard limit of NAAQS. The level of PM<sub>10</sub> emission ranged from 61 µg/m<sup>3</sup> at CETP MIDC Phase I to 191 µg/m<sup>3</sup> at KAMA Office.
- 4. Particulate Matter (PM<sub>2.5</sub>):** All 12 samples in Dombivli region collected for PM<sub>2.5</sub> concentration was observed well within the standard limit of NAAQS. The level of PM<sub>2.5</sub> emission ranged from 15 µg/m<sup>3</sup> at CETP MIDC Phase I to 48 µg/m<sup>3</sup> at KAMA Office.
- 5. Ozone (O<sub>3</sub>):** At all 12 locations the level of Ozone was observed below the detectable limit.

6. **Lead (Pb):** At all 12 locations the level of Lead also was observed below the detectable limit.
7. **Carbon Monoxide (CO):** Concentration of carbon monoxide has been found to well within the limits in all 12 locations monitored.
8. **Ammonia (NH<sub>3</sub>), Benzene (C<sub>6</sub>H<sub>6</sub>), Benzo(a)pyrene (BaP), Arsenic (As) and Nickel (Ni)** was below the detectable limit in all 12 locations monitored.

#### 4.3 Surface water/ Waste Water Quality Monitoring:

To understand the quality of treated effluent and surface water, samples were collected from 6 surface water and 2 ETP outlet of Phase I and Phase II Dombivli. Considering the general parameters of all the industries mentioned following are the conclusions:

1. **Colour:** Colour units are found in the range of 1 to 5 Hazen unit in 7 water sample collected.
2. **Odour:** odour of all the samples is found disagreeable at 7 water samples collected.
3. **pH:** it is observed in between 7.27 and 7.84 which is well within the range.
4. **Suspended Solids:** Suspended solids of all 7 water sample is well within the limits and ranged in between 12 mg/L to 28 mg/l.
5. **Chemical Oxygen Demand:** Out of all samples collected, only one sample exceeded the limit required as per standard. The highest COD was observed at CETP outlet Phase II with 400 mg/L concentration.
6. **Biochemical Oxygen Demand:** 4 out of the 7 samples collected were exceeding the limit required as per standard of BOD. The highest BOD was observed at CETP outlet Phase II with 141 mg/L concentration.
7. **Sulphide:** All 7 locations had Sulphide concentration lesser than the detectable range.
8. **Total Ammonia:** 3 water samples collected had high concentration of Ammonia ranging in between 5.08 mg/L to 52 mg/L.
9. **Total Kjeldahl Nitrogen:** All water samples collected had below the detectable limit of TKN.
10. **Fish Bioassay:** 100% Survival was attained in 4 water samples collected for Bioassay test and in one water samples, no fishes survived at all.
11. **Heavy metals:** All the heavy metals are found below the standard limits in all the samples.

#### 4.4 Ground Water Quality Monitoring:

Three ground water samples were collected from Phase I and three was collected from Phase II of Dombivli.

- 1) **Colour** (Hazen Units): Colour units are below the acceptable standard of all water samples collected.
- 2) **Odour**: Odour of 5 samples is found disagreeable in 6 samples collected.
- 3) **Chemical Oxygen Demand**: The COD of all 6 samples exceeded and was found in the range between 28 mg/L to 77 mg/L.
- 4) **Biological Oxygen Demand**: BOD of 4 samples has exceeded the standard limit and was found in the range between 11 mg/L to 18 mg/L.

Following are the parameters which are compared with ISO 10500:2012 Drinking water specifications.

- 1) **Nitrite**: Values of Nitrite are well within the limits in 4 samples collected and it was below detectable limit in 2 samples collected.
- 2) **Nitrate**: Out of 6 samples collected, 5 samples results were beyond the standard limit and are observed in the range of 1.5 mg/L to 4 mg/L.
- 3) **Residual Free Chlorine**: Values are below the acceptable standards.
- 4) **Total Ammonia**: Values are below the acceptable standards in 4 samples collected and at Thakurli Talav Phase 1 and Horizon Mall borewell water the results was beyond the standard limit with 0.61 mg/L and 0.31 mg/L respectively.
- 5) **Fluoride**: Masoba Mandir ground water sample had fluoride content of 1.16 mg/L remaining all five samples are well within the limits.
- 6) **Sulphide**: All the readings of sulphide are observed below the detectable limit.
- 7) **Sodium Absorption Ratio**: All the readings of sulphide are observed below the detectable limit.
- 8) **Total Kjeldahl nitrogen**: All 6 water sample collected exceeded the standard limit of TKN and ranged in between 0.34 mg/L to 1.01 mg/L concentration.
- 9) **Fish Bioassay**: At all samples 100% survival was observed.
- 10) **\*Boron**: Values are below the acceptable standards.  
  
(\*CPCB Water Quality criteria for Irrigation, Industrial Cooling & Controlled Waste disposal).
- 11) **Surface Active Agents**: Values are below the acceptable standards.
- 12) **Metals**: All the metals except manganese at few locations are observed within the acceptable limits of drinking water standards.

## 5. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as early warning tool which helps in categorization of industrial clusters/areas in terms of priority of needing attention.

CPCB had evolved certain methodology to calculate CEPI, in which a score has been fixed for different environmental components based on the level of pollution. The scoring system involves an algorithm that takes into account the basic selection criteria. This approach is based on the basic hazard assessment logic that can be summarized as below.

### **Hazard = pollutant source, pathways, and receptor**

CPCB has calculated CEPI for the identified critically polluted industrial clusters. It is calculated separately for air, water, and land. The basic framework and scoring system of the CEPI – based on three factors namely pollutant, pathway, and receptor – has been described further under this section.

To overcome the subjectivity, revised concept is proposed by eliminating the subjective factors as described in the previous section but retaining the factors which can be measured precisely.


- I. Revised concept is prepared by eliminating the debatable factors but retaining the factors which can be measured precisely.
- II. It is decided to develop the Comprehensive Environmental Pollution Index (CEPI) retaining the existing algorithm of Source, Pathway and Receptor.
- III. Health component was also retained in the revised concept in line with the suggestions of Secretary, MoEFCC during the meeting held in MoEF.

### **Outlines of revised CEPI 2016 criteria**

The outlines of the revised CEPI criteria are as follows:

1. It is proposed to develop the Comprehensive Environmental Pollution Index (CEPI) based on Sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.
2. For assessment of the environmental quality of the area i.e. CEPI score, the concept of SNLF i.e. a surrogate number which represents the level of exposure (a function of percentage sample Exceedance & Exceedance Factor) shall be used.
3. Health component to be evaluated based on the health data available from major hospitals in the area was also retained in the revised concept.

The evaluation criterion of the revised CEPI version 2016 is described in the flowchart given below:



Here, health data collected for Receptor Score C is included in Annexure I

Based on Sub-Index Score (score of individual environmental component like air, water etc.):

**Score more than 63:** A Critical Level of Pollution in the respective level of environmental component

**Score between 51-63:** Severe to critical level of pollution with reference to respective environmental component

### Cut-off Score

**Score 50:** Severely Polluted Industrial Clusters/areas

**Score 60:** Critically Polluted Industrial Clusters/areas

Based on Aggregated CEPI Score (score includes sub-index score of all individual environmental components together):

**Aggregated CEPI score >70:** Critically polluted areas

**Aggregated CEPI score between 60-70:** Severely polluted areas

Since the inception of the programme, MPCB has also formulated Action Plans to mitigate the environmental pollution problems for each of the 8 Critically Polluted Areas (CPAs) in Maharashtra. Based on available information, parameters selected and monitored in continuation with this, CEPI has been calculated and Short-Term Action Plan (STAP) as well as Long Term Action Plan (LTAP) was prepared in 2010.

Subsequently NAAQS 2009 came in force. List of parameters to be considered increased and expanded including more critical and hazardous pollutants like benzene, BaP, Metals, etc. existing in the environment. There was revision of standards (limiting values) as well. In this present report of June 2018 prepared by MPCB, CEPI is calculated considering all these revised standards' limiting values, list of parameters and complete scope of monitoring.

### 5.1 Comparison of CEPI scores:

Below given Table shows aggregated CEPI of present report in comparison with:

1. CEPI score by CPCB in 2009
2. CEPI score 2013
3. CEPI score MPCB 2016
4. CEPI score MPCB February 2017
5. CEPI score MPCB June 2017

Results show that present CEPI score (56.38) of Dombivli considering all revised standards is lesser than the CEPI Score of February 2018 (64.98) report.

Detailed results of Air, Water and Land are given below:

#### Air

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
<b>CEPI score June 2018</b>	2.6	3.4	8.84	-	-	-	12.47	-	-	-	10	15	<b>46.31</b>
<b>CEPI score February 2018</b>	3.8	4.1	15.58	-	-	-	14.3	-	-	-	10	15	<b>54.88</b>
<b>CEPI score June 2017</b>	4.3	2.2	9.46	-	-	-	16.2	-	-	-	0	15	<b>40.66</b>
<b>CEPI score February 2017</b>	2	5	10	5	4	3	12	4	3	0	12	15	<b>49</b>
<b>CEPI score 2016</b>	4	2	8	3	2.3	4	9.3	5	2	0	10	10	<b>37.3</b>

	<b>A1</b>	<b>A2</b>	<b>A</b>	<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>B</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>C</b>	<b>D</b>	<b>CEPI</b>
<b>CEPI score 2013</b>	6	5	30	6	0	0	6	5	3	0	15	15	<b>66</b>
<b>CPCB Report 2009</b>	6	5	30	6	0	0	6	5	3	0	15	15	<b>66</b>

**Water:**

	<b>A1</b>	<b>A2</b>	<b>A</b>	<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>B</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>C</b>	<b>D</b>	<b>CEPI</b>
<b>CEPI score June 2018</b>	2	2.9	5.8	-	-	-	14.8	-	-	-	10	10	<b>40.6</b>
<b>CEPI score February 2018</b>	2.6	5	13	-	-	-	15.63	-	-	-	10	10	<b>48.63</b>
<b>CEPI score June 2017</b>	2	3.6	7.2	-	-	-	12.89	-	-	-	5	10	<b>35.09</b>
<b>CEPI score February 2017</b>	2	5	10	8	3.3	0	11.3	5	5	5	30	10	<b>61.3</b>
<b>CEPI score 2016</b>	4	2	8	4	0	6	10	5	4	5	25	10	<b>53</b>
<b>CEPI score 2013</b>	6	5	30	8	0	3	11	5	5	5	30	10	<b>81</b>
<b>CPCB Report 2009</b>	3	5	15	8	0	3	11	5	4.5	5	27	10	<b>63.5</b>

**Land:**

	<b>A1</b>	<b>A2</b>	<b>A</b>	<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>B</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>C</b>	<b>D</b>	<b>CEPI</b>
<b>CEPI score June 2018</b>	3.5	4.2	14.7	-	-	-	11.5	-	-	-	10	10	<b>46.2</b>
<b>CEPI score February 2018</b>	4.2	3.2	13.44	-	-	-	12.6	-	-	-	10	10	<b>46.04</b>

	<b>A1</b>	<b>A2</b>	<b>A</b>	<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>B</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>C</b>	<b>D</b>	<b>CEPI</b>
<b>CEPI score June 2017</b>	3.6	4.7	16.69	-	-	-	11.47	-	-	-	5	10	<b>43.39</b>
<b>CEPI score February 2017</b>	2	5	10	7.5	1.3	0	8.8	5	4	5	25	10	<b>53.8</b>
<b>CEPI score 2016</b>	3	2	6	4	0	4.1	8.1	5	2	4	27	10	<b>38.1</b>
<b>CEPI score 2013</b>	4	5	20	7.75	1.5	3	12.25	5	4.75	5	28.75	10	<b>71</b>
<b>CPCB Report 2009</b>	3	5	15	8	1.5	3	12.5	5	3	5	20	10	<b>57.5</b>

**Aggregated CEPI:**

	<b>Air Index</b>	<b>Water Index</b>	<b>Land Index</b>	<b>CEPI</b>
<b>CEPI score June 2018</b>	46.31	40.6	46.2	<b>56.38</b>
<b>CEPI score February 2018</b>	54.88	48.63	46.04	<b>64.98</b>
<b>CEPI score June 2017</b>	40.66	35.09	43.39	<b>49.69</b>
<b>CEPI score February 2017</b>	49	61.3	53.8	<b>65.82</b>
<b>CEPI score 2016</b>	37.3	53	38.1	<b>49.96</b>
<b>CEPI score 2013</b>	66	81	71	<b>89.90</b>
<b>CPCB Report 2009</b>	66	63.5	57.5	<b>78.41</b>

## 6. Conclusion

Dombivli is an important industrial area of the state having an industrial zone lying on the eastern side of the Mumbai highway. It is well known place for its rapid industrial growth having major industries such as dye's, paints, chemicals and heavy metal factories. Some of the popular industries of Dombivli include Vicco Labs, Gharda Chemicals, Deepak fertilizers, Lloyd Steel etc. The Present study has been done according to the revised CEPI Version 2016. It has been an attempt to check the characteristics and status of environment among the different industrial clusters of Dombivli city.

For identification of the source of pollutants, we have analysed stack emission monitoring of 12 stacks in the Dombivli region. All parameters monitored were well within the standard limit and VOCs was not detectable in any samples monitored.

For the study of Air Environment, 12 ambient air samples were collected from different locations in the region. The concentration of PM<sub>10</sub> was high at 8 locations sampled. The main reason for the increase in the concentration of Particulate matter is the increase in traffic and industrial activities. Dust suppression techniques have been suggested to be carried out by industries. All other parameters were well within the limit in all locations monitored.

To understand the quality of treated effluent and surface water, samples were collected from 6 surface water and 2 ETP outlet of Phase I and Phase II Dombivli. Parameters like Chemical Oxygen Demand, Biological oxygen demand, and Ammonia was found to have exceeded the limit of surface water characteristics. We have informed the respective industry about the same and actions are taken for improving the quality of treated waste water before disposal.

For carrying out a study on the Land Environment, six ground water samples are collected. Chemical Oxygen Demand, Biological oxygen demand, Nitrate, Total Ammonia, Fluoride and Total Kjeldahl Nitrogen was found in higher concentration in many of the samples collected. The ground water collected is from Borewell and is not used for drinking purpose.

The State Pollution Control Board and Regional Office of SPCB are continuously initiating action against industries for reducing and controlling the pollution caused due the industries. Many industries were issued with closure direction and show cause notice for emission control. Regular compliance of industries is monitored by Board officials for maintain the pollution reduced due to the implementation of action plan.

	<b>A1</b>	<b>A2</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>CEPI</b>
<b>Air Index</b>	2.6	3.4	8.84	12.47	10	15	<b>46.31</b>
<b>Water Index</b>	2	2.9	5.8	14.8	10	10	<b>40.6</b>
<b>Land Index</b>	3.5	4.2	14.7	11.5	10	10	<b>46.2</b>
<b>Aggregated CEPI</b>							<b>56.38</b>

## **7. Efforts taken for the reduction in pollution:**

The regional office of Maharashtra pollution control board has taken various initiatives in reducing the CEPI Score of 89.90 of 2013 to 56.38 of 2018. Below mentioned are some of the efforts:


- CETP has carried performance evaluation study. On the basis of analysis report and visit, the Board has issued directions for the up gradation of CETP.
- Based on the performance evaluation of air pollution control measures in the industrial units, Board had issued 32 closer direction & 26 show cause notice to industry and regular compliance is monitored by Board officials.
- All industries are member of CHWTSDF & regular collection and transportation is done by CHWTSDF, Taloja. Also regular monitoring carried out by MPCB.
- For awareness of Environment pollution reduction, seminar on zero discharge from textile industry, seminar on Emission Trading Scheme etc. was carried out by Regional offices of MPCB.
- Installation of CAAQM stations and online display of AQQM data work is in process.

## 8. Photographs

### Shri Mahabir Dyeing & Printing Mills Pvt. Ltd. Stack Emission Monitoring



**BKT C-21 Ambient Air Monitoring**



**CETP MIDC Phase I Ambient Air Monitoring**



**CETP MIDC Phase II Ambient Air Monitoring**



**Kalyan Ambernath Manufacture Association Ambient Air Monitoring**



**MIDC Sump Near W226 Ambient Air Monitoring**



**Navjeevan (Parag) Synthetics Pvt. Ltd. Ambient Air Monitoring**



**R. R. Hospital Ambient Air Monitoring**



**VNS Industries Pvt. Ltd. Ambient Air Monitoring**



**Mhasoba Devstan Talav Surface Water Sample**



**Horizon Mall Borewell Water sample**



## 9. References

- 1) Criteria for Comprehensive Environmental Assessment of Industrial Clusters, December 2009, CPCB, EIAS/4/2009-10
- 2) Comprehensive Environmental Assessment of Industrial Clusters, December 2009, CPCB, EIAS/5/2009-10
- 3) Action Plan for Industrial Cluster: Chandrapur, November 2010, MPCB
- 4) Action Plan for Industrial Cluster: Dombivli, November 2010, MPCB
- 5) Action Plan for Industrial Cluster: Aurangabad, November 2010, MPCB
- 6) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 7) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 8) Standard Methods for the Examination of Water and Waste Water, American Public Health Association, 22<sup>nd</sup> Edition, 2012.
- 9) IS 3025 (various parts)
- 10) [www.mpcb.gov.in](http://www.mpcb.gov.in)
- 11) [www.cpcb.gov.in](http://www.cpcb.gov.in)

## 10. Annexure

### Annexure I Health related data in impact on humans

#### C: Receptor

<b>Component C</b> <b>(Impact on Human Health)</b> <b>10</b>	
<b>Main - 10</b>	
<b>% increase in cases</b>	<b>Marks</b>
<b>&lt;5%</b>	<b>0</b>
<b>5-10%</b>	<b>5</b>
<b>&gt;10%</b>	<b>10</b>


- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, total no. of cases related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/ ground water Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

**Attached below health data collected for the region**

Name of Hospital	Year	Diseases caused by Air pollution					Diseases caused by Water pollution				
		Asthma	Bronchitis	Pulmonary cancer	Mesothelioma (lung cancer)	Acute respiratory infections	Gastroenteritis	Typhoid	Diarrhea	Liver damage and even cancer (due to presence of chlorinated solvents in the polluted water)	Kidney damage (because of various harmful chemicals present in the polluted water)
Mamata Hospital 	2016	3	1	0	0	9	31	1	0	11	6
	2017	6	0	0	0	3	9	0	1	4	4
	2018	2	0	0	0	5	3	1	2	0	1

Name of Hospital	Year	Diseases caused by Air pollution					Diseases caused by Water pollution				
		Asthma	Bronchitis	Pulmonary cancer	Mesothelioma (lung cancer)	Acute respiratory infections	Gastroenteritis	Typhoid	Diarrhea	Liver damage and even cancer (due to presence of chlorinated solvents in the polluted water)	Kidney damage (because of various harmful chemicals present in the polluted water)
Hambarde Hospital	2016	20	7	0	0	2	4.5	3	2	0	0
	2017	6	2	0	0	0	32	1	1	0	0
	2018	5	3	0	0	0	17	0	2	0	0

  
**Dr. Rajiv K. Hambarde** (M.S.)  
 Hambarde Hospital, Durgam  
 Reg. No. 53769  
 Consulting General & Laparoscopic Surgeon  
**HAMBARDE HOSPITAL**  
 Reg. No. AMC 1144/2016/02/10/18/24-25  
 \* 1st Floor, Chawl, Opp. Samash Hall, Durgam (P.O. - 402201)

Name of Hospital	Year	Diseases caused by Air pollution					Diseases caused by Water pollution				
		Asthma	Bronchitis	Pulmonary cancer	Mesothelioma (lung cancer)	Acute respiratory infections	Gastroenteritis	Typhoid	Diarrhea	Liver damage and even cancer (due to presence of chlorinated solvents in the polluted water)	Kidney damage (because of various harmful chemicals present in the polluted water)
Municipal Hospital  	2016	5	27	0	0	3	65	109	240	0	
	2017	6	10	0	0	3	50	24	90	0	0
	2018	3	7	0	0	0	22	11	4	0	0

## Annexure II: Stack Emission Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Acid Mist (as Sulphuric Acid)	US EPA Method no.m-8	Barium thorine titration Method	0.6 mg/Nm <sup>3</sup>
2.	Ammonia	IS 11255 (Part 6):1999, Reaffirmed 2003	Titration/Nessler Reagent / Spectrophotometric Method	1 mg/Nm <sup>3</sup>
3.	Carbon Monoxide	USEPA Method 10B	GC-FID Method	0.2 mg/Nm <sup>3</sup>
4.	Chlorine	US EPA Method 26 for sampling	Titrimetric	0.001 mg/Nm <sup>3</sup>
5.	Fluoride (Gaseous)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.025 mg/Nm <sup>3</sup>
6.	Fluoride (Particulate)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.005 mg/Nm <sup>3</sup>
7.	Hydrogen Chloride	US EPA Method 26 for sampling	Titrimetric	0.25 mg/Nm <sup>3</sup>
8.	Hydrogen Sulphide	IS 11255 (Part 4):1985	Titrimetric	1 mg/Nm <sup>3</sup>
9.	Oxides of Nitrogen	IS 11255 (Part 7): 2005	PDSA Colorimetric Method	10 mg/Nm <sup>3</sup>
10.	Oxygen	IS 13270 : 1992	ORSAT Apparatus	1 %
11.	Poly Aromatic Hydrocarbons (Particulate)	IS 5182 (Part 12) : 2004, Reaffirmed 2009 CPCB Guidelines, May 2011, Page No.39	GC-FID Method	0.25 mg/Nm <sup>3</sup>
12.	Suspended Particulate Matter	IS 11255 (Part 1):1985, Reaffirmed 2003	Gravimetric Method	10 mg/Nm <sup>3</sup>
13.	Sulphur Dioxide	IS 11255 (Part 2): 1985, Reaffirmed 2003	Titrimetric IPA thorine Method	5.0mg/Nm <sup>3</sup> 0.02kg/day

<b>Sr.</b>	<b>Parameters</b>	<b>Method References</b>	<b>Techniques</b>	<b>Detection Limit</b>
14.	BTX (Benzene, Toluene, Xylene)	NIOSH (NMAM) 1501	Adsorption and Desorption followed by GC-FID analysis	0.001 mg/Nm <sup>3</sup>
15.	VOC (Volatile Organic Compounds)	NIOSH (NMAM) 1501 for sampling	Adsorption and Desorption followed by GC-FID or GC/MS analysis	-
i	Methyl Isobutyl Ketone	-	-	0.001 mg/Nm <sup>3</sup>
ii	Benzene	-	-	0.001 mg/Nm <sup>3</sup>
iii	Toluene	-	-	0.001 mg/Nm <sup>3</sup>
iv	Xylene	-	-	0.001 mg/Nm <sup>3</sup>
v	Ethyl Benzene	-	-	0.001 mg/Nm <sup>3</sup>
vi	Ethyl Acetate	-	-	0.001 mg/Nm <sup>3</sup>

**Annexure III: Ambient Air Sampling and Analysis Methodology**

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Sulphur Dioxide (SO <sub>2</sub> )	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.1	Improved West & Gaeke Method	4 µg/m <sup>3</sup>
2.	Nitrogen Dioxide (NO <sub>2</sub> )	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.7	Modified Jacob & Hochheiser Method	3 µg/m <sup>3</sup>
3.	Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.11	Gravimetric Method	2 µg/m <sup>3</sup>
4.	Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 15	Gravimetric Method	0.4 µg/m <sup>3</sup>
5.	Ozone (O <sub>3</sub> )	APHA, Method No. 820, Page no. 836	Chemical Method	19.6 µg/m <sup>3</sup>
6.	Lead (Pb)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.02 µg/m <sup>3</sup>
7.	Carbon Monoxide (CO)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume II, May 2011, Page No. 16	Non Dispersive Infra Red (NDIR) spectroscopy	0.05 mg/m <sup>3</sup>
8.	Ammonia (NH <sub>3</sub> )	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 35	Indophenol Blue Method	4.0µg/m <sup>3</sup>
9.	Benzene (C <sub>6</sub> H <sub>6</sub> )	IS 5182 (Part 11):2006	Adsorption and Desorption followed by GC-FID analysis	1.0 µg/m <sup>3</sup>
10.	Benzo (a) Pyrene (BaP) – particulate phase only,	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 39	Solvent extraction followed by GC-FID analysis	0.2 ng/m <sup>3</sup>

<b>Sr.</b>	<b>Parameters</b>	<b>Method References</b>	<b>Techniques</b>	<b>Detection Limit</b>
11.	Arsenic (As)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.3ng/m <sup>3</sup>
12.	Nickel (Ni)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	3.0ng/m <sup>3</sup>

**Annexure IV: Water/Wastewater Sampling and Analysis Methodology**

<b>Sr.</b>	<b>Parameters</b>	<b>Methods References</b>	<b>Techniques</b>	<b>Detection Limit</b>
1.	Sampling Procedure for Chemical Parameters	IS 3025 (Part 1): 1987, Reaffirmed 1998, Amds.1& APHA, 22 <sup>nd</sup> Ed., 2012, 1060 B, 1-39	-	-
2.	Sampling Procedure for Microbiological Parameters	APHA, 22 <sup>nd</sup> Ed., 2012,1060 B, 1-39, 9040, 9-17, and 9060B, 9-35	-	-
3.	Temperature	APHA, 22 <sup>nd</sup> Ed., 2012, 2550-B, 2-69	By Thermometer	-
4.	Colour	APHA, 22 <sup>nd</sup> Ed., 2012, 2120-B, 2-26	Visible Comparison Method	1 Hazen Unit
5.	Odour	IS 3025 (Part 5): 1983, Reaffirmed 2006	Qualitative Method	-
6.	pH	APHA, 22 <sup>nd</sup> Ed., 2012, 4500-H <sup>+</sup> - B, 4-92	By pH Meter	1
7.	Oil & Grease	APHA, 22 <sup>nd</sup> Ed., 2012, 5520-B, 5-40	Liquid -liquid Partition-Gravimetric Method	1.0 mg/L
8.	Suspended Solids	IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1	Filtration /Gravimetric Method	5.0 mg/L
9.	Dissolved Oxygen	IS 3025 (Part 38): 1989, Reaffirmed 2009	Iodometric Method-Azide modification	0.05 mg/L
10.	Chemical Oxygen Demand	APHA, 22 <sup>nd</sup> Ed., 2012, 5220-B, 5-17	Open Reflux Method	5.0 mg/L
11.	Biochemical Oxygen Demand	IS 3025 ( Part 44): 1993, Reaffirmed 2009, Amds.1	Iodometric Method	5.0 mg/L
12.	Electrical Conductivity	APHA, 22 <sup>nd</sup> Ed., 2012, 2510- B, 2-54	By Conductivity Meter	0.1 µmho/cm
13.	Nitrite-Nitrogen	APHA, 22 <sup>nd</sup> Ed., 2012, 4500-NO <sub>2</sub> -B, 4-120	Colorimetric Method	0.006 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
14.	Nitrate-Nitrogen	APHA, 22 <sup>nd</sup> Ed., 2012, 4500-NO <sub>3</sub> , B-4-122	UV Spectrophotometer Screening Method	0.2 mg/L
15.	(NO <sub>2</sub> + NO <sub>3</sub> )-Nitrogen	APHA, 22 <sup>nd</sup> Ed., 2012, 4500-NO <sub>2</sub> -B, 4-120 APHA, 22 <sup>nd</sup> Ed., 2012, 4500-NO <sub>3</sub> , B-4-122	Colorimetric Method V Spectrophotometer Screening Method	0.2 mg/L
16.	Free Ammonia	APHA, 22 <sup>nd</sup> Ed., 2012, 4500 NH <sub>3</sub> , F, 4-115	Colorimetric Method	0.006 mg/L
17.	Total Residual Chlorine	IS 3025 (Part 26) :1986, Reaffirmed 2009, Ed. 2.1 (2004-02)	Iodometric Method	0.1 mg/L
18.	Cyanide (CN)	APHA, 22 <sup>nd</sup> Ed., 2012, 4500-CN, C & E, 4-41 & 4-43	Colorimetric Method	0.001 mg/L
19.	Fluoride (F)	APHA, 22 <sup>nd</sup> Ed., 2012, 4500-F <sup>-</sup> , D, 4-87	SPADNS Method	0.05 mg/L
20.	Sulphide (S <sup>2-</sup> )	APHA, 22 <sup>nd</sup> Ed., 2012, 4500 -S <sup>2-</sup> , C-4-175, F-4-178	Iodometric Method	0.08 mg/L
21.	Dissolved Phosphate (P)	APHA, 22 <sup>nd</sup> Ed., 2012, 4500 P,E, 4-155	Ascorbic Acid Method	0.03 mg/L
22.	Sodium Absorption Ratio	IS11624 :1986, Reaffirmed 2006	By Calculation	0.3
23.	Total Phosphorous (P)	APHA, 22 <sup>nd</sup> Ed., 2012, 4500 P,E, 4-155	Ascorbic Acid Method	0.03 mg/L
24.	Total Kjeldahl Nitrogen	APHA, 22 <sup>nd</sup> Ed., 2012, 4500 NH <sub>3</sub> , B & C, 4-110, 4-112	Titrimetric Method	0.1 mg/L
25.	Total Ammonia (NH <sub>4</sub> +NH <sub>3</sub> )-Nitrogen	APHA, 22 <sup>d</sup> Ed., 2012, 4500 NH <sub>3</sub> , F, 4-115	Colorimetric Method	0.001 mg/L
26.	Phenols (C <sub>6</sub> H <sub>5</sub> OH)	APHA, 22 <sup>nd</sup> Ed., 2012, 5530- B & C, 5-44 & 5-47	Chloroform Extraction Method	0.001 mg/L

<b>Sr.</b>	<b>Parameters</b>	<b>Methods References</b>	<b>Techniques</b>	<b>Detection Limit</b>
27.	Surface Active Agents	APHA, 22 <sup>nd</sup> Ed., 2012, 5540-B & C, 5-50	Methylene Blue Extraction Method	0.1 mg/L
28.	Organo Chlorine Pesticides	APHA, 22 <sup>nd</sup> Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
29.	Polynuclear aromatic hydrocarbons (PAH)	APHA, 22 <sup>nd</sup> Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
30.	Polychlorinated Biphenyls (PCB)	APHA, 22 <sup>nd</sup> Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
31.	Zinc (Zn)	IS 3025(Part 2): 2004	ICP Method	0.1 mg/L
32.	Nickel (Ni)	IS 3025(Part 2): 2004	ICP Method	0.05 mg/L
33.	Copper (Cu)	IS 3025(Part 2): 2004	ICP Method	0.03 mg/L
34.	Hexavalent Chromium (Cr <sup>6+</sup> )	APHA, 22 <sup>nd</sup> Ed., 2012, 3500-Cr, B, 3-69	Colorimetric Method	0.02 mg/L
35.	Total Chromium (Cr)	IS 3025(Part 2): 2004	ICP Method	0.02 mg/L
36.	Total Arsenic (As)	IS 3025(Part 2): 2004	ICP Method	0.005 mg/L
37.	Lead (Pb)	IS 3025(Part 2): 2004	ICP Method	0.008 mg/L
38.	Cadmium (Cd)	IS 3025(Part 2): 2004	ICP Method	0.002 mg/L
39.	Mercury (Hg)	IS 3025(Part 2): 2004	ICP Method	0.0008 mg/L
40.	Manganese (Mn)	IS 3025(Part 2): 2004	ICP Method	0.02 mg/L
41.	Iron (Fe)	IS 3025(Part 2): 2004	ICP Method	0.06 mg/L
42.	Vanadium (V)	IS 3025(Part 2): 2004	ICP Method	0.05 mg/L

<b>Sr.</b>	<b>Parameters</b>	<b>Methods References</b>	<b>Techniques</b>	<b>Detection Limit</b>
43.	Selenium (Se)	IS 3025(Part 2): 2004	ICP Method	0.005 mg/L
44.	Boron (B)	IS 3025(Part 2): 2004	ICP Method	0.1 mg/L
45.	Total Coliforms	APHA, 22 <sup>nd</sup> Ed., 2012,9221-B, 9-66	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
46.	Faecal Coliforms	APHA, 22 <sup>nd</sup> Ed., 2012,9221-E, 9-74	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
47.	Bioassay (Zebra Fish) Test	IS 6582, 1971, Reaffirmed 1987	Static Technique	-

## Annexure V: National Ambient Air Quality Standards, 2009



The Gazette of India

EXTRAORDINARY PART III-Section 4 PUBLISHED BY AUTHORITY  
NEW DELHI, WEDNESDAY, **NOVEMBER 18, 2009** No. B-29016/20/90/PCI-I

### National Ambient Air Quality Standards: Central Pollution Control Board

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No.14 of 1981), and in suppression of the Notification No(s). S.O.384(E), dated 11<sup>th</sup> April, 1994 and S.O.935(E), dated 14<sup>th</sup> October, 1998, the **Central Pollution Control Board** hereby notify the National Ambient Air Quality Standards **with immediate effect**, namely:

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient Air		
			Industrial, Residential, Rural and Other Areas	Ecologically Sensitive Areas (Notified by Central Government)	Methods of Measurement
(1)	(2)	(3)	(4)	(5)	(6)
1	Sulphur Dioxide (SO <sub>2</sub> ) $\mu\text{g}/\text{m}^3$	Annual *	50	20	– Improved West and Gaeke – Ultraviolet fluorescence
		24 hours **	80	80	
2	Nitrogen Dioxide (NO <sub>2</sub> ) $\mu\text{g}/\text{m}^3$	Annual *	40	30	– Modified Jacob & Hochheiser (Na-Arsenite) – Chemiluminescence
		24 hours **	80	80	
3	Particulate Matter (size less than 10 $\mu\text{m}$ ) or PM <sub>10</sub> $\mu\text{g}/\text{m}^3$	Annual *	60	60	– Gravimetric – TOEM – Beta attenuation
		24 hours **	100	100	
4	Particulate Matter (size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub> $\mu\text{g}/\text{m}^3$	Annual *	40	40	– Gravimetric – TOEM – Beta attenuation
		24 hours **	60	60	
5	Ozone (O <sub>3</sub> ) $\mu\text{g}/\text{m}^3$	8 hours **	100	100	– UV photometric – Chemiluminescence – Chemical Method
		1 hour **	180	180	
6	Lead (Pb) $\mu\text{g}/\text{m}^3$	Annual *	0.50	0.50	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper – EDXRF using Teflon filter
		24 hours **	1.0	1.0	
7	Carbon Monoxide (CO) $\text{mg}/\text{m}^3$	8 hours **	02	02	– Non Dispersive Infra Red (NDIR) spectroscopy
		1 hour **	04	04	
8	Ammonia (NH <sub>3</sub> ) $\mu\text{g}/\text{m}^3$	Annual *	100	100	– Chemiluminescence – Indophenol blue method
		24 hours **	400	400	
9	Benzene (C <sub>6</sub> H <sub>6</sub> ) $\mu\text{g}/\text{m}^3$	Annual *	05	05	– Gas Chromatography based continuous analyzer – Adsorption and Desorption followed by GC analysis
10	Benzo (a) Pyrene (BaP) – particulate phase only, $\text{ng}/\text{m}^3$	Annual *	01	01	– Solvent extraction followed by HPLC/GC analysis
11	Arsenic (As) $\text{ng}/\text{m}^3$	Annual *	06	06	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.
12	Nickel (Ni) $\text{ng}/\text{m}^3$	Annual *	20	20	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.

\* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

\*\* 24 hourly or 08 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2 % of the time, they may exceed the limits but not on two consecutive days of monitoring.

**Note:** Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigation.

SANT PRASAD GAUTAM, Chairman, Central Pollution Control Board [ADVT-III/4/184/09/Exty.]

**Note:** The notifications on National Ambient Air Quality Standards were published by the Central Pollution Control Board in the Gazette of India. Extraordinary vide notification No(s). S.O. 384(E), dated 11<sup>th</sup> April, 1994 and S.O. 935(E), dated 14<sup>th</sup> October, 1998.

$\mu\text{g}/\text{m}^3$ : micro-gram/ $\text{m}^3$  i.e.  $10^{-6}\text{gm}/\text{m}^3$

$\text{ng}/\text{m}^3$ : nano-gram/ $\text{m}^3$  i.e.  $10^{-9}\text{gm}/\text{m}^3$

**Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)**

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
1.	Colour and Odour	See Note 1	--	See Note I	See Note 1
2.	Suspended solids, mg/L, Max.	100	600	200	a. For process waste water - 100 b. For cooling water effluent- 10 percent above total suspended matter of influent cooling water.
3.	Particle size of suspended solids	Shall pass 850 micron IS Sieve			a. Floatable solids, Max 3 mm b. Settleable solids Max 850 microns
4.	Dissolved solids (Inorganic), mg/L, Max.	2100	2100	2100	--
5.	pH value	5.5 -9.0	5.5 -9.0	5.5 -9.0	5.5-9.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
6.	Temperature °C, Max	Shall not exceed 40 in any section of the stream within 15 mts. Downstream from the effluent outlet	45 at the point of discharge	--	45 at the point of discharge
7.	Oil and Grease, mg/L, Max	10	20	10	20
8.,	Total Residual chlorine, mg/L, Max	1.0	--	--	1.0
9.	Ammonical Nitrogen (as N), mg/L, Max	50	50	--	50
10.	Total Kjeldahl Nitrogen (as N), mg/L, Max.	100	--	--	100
11.	Free Ammonia (as NH <sub>3</sub> ), mg/L, Max	5.0	--	--	5.0
12.	Biochemical oxygen demand (5 days, at 20° c) mg/L, Max	30	350	100	100
13.	Chemical oxygen demand, mg/L, Max	250	--	--	250
14.	Arsenic (as As), mg/l, Max	0.2	0.2	0.2	0.2
15.	Mercury (as Hg). Mg/L, Max	0.01	0.01	--	0.01
16.	Lead (as Pb), mg/L, Max	0.1	1.0	-	1.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
17.	Cadmium (as Cd), mg/L,	2.0	1.0	--	2.0
18.	Hexavalent Chromium (as Cr <sup>+6</sup> ) mg/L, Max	.1	2.0	--	1.0
19.	Total Chromium (as Cr), mg/L, Max	2.0	2.0	--	2.0
20.	Copper (as Cu), mg/L, Max.	3.0	3.0	--	3.0
21.	Zinc (as Zn), mg/L, Max.	5.0	15	0--	15
22.	Selenium (as Se), mg/l, Max.	0.05	0.05	--	0.05
23.	Nickel (as Ni), mg/l, Max.	3.0	3.0	--	5.0
24.	Boron (as B), mg/l, Max.	2.0	2.0	2.0	--
25.	Percent Sodium, Max.	--	60	60	--
26.	Residual Sodium carbonate, mg/l, Max.	--	--	5.0	--
27.	Cyanide (as Cn), mg/L, Max.	0.2	2.0	0.2	0.2
28.	Chloride (as Cl), mg/L, Max.	1000	1000	600	--
29.	Fluoride (as F), mg/IL, Max.	2.0	15	--	15
30.	Dissolved Phosphate (as P), mg/L, Max.	5.0	--	--	--

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
31.	Sulphate (as SO <sub>4</sub> ), mg/L, Max.	1000	1000	1000	--
32.	Sulphide (as S), mg/L, Max.	2.0	--	--	5.0
33.	Pesticides	Absent	Absent	Absent	Absent
34.	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH), mg/L, Max.	1.0	5.0	--	5.0
35.	Radioactive materials:				
	a. Alpha emitters MC/ml., Max.	10 <sup>-7</sup>	10 <sup>-7</sup>	10 <sup>-8</sup>	10 <sup>-7</sup>
	b. Beta emitters µc/ml., Max	10 <sup>-6</sup>	10 <sup>-6</sup>	10 <sup>-7</sup>	10 <sup>-6</sup>

**Annexure VII: Drinking Water Specification-IS 10500:2012**

<b>Sr.</b>	<b>Characteristic</b>	<b>Unit</b>	<b>Requirement (Acceptable Limit)</b>	<b>Permissible Limit in the Absence of Alternate Source</b>
<b>Table 1</b>	<b>Organoleptic and Physical Parameters</b>			
1.	Colour	Hazen units	Max 5	Max 15
2.	Odour	-	Agreeable	Agreeable
3.	pH value	-	6.5-8.5	No relaxation
4.	Taste	-	Agreeable	Agreeable
5.	Turbidity	NTU	Max 1	Max 5
6.	Total dissolved solids	mg/L	Max 500	Max 2000
<b>Table 2</b>	<b>General parameters concerning substances undesirable in excessive amounts</b>			
7.	Aluminium (as Al)	mg/L	Max 0.03	Max 0.2
8.	Ammonia (as total ammonia- N)	mg/L	Max 0.5	No relaxation
9.	Anionic detergents (as MBAS)	mg/L	Max 0.2	Max 1.0
10.	Barium (as Ba)	mg/L	Max 0.7	No relaxation
11.	Boron (as B)	mg/L	Max 0.5	Max 1.0
12.	Calcium (as Ca)	mg/L	Max 75	Max 200
13.	Chloramines (as Cl <sub>2</sub> )	mg/L	Max 4.0	No relaxation
14.	Chlorides (as Cl)	mg/L	Max 250	Max 1000
15.	Copper (as Cu)	mg/L	Max 0.05	Max 1.5
16.	Fluoride (as F)	mg/L	Max 1.0	Max 1.5
17.	Free residual chlorine	mg/L	Min 0.2	Min 1

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
18.	Iron (as Fe)	mg/L	Max 0.3	No relaxation
19.	Magnesium (as Mg)	mg/L	Max 30	Max100
20.	Manganese (as Mn)	mg/L	Max 0.1	Max 0.3
21.	Mineral Oil	mg/L	Max 0.5	No relaxation
22.	Nitrate (as NO <sub>3</sub> )	mg/L	Max 45	No relaxation
23.	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/L	Max 0.001	Max 0.002
24.	Selenium (as Se)	mg/L	Max 0.01	No relaxation
25.	Silver (as Ag)	mg/L	Max 0.1	No relaxation
26.	Sulphate (as SO <sub>4</sub> )	mg/L	Max 200	Max 400
27.	Sulphide (as H <sub>2</sub> S)	mg/L	Max 0.05	No relaxation
28.	Total Alkalinity as calcium carbonate	mg/L	Max 200	Max600
29.	Total hardness (as CaCO <sub>3</sub> )	mg/L	Max 200	Max 600
30.	Zinc (as Zn)	mg/L	Max 5	Max15
<b>Table 3</b>	<b>Parameters Concerning Toxic Substances</b>			
31.	Cadmium (as Cd)	mg/L	Max 0.003	No relaxation
32.	Cyanide (as CN)	mg/L	Max 0.05	No relaxation
33.	Lead (as Pb)	mg/L	Max 0.01	No relaxation
34.	Mercury (as Hg)	mg/L	Max 0.001	No relaxation
35.	Molybdenum (as Mo)	mg/L	Max 0.07	No relaxation
36.	Nickel (as Ni)	mg/L	Max 0.02	No relaxation
37.	Pesticides	mg/L	See Table 5	No relaxation
38.	Polychlorinatedbiphenyls	mg/L	Max 0.0005	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
39.	Poly nuclear aromatic Hydrocarbons (as PAH)	mg/L	Max 0.0001	No relaxation
40.	Total Arsenic(as As)	mg/L	Max 0.01	Max0.05
41.	Total Chromium (as Cr)	mg/L	Max 0.05	No relaxation
42.	Trihalomethanes			
a)	Bromoform	mg/L	Max 0.1	No relaxation
b)	DibromochloroMethane	mg/L	Max 0.1	No relaxation
c)	Bromodichloromethane	mg/L	Max 0.06	No relaxation
d)	Chloroform	mg/L	Max 0.2	No relaxation
<b>Table 4</b>	<b>Parameters Concerning Radioactive Substances</b>			
43.	Radioactive Materials			
a)	Alpha emitters	Bq/L	Max 0.1	No relaxation
b)	Beta emitters	Bq/L	Max 1.0	No relaxation
<b>Table 5</b>	<b>Pesticide Residues Limits and Test Method</b>			
i)	Alachor	µg/L	20	No relaxation
ii)	Atrazine	µg/L	2	No relaxation
iii)	Aldrin/ Dieldrin	µg/L	0.03	No relaxation
iv)	Alpha HCH	µg/L	0.01	No relaxation
v)	Beta HCH	µg/L	0.04	No relaxation
vi)	Butachlor	µg/L	125	No relaxation
vii)	Chlorpyriphos	µg/L	30	No relaxation
viii)	Delta HCH	µg/L	0.04	No relaxation
ix)	2,4- Dichlorophenoxyacetic acid	µg/L	30	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
x)	DDT (o,p&p,p – Isomers of DDT, DDE and DDD)	µg/L	1	No relaxation
xi)	Endosulfan (α,β & sulphate)	µg/L	0.4	No relaxation
xii)	Ethion	µg/L	3	No relaxation
xiii)	Gamma - HCH (Lindane)	µg/L	2	No relaxation
xiv)	Isoproturon	µg/L	9	No relaxation
xv)	Malathion	µg/L	190	No relaxation
xvi)	Methyl parathion	µg/L	0.3	No relaxation
xvii)	Monocrotophos	µg/L	1	No relaxation
xviii)	Phorate	µg/L	2	No relaxation
<b>Table 6</b>	<b>Bacteriological Quality of Drinking Water</b>			
44.	E.coli or thermotolerant coliform bacteria	/100	Not detectable	-
45.	Total coliform bacteria	/100 mL	Not detectable	-
	<b>Virological Requirements</b>			
46.	MS2 phage	/1 L	Absent	-
	<b>Biological Requirements</b>			
47.	Cryptosporidium	/10 L	Absent	-
48.	Giardia	/10 L	Absent	-
49.	Microscopic organisms such as algae, zooplanktons, flagellates, parasites and toxin producing organisms		Free from microscopic organisms	-

**Annexure VIII: CPCB Water Quality Criteria:**

<b>Designated best use</b>	<b>Quality Class</b>	<b>Primary Water Quality Criteria</b>
Drinking water source without conventional treatment but with chlorination	A	<ul style="list-style-type: none"> <li>➤ Total coliform organisms (MPN*/100 ml) shall be 50 or less</li> <li>➤ pH between 6.5 and 8.5</li> <li>➤ Dissolved Oxygen 6 mg/L or more, and</li> <li>➤ Biochemical Oxygen Demand 2 mg/L or less</li> </ul>
Outdoor bathing (organized)	B	<ul style="list-style-type: none"> <li>➤ Total coliform organisms (MPN/100 ml) shall be 500 or less</li> <li>➤ pH between 6.5 and 8.5</li> <li>➤ Dissolved Oxygen 5 mg/L or more, and</li> <li>➤ Biochemical Oxygen Demand 3 mg/L or less</li> </ul>
Drinking water source with conventional treatment	C	<ul style="list-style-type: none"> <li>➤ Total coliform organisms (MPN/100ml) shall be 5000 or less</li> <li>➤ pH between 6 and 9</li> <li>➤ Dissolved Oxygen 4 mg/L or more, and</li> <li>➤ Biochemical Oxygen Demand 3 mg/L or less</li> </ul>
Propagation of wildlife and fisheries	D	<ul style="list-style-type: none"> <li>➤ pH between 6.5 and 8.5</li> <li>➤ Dissolved Oxygen 4 mg/L or more, and</li> <li>➤ Free ammonia (as N) 1.2 mg/L or less</li> </ul>
Irrigation, industrial cooling, and controlled disposal	E	<ul style="list-style-type: none"> <li>➤ pH between 6.0 and 8.5</li> <li>➤ Electrical conductivity less than 2250 micro mhos/cm,</li> <li>➤ Sodium Absorption Ratio less than 26,</li> <li>➤ and Boron less than 2 mg/l.</li> </ul>
	Below E	<ul style="list-style-type: none"> <li>➤ Not Meeting A, B, C, D &amp; E Criteria</li> </ul>

### Annexure IX: Water Quality Parameters Requirements and Classification

Water quality parameters are classified into three categories, given in Table (i), (ii) and (iii) (Source: CPCB, 2002, "Water Quality Criteria and Goals", Monitoring of Indian National aquatic Resources Series: MINARS/17/2001-2002).

Table: Basic Water Quality Requirement and Classification (Surface Water + Ground Water)

#### i) Simple Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A-Excellent	B-Desirable	C-Acceptable
(i)	Sanitary Survey	Very Clean neighborhood and catchment	Reasonably clean neighborhood	Generally clean neighborhood
(ii)	General Appearance	No floating matter	No floating matter	No floating matter
(iii)	Colour	Absolutely Colourless	Almost colourless, very light shade if any	No colour of anthropogenic origin
(iv)	Smell	Odourless	Almost odourless	No unpleasant odour
(v)	Transparency	>1.0 depth	>0.5 to 0.1m depth	>0.2 to 0.5 m depth
(vi)	Ecological* (Presence of Animals)	Fish & Insects	Fish & Insects	Fish & Insects

\* Applicable to only surface water

#### ii) Regular Monitoring Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(i)	pH	7.0 to 8.5	6.5 to 9.0	6.5 to 9.0
(ii)	DO (% Saturation)	90-110	80-120	60-140
(iii)	BOD, mg/l	Below 2	Below 5	Below 8
(iv)	EC, $\mu$ mhos/cm	<1000	<2250	<4000
(v)	(NO <sub>2</sub> +NO <sub>3</sub> )-Nitrogen, mg/l	<5	<10	<15
(vi)	Suspended solid, mg/l	<25	<50	<100

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(vii)	Fecal Coliform, MPN/ 100 ml	<20 per 100 ml	<200 per 100 ml	<2000 per 100 ml
(viii)	Bio-assay (Zebra Fish)	No death in 5 days	No death in 3 days	No death in 2 days

**Note:**

1. Dissolved Oxygen (DO) not applicable for ground waters.
2. Dissolved Oxygen in eutrophicated waters should include measurement for diurnal variation.
3. Suspended solid limit is applicable only during non-monsoon period.
4. Faecal Coliform values should meet for 90% times.
5. Static Bio-Assay method may be adopted.

**iii) Specific Parameters: (Only in case of need/apprehensions)**

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(i)	Total Phosphorous	<0.1 mg/l	< 0.2 mg/l	< 0.3 mg/l
(ii)	T.K.N	< 1.0 mg/l	<2.0 mg/l	<3.0 mg/l
(iii)	Total Ammonia (NH <sub>4</sub> + NH <sub>3</sub> )-Nitrogen	< 0.5 mg/l	< 1.0 mg/l	< 1.5 mg/l
(iv)	Phenols	< 2µg/l	< 5µg/l	<10 µg/l
(v)	Surface Active Agents	<20 µg/l	<100µg/l	< 200µg/l
(vi)	Organo Chlorine Pesticides	< 0.05µg/l	< 0.1µg/l	< 0.2µg/l
(vii)	PAH	< 0.05µg/l	<0.1 µg/l	<0.2 µg/l
(viii)	PCB and PCT	< 0.01µg/l	< 0.01µg/l	< 0.02µg/l
(ix)	Zinc	< 100µg/l	< 200µg/l	<300 µg/l
(x)	Nickel	< 50µg/l	< 100µg/l	< 200µg/l
(xi)	Copper	< 20µg/l	< 50µg/l	<100µg/l

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(xii)	Chromium (Total)	< 20µg/l	< 50µg/l	< 100µg/l
(xiii)	Arsenic (Total)	< 20µg/l	<50 µg/l	<100 µg/l
(xiv)	Lead	< 20µg/l	< 50µg/l	< 100µg/l
(xv)	Cadmium	< 1.0µg/l	<2.5 µg/l	< 5.0µg/l
(xvi)	Mercury	< 0.2µg/l	< 0.5µg/l	< 1.0µg/l