




Action Plan for Industrial Cluster in Critically Polluted Areas

Monitoring, sampling, analysis of Stack, Ambient Air Quality, Surface Water, Ground Water, Waste Water

चंद्रपूर Chandrapur



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

February, 2019

Index

| | |
|--|------------|
| Acknowledgement: | 3 |
| Abbreviations: | 4 |
| 1. Introduction: | 5 |
| 2. Scope of Work | 6 |
| 2.1 Stack Emission Parameters..... | 6 |
| 2.2 Ambient Air Quality Parameters | 7 |
| 2.3 Water/Waste Water Parameters | 8 |
| 2.4 Methodology followed in Sampling and Analysis | 10 |
| 3. Result of Analysis: | 10 |
| 3.1 Stack Emission: | 11 |
| 3.2 Ambient Air Quality: | 19 |
| 3.3 Surface Water/ Waste Water Quality: | 28 |
| 3.4 Ground Water Quality: | 73 |
| 4. Summary and Conclusion | 101 |
| 4.1 Stack Emission Monitoring:..... | 101 |
| 4.2 Ambient Air Quality Monitoring: | 103 |
| 4.3 Waste Water Quality Monitoring: | 106 |
| 4.4 Ground Water Quality Monitoring: | 108 |
| 5. CEPI Score | 111 |
| 5.1 Comparison of CEPI scores: | 113 |
| 6. Conclusion | 117 |
| 7. Efforts taken for the reduction in pollution: | 118 |
| 8. Photographs | 120 |
| 9. References | 134 |
| 10. Annexure | 135 |
| Annexure I Health related data in impact on humans | 135 |
| Annexure II: Stack Emission Sampling and Analysis Methodology | 136 |
| Annexure III: Ambient Air Sampling and Analysis Methodology | 138 |
| Annexure IV: Water/Wastewater Sampling and Analysis Methodology | 140 |
| Annexure V: National Ambient Air Quality Standards, 2009..... | 144 |
| Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)..... | 145 |
| Annexure VII: Drinking Water Specification-IS 10500:2012 | 149 |
| Annexure VIII: CPCB Water Quality Criteria: | 153 |
| Annexure IX: Water Quality Parameters Requirements and Classification | 154 |

Acknowledgement:

We gratefully acknowledge **E. Ravendiran**, Member Secretary, Maharashtra Pollution Control Board, for entrusting this very important and prestigious project to us.

Our special thanks are to Regional and Sub Regional Officer of the concerned areas, for guidance during the sampling. The contribution of **Shri V. M Motghare** (Joint director APC) and Mr. Sameer Hundlekar (Field officer) is appreciated.

We would also like to extend our thanks to the concerned staff of Regional Hospitals, who has provided us the health data, which is the most important component of this revised concept of CEPI.

By undertaking this project and completing in schedule time, we consider ourselves very lucky since we have helped the mankind by giving the data on pollution load and further action by the Board, to bring down the pollution level.

We also thank our associates for working on this project for making the write up, making graphs and feeding the data on computer.

This acknowledgement will be incomplete if we do not thank our laboratory analysts and others who made this project a success by timely analysing the samples.

We also thank our sampling team members for conducting the sampling in this vast area.

Abbreviations:

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| BDL | Below Detection Limit |
| BOD | Biochemical Oxygen Demand |
| CEPI | Comprehensive Environmental Pollution Index |
| CETP | Common Effluent Treatment Plant |
| COD | Chemical Oxygen Demand |
| CPA | Critically Polluted Areas |
| SPA | Severely Polluted Areas |
| DO | Dissolved Oxygen |
| ETP | Effluent Treatment Plant |
| MIBK | Methyl Isobutyl Ketone |
| MPCB | Maharashtra Pollution Control Board |
| NAAQS | National Ambient Air Quality Standards |
| NO_x | Oxides of Nitrogen |
| ND | Not Detected |
| PAH | Poly Aromatic Hydrocarbons |
| PCB | Poly Chlorinated Biphenyls |
| PCT | Poly Chlorinated Terphenyls |
| PM₁₀ | Particulate Matter (size less than 10 µm) |
| PM_{2.5} | Particulate Matter (size less than 2.5 µm) |
| SO₂ | Sulphur Dioxide |
| STAP | Short Term Action Plan |
| WHO | World Health Organization |

1. Introduction:

Although industries contribute significantly to India's economic growth and development, the increase in pollution of land, water, air, noise and resulting degradation of environment that they have caused, cannot be overlooked. Industries are responsible for four types of pollution: a) Air b) water c) land d) noise. Rapid industrialization carries with it the seeds of environmental damage. Pollution of natural environment not only affects people but also have adverse impact on economic growth in the long run. Analysis of pollution load shows that there are few industries in the country which contribute to more than 90percent of the pollution. Hence, scientists are exploring the quantum of pollution load as well as to devise certain strategies and technologies so that our sustainable development would not be jeopardized otherwise our long cherished dream of establishing eco-socialism on this watery planet could not come true.

Industrial pollution takes on many faces. It contaminates many sources of drinking water, releases unwanted toxins into the air and reduces the quality of soil all over the world. Every litre of waste water discharged by our industries pollute eight times the quantity of fresh water. The extent of pollution varies with the size of the industry, the nature of the industry, the type of products used and produced etc. In view of this, Central Pollution Control Board (CPCB) has evolved the concept of Comprehensive Environmental Pollution Index (CEPI) during 2009-10 as a tool for comprehensive environmental assessment of prominent industrial clusters and formulation of remedial Action Plans for the identified critically polluted areas. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed. Later-on proposals were received from the SPCBs, State Governments, and Industrial Associations and concerned Stake-holders for revisiting the criteria of assessment under CEPI concept. After careful examination and consideration of the suggestions of concerned stake-holders, it was decided to prepare the revised concept of CEPI by eliminating the subjective factors but retaining the factors which can be measured precisely. Hence, revised concept came into existence, which is termed as Revised CEPI Version 2016.

The present report is also based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial clusters or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data, ecological damage, and visual environmental conditions. For the study, Central Pollution Control Board (CPCB) has selected a total of 88 industrial areas or clusters in consultation with the Ministry of Environment & Forests Government of India. Out of these, 5 critically polluted industrial clusters namely Tarapur, Dombivali, Navi Mumbai, Aurangabad and Chandrapur, are identified and 3 severely polluted industrial clusters namely Pimpri-chinchwad, Nashik and Chembur from Maharashtra are added into this list.

About 6000 small, medium and large scale industries are located at Chandrapur district. Chandrapur has large deposits of coal and lime stone. The mammoth coal mines around the city also contribute to the heavy industrialization of the city. Western Coalfields Limited (WCL), a subsidiary of Coal India, has many mines here. Chandrapur Super Thermal Power Station by Maharashtra State Power Generation Company Limited is its biggest pit head thermal power station. The city houses various cement factories in its vicinity. They are Manikgarh Cement, a division of Century Textile and Industries, part of the BK Birla group of companies, UltraTech Cement (formerly L&T Cement), a division of Grasim Industries, part of the Aditya Birla Group; Chandrapur Cement Works, a division of Associated Cement Companies, part of Holcim Group; and Maratha Cement Works,

part of Ambuja Cements Limited. The district also boasts of having Ballarpur Industries Limited, the largest manufacturer and exporter of paper in India. Other major industries include a Chandrapur ferro alloy plant (formerly Maharashtra Elektrosmet Ltd), a ferro-manganese plant, and a silico-manganese plant of Steel Authority of India Limited. Chandrapur's ferro alloy plant is the largest manganese-based ferro alloy producer in the country.

2. Scope of Work

The Scope of Work consisted of the following:

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water, and Ground Water Quality for identified five Critically Polluted areas (CPAs) in Maharashtra i.e. **Chandrapur, Dombivli, Aurangabad, Navi Mumbai** and **Tarapur** and 3 Severely Polluted areas (SPAs) in Maharashtra i.e. **Chembur, Pimpri-Chinchwad** and **Nashik** as per standard methods.

- At each of the 5 CPAs and 3 SPAs, 24 hourly ambient air quality monitoring to be carried out.
- Representative samples for surface water quality, waste water quality and Ground Water quality to be collected from prominent surface and Ground Water bodies located in and around the clusters/areas.
- Submission of complete monitoring, sampling and analysis reports including the summary of the parameters exceeding the prescribed standards/norms for all the 5 CPAs and 3 SPAs.
- Submission of 3 copies of final report with photographs at prominent locations and the CD (soft copy) on completion of the project for every critically polluted and severely polluted area separately.

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water and Ground Water Quality for Chandrapur:

- The sampling was carried out in 4 days i.e. from 3rd, 4th, 7th and 9th January 2019 for MIDC Tadali, MIDC Ghugus, MIDC Chandrapur and MIDC Ballarpur.
- In MIDC Tadali, a total of 5 Stack Monitoring Samples, 3 Ambient Air Quality Monitoring Samples, 5 Waste Water Samples, 4 Ground Water Samples and 1 VOC Samples were collected and analyzed.
- In MIDC Ghugus, a total of 4 Stack Monitoring Samples, 3 Ambient Air Quality Monitoring Samples, 5 Waste Water Samples, 4 Ground Water Samples and 2 VOC Samples were collected and analyzed.
- In MIDC Chandrapur, a total of 4 Stack Monitoring Samples, 3 Ambient Air Quality Monitoring Samples, 6 Waste Water Samples, 3 Ground Water Samples and 1 VOC Samples were collected and analyzed.
- In MIDC Ballarpur, a total of 4 Stack Monitoring Samples, 3 Ambient Air Quality Monitoring Samples, 6 Waste Water Samples, 3 Ground Water Samples and 1 VOC Samples were collected and analyzed.

2.1 Stack Emission Parameters

The Stack Emissions were analyzed with the following parameters:

1. Acid Mist
2. Ammonia

3. Carbon Monoxide
4. Chlorine
5. Fluoride(gaseous)
6. Fluoride (particulate)
7. Hydrogen Chloride
8. Hydrogen Sulphide
9. Oxides of Nitrogen
10. Oxygen
11. Polyaromatic Hydrocarbons (Particulate)
12. Suspended Particulate Matter
13. Sulphur Dioxide
14. Benzene
15. Toluene
16. Xylene
17. Volatile Organic Compounds (VOCs)

2.2 Ambient Air Quality Parameters

The Ambient Air Quality was analyzed with the following parameters:

1. Sulphur Dioxide (SO₂)
2. Nitrogen Dioxide (NO₂)
3. Particulate Matter (PM₁₀)
4. Particulate Matter (PM_{2.5})
5. Ozone (O₃)
6. Lead (Pb)
7. Carbon Monoxide (CO)
8. Ammonia (NH₃)
9. Benzene (C₆H₆)
10. Benzo (a) Pyrene (BaP) (Particulate Phase Only)
11. Arsenic (As)

12. Nickel (Ni)

2.3 Water/Waste Water Parameters

The Water/ Waste Water was analyzed with the following parameters:

- a. Prominent Surface Water bodies such as outfalls of CETPs, ETPs, treated effluent drainage, river, canal, ponds, lakes and other such water supply resources flowing through the area or flowing adjoining the CPA.
- b. Ground Water Quality data of prominent ground water resources such as observation wells of Central Ground Water Board, drinking water wells, hand pumps, bore wells, hand pumps, bore wells and other such water supply resources located in the industrial cluster/area under consideration or in the peripheral areas.

Basic water quality parameters for surface water and ground water both are as follows:

i. Simple Parameters:

1. Sanitary Survey
2. General Appearance
3. Colour
4. Smell
5. Transparency
6. Ecological(Presence of animals like fish, insects) (Applicable to only surface water)

ii. Regular Monitoring Parameters:

7. pH
8. Oil & Grease
9. Suspended Solids
10. Dissolved Oxygen (% saturation) (Not applicable for ground waters)
11. Chemical Oxygen Demand
12. Biochemical Oxygen Demand
13. Electrical Conductivity
14. Nitrite-Nitrogen
15. Nitrate-Nitrogen

16. (NO₂ + NO₃)-Nitrogen
17. Free Ammonia
18. Total Residual Chlorine
19. Cyanide
20. Fluoride
21. Sulphide
22. Dissolved Phosphate
23. Sodium Absorption Ratio (SAR)
24. Total Coliforms (MPN/100 ml)
25. Faecal Coliforms (MPN/100 ml)

iii. Special Parameters:

26. Total Phosphorous
27. Total Kjeldahl Nitrogen(TKN)
28. Total Ammonia (NH₄ +NH₃)-Nitrogen
29. Phenols
30. Surface Active Agents
31. Organo Chlorine Pesticides
32. Polynuclear aromatic hydrocarbons (PAH)
33. Polychlorinated Biphenyls (PCB)and Polychlorinated Terphenyls (PCT)
34. Zinc
35. Nickel
36. Copper
37. Hexavalent Chromium
38. Chromium (Total)

39. Arsenic (Total)

40. Lead

41. Cadmium

42. Mercury

43. Manganese

44. Iron

45. Vanadium

46. Selenium

47. Boron

iv. Bioassay (Zebra Fish) Test: For specified samples only.

2.4 Methodology followed in Sampling and Analysis

Industries, places and locations that have been chosen for the sampling are representative of the city/area. Sampling has been done at the potential polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions. Methodology for sampling, preservation and analysis have been done according to the references incorporated. Methodology of various types of parameters is presented under following annexure:

1. Stack Emission Sampling and Analysis Methodology – **Annexure II**
2. Ambient Air Sampling and Analysis Methodology - **Annexure III**
3. Water/Wastewater Sampling and Analysis Methodology - **Annexure IV**

3. Result of Analysis:

Results of Analysis are tabulated below for Stack Emission Monitoring, Ambient Air Quality Monitoring, Waste Water Analysis and Water Analysis. These are followed by their respective graphical representation.

***Kindly note:**

- NA specifies the sample is not analysed for the specific parameter.
- BDL specifies that the result obtained is below deductible limit.
- ND specifies the sample is not detectable for the specific parameter.

Please Note: Industrial clusters observed with below detection limit parameters are NOT included into the graphs

3.1 Stack Emission:

Stack Emission Monitoring Results are compared against The Environment (Protection) Rules, 1986 General Emission Standard - Part D.

| Sr. | Name of Industries | Stack Identity | MIDC | Table No. |
|------------|---------------------------------------|-------------------------|-------------|------------------|
| 1. | Multi Organics Ltd. | Boiler B-2604 | Chandrapur | I |
| 2. | Multi Organics Ltd. | Boiler B-2606 | Chandrapur | I |
| 3. | Maharashtra Carbon Pvt. Ltd. | Heater Stack | Chandrapur | I |
| 4. | Earth Greentech P.Ltd | Boiler Stack | Chandrapur | II |
| 5. | Sourav Oil & Mill | Boiler Stack | Chandrapur | II |
| 6. | Lucky Petroleum | Wet Scrubber Stack | Chandrapur | II |
| 7. | Dhariwal Infrastructure Ltd. | Unit 1 | Tadali | III |
| 8. | Dhariwal Infrastructure Ltd. | Unit 2 | Tadali | III |
| 9. | Gopani Iron & Power (India) Pvt. Ltd. | Power Plant | Tadali | III |
| 10. | Gopani Iron & Power (India) Pvt. Ltd. | Furnace | Tadali | IV |
| 11. | Gopani Iron & Power (India) Pvt. Ltd. | Kiln 1 & 2 | Tadali | IV |
| 12. | Grace Industries Ltd. | WHRBs Kiln 3 & 4 | Tadali | IV |
| 13. | BILT Graphic PPL | Coal Fired Boiler No. 9 | Ballarpur | V |
| 14. | BILT Graphic PPL | Coal Fired Boiler No. 7 | Ballarpur | V |
| 15. | BILT Graphic PPL | Recovery Boiler - 3 | Ballarpur | V |
| 16. | BILT Graphic PPL | Lime Kiln 2 | Ballarpur | VI |
| 17. | Bamni Proteins | HTF Boiler | Ballarpur | VI |
| 18. | Bamni Proteins | Calcium Chloride Stack | Ballarpur | VI |
| 19. | Lloyds Metal& Energy Ltd. | 500 TPD Kiln | Ghugus | VII |
| 20. | Lloyds Metal& Energy Ltd. | 100 TPD Kiln-3 & 4 | Ghugus | VII |
| 21. | Lloyds Metal& Energy Ltd. | WHRBS 30MW Power Plant | Ghugus | VII |
| 22. | ACC Cement Ltd. | Kiln RABH | Ghugus | VIII |

| Sr. | Name of Industries | Stack Identity | MIDC | Table No. |
|------------|---------------------------------------|------------------------|-------------|------------------|
| 23. | ACC Cement Ltd. | Boiler Stack 15MW | Ghugus | VIII |
| 24. | ACC Cement Ltd. | Coal Mill Stack | Ghugus | VIII |
| 25. | Multi Organics Ltd. | Boiler B-2604 | Chandrapur | IX |
| 26. | Lucky Petroleum | Wet Scrubber Stack | Chandrapur | IX |
| 27. | Gopani Iron & Power (India) Pvt. Ltd. | Furnace | Tadali | IX |
| 28. | Grace Industries Ltd. | WHRBs Kiln 3 & 4 | Tadali | IX |
| 29. | BILT Graphic PPL | Lime Kiln 2 | Ballarpur | X |
| 30. | Bamni Proteins | Calcium Chloride Stack | Ballarpur | X |
| 31. | Lloyds Metal& Energy Ltd. | 500 TPD Kiln | Ghugus | X |
| 32. | ACC Cement Ltd. | Kiln RABH | Ghugus | X |

***The VOC result of stack emission is provided in Table No. IX & X**

Table No. I

| Name of Industries | | | Multi Organics Ltd. | Multi Organics Ltd. | Maharashtra Carbon Pvt. Ltd. |
|---------------------------|---------------------------------------|--------------------------|----------------------------|----------------------------|-------------------------------------|
| Date of Sampling | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 52 | 64 | 38 |
| | Std. Limit | mg/Nm³ | 150 | 150 | 150 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | BDL | BDL | BDL |
| | | kg/day | BDL | BDL | BDL |
| | Std. Limit | mg/Nm³ | - | - | - |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 18.3 | 18.6 | 14.6 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |

Table No. II

| Name of Industries | | | Earth Green Tech P. Ltd | Sourav Oil & Mill | Lucky Petroleum |
|--------------------|---------------------------------------|--------------------------|-------------------------|-------------------|-------------------|
| Date of Sampling | | | 03.01.2019 | 04.01.2019 | 04.01.2019 |
| 1. | Particulate Matter(as PM) | mg/Nm ³ | 59 | 46 | 34 |
| | Std. Limit | mg/Nm³ | 150 | 150 | 150 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | 5.71 | 16.5 | 5.71 |
| | | kg/day | 0.252 | 0.558 | 0.057 |
| | Std. Limit | mg/Nm³ | 200 | 200 | 200 |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 18.4 | 14.5 | 10.9 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |

Table No. III

| Name of Industries | | | Dhariwal Infrastructure Ltd. | Dhariwal Infrastructure Ltd. | Gopani Iron & Power (India) Pvt. Ltd. |
|--------------------|---------------------------------------|--------------------------|------------------------------|------------------------------|---------------------------------------|
| Date of Sampling | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 45 | 47 | 43 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 100 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | 8.64 | 8.88 | 5.71 |
| | | kg/day | 162 | 308 | 13.8 |
| | Std. Limit | mg/Nm³ | 200 | 200 | 200 |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 15.1 | 11.5 | 11.1 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |

Table No. IV

| Name of Industries | | | Gopani Iron & Power (India) Pvt. Ltd. | Gopani Iron & Power (India) Pvt. Ltd. | Grace Industries Ltd. |
|--------------------|---------------------------------------|--------------------------|---------------------------------------|---------------------------------------|-----------------------|
| Date of Sampling | | | 03.01.2019 | 04.01.2019 | 04.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 10 | 51 | 38 |
| | Std. Limit | mg/Nm³ | 100 | 100 | 100 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | - | 5.71 | 11 |
| | | kg/day | - | 10.3 | 112 |
| | Std. Limit | mg/Nm³ | - | 200 | 200 |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | - | 11.2 | 18.5 |
| | Std. Limit | mg/Nm³ | - | 50 | 50 |

Table No. V

| Name of Industries | | | BILT Graphic PPL | BILT Graphic PPL | BILT Graphic PPL |
|--------------------|---------------------------------------|--------------------------|-------------------|-------------------|-------------------|
| Date of Sampling | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 23 | 31 | 19 |
| | Std. Limit | mg/Nm³ | 150 | 150 | 150 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | 8.42 | 8.42 | 8.42 |
| | | kg/day | 31.1 | 25.6 | 84.4 |
| | Std. Limit | mg/Nm³ | 100 | 100 | 100 |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 21.9 | 33 | 29.4 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |

Table No. VI

| Name of Industries | | | BILT Graphic PPL | Bamni Proteins | Bamni Proteins |
|--------------------|---------------------------------------|--------------------------|-------------------|-------------------|-------------------|
| Date of Sampling | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 46 | 25 | 25 |
| | Std. Limit | mg/Nm³ | 150 | 150 | 150 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | 6.31 | BDL | BDL |
| | | kg/day | 5.66 | BDL | BDL |
| | Std. Limit | mg/Nm³ | 100 | 200 | 200 |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 25.7 | 19.7 | 16 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |

Table No. VII

| Name of Industries | | | Lloyds Metal & Energy Ltd. | Lloyds Metal & Energy Ltd. | Lloyds Metal & Energy Ltd. |
|--------------------|---------------------------------------|--------------------------|----------------------------|----------------------------|----------------------------|
| Date of Sampling | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 38 | 44 | 25 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | 6.95 | 8.42 | 5.71 |
| | | kg/day | 21.8 | 15 | 44.1 |
| | Std. Limit | mg/Nm³ | 100 | 100 | 100 |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 32 | 32.5 | 15.7 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |

Table No. VIII

| Name of Industries | | | ACC Cement Ltd. | ACC Cement Ltd. | ACC Cement Ltd. |
|--------------------|---------------------------------------|--------------------------|-------------------|-------------------|-------------------|
| Date of Sampling | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| 1. | Particulate Matter (as PM) | mg/Nm ³ | 22 | 23 | 35 |
| | Std. Limit | mg/Nm³ | 50 | 50 | 50 |
| 2. | Sulphur Dioxide (as SO ₂) | mg/Nm ³ | 6.31 | 5.51 | - |
| | | kg/day | 117 | 15.3 | - |
| | Std. Limit | mg/Nm³ | 200 | 200 | - |
| 3. | Nitrogen Dioxide (NO ₂) | mg/Nm ³ | 19.7 | 27.6 | - |
| | Std. Limit | mg/Nm³ | 50 | 50 | - |


Table No. IX



| Name of Industries | | | Multi Organics Ltd. | Lucky Petroleum | Gopani Iron & Power (India) Pvt. Ltd. | Grace Industries Ltd. |
|--------------------|------------------------|--------------------|---------------------|-------------------|---------------------------------------|-----------------------|
| Date of Sampling | | | 03.01.2019 | 04.01.2019 | 03.01.2019 | 04.01.2019 |
| Sr. | Parameter | Unit | Results | | | |
| 1. | VOC | | | | | |
| I. | Methyl Isobutyl Ketone | mg/Nm ³ | ND | ND | ND | ND |
| II. | Benzene | mg/Nm ³ | 0.0002 | ND | ND | ND |
| III. | Toulene | mg/Nm ³ | 0.0001 | ND | ND | ND |
| IV. | Xylene | mg/Nm ³ | 0.0001 | ND | ND | ND |
| V. | Ethyl Benzene | mg/Nm ³ | ND | ND | ND | ND |
| VI. | Ethyl Acetate | mg/Nm ³ | ND | ND | ND | ND |


Table No. X

| Name of Industries | | | BILT Graphic PPL | Bamni Proteins | Lloyds Metal & Energy Ltd. | ACC Cement Ltd. |
|--------------------|------------------------|--------------------|------------------------|-------------------|----------------------------------|-----------------------|
| Date of Sampling | | | 07.01.2019 | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameter | Unit | Results | | | |
| 1. | VOC | | | | | |
| I. | Methyl Isobutyl Ketone | mg/Nm ³ | ND | ND | ND | ND |
| II. | Benzene | mg/Nm ³ | ND | ND | ND | ND |
| III. | Toulene | mg/Nm ³ | ND | ND | ND | ND |
| IV. | Xylene | mg/Nm ³ | ND | ND | ND | ND |
| V. | Ethyl Benzene | mg/Nm ³ | ND | ND | ND | ND |
| VI. | Ethyl Acetate | mg/Nm ³ | ND | ND | ND | ND |

Graphs: Stack Monitoring for Chandrapur region:







3.2 Ambient Air Quality:

In order to arrive at conclusions, the Ambient Air Quality Monitoring Results are compared against National Ambient Air Quality Standards, 2009 (**Annexure V**).

| Sr. | Location | Location detail | MIDC | Table No. |
|-----|------------------------------|-----------------------|------------|------------|
| 1. | Green Tech | Main Gate | Chandrapur | I |
| 2. | MIDC Office | Terrace | Chandrapur | I |
| 3. | HPCL | Main Gate | Chandrapur | I |
| 4. | Dhariwal Infrastructure Ltd. | Main Gate | Tadali | II |
| 5. | MIDC Water Treatment Plant | Near WTP | Tadali | II |
| 6. | Grace Industries Ltd. | Terrace | Tadali | II |
| 7. | Ram Mandir | Near Mangal Karyalaya | Ballarpur | III |
| 8. | BILT Colony | Near Guest House | Ballarpur | III |
| 9. | WCL | OCM Office | Ballarpur | III |
| 10. | Lloyds Colony | Mathardevi Village | Ghuggus | IV |

| Sr. | Location | Location detail | MIDC | Table No. |
|-----|---------------------------------|--------------------|--------|-----------|
| 11. | Transit Hostel Rajiv Colony WCL | Terrace | Ghugus | IV |
| 12. | Lloyds Metal | New CAAQMS Station | Ghugus | IV |

Table No. I

| Location | | | | Green Tech | MIDC Office | HPCL |
|------------------|---|-------------------|-------------------------|-------------------|-------------------|-------------------|
| Date of Sampling | | | | 04.06.2018 | 04.06.2018 | 04.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 1. | Sulphur Dioxide (SO ₂) | µg/m ³ | 80 | 6.74 | 5.41 | 5.53 |
| 2. | Nitrogen Dioxide (NO ₂) | µg/m ³ | 80 | 8.20 | 8.21 | 8.70 |
| 3. | Particulate Matter (size less than 10 µm) or PM ₁₀ | µg/m ³ | 100 | 189 | 300 | 2.88 |
| 4. | Particulate Matter (size less than 2.5 µm) or PM _{2.5} | µg/m ³ | 60 | 48 | 76 | 73 |
| 5. | Ozone (O ₃) | µg/m ³ | 180 | BDL | BDL | BDL |
| 6. | Lead (Pb) | µg/m ³ | 1 | BDL | BDL | BDL |
| 7. | Carbon Monoxide (CO) | mg/m ³ | 4 | 1.17 | 1.22 | 1.14 |
| 8. | Ammonia (NH ₃) | µg/m ³ | 400 | BDL | BDL | BDL |
| 9. | Benzene (C ₆ H ₆) | µg/m ³ | 5 | 1.54 | 1.96 | 2.18 |
| 10. | Benzo (a) Pyrene (BaP) – particulate phase only | ng/m ³ | 1 | BDL | BDL | BDL |
| 11. | Arsenic (As) | ng/m ³ | 6 | BDL | BDL | BDL |

| Location | | | | Green Tech | MIDC Office | HPCL |
|------------------|-------------|-------------------|-------------------------|------------|-------------|------------|
| Date of Sampling | | | | 04.06.2018 | 04.06.2018 | 04.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 12. | Nickel (Ni) | ng/m ³ | 20 | BDL | BDL | BDL |

Table No. II

| Location | | | | Dhariwal Infrastructu re Ltd. | MIDC Water Treatment Plant | Grace Industries Ltd. |
|------------------|--|-------------------|-------------------------|-------------------------------|----------------------------|-----------------------|
| Date of Sampling | | | | 04.06.2018 | 04.06.2018 | 04.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 1. | Sulphur Dioxide (SO ₂) | µg/m ³ | 80 | 5.59 | 6.57 | 6.39 |
| 2. | Nitrogen Dioxide (NO ₂) | µg/m ³ | 80 | 7.96 | 8.69 | 8.7 |
| 3. | Particulate Matter(size less than 10 µm) or PM ₁₀ | µg/m ³ | 100 | 156 | 220 | 448 |
| 4. | Particulate Matter(size less than 2.5 µm) or PM _{2.5} | µg/m ³ | 60 | 40 | 54 | 113 |
| 5. | Ozone (O ₃) | µg/m ³ | 180 | BDL | BDL | BDL |
| 6. | Lead (Pb) | µg/m ³ | 1 | BDL | BDL | BDL |
| 7. | Carbon Monoxide (CO) | mg/m ³ | 4 | 1.14 | 1.28 | 1.61 |
| 8. | Ammonia (NH ₃) | µg/m ³ | 400 | <4 | BDL | BDL |
| 9. | Benzene (C ₆ H ₆) | µg/m ³ | 5 | <1 | 1.73 | 1.38 |

| Location | | | | Dhariwal Infrastructu re Ltd. | MIDC Water Treatment Plant | Grace Industries Ltd. |
|------------------|--|-------------------|----------------------------------|----------------------------------|----------------------------------|-----------------------------|
| Date of Sampling | | | | 04.06.2018 | 04.06.2018 | 04.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 10. | Benzo (a) Pyrene (BaP) – particulate phase only | ng/m ³ | 1 | BDL | BDL | BDL |
| 11. | Arsenic (As) | ng/m ³ | 6 | BDL | BDL | BDL |
| 12. | Nickel (Ni) | ng/m ³ | 20 | BDL | BDL | BDL |

Table No. III

| Location | | | | Ram Mandir | BILT Colony | WCL |
|------------------|--|-------------------|----------------------------------|------------|-------------|------------|
| Date of Sampling | | | | 07.06.2018 | 07.06.2018 | 07.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 1. | Sulphur Dioxide (SO ₂) | µg/m ³ | 80 | 5.53 | 5.36 | 5.53 |
| 2. | Nitrogen Dioxide (NO ₂) | µg/m ³ | 80 | 8.21 | 8.21 | 8.2 |
| 3. | Particulate Matter(size less than 10 µm) or PM ₁₀ | µg/m ³ | 100 | 175 | 216 | 297 |
| 4. | Particulate Matter (size less than 2.5 µm) or PM _{2.5} | µg/m ³ | 60 | 45 | 26 | 76 |
| 5. | Ozone (O ₃) | µg/m ³ | 180 | BDL | BDL | BDL |
| 6. | Lead (Pb) | µg/m ³ | 1 | BDL | BDL | BDL |
| 7. | Carbon Monoxide (CO) | mg/m ³ | 4 | 1.19 | 1.41 | 1.02 |


| Location | | | | Ram Mandir | BILT Colony | WCL |
|------------------|---|-------------------|-------------------------|------------|-------------|------------|
| Date of Sampling | | | | 07.06.2018 | 07.06.2018 | 07.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 8. | Ammonia (NH ₃) | µg/m ³ | 400 | BDL | BDL | BDL |
| 9. | Benzene (C ₆ H ₆) | µg/m ³ | 5 | 6.80 | 7.81 | 6.37 |
| 10. | Benzo (a) Pyrene (BaP) – particulate phase only | ng/m ³ | 1 | BDL | BDL | BDL |
| 11. | Arsenic (As) | ng/m ³ | 6 | BDL | BDL | BDL |
| 12. | Nickel (Ni) | ng/m ³ | 20 | BDL | BDL | BDL |



Table No. IV



| Location | | | | Lloyds Colony | Transit Hostel Rajiv Colony WCL | Lloyds Metal |
|------------------|---|-------------------|-------------------------|---------------|---------------------------------|--------------|
| Date of Sampling | | | | 07.06.2018 | 07.06.2018 | 07.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 1. | Sulphur Dioxide (SO ₂) | µg/m ³ | 80 | 6.33 | 5.47 | 6.45 |
| 2. | Nitrogen Dioxide (NO ₂) | µg/m ³ | 80 | 9.93 | 9.19 | 9.19 |
| 3. | Particulate Matter (size less than 10 µm) or PM ₁₀ | µg/m ³ | 100 | 146 | 262 | 205 |
| 4. | Particulate Matter (size less than 2.5 µm) or PM _{2.5} | µg/m ³ | 60 | 36 | 66 | 52 |
| 5. | Ozone (O ₃) | µg/m ³ | 180 | BDL | BDL | BDL |



| Location | | | | Lloyds Colony | Transit Hostel Rajiv Colony WCL | Lloyds Metal |
|------------------|---|-------------------|-------------------------|---------------|---------------------------------|--------------|
| Date of Sampling | | | | 07.06.2018 | 07.06.2018 | 07.06.2018 |
| Sr. | Parameters | Unit | Std. Limit (NAAQS 2009) | Results | | |
| 6. | Lead (Pb) | µg/m ³ | 1 | BDL | BDL | BDL |
| 7. | Carbon Monoxide (CO) | mg/m ³ | 4 | 1.04 | 1.08 | 1.14 |
| 8. | Ammonia (NH ₃) | µg/m ³ | 400 | BDL | BDL | BDL |
| 9. | Benzene (C ₆ H ₆) | µg/m ³ | 5 | 6.73 | 7.75 | 15.1 |
| 10. | Benzo (a) Pyrene (BaP) - particulate phase only | ng/m ³ | 1 | BDL | BDL | BDL |
| 11. | Arsenic (As) | ng/m ³ | 6 | BDL | BDL | BDL |
| 12. | Nickel (Ni) | ng/m ³ | 20 | BDL | BDL | BDL |


Graphs: Ambient Air Quality Monitoring for Chandrapur region:











3.3 Surface Water/ Waste Water Quality:

Water Analysis Results are compared against CPCB document on criteria for Comprehensive Environmental Assessment of Industrial Clusters-Water Quality Parameters Requirement and Classification (Annexure IX), CPCB Water Quality Criteria (Annexure VIII) and Drinking Water Specification, IS 10500:2012 (Annexure VII), Wastewater Analysis Results are compared with General Standards for Discharge of Environmental Pollutants Part A: Effluents, The Environment (Protection) Rules, 1986, Schedule VI.

| Sr. | Location | Source | MIDC | Table No. |
|-----|--|---------------|------------|------------|
| 1. | Multi Organic Ltd. | ETP outlet | Chandrapur | I |
| 2. | Super Hygienic (Bio Medical waste disposal unit) | ETP outlet | Chandrapur | I |
| 3. | HPCL | ETP outlet | Chandrapur | I |
| 4. | Nallah Opposite Manidhari Industries, Plot No. c-2 | Nallah | Chandrapur | II |
| 5. | Gangangiri Village Bridge | Surface water | Chandrapur | II |
| 6. | Dhanora Bridge | Surface water | Chandrapur | II |
| 7. | GIPL | Nallah | Tadali | III |
| 8. | Tadali Village | Lake | Tadali | III |

| Sr. | Location | Source | MIDC | Table No. |
|------------|---|---------------|-------------|------------------|
| 9. | Gopani Iron & Power (I) Pvt. Ltd., Colony | Tap water | Tadali | III |
| 10. | Nallah Adjacent to Grace Industries | Nallah | Tadali | IV |
| 11. | MIDC WTP (Tank) | Raw Water | Tadali | IV |
| 12. | BILT RCC Pipe Outlet Ballarpur Bamni Rd | ETP outlet | Ballarpur | IV |
| 13. | Bhagirathi Nallah Bridge, Gondpipri Road | Nallah | Ballarpur | V |
| 14. | Wardha River | Surface water | Ballarpur | V |
| 15. | Nallah Near MSW Municipal Corporation | Nallah | Ballarpur | V |
| 16. | Ballarpur Open Cast Mine Discharge | ETP outlet | Ballarpur | VI |
| 17. | Nallah of Municipal Council Ballarpur, Besides HP Petrol Pump | Nallah | Ballarpur | VI |
| 18. | Wardha river near WTP of WCL Ghugus opencast mine | Surface water | Ghugus | VI |
| 19. | Lokhandi Bridge at WTP of Ghugus opencast mine | Nallah | Ghugus | VII |
| 20. | Wardha River Behind ACC Plant (Mungoli Coal Mine Road) | Surface water | Ghugus | VII |
| 21. | Nallah at Usgaon, Shengaon Road (Behind Gupta Energy Power Ltd) | Nallah | Ghugus | VII |
| 22. | Nallah water domestic effluent of ACC LTD., Colony & Ghugus village | Nallah | Ghugus | VIII |

Table No. I

| Location | | | | Multi Organic Ltd. | Super Hygienic | HPCL |
|------------------|---|----------|------------------|--------------------|----------------|------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 1 | 2 | 1 |
| 2. | Smell | - | Agreeable | Disagreeable | Disagreeable | Agreeable |
| 3. | pH | - | 5.5 -9.0 | 7.9 | 7.1 | 8.5 |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 8 | 30 | 20.6 |
| 6. | Dissolved Oxygen (%Saturation) | % | | 3.8 | 6.6 | 6.3 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 32 | 20 | 65 |
| 8. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 30.0 | 8.4 | 6.1 | 16 |
| 9. | Electrical Conductivity (at 25°C) | µmhos/cm | | 1799 | 572 | 1156 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.04 | 0.076 | N.D |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 7.84 | 1.78 | 0.60 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | | 7.88 | 1.856 | 0.60 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | BDL | 0.863 | BDL |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | 0.254 | BDL |

| Location | | | | Multi Organic Ltd. | Super Hygienic | HPCL |
|------------------|--|-------------------|---------------|--------------------|----------------|------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 15. | Cyanide (as CN) | mg/L | 0.2 | BDL | BDL | BDL |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.928 | 0.583 | 0.689 |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL | BDL | BDL |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 0.014 | 0.36 | 0.063 |
| 19. | Sodium Absorption Ratio | | | 23.6 | 2.3 | 23.9 |
| 20. | Total Coliforms | MPN index/ 100 mL | 100.0 | 22 | BDL | BDL |
| 21. | Faecal Coliforms | MPN index/ 100 mL | 1000.0 | 17 | BDL | BDL |
| 22. | Total Phosphate (as P) | mg/L | | 0.102 | 0.49 | 0.109 |
| 23. | Total Kjeldahl Nitrogen | mg/L | 100.0 | 0.504 | 3.69 | 0.560 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 50 | 0.05 | 1.721 | 0.244 |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 1.0 | 0.0025 | BDL | 0.001 |
| 26. | Surface Active Agents (as MBAS) | mg/L | | BDL | 0.769 | BDL |
| 27. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |

| Location | | | | Multi Organic Ltd. | Super Hygienic | HPCL |
|------------------|--|------|--------------|--------------------|----------------|------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Chlorpyriphos | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | | BDL | BDL | BDL |
| IX. | Delta HCH | µg/L | 0.2 | BDL | BDL | BDL |
| X. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| XI. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XII. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |
| XIII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIV. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XVI. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVII. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVIII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XIX. | Y HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | BDL |

| Location | | | | Multi Organic Ltd. | Super Hygienic | HPCL |
|------------------|--|------|------------|--------------------|----------------|------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | 0.062 | 0.319 | 0.889 |
| 31. | Nickel (as Ni) | mg/L | 3.0 | BDL | BDL | BDL |
| 32. | Copper (as Cu) | mg/L | 3.0 | 0.033 | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | ND | 0.027 | BDL |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | BDL | BDL | 0.09 |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | BDL | BDL | 0.079 |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | 0.0009 | 0.0007 | BDL |
| 39. | Manganese (as Mn) | mg/L | 2.0 | BDL | 0.24 | BDL |
| 40. | Iron (as Fe) | mg/L | 3.0 | BDL | 0.924 | BDL |
| 41. | Vanadium (as V) | mg/L | 0.2 | 0.036 | BDL | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | ND | BDL |
| 43. | Boron (as B) | mg/L | | 0.232 | 0.223 | 0.125 |

| Location | | | | Multi Organic Ltd. | Super Hygienic | HPCL |
|------------------|-----------------------|------------|---|--------------------|----------------|------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 44. | Bioassay Test on fish | % survival | 90% survival of fish after 96 hours in 100% effluent | 100% | 100% | 100% |

Table No. II

| Location | | | | Nallah Opposite Manidhari Industries | Gangangiri Village Bridge | Dhanora Bridge |
|------------------|--|-------|------------------|--------------------------------------|---------------------------|----------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 20 | 2 | <1 |
| 2. | Smell | - | Agreeable | Disagreeable | Agreeable | Agreeable |
| 3. | pH | - | 5.5 -9.0 | 7.2 | 8.1 | 7.9 |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 25.1 | 7.0 | 7.5 |
| 6. | Dissolved Oxygen (%Saturation) | % | | ND | 6.1 | 6.9 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 204 | 24 | 16 |
| 8. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 30.0 | 60 | 6.4 | 4.0 |

| Location | | | | Nallah Opposite Manidhari Industries | Ganggiri Village Bridge | Dhanora Bridge |
|------------------|---|------------------|---------------|---|-------------------------------|-------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 9. | Electrical Conductivity (at 25°C) | µmhos/cm | | 4320 | 520 | 1176 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.008 | 0.027 | 0.016 |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 1.55 | 0.822 | 2.26 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | | 1.558 | 0.849 | 2.276 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | 1.66 | 0.675 | BDL |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | BDL | BDL |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND | BDL | ND |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.556 | 0.583 | 0.661 |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL | BDL | BDL |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 1.85 | 0.64 | BDL |
| 19. | Sodium Absorption Ratio | | | 9.4 | 2.27 | 3.77 |
| 20. | Total Coliforms | MPN index/100 mL | 100.0 | 11 | 17 | 13 |
| 21. | Faecal Coliforms | MPN index/100 mL | 1000.0 | 9.2 | 7.8 | 9.3 |

| Location | | | | Nallah Opposite Manidhari Industries | Gangangiri Village Bridge | Dhanora Bridge |
|------------------|--|------|--------------|---|---------------------------------|-------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 22. | Total Phosphate (as P) | mg/L | | 2.0 | 0.768 | 0.032 |
| 23. | Total Kjeldahl Nitrogen | mg/L | 100.0 | 12.9 | 1.57 | 0.616 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 50 | 3.0 | 0.848 | BDL |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 1.0 | ND | 0.006 | ND |
| 26. | Surface Active Agents (as MBAS) | mg/L | | 1.615 | BDL | ND |
| 27. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Chlorpyrifos | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | | BDL | BDL | BDL |
| IX. | Delta HCH | µg/L | 0.2 | BDL | BDL | BDL |
| X. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| XI. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XII. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |

| Location | | | | Nallah Opposite Manidhari Industries | Ganggiri Village Bridge | Dhanora Bridge |
|------------------|---|------|-------------|---|-------------------------------|-------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| XIII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIV. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XVI. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVII. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVIII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XIX. | Y HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | BDL |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | BDL | BDL | BDL |
| 31. | Nickel (as Ni) | mg/L | 3.0 | BDL | BDL | BDL |
| 32. | Copper (as Cu) | mg/L | 3.0 | 0.033 | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | 0.058 | BDL | ND |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | BDL | BDL | 0.09 |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | BDL | BDL | 0.079 |

| Location | | | | Nallah Opposite Manidhari Industries | Gangangiri Village Bridge | Dhanora Bridge |
|------------------|-----------------------|------------|--|--------------------------------------|---------------------------|----------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | 0.0005 | BDL | BDL |
| 39. | Manganese (as Mn) | mg/L | 2.0 | 0.054 | BDL | BDL |
| 40. | Iron (as Fe) | mg/L | 3.0 | BDL | BDL | BDL |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL | BDL | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | BDL | BDL |
| 43. | Boron (as B) | mg/L | | 0.190 | BDL | 0.113 |
| 44. | Bioassay Test on fish | % survival | 90% survival of fish after 96 hours in 100% effluent | 100% | 100% | 100% |

Table No. III

| Location | | | | GIPL | Tadali Village | Gopani Iron & Power (I) Pvt. Ltd., Colony |
|------------------|------------|-------|------------|--------------|----------------|---|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 3 | 2 | <1 |
| 2. | Smell | - | Agreeable | Disagreeable | Disagreeable | Agreeable |
| 3. | pH | - | 5.5 -9.0 | 7.1 | 8.1 | 7.8 |

| Location | | | | GIPL | Tadali Village | Gopani Iron & Power (I) Pvt. Ltd., Colony |
|------------------|---|----------|--------------|------------|----------------|---|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 20 | 16 | BDL |
| 6. | Dissolved Oxygen (% Saturation) | % | | 4.9 | 5.9 | 6.6 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 28 | 32 | 16 |
| 8. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 30.0 | 8 | 9.3 | 5.3 |
| 9. | Electrical Conductivity (at 25°C) | µmhos/cm | | 1779 | 352 | 462 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.284 | 0.009 | 0.005 |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 1.15 | 0.127 | 0.803 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | | 1.434 | 0.136 | 0.808 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | BDL | BDL | BDL |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | BDL | 0.061 |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND | ND | ND |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.39 | 0.28 | 0.594 |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL | BDL | BDL |

| Location | | | | GIPL | Tadali Village | Gopani Iron & Power (I) Pvt. Ltd., Colony |
|------------------|--|-------------------|------------|------------|----------------|---|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 0.109 | 0.126 | BDL |
| 19. | Sodium Absorption Ratio | | | 2.6 | 1.21 | 2.4 |
| 20. | Total Coliforms | MPN index/ 100 mL | 100.0 | 350 | 24 | 21 |
| 21. | Faecal Coliforms | MPN index/ 100 mL | 1000.0 | 140 | 14 | 4 |
| 22. | Total Phosphate (as P) | mg/L | | 0.158 | 0.177 | BDL |
| 23. | Total Kjeldahl Nitrogen | mg/L | 100.0 | 0.784 | 0.560 | 0.28 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 50 | 0.43 | BDL | BDL |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 1.0 | BDL | BDL | BDL |
| 26. | Surface Active Agents (as MBAS) | mg/L | | ND | ND | ND |
| 27. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |

| Location | | | | GIPL | Tadali Village | Gopani Iron & Power (I) Pvt. Ltd., Colony |
|------------------|--|------|--------------|------------|----------------|---|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Chlorpyriphos | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | | BDL | BDL | BDL |
| IX. | Delta HCH | µg/L | 0.2 | BDL | BDL | BDL |
| X. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| XI. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XII. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |
| XIII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIV. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XVI. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVII. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVIII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XIX. | Y HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | BDL |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | BDL | BDL | BDL |

| Location | | | | GIPL | Tadali Village | Gopani Iron & Power (I) Pvt. Ltd., Colony |
|------------------|--|------------|---|------------|----------------|---|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 03.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 31. | Nickel (as Ni) | mg/L | 3.0 | BDL | BDL | BDL |
| 32. | Copper (as Cu) | mg/L | 3.0 | BDL | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | ND | 0.049 | BDL |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | BDL | BDL | BDL |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | BDL | BDL | BDL |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | BDL | ND | ND |
| 39. | Manganese (as Mn) | mg/L | 2.0 | BDL | BDL | BDL |
| 40. | Iron (as Fe) | mg/L | 3.0 | BDL | BDL | BDL |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL | BDL | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | ND | BDL |
| 43. | Boron (as B) | mg/L | | 0.327 | BDL | BDL |
| 44. | Bioassay Test on fish | % survival | 90% survival of fish after 96 hours in 100% effluent | 100% | 100% | 100% |

Table No. IV

| Location | | | | Nallah Adjacent to Grace Industries | MIDC WTP (Tank) | BILT RCC Pipe Outlet |
|------------------|---|----------|------------------|-------------------------------------|-----------------|----------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 3 | <1 | 20 |
| 2. | Smell | - | Agreeable | Disagreeable | Agreeable | Disagreeable |
| 3. | pH | - | 5.5 -9.0 | 7.3 | 7.8 | 7.1 |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 10.5 | 8.12 | 15 |
| 6. | Dissolved Oxygen (% Saturation) | % | | 2.8 | 6.0 | 4.0 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 60 | 16 | 88 |
| 8. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 30.0 | 14.2 | 4.8 | 24 |
| 9. | Electrical Conductivity (at 25°C) | µmhos/cm | | 2238 | 458 | 1381 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.103 | 0.007 | ND |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 1.06 | 0.805 | 1.601 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | | 1.163 | 0.812 | 1.601 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | BDL | BDL | BDL |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | BDL | 0.127 |

| Location | | | | Nallah Adjacent to Grace Industries | MIDC WTP (Tank) | BILT RCC Pipe Outlet |
|------------------|---|-------------------------|---------------|--|--------------------|-------------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND | ND | ND |
| 16. | Fluoride (as F) | mg/L | 2.0 | 1.02 | 0.478 | 0.356 |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL | BDL | BDL |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 0.081 | 0.056 | 0.063 |
| 19. | Sodium Absorption Ratio | | | 13.5 | 1.18 | 7.63 |
| 20. | Total Coliforms | MPN index/ 100 mL | 100.0 | 920 | 39 | 11 |
| 21. | Faecal Coliforms | MPN index/ 100 mL | 1000.0 | 170 | 17 | 4.5 |
| 22. | Total Phosphate (as P) | mg/L | | 0.102 | 0.063 | 0.102 |
| 23. | Total Kjeldahl Nitrogen | mg/L | 100.0 | 0.616 | 0.336 | 0.672 |
| 24. | Total Ammonia (NH ₄ +NH ₃)- Nitrogen | mg/L | 50 | BDL | 0.08 | BDL |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 1.0 | BDL | BDL | BDL |
| 26. | Surface Active Agents (as MBAS) | mg/L | | 0.192 | ND | 0.8 |
| 27. | Organo Chlorine Pesticides | | | | | |

| Location | | | | Nallah Adjacent to Grace Industries | MIDC WTP (Tank) | BILT RCC Pipe Outlet |
|------------------|--|------|------------|-------------------------------------|-----------------|----------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Chlorpyriphos | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | | BDL | BDL | BDL |
| IX. | Delta HCH | µg/L | 0.2 | BDL | BDL | BDL |
| X. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| XI. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XII. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |
| XIII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIV. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XVI. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVII. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVIII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XIX. | Y HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | 0.002 |

| Location | | | | Nallah Adjacent to Grace Industries | MIDC WTP (Tank) | BILT RCC Pipe Outlet |
|------------------|--|------|------------|--|--------------------|-------------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | BDL | BDL | BDL |
| 31. | Nickel (as Ni) | mg/L | 3.0 | BDL | BDL | BDL |
| 32. | Copper (as Cu) | mg/L | 3.0 | BDL | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | 0.065 | BDL | 0.023 |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | BDL | BDL | BDL |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | BDL | BDL | BDL |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | BDL | ND | ND |
| 39. | Manganese (as Mn) | mg/L | 2.0 | BDL | BDL | BDL |
| 40. | Iron (as Fe) | mg/L | 3.0 | BDL | BDL | BDL |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL | BDL | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | ND | ND |
| 43. | Boron (as B) | mg/L | | BDL | BDL | 0.288 |

| Location | | | | Nallah Adjacent to Grace Industries | MIDC WTP (Tank) | BILT RCC Pipe Outlet |
|------------------|-----------------------|------------|--|-------------------------------------|-----------------|----------------------|
| Date of Sampling | | | | 03.01.2019 | 03.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 44. | Bioassay Test on fish | % survival | 90% survival of fish after 96 hours in 100% effluent | 100% | 100% | 100% |

Table No. V

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|--|-------|------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 4 | 1 | 8 |
| 2. | Smell | - | Agreeable | Disagreeable | Agreeable | Disagreeable |
| 3. | pH | - | 5.5 -9.0 | 7.0 | 8.0 | 7.4 |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 28 | 10 | 22 |
| 6. | Dissolved Oxygen (% Saturation) | % | | 2.0 | 7.2 | 2.0 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 132 | 12 | 84 |
| 8. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 30.0 | 40 | 4.0 | 24.8 |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|---|------------------|---------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 9. | Electrical Conductivity (at 25°C) | µmhos/cm | | 1677 | 459 | 1500 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.023 | 0.030 | ND |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 0.101 | 0.601 | 2.09 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | | 0.124 | 0.631 | 2.09 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | BDL | BDL | BDL |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | BDL | BDL |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND | ND | BDL |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.283 | 0.665 | 0.744 |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL | BDL | BDL |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 0.356 | 0.063 | 0.239 |
| 19. | Sodium Absorption Ratio | | | 2.09 | 1.96 | 3.58 |
| 20. | Total Coliforms | MPN index/100 mL | 100.0 | 7.8 | 12 | 33 |
| 21. | Faecal Coliforms | MPN index/100 mL | 1000.0 | BDL | 4.5 | 21 |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|--|------|--------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 22. | Total Phosphate (as P) | mg/L | | 0.588 | 0.081 | 0.525 |
| 23. | Total Kjeldahl Nitrogen | mg/L | 100.0 | 0.448 | 0.504 | 2.97 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 50 | 0.48 | 0.161 | 1.139 |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 1.0 | ND | ND | 0.001 |
| 26. | Surface Active Agents (as MBAS) | mg/L | | ND | ND | 0.738 |
| 27. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Chlorpyriphos | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | | BDL | BDL | BDL |
| IX. | Delta HCH | µg/L | 0.2 | BDL | BDL | BDL |
| X. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| XI. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XII. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|--|------|-------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| XIII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIV. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XVI. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVII. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVIII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XIX. | Y HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | BDL |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | BDL | BDL | BDL |
| 31. | Nickel (as Ni) | mg/L | 3.0 | BDL | BDL | BDL |
| 32. | Copper (as Cu) | mg/L | 3.0 | BDL | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | BDL | ND | 0.041 |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | BDL | BDL | BDL |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | BDL | BDL | BDL |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|-----------------------|------------|--|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | 0.0007 | BDL | 0.0009 |
| 39. | Manganese (as Mn) | mg/L | 2.0 | BDL | BDL | BDL |
| 40. | Iron (as Fe) | mg/L | 3.0 | BDL | BDL | BDL |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL | BDL | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | ND | BDL |
| 43. | Boron (as B) | mg/L | | 0.193 | 0.214 | 0.321 |
| 44. | Bioassay Test on fish | % survival | 90% survival of fish after 96 hours in 100% effluent | 100% | 100% | 100% |

Table No. VI

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|------------|-------|------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 4 | 1 | 8 |
| 2. | Smell | - | Agreeable | Disagreeable | Agreeable | Disagreeable |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|---|----------|-----------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 3. | pH | - | 5.5 -9.0 | 7.0 | 8.0 | 7.4 |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 28 | 10 | 22 |
| 6. | Dissolved Oxygen (% Saturation) | % | | 2.0 | 7.2 | 2.0 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 132 | 12 | 84 |
| 8. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 30.0 | 40 | 4.0 | 24.8 |
| 9. | Electrical Conductivity (at 25°C) | µmhos/cm | | 1677 | 459 | 1500 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.023 | 0.030 | ND |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 0.101 | 0.601 | 2.09 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | | 0.124 | 0.631 | 2.09 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | BDL | BDL | BDL |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | BDL | BDL |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND | ND | BDL |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.283 | 0.665 | 0.744 |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|--|-------------------|------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL | BDL | BDL |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 0.356 | 0.063 | 0.239 |
| 19. | Sodium Absorption Ratio | | | 2.09 | 1.96 | 3.58 |
| 20. | Total Coliforms | MPN index/ 100 mL | 100.0 | 7.8 | 12 | 33 |
| 21. | Faecal Coliforms | MPN index/ 100 mL | 1000.0 | BDL | 4.5 | 21 |
| 22. | Total Phosphate (as P) | mg/L | | 0.588 | 0.081 | 0.525 |
| 23. | Total Kjeldahl Nitrogen | mg/L | 100.0 | 0.448 | 0.504 | 2.97 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 50 | 0.48 | 0.161 | 1.139 |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 1.0 | ND | ND | 0.001 |
| 26. | Surface Active Agents (as MBAS) | mg/L | | ND | ND | 0.738 |
| 27. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|--|------|--------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Chlorpyrifos | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | | BDL | BDL | BDL |
| IX. | Delta HCH | µg/L | 0.2 | BDL | BDL | BDL |
| X. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| XI. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XII. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |
| XIII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIV. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XVI. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVII. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVIII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XIX. | γ HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | BDL |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|--|------|------------|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | BDL | BDL | BDL |
| 31. | Nickel (as Ni) | mg/L | 3.0 | BDL | BDL | BDL |
| 32. | Copper (as Cu) | mg/L | 3.0 | BDL | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | BDL | ND | 0.041 |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | BDL | BDL | BDL |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | BDL | BDL | BDL |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | 0.0007 | BDL | 0.0009 |
| 39. | Manganese (as Mn) | mg/L | 2.0 | BDL | BDL | BDL |
| 40. | Iron (as Fe) | mg/L | 3.0 | BDL | BDL | BDL |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL | BDL | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | ND | BDL |
| 43. | Boron (as B) | mg/L | | 0.193 | 0.214 | 0.321 |

| Location | | | | Bhagirathi Nallah Bridge | Wardha River | Nallah Near MSW Municipal Corporation |
|------------------|-----------------------|------------|---|--------------------------|--------------|---------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 44. | Bioassay Test on fish | % survival | 90% survival of fish after 96 hours in 100% effluent | 100% | 100% | 100% |

Table No. VII

| Location | | | | Wardha River, Rajura Bridge | Nallah Near MSW Municipal Corporation, Near Railway Line | Ballarpur Open Cast Mine Discharge |
|------------------|---------------------------------|-------|-----------------|-----------------------------|--|------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | 12 | BDL | 4 |
| 2. | Smell | - | | Disagreeable | Agreeable | Disagreeable |
| 3. | pH | - | 5.5 -9.0 | 7.3 | 7.1 | 7.3 |
| 4. | Oil & Grease | mg/L | 10.0 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 19 | 28 | 15 |
| 6. | Dissolved Oxygen (% Saturation) | % | | 65 | 47 | 83 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 20 | 60 | 16 |

| Location | | | | Wardha River, Rajura Bridge | Nallah Near MSW Municipal Corporation, Near Railway Line | Ballarpur Open Cast Mine Discharge |
|------------------|---|---------|-------------|-----------------------------|--|------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 8. | Biochemical Oxygen Demand (3 days, 27° C) | mg/L | 30.0 | 5.3 | 17.0 | 4.8 |
| 9. | Electrical Conductivity (at 25° C) | µmho/cm | | 783 | 2788 | 1573 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.082 | 0.18 | 0.471 |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 0.226 | 0.956 | 0.42 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 5.0 | 0.307 | 1.140 | 0.89 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | BDL | 0.878 | 0.378 |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL | BDL | BDL |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND | ND | ND |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.79 | 0.840 | 0.66 |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | 0.009 | BDL | 0.009 |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 0.092 | 0.330 | 0.074 |
| 19. | Sodium Absorption Ratio | mg/L | | 1.81 | 2.23 | 1.52 |

| Location | | | | Wardha River, Rajjura Bridge | Nallah Near MSW Municipal Corporation, Near Railway Line | Ballarpur Open Cast Mine Discharge |
|------------------|--|-------------------|---------------|------------------------------|--|------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 20. | Total Coliforms | MPN index/ 100 ml | 100.0 | 350 | 1600 | 14 |
| 21. | Faecal Coliforms | MPN index/ 100 ml | 1000.0 | 240 | 540 | 9.3 |
| 22. | Total Phosphorous (as P) | mg/L | 1.0 | 0.096 | 0.39 | 0.078 |
| 23. | Total Kjeldahl Nitrogen (as TKN) | mg/L | 100.0 | 0.28 | 6.050 | 2.46 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 5.0 | 0.111 | 3.25 | 1.34 |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 3.0 | ND | ND | BDL |
| 26. | Surface Active Agents (as MBAS) | mg/L | 3.0 | BDL | 1.04 | BDL |
| 27. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 2.0 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |

| Location | | | | Wardha River, Rajjura Bridge | Nallah Near MSW Municipal Corporation, Near Railway Line | Ballarpur Open Cast Mine Discharge |
|------------------|--|------|------------|------------------------------|--|------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| VI. | Beta HCH | µg/L | 2.0 | BDL | BDL | BDL |
| VII. | Delta HCH | µg/L | 3.0 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | 0.2 | BDL | BDL | BDL |
| IX. | p,p DDT | µg/L | 0.05 | BDL | BDL | BDL |
| X. | o,p DDT | µg/L | 100.0 | BDL | BDL | BDL |
| XI. | p,p DDE | µg/L | 250.0 | BDL | BDL | BDL |
| XII. | o,p DDE | µg/L | 30.0 | BDL | BDL | BDL |
| XIII. | p,p DDD | µg/L | | BDL | BDL | BDL |
| XIV. | o,p DDD | µg/L | | BDL | BDL | BDL |
| XV. | Alpha Endosulfan | µg/L | 10.0 | BDL | BDL | BDL |
| XVI. | Beta Endosulfan | µg/L | | BDL | BDL | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 5.0 | BDL | BDL | BDL |
| XVIII. | γ HCH (Lindane) | µg/L | 1.0 | BDL | BDL | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL | BDL | BDL |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL | BDL | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | 0.053 | BDL | BDL |
| 31. | Nickel (as Ni) | mg/L | 3.0 | 0.015 | 0.021 | 0.024 |

| Location | | | | Wardha River, Rajura Bridge | Nallah Near MSW Municipal Corporation, Near Railway Line | Ballarpur Open Cast Mine Discharge |
|------------------|--|------------|--|-----------------------------|--|------------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 32. | Copper (as Cu) | mg/L | | BDL | BDL | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | 0.037 | 0.042 | 0.020 |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | 0.067 | 0.11 | 0.104 |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | ND | BDL | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | 0.057 | 0.087 | 0.092 |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL | BDL | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | ND | ND | ND |
| 39. | Manganese (as Mn) | mg/L | 2.0 | 0.043 | 0.263 | 0.247 |
| 40. | Iron (as Fe) | mg/L | 3.0 | 0.299 | 0.302 | 0.305 |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL | 0.021 | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND | ND | 0.012 |
| 43. | Boron (as B) | mg/L | | 0.387 | 0.333 | BDL |
| 44. | Bioassay Test on fish | % survival | 90% survival after 96h in 100% effluent | 100% | 100% | 100% |

Table No. VIII



| Location | | | | Nallah of Municipal Council Ballarpur, Besides HP Petrol Pump |
|-------------------------|---|-------------|-------------------|--|
| Date of Sampling | | | | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results |
| 1. | Colour | Hazen | | 4 |
| 2. | Smell | - | | Disagreeable |
| 3. | pH | - | 5.5 -9.0 | 7.3 |
| 4. | Oil & Grease | mg/L | 10.0 | ND |
| 5. | Suspended Solids | mg/L | 100.0 | 82 |
| 6. | Dissolved Oxygen (% Saturation) | % | | 55.0 |
| 7. | Chemical Oxygen Demand | mg/L | 250.0 | 64 |
| 8. | Biochemical Oxygen Demand (3 days,27° C) | mg/L | 30.0 | 18 |
| 9. | Electrical Conductivity (at 25° C) | µmho/cm | | 814 |
| 10. | Nitrite Nitrogen (as NO ₂) | mg/L | | BDL |
| 11. | Nitrate Nitrogen (as NO ₃) | mg/L | 10.0 | 0.77 |
| 12. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 5.0 | 0.77 |
| 13. | Free Ammonia (as NH ₃ -N) | mg/L | 5.0 | 1.26 |
| 14. | Total Residual Chlorine | mg/L | 1.0 | BDL |
| 15. | Cyanide (as CN) | mg/L | 0.2 | ND |
| 16. | Fluoride (as F) | mg/L | 2.0 | 0.475 |



| Location | | | | Nallah of Municipal Council Ballarpur, Besides HP Petrol Pump |
|------------------|--|-------------------|-------------------|--|
| Date of Sampling | | | | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results |
| 17. | Sulphide (as S ²⁻) | mg/L | 2.0 | BDL |
| 18. | Dissolved Phosphate (as P) | mg/L | 5.0 | 1.11 |
| 19. | Sodium Absorption Ratio | mg/L | | 2.62 |
| 20. | Total Coliforms | MPN index/ 100 ml | 100.0 | >1600 |
| 21. | Faecal Coliforms | MPN index/ 100 ml | 1000.0 | >1600 |
| 22. | Total Phosphorous (as P) | mg/L | 1.0 | 1.22 |
| 23. | Total Kjeldahl Nitrogen (as TKN) | mg/L | 100.0 | 4.2 |
| 24. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 5.0 | 2.97 |
| 25. | Phenols (as C ₆ H ₅ OH) | mg/L | 3.0 | 0.022 |
| 26. | Surface Active Agents (as MBAS) | mg/L | 3.0 | 1.2 |
| 27. | Organo Chlorine Pesticides | | | |
| I. | Alachlor | µg/L | 2.0 | BDL |
| II. | Atrazine | µg/L | 0.2 | BDL |
| III. | Aldrin | µg/L | 0.1 | BDL |
| IV. | Dieldrin | µg/L | 2.0 | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL |



| Location | | | | Nallah of Municipal Council Ballarpur, Besides HP Petrol Pump |
|------------------|--|-------------|-------------------|--|
| Date of Sampling | | | | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results |
| VI. | Beta HCH | µg/L | 2.0 | BDL |
| VII. | Delta HCH | µg/L | 3.0 | BDL |
| VIII. | Butachlor | µg/L | 0.2 | BDL |
| IX. | p,p DDT | µg/L | 0.05 | BDL |
| X. | o,p DDT | µg/L | 100.0 | BDL |
| XI. | p,p DDE | µg/L | 250.0 | BDL |
| XII. | o,p DDE | µg/L | 30.0 | BDL |
| XIII. | p,p DDD | µg/L | | BDL |
| XIV. | o,p DDD | µg/L | | BDL |
| XV. | Alpha Endosulfan | µg/L | 10.0 | BDL |
| XVI. | Beta Endosulfan | µg/L | | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 5.0 | BDL |
| XVIII. | γ HCH (Lindane) | µg/L | 1.0 | BDL |
| 28. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.2 | BDL |
| 29. | Polychlorinated Biphenyls (PCB) | mg/L | 2.0 | BDL |
| 30. | Zinc (as Zn) | mg/L | 5.0 | BDL |
| 31. | Nickel (as Ni) | mg/L | 3.0 | 0.027 |
| 32. | Copper (as Cu) | mg/L | | BDL |
| 33. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 0.1 | BDL |



| Location | | | | Nallah of Municipal Council Ballarpur, Besides HP Petrol Pump |
|------------------|------------------------|-------------|--|--|
| Date of Sampling | | | | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results |
| 34. | Total Chromium (as Cr) | mg/L | 2.0 | 0.107 |
| 35. | Total Arsenic (as As) | mg/L | 0.2 | BDL |
| 36. | Lead (as Pb) | mg/L | 0.1 | 0.088 |
| 37. | Cadmium (as Cd) | mg/L | 2.0 | BDL |
| 38. | Mercury (as Hg) | mg/L | 0.01 | ND |
| 39. | Manganese (as Mn) | mg/L | 2.0 | 0.064 |
| 40. | Iron (as Fe) | mg/L | 3.0 | 0.403 |
| 41. | Vanadium (as V) | mg/L | 0.2 | BDL |
| 42. | Selenium (as Se) | mg/L | 0.05 | ND |
| 43. | Boron (as B) | mg/L | | 0.233 |
| 44. | Bioassay Test on fish | % survival | 90% survival after 96h in 100% effluent | 100% |



Graphs: Water/Waste Water Quality Monitoring for Chandrapur:























3.4 Ground Water Quality:

| Sr. | Location | MIDC | Table No. |
|-----|--|------------|------------|
| 1. | Dug well of Tadali Village Near Primary School | Tadali | I |
| 2. | Bore well of Yerur Village | Tadali | I |
| 3. | Dug well near Tadali Lake & Janata School | Tadali | I |
| 4. | Dug well of Yerur Village | Tadali | II |
| 5. | Dug well Water Gagangiri Village | Chandrapur | II |
| 6. | Bore well Water from Mhada Colony | Chandrapur | II |
| 7. | Bore well Water from Datala Gram Panchayat | Chandrapur | III |
| 8. | Bore well water taken of Tukdoji Nagar Ghugus Village | Ghugus | III |
| 9. | Bore well Water taken from Nakoda Village | Ghugus | III |
| 10. | Dug well water from Usgaon Village | Ghugus | IV |
| 11. | Bore well Water taken from Bangali Camp, Near Durga Mandir Wani Road | Ghugus | IV |
| 12. | Bore well water at Gramin Rugnalaya Ballarpur | Ballarpur | IV |
| 13. | Bore well Water at Nagar Parishad Near New Fire Station Ballarpur | Ballarpur | V |
| 14. | Bore well Water at Visapur Village | Ballarpur | V |

Table No. I

| Location | | | | Dug well of Tadali Village Near Primary School | Bore well of Yerur Village | Dug well near Tadali Lake & Janata School |
|------------------|------------|-------|------------------|--|----------------------------|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | BDL | BDL | BDL |
| 2. | Smell | - | Agreeable | Agreeable | Agreeable | Agreeable |

| Location | | | | Dug well of Tadali Village Near Primary School | Bore well of Yerur Village | Dug well near Tadali Lake & Janata School |
|------------------|---|---------|-------------------|--|----------------------------|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 3. | pH | - | 6.5-8.5 | 6.9 | 6.9 | 7.7 |
| 4. | Oil & Grease | mg/L | 100 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 500 | BDL | BDL | 7 |
| 6. | Chemical Oxygen Demand | mg/L | 10 (WHO, 1993) | 16 | 12 | 20 |
| 7. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 6 (WHO, 1993) | 4.8 | 3.2 | 4.9 |
| 8. | Electrical Conductivity (at 25°C) | µmho/cm | 750 | 1462 | 1432 | 711 |
| 9. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.023 | 0.064 | BDL |
| 10. | Nitrate Nitrogen (as NO ₃) | mg/L | 1.0 | 7.04 | 7.66 | 0.378 |
| 11. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 45 | 7.06 | 7.72 | 0.382 |
| 12. | Free Ammonia (as NH ₃ -N) | mg/L | 0.5 | BDL | BDL | BDL |
| 13. | Total Residual Chlorine | mg/L | 0.2 | ND | BDL | BDL |
| 14. | Cyanide (as CN) | mg/L | 1.5 | ND | ND | ND |
| 15. | Fluoride (as F) | mg/L | 1 | 0.759 | 0.691 | 0.469 |

| Location | | | | Dug well of Tadali Village Near Primary School | Bore well of Yerur Village | Dug well near Tadali Lake & Janata School |
|------------------|--|-------------------|--------------|--|----------------------------|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 16. | Sulphide (as S ²⁻) | mg/L | 0.05 | ND | ND | ND |
| 17. | Dissolved Phosphate (as P) | mg/L | | 0.096 | 0.082 | 0.096 |
| 18. | Sodium Absorption Ratio | mg/L | | ND | 3.11 | BDL |
| 19. | Total Coliforms | MPN index/ 100 ml | ND | 23 | 23 | 5.1 |
| 20. | Faecal Coliforms | MPN index/ 100 ml | ND | 3.6 | 3.6 | 3.6 |
| 21. | Total Phosphorous (as P) | mg/L | 0.5 | 0.121 | 0.103 | 0.121 |
| 22. | Total Kjeldahl Nitrogen | mg/L | 0.001 | 0.112 | 0.168 | 0.112 |
| 23. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 0.5 | BDL | BDL | BDL |
| 24. | Phenols (as C ₆ H ₅ OH) | mg/L | 0.001 | ND | ND | ND |
| 25. | Surface Active Agents (as MBAS) | mg/L | 0.02 | ND | ND | ND |
| 26. | Organo Chlorine Pesticides | | 0.05 | | | |
| I. | Alachlor | µg/L | 20 | BDL | BDL | BDL |

| Location | | | | Dug well of Tadali Village Near Primary School | Bore well of Yerur Village | Dug well near Tadali Lake & Janata School |
|------------------|--|------|---------------|--|----------------------------|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| II. | Atrazine | µg/L | 2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.03 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 0.03 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 0.04 | BDL | BDL | BDL |
| VII. | Delta HCH | µg/L | 125 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | 0.04 | BDL | BDL | BDL |
| IX. | p,p DDT | µg/L | 1 | BDL | BDL | BDL |
| X. | o,p DDT | µg/L | 1 | BDL | BDL | BDL |
| XI. | p,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XII. | o,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XIII. | p,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XIV. | o,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XV. | Alpha Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVI. | Beta Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 0.4 | BDL | BDL | BDL |
| XVIII. | Y HCH (Lindane) | µg/L | 2.0 | BDL | BDL | BDL |
| 27. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.0001 | BDL | BDL | BDL |

| Location | | | | Dug well of Tadali Village Near Primary School | Bore well of Yerur Village | Dug well near Tadali Lake & Janata School |
|------------------|--|------|---------------|--|----------------------------|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 28. | Polychlorinated Biphenyls (PCB) | mg/L | 0.0005 | BDL | BDL | BDL |
| 29. | Zinc (as Zn) | mg/L | 5.0 | 0.072 | 0.478 | BDL |
| 30. | Nickel (as Ni) | mg/L | 0.02 | 0.023 | BDL | BDL |
| 31. | Copper (as Cu) | mg/L | 0.05 | BDL | BDL | BDL |
| 32. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 1 | ND | ND | ND |
| 33. | Total Chromium (as Cr) | mg/L | 0.05 | ND | 0.106 | 0.095 |
| 34. | Total Arsenic (as As) | mg/L | 0.01 | BDL | ND | ND |
| 35. | Lead (as Pb) | mg/L | 0.01 | 0.104 | 0.094 | 0.089 |
| 36. | Cadmium (as Cd) | mg/L | 0.003 | BDL | BDL | BDL |
| 37. | Mercury (as Hg) | mg/L | 0.001 | 0.104 | 0.094 | 0.089 |
| 38. | Manganese (as Mn) | mg/L | 0.1 | 0.034 | 0.034 | 0.902 |
| 39. | Iron (as Fe) | mg/L | 0.3 | 0.472 | 0.409 | 0.247 |
| 40. | Vanadium (as V) | mg/L | | BDL | BDL | BDL |
| 41. | Selenium (as Se) | mg/L | 0.01 | BDL | BDL | BDL |
| 42. | Boron (as B) | mg/L | | 0.102 | BDL | BDL |

Table No. II

| Location | | | | Dug well of Yerur Village | Dug well Water Gagangiri Village | Bore well Water from Mhada Colony |
|------------------|---|---------|-----------------------|---------------------------|----------------------------------|-----------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | BDL | BDL | BDL |
| 2. | Smell | - | Agreeable | Agreeable | Agreeable | Agreeable |
| 3. | pH | - | 6.5-8.5 | 7.7 | 7.2 | 7.7 |
| 4. | Oil & Grease | mg/L | 100 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 500 | BDL | BDL | BDL |
| 6. | Chemical Oxygen Demand | mg/L | 10 (WHO, 1993) | 24 | 8 | 16 |
| 7. | Biochemical Oxygen Demand (3 days,27°C) | mg/L | 6 (WHO, 1993) | 6.4 | 1.8 | 4.8 |
| 8. | Electrical Conductivity (at 25°C) | µmho/cm | 750 | 1124 | 1006 | 1886 |
| 9. | Nitrite Nitrogen (as NO ₂) | mg/L | | 0.094 | BDL | 0.18 |
| 10. | Nitrate Nitrogen (as NO ₃) | mg/L | 1.0 | 4.56 | 4.060 | BDL |
| 11. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 45 | 4.65 | 4.070 | BDL |
| 12. | Free Ammonia (as NH ₃ -N) | mg/L | 0.5 | BDL | BDL | ND |
| 13. | Total Residual Chlorine | mg/L | 0.2 | BDL | 0.05 | BDL |

| Location | | | | Dug well of Yerur Village | Dug well Water Gagangiri Village | Bore well Water from Mhada Colony |
|------------------|--|-------------------|--------------|---------------------------|----------------------------------|-----------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 14. | Cyanide (as CN) | mg/L | 1.5 | ND | ND | ND |
| 15. | Fluoride (as F) | mg/L | 1 | 0.611 | 0.839 | 1.20 |
| 16. | Sulphide (as S ²⁻) | mg/L | 0.05 | ND | ND | ND |
| 17. | Dissolved Phosphate (as P) | mg/L | | 0.117 | 0.074 | 0.043 |
| 18. | Sodium Absorption Ratio | mg/L | | 4.70 | 1.84 | 13.8 |
| 19. | Total Coliforms | MPN index/ 100 ml | ND | 23 | 23 | 23 |
| 20. | Faecal Coliforms | MPN index/ 100 ml | ND | 16 | 5.1 | 1.1 |
| 21. | Total Phosphorous (as P) | mg/L | 0.5 | 0.156 | 0.099 | 0.064 |
| 22. | Total Kjeldahl Nitrogen | mg/L | 0.001 | 0.168 | 0.112 | 0.112 |
| 23. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 0.5 | BDL | BDL | BDL |
| 24. | Phenols (as C ₆ H ₅ OH) | mg/L | 0.001 | ND | ND | ND |
| 25. | Surface Active Agents (as MBAS) | mg/L | 0.02 | ND | ND | ND |

| Location | | | | Dug well of Yerur Village | Dug well Water Gagangiri Village | Bore well Water from Mhada Colony |
|------------------|----------------------------|------|-------------|---------------------------|----------------------------------|-----------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 26. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 20 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.03 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 0.03 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 0.04 | BDL | BDL | BDL |
| VII. | Delta HCH | µg/L | 125 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | 0.04 | BDL | BDL | BDL |
| IX. | p,p DDT | µg/L | 1 | BDL | BDL | BDL |
| X. | o,p DDT | µg/L | 1 | BDL | BDL | BDL |
| XI. | p,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XII. | o,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XIII. | p,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XIV. | o,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XV. | Alpha Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVI. | Beta Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 0.4 | BDL | BDL | BDL |
| XVIII. | Y HCH (Lindane) | µg/L | 2.0 | BDL | BDL | BDL |

| Location | | | | Dug well of Yerur Village | Dug well Water Gagangiri Village | Bore well Water from Mhada Colony |
|------------------|--|------|---------------|---------------------------|----------------------------------|-----------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 27. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.0001 | BDL | BDL | BDL |
| 28. | Polychlorinated Biphenyls (PCB) | mg/L | 0.0005 | BDL | BDL | BDL |
| 29. | Zinc (as Zn) | mg/L | 5.0 | 0.054 | BDL | BDL |
| 30. | Nickel (as Ni) | mg/L | 0.02 | BDL | 0.019 | BDL |
| 31. | Copper (as Cu) | mg/L | 0.05 | BDL | BDL | BDL |
| 32. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 1 | ND | ND | ND |
| 33. | Total Chromium (as Cr) | mg/L | 0.05 | 0.103 | 0.099 | 0.096 |
| 34. | Total Arsenic (as As) | mg/L | 0.01 | BDL | ND | BDL |
| 35. | Lead (as Pb) | mg/L | 0.01 | 0.09 | BDL | BDL |
| 36. | Cadmium (as Cd) | mg/L | 0.003 | BDL | BDL | BDL |
| 37. | Mercury (as Hg) | mg/L | 0.001 | ND | ND | ND |
| 38. | Manganese (as Mn) | mg/L | 0.1 | BDL | BDL | BDL |
| 39. | Iron (as Fe) | mg/L | 0.3 | 0.267 | 0.169 | 0.246 |
| 40. | Vanadium (as V) | mg/L | | BDL | BDL | BDL |

| Location | | | | Dug well of Yerur Village | Dug well Water Gagangiri Village | Bore well Water from Mhada Colony |
|------------------|------------------|------|------------|---------------------------|----------------------------------|-----------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 41. | Selenium (as Se) | mg/L | 0.01 | ND | BDL | ND |
| 42. | Boron (as B) | mg/L | | 0.217 | BDL | BDL |

Table No. III

| Location | | | | Bore well Water from Datala Gram Panchayat | Bore well water taken of Tukdoji Nagar | Bore well Water taken from Nakoda Village |
|------------------|--|-------|----------------|--|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | BDL | BDL | BDL |
| 2. | Smell | - | Agreeable | Agreeable | Agreeable | Agreeable |
| 3. | pH | - | 6.5-8.5 | 7.3 | 7.2 | 6.9 |
| 4. | Oil & Grease | mg/L | 100 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 500 | BDL | BDL | 9 |
| 6. | Chemical Oxygen Demand | mg/L | 10 (WHO, 1993) | 8 | 8 | 4 |
| 7. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 6 (WHO, 1993) | 1.9 | 2.0 | BDL |

| Location | | | | Bore well Water from Datala Gram Panchayat | Bore well water taken of Tukdoji Nagar | Bore well Water taken from Nakoda Village |
|------------------|---|-------------------|-------------|--|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 8. | Electrical Conductivity (at 25°C) | µmho/cm | 750 | 1036 | 1661 | 658 |
| 9. | Nitrite Nitrogen (as NO ₂) | mg/L | | BDL | 0.146 | BDL |
| 10. | Nitrate Nitrogen (as NO ₃) | mg/L | 1.0 | 4.74 | 4.16 | BDL |
| 11. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 45 | 4.48 | 4.31 | BDL |
| 12. | Free Ammonia (as NH ₃ -N) | mg/L | 0.5 | BDL | BDL | BDL |
| 13. | Total Residual Chlorine | mg/L | 0.2 | BDL | BDL | BDL |
| 14. | Cyanide (as CN) | mg/L | 1.5 | ND | ND | ND |
| 15. | Fluoride (as F) | mg/L | 1 | 1.23 | 1.01 | 0.864 |
| 16. | Sulphide (as S ²⁻) | mg/L | 0.05 | ND | BDL | BDL |
| 17. | Dissolved Phosphate (as P) | mg/L | | BDL | 0.042 | 0.039 |
| 18. | Sodium Absorption Ratio | mg/L | | 3.13 | 6.66 | 1.11 |
| 19. | Total Coliforms | MPN index/ 100 ml | ND | BDL | BDL | BDL |

| Location | | | | Bore well Water from Datala Gram Panchayat | Bore well water taken of Tukdoji Nagar | Bore well Water taken from Nakoda Village |
|------------------|---|-------------------|--------------|--|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 20. | Faecal Coliforms | MPN index/ 100 ml | ND | BDL | BDL | BDL |
| 21. | Total Phosphorous (as P) | mg/L | 0.5 | 0.074 | 0.046 | 0.046 |
| 22. | Total Kjeldahl Nitrogen | mg/L | 0.001 | 0.168 | 0.168 | 0.168 |
| 23. | Total Ammonia (NH ₄ +NH ₃)- Nitrogen | mg/L | 0.5 | BDL | BDL | BDL |
| 24. | Phenols (as C ₆ H ₅ OH) | mg/L | 0.001 | ND | ND | ND |
| 25. | Surface Active Agents (as MBAS) | mg/L | 0.02 | ND | ND | ND |
| 26. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 20 | BDL | BDL | BDL |
| II. | Atrazine | µg/L | 2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.03 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 0.03 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 0.04 | BDL | BDL | BDL |
| VII. | Delta HCH | µg/L | 125 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | 0.04 | BDL | BDL | BDL |

| Location | | | | Bore well Water from Datala Gram Panchayat | Bore well water taken of Tukdoji Nagar | Bore well Water taken from Nakoda Village |
|------------------|--|------|---------------|--|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| IX. | p,p DDT | µg/L | 1 | BDL | BDL | BDL |
| X. | o,p DDT | µg/L | 1 | BDL | BDL | BDL |
| XI. | p,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XII. | o,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XIII. | p,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XIV. | o,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XV. | Alpha Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVI. | Beta Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 0.4 | BDL | BDL | BDL |
| XVIII. | Y HCH (Lindane) | µg/L | 2.0 | BDL | BDL | BDL |
| 27. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.0001 | BDL | BDL | BDL |
| 28. | Polychlorinated Biphenyls (PCB) | mg/L | 0.0005 | BDL | BDL | BDL |
| 29. | Zinc (as Zn) | mg/L | 5.0 | 0.056 | 1.5 | 0.346 |
| 30. | Nickel (as Ni) | mg/L | 0.02 | 0.023 | 0.052 | 0.023 |
| 31. | Copper (as Cu) | mg/L | 0.05 | BDL | BDL | BDL |
| 32. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 1 | ND | ND | ND |

| Location | | | | Bore well Water from Datala Gram Panchayat | Bore well water taken of Tukdoji Nagar | Bore well Water taken from Nakoda Village |
|------------------|------------------------|------|------------|--|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 33. | Total Chromium (as Cr) | mg/L | 0.05 | 0.117 | 0.105 | 0.115 |
| 34. | Total Arsenic (as As) | mg/L | 0.01 | ND | BDL | ND |
| 35. | Lead (as Pb) | mg/L | 0.01 | 0.102 | 0.096 | 0.097 |
| 36. | Cadmium (as Cd) | mg/L | 0.003 | BDL | BDL | BDL |
| 37. | Mercury (as Hg) | mg/L | 0.001 | ND | ND | ND |
| 38. | Manganese (as Mn) | mg/L | 0.1 | 0.026 | 0.036 | 0.049 |
| 39. | Iron (as Fe) | mg/L | 0.3 | 0.649 | 0.333 | 2.54 |
| 40. | Vanadium (as V) | mg/L | | BDL | BDL | BDL |
| 41. | Selenium (as Se) | mg/L | 0.01 | ND | ND | ND |
| 42. | Boron (as B) | mg/L | | 0.131 | BDL | 0.354 |

Table No. IV

| Location | | | | Dug well water from Usgaon Village | Borewell Water taken from Bangali Camp | Bore well water at Gramin Rugnalaya Ballarpur |
|------------------|------------|-------|------------|------------------------------------|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 1. | Colour | Hazen | | BDL | BDL | BDL |

| Location | | | | Dug well water from Usgaon Village | Borewell Water taken from Bangali Camp | Bore well water at Gramin Rugnalaya Ballarpur |
|------------------|---|---------|----------------|------------------------------------|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 2. | Smell | - | Agreeable | Agreeable | Agreeable | Agreeable |
| 3. | pH | - | 6.5-8.5 | 8 | 6.2 | 6.8 |
| 4. | Oil & Grease | mg/L | 100 | ND | ND | ND |
| 5. | Suspended Solids | mg/L | 500 | 6 | 10 | BDL |
| 6. | Chemical Oxygen Demand | mg/L | 10 (WHO, 1993) | 12 | 4 | 4 |
| 7. | Biochemical Oxygen Demand (3 days, 27°C) | mg/L | 6 (WHO, 1993) | 3.2 | BDL | BDL |
| 8. | Electrical Conductivity (at 25°C) | µmho/cm | 750 | 589 | 729 | 620 |
| 9. | Nitrite Nitrogen (as NO ₂) | mg/L | | BDL | 0.168 | BDL |
| 10. | Nitrate Nitrogen (as NO ₃) | mg/L | 1.0 | 1.9 | 0.744 | 5.90 |
| 11. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 45 | 1.9 | 0.912 | 5.91 |
| 12. | Free Ammonia (as NH ₃ -N) | mg/L | 0.5 | BDL | BDL | BDL |
| 13. | Total Residual Chlorine | mg/L | 0.2 | 0.06 | BDL | BDL |
| 14. | Cyanide (as CN) | mg/L | 1.5 | ND | ND | ND |
| 15. | Fluoride (as F) | mg/L | 1 | 0.537 | 0.475 | 0.66 |

| Location | | | | Dug well water from Usgaon Village | Borewell Water taken from Bangali Camp | Bore well water at Gramin Rugnalaya Ballarpur |
|------------------|--|-------------------|--------------|------------------------------------|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 16. | Sulphide (as S ²⁻) | mg/L | 0.05 | BDL | BDL | ND |
| 17. | Dissolved Phosphate (as P) | mg/L | | 0.06 | <0.03 | 0.039 |
| 18. | Sodium Absorption Ratio | mg/L | | 1.59 | 1.14 | 1.496 |
| 19. | Total Coliforms | MPN index/ 100 ml | ND | 23 | BDL | 12 |
| 20. | Faecal Coliforms | MPN index/ 100 ml | ND | 9.2 | BDL | 3.6 |
| 21. | Total Phosphorous (as P) | mg/L | 0.5 | 0.067 | 0.036 | 0.050 |
| 22. | Total Kjeldahl Nitrogen | mg/L | 0.001 | 0.224 | 0.224 | 0.168 |
| 23. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 0.5 | BDL | BDL | BDL |
| 24. | Phenols (as C ₆ H ₅ OH) | mg/L | 0.001 | ND | ND | ND |
| 25. | Surface Active Agents (as MBAS) | mg/L | 0.02 | ND | ND | ND |
| 26. | Organo Chlorine Pesticides | | | | | |
| I. | Alachlor | µg/L | 20 | BDL | BDL | BDL |

| Location | | | | Dug well water from Usgaon Village | Borewell Water taken from Bangali Camp | Bore well water at Gramin Rugnalaya Ballarpur |
|------------------|--|------|---------------|------------------------------------|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| II. | Atrazine | µg/L | 2 | BDL | BDL | BDL |
| III. | Aldrin | µg/L | 0.03 | BDL | BDL | BDL |
| IV. | Dieldrin | µg/L | 0.03 | BDL | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL | BDL |
| VI. | Beta HCH | µg/L | 0.04 | BDL | BDL | BDL |
| VII. | Delta HCH | µg/L | 125 | BDL | BDL | BDL |
| VIII. | Butachlor | µg/L | 0.04 | BDL | BDL | BDL |
| IX. | p,p DDT | µg/L | 1 | BDL | BDL | BDL |
| X. | o,p DDT | µg/L | 1 | BDL | BDL | BDL |
| XI. | p,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XII. | o,p DDE | µg/L | 1 | BDL | BDL | BDL |
| XIII. | p,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XIV. | o,p DDD | µg/L | 1 | BDL | BDL | BDL |
| XV. | Alpha Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVI. | Beta Endosulfan | µg/L | 0.4 | BDL | BDL | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 0.4 | BDL | BDL | BDL |
| XVIII. | Y HCH (Lindane) | µg/L | 2.0 | BDL | BDL | BDL |
| 27. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.0001 | BDL | BDL | BDL |

| Location | | | | Dug well water from Usgaon Village | Borewell Water taken from Bangali Camp | Bore well water at Gramin Rugnalaya Ballarpur |
|------------------|--|------|---------------|------------------------------------|--|---|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | | |
| 28. | Polychlorinated Biphenyls (PCB) | mg/L | 0.0005 | BDL | BDL | BDL |
| 29. | Zinc (as Zn) | mg/L | 5.0 | BDL | 2.29 | BDL |
| 30. | Nickel (as Ni) | mg/L | 0.02 | 0.02 | 0.026 | 0.022 |
| 31. | Copper (as Cu) | mg/L | 0.05 | BDL | 0.029 | BDL |
| 32. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 1 | ND | ND | ND |
| 33. | Total Chromium (as Cr) | mg/L | 0.05 | 0.091 | 0.043 | 0.079 |
| 34. | Total Arsenic (as As) | mg/L | 0.01 | ND | BDL | ND |
| 35. | Lead (as Pb) | mg/L | 0.01 | 0.081 | 0.046 | 0.07 |
| 36. | Cadmium (as Cd) | mg/L | 0.003 | BDL | BDL | BDL |
| 37. | Mercury (as Hg) | mg/L | 0.001 | ND | ND | ND |
| 38. | Manganese (as Mn) | mg/L | 0.1 | 0.043 | 0.16 | BDL |
| 39. | Iron (as Fe) | mg/L | 0.3 | 0.293 | 0.526 | 0.12 |
| 40. | Vanadium (as V) | mg/L | | 0.018 | BDL | BDL |
| 41. | Selenium (as Se) | mg/L | 0.01 | ND | ND | ND |
| 42. | Boron (as B) | mg/L | | BDL | 0.164 | 0.186 |

Table No. V

| Location | | | | Bore well Water at Nagar Parishad Near New Fire Station Ballarpur | Bore well Water at Visapur Vill |
|------------------|---|---------|-----------------------|---|---------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | |
| 1. | Colour | Hazen | | BDL | BDL |
| 2. | Smell | - | Agreeable | Agreeable | Agreeable |
| 3. | pH | - | 6.5-8.5 | 6.9 | 6.5 |
| 4. | Oil & Grease | mg/L | 100 | ND | ND |
| 5. | Suspended Solids | mg/L | 500 | BDL | BDL |
| 6. | Chemical Oxygen Demand | mg/L | 10 (WHO, 1993) | 4 | 4 |
| 7. | Biochemical Oxygen Demand (3 days,27°C) | mg/L | 6 (WHO, 1993) | <1 | 1.1 |
| 8. | Electrical Conductivity (at 25°C) | µmho/cm | 750 | 906 | 901 |
| 9. | Nitrite Nitrogen (as NO ₂) | mg/L | | BDL | BDL |
| 10. | Nitrate Nitrogen (as NO ₃) | mg/L | 1.0 | 10.80 | 5.49 |
| 11. | (NO ₂ + NO ₃)-Nitrogen | mg/L | 45 | 10.80 | 5.50 |
| 12. | Free Ammonia (as NH ₃ -N) | mg/L | 0.5 | BDL | BDL |
| 13. | Total Residual Chlorine | mg/L | 0.2 | BDL | BDL |


| Location | | | | Bore well Water at Nagar Parishad Near New Fire Station Ballarpur | Bore well Water at Visapur Vill |
|------------------|--|-------------------|------------|---|---------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | |
| 14. | Cyanide (as CN) | mg/L | 1.5 | ND | ND |
| 15. | Fluoride (as F) | mg/L | 1 | 0.605 | 0.704 |
| 16. | Sulphide (as S ²⁻) | mg/L | 0.05 | BDL | ND |
| 17. | Dissolved Phosphate (as P) | mg/L | | 0.046 | BDL |
| 18. | Sodium Absorption Ratio | mg/L | | 1.51 | 2.46 |
| 19. | Total Coliforms | MPN index/ 100 ml | ND | 5.1 | BDL |
| 20. | Faecal Coliforms | MPN index/ 100 ml | ND | 3.6 | BDL |
| 21. | Total Phosphorous (as P) | mg/L | 0.5 | 0.053 | 0.032 |
| 22. | Total Kjeldahl Nitrogen | mg/L | 0.001 | 0.336 | 0.112 |
| 23. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | mg/L | 0.5 | BDL | BDL |
| 24. | Phenols (as C ₆ H ₅ OH) | mg/L | 0.001 | ND | ND |
| 25. | Surface Active Agents (as MBAS) | mg/L | 0.02 | ND | ND |



| Location | | | | Bore well Water at Nagar Parishad Near New Fire Station Ballarpur | Bore well Water at Visapur Vill |
|------------------|----------------------------|------|-------------|---|---------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | |
| 26. | Organo Chlorine Pesticides | | | | |
| I. | Alachlor | µg/L | 20 | BDL | BDL |
| II. | Atrazine | µg/L | 2 | BDL | BDL |
| III. | Aldrin | µg/L | 0.03 | BDL | BDL |
| IV. | Dieldrin | µg/L | 0.03 | BDL | BDL |
| V. | Alpha HCH | µg/L | 0.01 | BDL | BDL |
| VI. | Beta HCH | µg/L | 0.04 | BDL | BDL |
| VII. | Delta HCH | µg/L | 125 | BDL | BDL |
| VIII. | Butachlor | µg/L | 0.04 | BDL | BDL |
| IX. | p,p DDT | µg/L | 1 | BDL | BDL |
| X. | o,p DDT | µg/L | 1 | BDL | BDL |
| XI. | p,p DDE | µg/L | 1 | BDL | BDL |
| XII. | o,p DDE | µg/L | 1 | BDL | BDL |
| XIII. | p,p DDD | µg/L | 1 | BDL | BDL |
| XIV. | o,p DDD | µg/L | 1 | BDL | BDL |
| XV. | Alpha Endosulfan | µg/L | 0.4 | BDL | BDL |
| XVI. | Beta Endosulfan | µg/L | 0.4 | BDL | BDL |
| XVII. | Endosulfan Sulphate | µg/L | 0.4 | BDL | BDL |
| XVIII. | Y HCH (Lindane) | µg/L | 2.0 | BDL | BDL |



| Location | | | | Bore well Water at Nagar Parishad Near New Fire Station Ballarpur | Bore well Water at Visapur Vill |
|------------------|--|------|---------------|---|---------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | |
| 27. | Polynuclear aromatic hydrocarbons (as PAH) | mg/L | 0.0001 | BDL | BDL |
| 28. | Polychlorinated Biphenyls (PCB) | mg/L | 0.0005 | BDL | BDL |
| 29. | Zinc (as Zn) | mg/L | 5.0 | 0.076 | 0.055 |
| 30. | Nickel (as Ni) | mg/L | 0.02 | 0.021 | 0.017 |
| 31. | Copper (as Cu) | mg/L | 0.05 | BDL | BDL |
| 32. | Hexavalent Chromium (as Cr ⁶⁺) | mg/L | 1 | ND | ND |
| 33. | Total Chromium (as Cr) | mg/L | 0.05 | 0.056 | 0.101 |
| 34. | Total Arsenic (as As) | mg/L | 0.01 | ND | ND |
| 35. | Lead (as Pb) | mg/L | 0.01 | 0.076 | 0.097 |
| 36. | Cadmium (as Cd) | mg/L | 0.003 | BDL | BDL |
| 37. | Mercury (as Hg) | mg/L | 0.001 | ND | ND |
| 38. | Manganese (as Mn) | mg/L | 0.1 | 0.047 | BDL |
| 39. | Iron (as Fe) | mg/L | 0.3 | 0.124 | 0.03 |
| 40. | Vanadium (as V) | mg/L | | BDL | BDL |



| Location | | | | Bore well Water at Nagar Parishad Near New Fire Station Ballarpur | Bore well Water at Visapur Vill |
|------------------|------------------|------|------------|---|---------------------------------|
| Date of Sampling | | | | 07.01.2019 | 07.01.2019 |
| Sr. | Parameters | Unit | Std. Limit | Results | |
| 41. | Selenium (as Se) | mg/L | 0.01 | ND | ND |
| 42. | Boron (as B) | mg/L | | 0.173 | 0.167 |



Graphs: Ground Water Quality Monitoring for Chandrapur:


















4. Summary and Conclusion

Based on the study done, the results are summarised and concluded as follows:

4.1 Stack Emission Monitoring:

A) Tadali MIDC

At Tadali MIDC, six samples were collected from different industries.

1. **Particulate Matter:** At all locations monitored, particulate matter was within the limit.
2. **Sulphur Dioxide:** The concentration of sulfur dioxide varied between minimum of 147 mg/Nm³ to 935 mg/Nm³. This however, will depend on the fuel used and load allotted in the consent. Maximum concentration was found at Gopani Iron & Power (India) Pvt. Ltd. Unit -2, 300MW Power Plant.
3. **Nitrogen Dioxide:** Only at Gopani Iron & Power (India) Pvt. Ltd. Unit -2, 300MW Power Plant, Nitrogen dioxide have exceeded the standard limit with 193 mg/Nm³.
4. **Carbon Monoxide:** At Gopani Iron & Power (India) Pvt. Ltd. SMS (Furnace) 3 & 4 have the highest range of 951 mg/Nm³ was observed.
5. **Volatile Organic Compounds:** At Tadali MIDC, VOCs were monitored in following stacks of following industries.
 - a) **Gopani Iron Pvt. Ltd. SMS (Furnace) 1 & 2:** Only Benzene (0.002 mg/Nm³) was observed and all other VOCs were not detected.

- b) **Grace Industries:** At Grace Industries, registered total of 0.002 mg/Nm³ and only Benzene was the only VOCs were detected.

B) Chandrapur MIDC:

At Chandrapur MIDC, six samples were collected from different industries.

1. **Particulate Matter:** At all locations monitored, particulate matter was within the limit.
2. **Sulphur Dioxide:** Out of the 6 stacks monitored only two stack result was observed well within the limits. The highest level of SO₂ was observed at Multi Organics Ltd. boiler stack No. 2604 with 676 mg/Nm³.
3. **Nitrogen Dioxide:** At 2 locations monitored, Nitrogen dioxide exceeded the limit of standard prescribed. The highest level of NO₂ was observed at Maharashtra Carbon Pvt. Ltd. with 114 mg/Nm³.
4. **Carbon Monoxide:** Values varied between minimum of 1.28 mg/Nm³ and maximum of 94 mg/Nm³.
5. **Volatile Organic Compounds:** At Chandrapur MIDC, VOCs were monitored in following stacks of following industries.
 - a) **Multiorganic Industries Pvt. Ltd.:** Only Benzene (0.001 mg/Nm³) was observed and all other VOCs were not detected.
 - b) **Super Hygienic Ltd.:** Only Benzene (0.005 mg/Nm³) was observed and all other VOCs were not detected.

C) Ghugus MIDC:

At Ghugus MIDC, three samples were collected from different industries.

1. **Particulate Matter:** At all locations monitored, particulate matter was within the limit except at ACC Cement Ltd. Boiler Stack 15MW and Kiln RABH with 56 mg/Nm³ and 51 mg/Nm³ respectively.
2. **Sulphur Dioxide:** Emission level of Sulphur Dioxide concentration was high at all places ranging between 329 mg/Nm³ and 618 mg/Nm³. The emission level however may depend upon fuel and allotted load.
3. **Nitrogen Dioxide:** At all locations monitored, Nitrogen dioxide was within the limit.
4. **Carbon Monoxide:** The highest concentration CO was observed at Lloyds Metal and Energy 100 TPD Kiln 1 & 2 with 118 mg/Nm³.
5. **Volatile Organic Compounds:** At Ghugus MIDC, VOCs were monitored in following stacks of following industries.
 - a) **Lloyds Metal 100 TPD Kiln 3 & 4:** Only Benzene (0.33 mg/Nm³) was observed and all other VOCs were not detected.
 - b) **ACC Cement Kiln RABH:** Only Benzene (0.005 mg/Nm³) was observed and all other VOCs were not detected.

D) Ballarpur MIDC:

At Ballarpur MIDC, four samples were collected from different industries.

1. **Particulate Matter:** Concentration of Particulate matter was well within the range not exceeding at any one of the stacks.
2. **Sulphur Dioxide:** Out of six stacks monitored, Ballarpur Paper Mill, 2 stacks displayed value of 819 and 1232 mg/Nm³.
3. **Nitrogen Dioxide:** Emission level of 2 stacks from Ballarpur Paper Mill exceeded the standard limit and had values of 128 mg/Nm³ and 144 mg/Nm³.
4. **Carbon Monoxide:** The concentration of CO in all 4 stacks ranged between 12.5 mg/Nm³ and 17.9 mg/Nm³.
5. **Volatile Organic Compounds:** At Ballarpur MIDC, VOCs were monitored in following stacks of following industries.
 - a) **Bamni Proteins:** Benzene (0.008 mg/Nm³) was only observed at Bamni Proteins.
 - b) **BILT Graphic PPL:** Only Benzene (0.007 mg/Nm³) was observed and all other VOCs were not detected.

4.2 Ambient Air Quality Monitoring:

A) MIDC Tadali: In this industrial cluster the following locations were monitored namely Dhariwal Infrastructure Ltd., MIDC Water Treatment Plant and Grace Industries Ltd. Each location was monitored for 12 parameters as per NAAQS.

1. **Sulphur Dioxide (SO₂):** Concentration of Sulphur dioxide in Tadali MIDC Area varied between lowest of 8 µg/m³ to maximum of 12.1 µg/m³. This area displaced a clear picture of Sulfur Dioxide concentration.
2. **Nitrogen Dioxide (NO_x):** Concentration varied between 13.5 µg/m³ and 17.7 µg/m³ which are well below the standard laid down by CPCB.
3. **Particulate Matter (PM₁₀):** Particulate matter in these area at all three locations monitored was well below the standard laid down by CPCB.
4. **Particulate Matter (PM_{2.5}):** Concentration of PM_{2.5} also at all three locations monitored was well below the standard laid down by CPCB.
5. **Ozone (O₃):** Ozone concentration was detected only at Grace Industries Ltd. and was within the standard limit prescribed.
6. **Lead (Pb):** Concentration of Lead was observed below the detectable limit at all three locations monitored.
7. **Carbon Monoxide (CO):** Concentration of Carbon Monoxide also at all three locations monitored was well below the standard laid down by CPCB.
8. **Ammonia (NH₃):** Concentration of Ammonia was below detectable limit in all three locations monitored.
9. **Benzene (C₆H₆):** Sampling and analysis at all three locations show, Benzene value was within the standard limit prescribed.

10. **Benzo (a) Pyrene (BaP):** BaP was not detectable at Grace Industries Ltd. and at the other two locations it was below the detectable limit.
11. **Arsenic (As):** Concentration of Arsenic was well below the standard prescribed by CPCB.
12. **Nickel (Ni):** Concentration of Nickel also was observed below the detectable limit at all three locations monitored.

B) MIDC Chandrapur: At Chandrapur MIDC, following locations were monitored namely Green Tech, MIDC Office and HPCL. Following are the findings based on the analytical values:

1. **Sulphur Dioxide (SO₂):** Values ranged between minimum of 9 µg/m³ at HPCL and 12 µg/m³ at MIDC office.
2. **Nitrogen Dioxide (NO_x):** The concentration of NO_x ranged from 13.7 µg/m³ at HPCL and 18.2 µg/m³ at MIDC office.
3. **Particulate Matter (PM₁₀):** At all locations monitored, PM₁₀ was within the limit.
4. **Particulate Matter (PM_{2.5}):** PM_{2.5} values at all locations were also well within the limit.
5. **Ozone (O₃):** Ozone was detected only at HPCL with 39.5 µg/m³.
6. **Lead (Pb):** Lead was below the detectable limit in all three locations of Chandrapur MIDC.
7. **Carbon Monoxide (CO):** All values of Carbon monoxide were as per the standard value.
8. **Ammonia (NH₃):** Values are below the detectable limit.
9. **Benzene (C₆H₆):** At Green Tech 8 µg/m³ Benzene was detected which is more than the standard limit of 5 µg/m³.
10. **Benzo (a) Pyrene (BaP):** BaP was not detectable at all 3 locations monitored.
11. **Arsenic (As):** Concentration of Arsenic in the ambient air at all the three locations of Chandrapur MIDC is within the stipulated limits.
12. **Nickel (Ni):** Concentration of Nickel also in the ambient air at all the three locations of Chandrapur MIDC is within the stipulated limits.

C) MIDC Ghugus: At MIDC Ghugus three locations of ambient air quality were monitored.

1. **Sulphur Dioxide (SO₂):** Values were well within the range, highest being 16.4 µg/m³ at Lloyds Metal and lowest being at Lloyds Colony i.e. 8.6 µg/m³.

2. **Nitrogen Dioxide (NO_x):** Values of Nitrogen dioxide ranged between 13.2 µg/m³ and 15.8 µg/m³ at Transit Hostel Rajiv Colony WCL and at Lloyd Metal respectively.
3. **Particulate Matter (PM₁₀):** With reference to the concentration of PM₁₀ values, Lloyds Metal has the highest values with 71 µg/m³ but was below the prescribed standard limit of 100 µg/m³.
4. **Particulate Matter (PM_{2.5}):** At all three locations monitored, the values were well within the standard limit.
5. **Ozone (O₃):** Ozone was detected at Transit Hostel WCL with 7.3 µg/m³.
6. **Lead (Pb):** Values at all three locations are below detectable level.
7. **Carbon Monoxide (CO):** Values are well within the standard limit of 4 ng/m³.
8. **Ammonia (NH₃):** Values of all three locations are below the detectable limit.
9. **Benzene (C₆H₆):** Values at Transit Hostel WCL exceed the limit with 5.79 µg/m³.
10. **Benzo (a) Pyrene (BaP):** BaP was not detectable at all 3 locations monitored.
11. **Arsenic (As):** Concentration of Arsenic in the ambient air at all the three locations is within the stipulated limits.
12. **Nickel (As):** Nickel is detected only at Lloyds Metal with 4.6 µg/m³.

D) MIDC Ballarpur: MIDC Ballarpur area was monitored at three following locations (i) Ram Mandir (ii) BILT Colony and (iii) WCL.

1. **Sulphur Dioxide (SO₂):** Values are below the standard values.
2. **Nitrogen Dioxide (NO_x):** All the values are within limit.
3. **Particulate Matter (PM₁₀):** Values of all three locations are well within the standard limit.
4. **Particulate Matter (PM_{2.5}):** Values of PM_{2.5} of all three locations are also well within the standard limit.
5. **Ozone (O₃):** Ozone was detected at WCL only with 5.6 µg/m³.
6. **Lead (Pb):** Values at all three locations are below detectable level.
7. **Carbon Monoxide (CO):** Values are below the standard value ranging between 1.06 mg/m³ and 1.27 mg/m³.
8. **Ammonia (NH₃):** Values of ammonia are below the detectable limit in all three locations monitored.
9. **Benzene (C₆H₆):** Concentration of Benzene is well within the standard limit at all three locations monitored.
10. **Benzo (a) Pyrene (BaP):** BaP was not detectable at all 3 locations monitored.

11.Arsenic (As): Values are below the standard limit.

12.Nickel (Ni): Nickel was detected only at WCL with 4.2 ng/m³.

4.3 Waste Water Quality Monitoring:

A) Tadali MIDC:5 surface water samples were monitored from MIDC Tadali

1. **pH:** Is in the range of 6.8 to 7.9.
2. **Suspended Solids.** Suspended solids are detected only at 3 water samples out of the 5 samples collected and the values observed were well within the standards prescribed.
3. **COD:** Chemical oxygen demand varies between minimum of 4 mg/L to a maximum of 52 mg/L and is well within the limit.
4. **BOD:** Values range between 2 mg/L to 14 mg/L and are within the limit.
5. **Nitrates:** Results are within the acceptable standard of limit.
6. **Surface Active Agent:** It was observed only at GIPL nallah and at all other location it was below the detectable limit.
7. **Residual Chlorine:** Residual Chlorine was below the detectable limit at all 5 locations monitored.
8. **Sulphide:** At 2 locations monitored it was below the detectable limit and at the remaining three locations it was not detectable.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide and Phenol is not detected at all 5 locations monitored.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

B) Chandrapur MIDC:3 surface water and 3 waste water was analysed for Chandrapur MIDC

1. **pH:** Is in the range of 6.2 to 8.3.
2. **Suspended Solids.** Values range from 9 mg/L and maximum of 61 mg/L.
3. **COD:** The concentration of Chemical oxygen demand exceed at Nallah opp. Manidhari Industry with 304 mg/L.
4. **BOD:** The concentration of Biological oxygen demand also exceed at Nallah opp. Manidhari Industry with 100 mg/L.

5. **Nitrates:** all the values obtained are well within the acceptable standard limit prescribed.
6. **Surface Active Agent:** It was observed only at Nallah opp. Manidhari Industry and ETP Outlet of Super Hygienic and is well within the standard limit.
7. **Residual Chlorine:** Residual Chlorine of 4 locations was below the detectable limit and at the remaining two locations are well within the standard limit.
8. **Sulphide:** It was observed only at Nallah opp. Manidhari Industry and was well within the limit.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide is not detected at any location and Phenols are obtained at 3 locations and well within the limits.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

C) Ghugus MIDC: 5 surface water was collected from this MIDC:

1. **pH:** Is in the range of 7.4 to 8.
2. **Suspended Solids.** Values range between 11 mg/L and maximum of 20 mg/L.
3. **COD:** The concentration of Chemical oxygen demand was well within the limit in all five locations monitored.
4. **BOD:** The concentration of Biological oxygen demand was also well within the limit in all five locations monitored.
5. **Nitrates:** Within the acceptable standard of limit.
6. **Surface Active Agent:** At all five locations the values are below the detectable limit.
7. **Residual Chlorine:** Residual Chlorine of all five locations was below the detectable limit.
8. **Sulphide:** Sulphide concentration of all five locations was also below the detectable limit.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide and phenol is not detected at any location monitored.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

D) Ballarpur MIDC: Six surface water was collected from MIDC Ballarpur:

1. **pH:** Is in the range of 6.3 to 7.3.
2. **Suspended Solids.** Values range between 15 mg/L and maximum of 82 mg/L.
3. **COD:** The concentration of Chemical oxygen demand was well within the limit in all six locations monitored.
4. **BOD:** The concentration of Biological oxygen demand was exceeding the limit at Bhagirathi Nallah Bridge with 80 mg/L.
5. **Nitrates:** Within the acceptable standard of limit.
6. **Surface Active Agent:** At all six locations monitored, the values were below detectable limit.
7. **Residual Chlorine:** Residual Chlorine was only observed at BILT RCC Pipe Outlet and was well within the limits.
8. **Sulphide:** It was observed only at Wardha River and Ballarpur Open Cast Mine Discharge and was well within the limit.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide is not detected at any location and Phenols are detected at 3 locations and well within the limits.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

4.4 Ground Water Quality Monitoring:

A) Tadali MIDC: 4 ground water samples were monitored from MIDC Tadali

1. **pH:** Is in the range of 6.9 to 7.7.
2. **Suspended Solids.** It is not detectable in all 4 samples collected.
3. **COD:** Chemical oxygen demand is exceeding the standard limit prescribed at all 4 locations monitored and varies between minimum of 24 mg/L to a maximum of 12 mg/L.
4. **BOD:** The value of BOD exceeds at Dugwell of Yerur Village with 6.4 mg/L.
5. **Nitrates:** The concentration of nitrates is high at three out of 4 locations monitored.
6. **Surface Active Agent:** It is not detectable in all 4 samples collected.
7. **Residual Chlorine:** Residual Chlorine is below the detectable limit in 3 samples monitored and at one location the value is not detectable.

8. **Sulphide:** It is not detectable in all 4 samples collected.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide and phenols is not detected at any.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

B) Chandrapur MIDC: 3 ground water samples was analysed for Chandrapur MIDC

1. **pH:** Is in the range of 7.2 to 7.7.
2. **Suspended Solids.** It is not detectable in all 3 samples collected.
3. **COD:** The concentration of Chemical oxygen demand at Borewell Water from Mhada Colony exceeds the standard limit with 16 mg/L.
4. **BOD:** The concentration of BOD is also well within the limits in all 3 samples collected.
5. **Nitrates:** The concentration of Nitrate exceeded the standard limit at 2 locations out of the 3 locations monitored.
6. **Surface Active Agent:** It is not detectable in all 3 samples collected.
7. **Residual Chlorine:** Residual Chlorine of all 3 locations was below the detectable limit.
8. **Sulphide:** It is not detectable in all 3 samples collected.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide and phenols is not detected at any location monitored.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

C) Ghugus MIDC: 3 ground water samples was collected from this MIDC:

1. **pH:** Is in the range of 6.2 to 8.
2. **Suspended Solids.** The values observed in all 3 samples collected are well within the limit.
3. **COD:** The concentration of Chemical oxygen demand exceeded at Dugwell water from Usgaon Village.

4. **BOD:** The concentration of Biological oxygen demand was well within the limit in all 3 locations monitored.
5. **Nitrates:** The concentration of Nitrates exceeded at Borewell water taken of Tukdoji Nagar and Dug well water from Usgaon Village.
6. **Surface Active Agent:** It is not detectable in all 3 samples collected.
7. **Residual Chlorine:** Residual Chlorine of 3 locations was below the detectable limit and at Dug well water from Usgaon Village is 0.06 mg/L.
8. **Sulphide:** It is below the detectable limit at all 3 samples collected.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide and Phenols is not detected at any location.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

D) Ballarpur MIDC: 3 ground water samples was collected from MIDC Ballarpur:

1. **pH:** Is in the range of 6.5 to 7.
2. **Suspended Solids.** It is not detectable in all 3 samples collected.
3. **COD:** The concentration of Chemical oxygen demand was well within the limit in all 3 locations monitored.
4. **BOD:** The concentration of Biological oxygen demand was below the detectable limit at 2 locations monitored and at Borewell Water at Visapur Village is 1.1 mg/L.
5. **Nitrates:** The concentration of nitrates exceeded at all three locations monitored. The highest concentration of 10.8 mg/L was observed at Borewell Water at Nagar Parishad.
6. **Surface Active Agent:** It is not detectable in all 3 samples collected.
7. **Residual Chlorine:** Residual Chlorine was below detectable limit in all 3 samples collected.
8. **Sulphide:** Concentration of Sulphide was below the detectable limit at 2 locations monitored and below the detectable limit at one location monitored.
9. **Metals:** All metals like Zinc, Nickel, Copper, Hexavalent Chromium, Total Chromium, Lead, Cadmium, and Mercury are below the prescribed limits.
10. **Cyanide and Phenol:** Cyanide and Phenols is not detected at any location.
11. **Pesticides:** All analysed pesticides concentration is below the detectable limit.
12. **PAH & PCBs:** Also below the detectable limit.

5. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as early warning tool which helps in categorization of industrial clusters/areas in terms of priority of needing attention.

CPCB had evolved certain methodology to calculate CEPI, in which a score has been fixed for different environmental components based on the level of pollution. The scoring system involves an algorithm that takes into account the basic selection criteria. This approach is based on the basic hazard assessment logic that can be summarized as below.

Hazard = pollutant source, pathways, and receptor

CPCB has calculated CEPI for the identified critically polluted industrial clusters. It is calculated separately for air, water, and land. The basic framework and scoring system of the CEPI – based on three factors namely pollutant, pathway, and receptor – has been described further under this section.

To overcome the subjectivity, revised concept is proposed by eliminating the subjective factors as described in the previous section but retaining the factors which can be measured precisely.


- I. Revised concept is prepared by eliminating the debatable factors but retaining the factors which can be measured precisely.
- II. It is decided to develop the Comprehensive Environmental Pollution Index (CEPI) retaining the existing algorithm of Source, Pathway and Receptor.
- III. Health component was also retained in the revised concept in line with the suggestions of Secretary, MoEFCC during the meeting held in MoEF.

Outlines of revised CEPI 2016 criteria

The outlines of the revised CEPI criteria are as follows:

1. It is proposed to develop the Comprehensive Environmental Pollution Index (CEPI) based on Sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.
2. For assessment of the environmental quality of the area i.e. CEPI score, the concept of SNLF i.e. a surrogate number which represents the level of exposure (a function of percentage sample Exceedance & Exceedance Factor) shall be used.
3. Health component to be evaluated based on the health data available from major hospitals in the area was also retained in the revised concept.

The evaluation criterion of the revised CEPI version 2016 is described in the flowchart given below:



Here, health data collected for Receptor Score C is included in **Annexure I**

Based on Sub-Index Score (score of individual environmental component like air, water etc.):

Score more than 63: A Critical Level of Pollution in the respective level of environmental component

Score between 51-63: Severe to critical level of pollution with reference to respective environmental component

Cut-off Score

Score 50: Severely Polluted Industrial Clusters/areas

Score 60: Critically Polluted Industrial Clusters/areas

Based on Aggregated CEPI Score (score includes sub-index score of all individual environmental components together):

Aggregated CEPI score >70: Critically polluted areas

Aggregated CEPI score between 60-70: Severely polluted areas

Since the inception of the programme, MPCB has also formulated Action Plans to mitigate the environmental pollution problems for each of the 8 Critically Polluted Areas (CPAs) in Maharashtra. Based on available information, parameters selected and monitored in continuation with this, CEPI has been calculated and Short-Term Action Plan (STAP) as well as Long Term Action Plan (LTAP) was prepared in 2010.

Subsequently NAAQS 2009 came in force. List of parameters to be considered increased and expanded including more critical and hazardous pollutants like benzene, BaP, Metals, etc. existing in the environment. There was revision of standards (limiting values) as well. In this present report of June 2018 prepared by MPCB, CEPI is calculated considering all these revised standards' limiting values, list of parameters and complete scope of monitoring.

5.1 Comparison of CEPI scores:

The result shows that CEPI score of present report is 57.28. The present study is the compilation of post monsoon season, which also regulates the score value. The overall CEPI is observed as 57.28 in Chandrapur, which falls below the category of severely polluted areas, according to the revised CEPI guidelines. Hence, it can be concluded that the industries are following environmental rules and regulations laid by MoEF and MPCB to control the pollution and to keep the environment clean and green.

Detailed and Aggregated CEPI score of present report is being compared with the previous year's studies in the tables given below:

Air

| | A1 | A2 | A | B1 | B2 | B3 | B | C1 | C2 | C3 | C | D | CEPI |
|---------------------------------|-----|-----|------|-----|----|----|-------|----|-----|----|------|----|--------------|
| CEPI score February 2019 | 2.5 | 4 | 10 | - | - | - | 14.5 | - | - | - | 10 | 10 | 44.5 |
| CEPI score June 2018 | 3.2 | 2.1 | 6.72 | - | - | - | 14.6 | - | - | - | 10 | 10 | 41.32 |
| CEPI score February 2018 | 3 | 3.4 | 10.2 | - | - | - | 13.6 | - | - | - | 8 | 15 | 46.8 |
| CEPI score June 2017 | 2.9 | 3.3 | 9.57 | - | - | - | 14.36 | - | - | - | 5 | 15 | 43.93 |
| CEPI score February 2017 | 3 | 2 | 6 | 6 | 0 | 2 | 8 | 4 | 3.8 | 0 | 15.2 | 15 | 44.2 |
| CEPI score 2016 | 3 | 2 | 6 | 2.3 | 3 | 3 | 8.3 | 5 | 5 | 0 | 25 | 10 | 49.3 |

| | A1 | A2 | A | B1 | B2 | B3 | B | C1 | C2 | C3 | C | D | CEPI |
|-------------------------|-----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|----------|----------|--------------|
| CEPI score 2013 | 2 | 5 | 10 | 6 | 3 | 3 | 12 | 5 | 3 | 0 | 15 | 10 | 47 |
| CPCB Report 2009 | 5.75 | 5 | 28.75 | 6 | 3 | 3 | 12 | 5 | 4 | 0 | 20 | 10 | 70.75 |

Water:

| | A1 | A2 | A | B1 | B2 | B3 | B | C1 | C2 | C3 | C | D | CEPI |
|---------------------------------|-----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|----------|----------|--------------|
| CEPI score February 2019 | 3.1 | 4 | 12.4 | - | - | - | 11.5 | - | - | - | 10 | 15 | 48.9 |
| CEPI score June 2018 | 3.3 | 1.6 | 5.28 | - | - | - | 10.3 | - | - | - | 10 | 15 | 40.58 |
| CEPI score February 2018 | 3 | 5.2 | 15.6 | - | - | - | 18.6 | - | - | - | 5 | 10 | 49.2 |
| CEPI score June 2017 | 3.7 | 4.8 | 17.76 | - | - | - | 10.85 | - | - | - | 0 | 10 | 38.16 |
| CEPI score February 2017 | 3 | 4.8 | 14.4 | 1.6 | 0 | 3 | 4.6 | 5 | 5 | 2.3 | 27.3 | 10 | 56.3 |
| CEPI score 2016 | 3 | 3.8 | 7.6 | 5 | 0 | 3 | 8 | 5 | 2 | 4 | 14 | 10 | 39.6 |
| CEPI score 2013 | 1 | 5 | 5 | 6 | 0 | 3 | 9 | 5 | 1.5 | 4 | 11.5 | 3 | 28.5 |
| CPCB Report 2009 | 3 | 5 | 15 | 8 | 1.5 | 3 | 12.5 | 5 | 4 | 5 | 25 | 15 | 67.5 |

Land:

| | A1 | A2 | A | B1 | B2 | B3 | B | C1 | C2 | C3 | C | D | CEPI |
|---------------------------------|-----------|-----------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|----------|----------|--------------|
| CEPI score February 2019 | 2.9 | 4 | 11.6 | - | - | - | 10.5 | - | - | - | 10 | 15 | 47.1 |
| CEPI score June 2018 | 2.9 | 2.4 | 6.96 | - | - | - | 12.4 | - | - | - | 10 | 15 | 44.36 |
| CEPI score February 2018 | 4 | 5.1 | 20.4 | - | - | - | 22.5 | - | - | - | 4 | 10 | 56.9 |
| CEPI score June 2017 | 3.1 | 4.2 | 13.02 | - | - | - | 8.6 | - | - | - | 0 | 10 | 31.62 |
| CEPI score February 2017 | 3 | 4.8 | 14.4 | 1.6 | 0 | 3 | 4.6 | 5 | 5 | 2.3 | 26.5 | 10 | 57.5 |
| CEPI score 2016 | 4 | 2.9 | 11.6 | 3.8 | 0 | 3 | 6.8 | 5 | 5 | 0 | 25 | 10 | 46.4 |
| CEPI score 2013 | 1 | 5 | 5 | 8 | 0 | 3 | 11 | 5 | 5 | 4 | 29 | 10 | 55 |
| CPCB Report 2009 | 3 | 5 | 15 | 4 | 3 | 4.5 | 11.5 | 5 | 4 | 5 | 25 | 15 | 66.5 |

Aggregated CEPI:

| | Air Index | Water Index | Land Index | CEPI |
|---------------------------------|------------------|--------------------|-------------------|--------------|
| CEPI score February 2019 | 44.5 | 48.9 | 47.1 | 57.28 |
| CEPI score June 2018 | 41.32 | 40.58 | 44.36 | 51.88 |
| CEPI score February 2018 | 46.8 | 49.2 | 56.9 | 61.69 |
| CEPI score June 2017 | 43.93 | 38.61 | 31.62 | 50.77 |

| | Air Index | Water Index | Land Index | CEPI |
|---------------------------------|------------------|--------------------|-------------------|--------------|
| CEPI score February 2017 | 44.2 | 56.3 | 57.5 | 62.3 |
| CEPI score 2016 | 49.3 | 39.6 | 46.34 | 58.62 |
| CEPI score 2013 | 77 | 62 | 60 | 85.56 |
| CPCB Report 2009 | 70.75 | 67.5 | 66.5 | 83.88 |

6. Conclusion

The Ministry of Environment, Forests & Climate Change vide Office Memorandum dated 20.05.2016 has lifted moratorium under the Comprehensive Environmental Pollution Index (CEPI) in respect of the industrial cluster/area of Chandrapur. In view of the re-assessment of CEPI score and taking into consideration that action plans for improving environment quality take time to yield results, it has been decided to lift the moratorium on the consideration of projects for environmental clearance in respect of projects to be located in Chandrapur (Maharashtra). The status of pollution load in Chandrapur is improving year by year as per the CEPI study carried out. The score of post monsoon CEPI score of February 2017 was 61.69 which have reduced to 51.8 in the Pre-monsoon CEPI study. The efforts taken by the Pollution Control Board officials are clearly visible in the score. The region has been moved from Critically Polluted Industrial Clusters/areas to Severely Polluted Industrial Clusters/areas.

In the 23 stack emissions monitored, few of them had higher concentration of SO₂. All other parameters monitored were well within the standard provided to specific industries.

Twelve locations were monitored for ambient air concentration. Only PM₁₀ level was exceeding in few locations as per NAAQS. This is due to the increase in traffic and industrial activities. Dust suppression techniques have been suggested to be carried out by industries.

Out of the 22 waste water samples, few samples were detected with higher concentration of Total coliform and Faecal coliform. This will be complied as already the specified industry have been notified and asked to take necessary action.

13 Ground water samples were collected from different Dug well, well and Bore well in the region. In the ground water samples collected, Electrical Conductivity, Nitrogen, Total coliform and Faecal coliform was found in higher concentration.

Collective efforts of MPCB, administration and environmental organizations have finally paid off and pollution levels in Chandrapur are on the decline. CEPI score which was initially 83.88 in 2009 have been reduced to 61.69. The State Pollution Control Board and Regional Office of SPCB are continuously initiating action against industries for reducing and controlling the pollution caused due the industries.

| | A1 | A2 | A | B | C | D | CEPI |
|------------------------|-----------|-----------|----------|----------|----------|----------|--------------|
| Air Index | 2.5 | 4 | 10 | 14.5 | 10 | 10 | 44.5 |
| Water Index | 3.1 | 4 | 12.4 | 11.5 | 10 | 15 | 48.9 |
| Land Index | 2.9 | 4 | 11.6 | 10.5 | 10 | 15 | 47.1 |
| Aggregated CEPI | | | | | | | 57.28 |

7. Efforts taken for the reduction in pollution:

Infrastructure Developments:

1. CHWSTDF comprising of SLF & Incineration facility (plasma pyrolysis) is operational at Butibori, Dist. Nagpur. The hazardous waste of the industries is sent to the CHWSTDF for scientific management. At present the existing CHWSTDF is under utilization. Incineration capacity is 3 ton/hour and SLF capacity is 60000 ton/cell.
2. CBMWSTDF is operational in Chandrapur city wherein the BMW of CEPI area is also disposed for scientific management. The facility of CBMWSTDF is the integrated facility comprising of waste autoclave, shredder & double chamber incinerator based on control air combustion method. The capacity of incinerator is 50 kg/hour. The common facility is operational and the capacity is adequate.
3. The existing capacity of the TSDF is adequate and is under utilization at present. The performance is satisfactory. However, the centralized facility for e-waste management is necessary.
4. Ballarpur: The existing lime sludge hillocks are partly stabilized by doing tree plantation. The collection of seepages & its treatment in ETP is proposed besides complete biological stabilization / hillocks by BILT graphics.

Water Environment:

1. STP for Chandrapur: Installation of STP for Chandrapur city is approved from State Government. Municipal Council is proposed to install 2 STPs having capacity 45 CMD and 25 CMD. The work of installation of sewer line having capital investment 70 crore is already started.
2. Utilization of Mine Water for drinking purpose or irrigation: Stake holder for this proposal is WCL & State Govt.

Air Environment

1. Railway siding – The existing railway siding of which is located in the middle of Chandrapur city is contributing to air pollution. The private railway siding near Tadali is being developed by M/S Vimla Infrastructure. Similarly there are various industrial units like cement, sponge iron, washeries and power plant for transportation of raw material. Presently this activity is performed by road which causes spillages of material during transportation resulting dust emissions. Hence the development of railway siding in Tadali will help reduce this problem.
2. Construction of cement road – At present condition of the roads in CEPI areas is very poor. These roads need to be concretized to avoid dust emissions. The concerned agency for development of roads are PWD & Concerned industries of areas

Land Environment

1. Non- Hazardous waste disposal site at Tadali: The common facility shall be developed for the disposal of Non- Hazardous solid waste .There are various sponge Iron unit & single Washery in the vicinity. The solid waste generated from these units is not properly managed resulting in accumulation of huge quantity of solid waste at the site causing secondary emissions .The level of secondary emissions severely increases during summer season. Hence it is necessary to develop common infrastructure for disposal of Non- Hazardous solid waste even though partly sale of

the solid waste is practiced. The concern stake holders involved are MIDC, Industry & State Govt.

2. Fly ash Disposal: Fly ash Cluster is being developed at MIDC Chandrapur for the utilization of fly ash generated from power plant. The fly ash mission is already formed to encourage fly ash based industries such as Fly ash brick & Tiles.

Green Belt

1. Green belt development programme has been initiated with the help of Collector Office, Chandrapur, MPCB & Industries. Under this scheme the various industries has been given particular target for green belt development all along the NH/SH i. E. Avenue tree plantation. As of now 1688208 numbers of trees is planted in total and 46000 numbers of trees would be planted in future programmes. Beside this MIDC is being perceived for massive tree plantation in MIDC areas.
2. Individual industries of the CEPI area have also submitted proposal for tree plantation programme in their units during current monsoon season.

Specific schemes

1) Co-processing of waste:

- a) Iron ore fines which is the solid waste generated from sponge iron units is proposed to utilize in sinter plants. The sinter plants are available in Wardha and Bhandara Districts. Iron ore fines are also being utilized in cement industries for manufacturing PPC in Chandrapur district.
- b) Fly ash from the captive power plant is disposed to cement industries for manufacturing of Portland pozolona cement.
- c) Dolo char will be utilized for combustion in FBC boiler for power generation by the individual industries after installing beneficiation plants.
- d) Lime sludge from Ballarpur industries Ltd. is utilized for recovery of lime.

Public Awareness & Training Programmes

1. Public awareness programme needs to be conducted for proper segregation of MSW/BMW at the source, recycling of the plastic waste through municipal council by way of conducting seminars/workshops.
2. Public awareness needs to be made for avoiding use of domestic coal as a fuel to avoid smoke generation and deterioration of air quality.
3. Display of air and water quality in public domain for awareness of the public is available on MPCB website on regular basis. Display board for ambient air quality of Chandrapur city is proposed near Bus Stand and expected to commission within 3 months.
4. Public awareness about the environment management system in area specifically with regard to adoption of cleaner technologies through interventions periodically and to plan the visits to such industries.
5. Training to the staff of the individual industries for operation of advanced pollution control arrangements like ESPs, waste water treatment plants etc

8. Photographs

Gopani Iron & Power (I) Pvt. Ltd., MIDC Tadali



Dhariwal Infrastructure Limited, MIDC Tadali



3-AAQ-3 Grace Industries, MIDC Tadali



2-AAQ-2 WTP Plant, MIDC Tadali



Nallah adjacent to Grace Industries Ltd., MIDC Tadali



Tadali Village Lake, MIDC Tadali



Earth Green Tech Pvt. Ltd., MIDC Chandrapur



Super Hygenic Disposal Pvt. Ltd., MIDC Chandrapur



Terrace of MIDC Office, MIDC Chandrapur



Near Main Gate of HPCL, MIDC Chandrapur



Borewell Near Datala Grampanchyat, MIDC Chandrapur




Gangangiri Village Bridge, MIDC Chandrapur



ACC Limited, MIDC Ghugus




ACC Limited, MIDC Ghugus



Lloyds Metals Near CAAQMS Station, MIDC Ghugus



Terrace of Transit Hostel Rajiv colony WCL, MIDC Ghugus



Wardha river Near WTP of WCL Ghugus opencast mine, MIDC Ghugus



Borewell water taken from Bangali Camp, Near Durga Mandir, MIDC Ghugus



Bamani Proteins Ltd., MIDC Ballarpur



ILT Graphic Paper Product Ltd., MIDC Ballarpur



WCL Ballarpur OCM Office, MIDC Ballarpur



Ram Mandir, Near Mangal Karyalaya, MIDC Ballarpur



Open Cast Mine Discharge, MIDC Ballarpur



Borewell Water at Visapur Village, MIDC Ballarpur



9. References

- 1) Criteria for Comprehensive Environmental Assessment of Industrial Clusters, December 2009, CPCB, EIAS/4/2009-10
- 2) Comprehensive Environmental Assessment of Industrial Clusters, December 2009, CPCB, EIAS/5/2009-10
- 3) Action Plan for Industrial Cluster: Chandrapur, November 2010, MPCB
- 4) Action Plan for Industrial Cluster: Dombivli, November 2010, MPCB
- 5) Action Plan for Industrial Cluster: Aurangabad, November 2010, MPCB
- 6) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 7) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 8) Standard Methods for the Examination of Water and Waste Water, American Public Health Association, 22nd Edition, 2012.
- 9) IS 3025 (various parts)
- 10) www.mpcb.gov.in
- 11) www.cpcb.gov.in

10. Annexure

Annexure I Health related data in impact on humans

C: Receptor

| | |
|--|--------------|
| Component C (Impact on Human Health) 10 | |
| Main - 10 | |
| % increase in cases | Marks |
| <5% | 0 |
| 5-10% | 5 |
| >10% | 10 |

- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, total no. of cases related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/ ground water Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

Attached below health data collected for the region


INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): MIDC Ghuggus
2. Name of the major health centre/ organization: Raju Ratan Hospital, Ghuggus
3. Name and designation of the contact person: Dr. Karmakar, AMO, RRH, Wani Area.
4. Address: R.R. Hospital; Ghuggus P.O, Chandrapur Dt, M.S.
5. Year of Establishment: 1992.

| Sl No. | Air Borne Diseases | No. of patients reported for the years | | | | | | |
|--------|-----------------------------|--|-----------|-----------|-----------|-----------|-----------|------|
| | | 01/1/18 - 30/6/18 2017-2018 | 2017-2016 | 2016-2015 | 2015-2014 | 2014-2013 | 2013-2012 | 2012 |
| 1. | Asthma | 20 | 39. | 20. | 53. | 30. | 15. | 23 |
| 2. | Acute Respiratory Infection | 12 | 16. | 9. | 12. | 8. | 15. | 12 |
| 3. | Bronchitis | 5 | 15. | 8. | 8. | 6. | 13. | 8 |
| 4. | Cancer | 16 | 24. | 13. | 5. | 9. | 11. | 17. |
| | | | | | | | | |
| | Water Borne Diseases | | | | | | | |
| 5. | Gastroenteritis | 72 | 197. | 194. | 87. | 41. | 64. | 8. |
| 6. | Diarrhea | 2 | 20. | 12. | 4. | 8. | 6. | 4. |
| 7. | Renal diseases | 19 | 33. | 36. | 5. | 12 | 14. | 10. |
| 8. | Cancer | | | | | | | |

Health status received from the Hospital

Signature of the Hospital Head/ Superintendent


 9/8/18
 क्षेत्रीय स्वास्थ्य अधिकारी
 राजीव रतन अस्पताल
 वणी क्षेत्र घुगूस

INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): MIDC Chandrapur & MIDC Tadali
2. Name of the major health centre/ organization: Medical College, Chandrapur
3. Name and designation of the contact person: Dr. U. V. Murghate, Medical Superintendent
4. Address: Govt. Medical college & Hospital, Chandrapur
5. Year of Establishment: 2015

| Sl No. | Air Borne Diseases | No. of patients reported for the years IPD | | | | | |
|--------|-----------------------------|---|-----------|-----------|-----------|-----------|-----------|
| | | 2017-2018 | 2017-2016 | 2016-2015 | 2015-2014 | 2014-2013 | 2013-2012 |
| 1. | Asthma | 475 | 326 | 306 | 232 | 205 | 194 |
| 2. | Acute Respiratory Infection | 751 | 664 | 374 | 356 | 230 | 183 |
| 3. | Bronchitis | 171 | 231 | 137 | 71 | 64 | 77 |
| 4. | Cancer | 143 | 118 | 122 | 61 | 79 | 62 |
| | Water Borne Diseases | 145 | 214 | 6 | 115 | 139 | 61 |
| 5. | Gastroenteritis | 1297 | 866 | 1139 | 676 | 659 | 544 |
| 6. | Diarrhea | 73 | 6 | 219 | 19 | 21 | 18 |
| 7. | Renal diseases | 2330 | 2197 | 394 | 819 | 416 | 239 |
| 8. | Cancer | - | - | - | - | - | - |

Health status received from the Hospital

MATRON
 General Hospital,
 Chandrapur.

Signature of the Hospital Head/ Superintend
 Govt. Medical College & Hospital
 Chandrapur

Copy and paste info

INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): MIDC Ballarpur
2. Name of the major health centre/ organization: Medical College Ballarpur
3. Name and designation of the contact person: *Dr. Azpita wadawkar*
4. Address: *R.H. Ballarpur 9404530005*
5. Year of Establishment: *2006*

| Sl No. | Air Borne Diseases | No. of patients reported for the years | | | | | |
|--------|-----------------------------|--|-----------|-----------|-----------|-----------|-----------|
| | | 2017-2018 | 2017-2016 | 2016-2015 | 2015-2014 | 2014-2013 | 2013-2012 |
| 1. | Asthma | 58 | 63 | 71 | 72 | 69 | 74 |
| 2. | Acute Respiratory Infection | 321 | 387 | 392 | 401 | 391 | 387 |
| 3. | Bronchitis | 108 | 104 | 206 | 197 | 199 | 201 |
| 4. | Cancer | 17 | 3 | 13 | 4 | 19 | 10 |
| | Water Borne Diseases | 2357 | 2433 | 2681 | 2686 | 3379 | 3486 |
| 5. | Gastroenteritis | 2021 | 2182 | 2423 | 2303 | 3005 | 3087 |
| 6. | Diarrhea | 144 | 201 | 213 | 325 | 312 | 340 |
| 7. | Renal diseases | 45 | 54 | 56 | 66 | 40 | 57 |
| 8. | Cancer | 17 | 3 | 13 | 4 | 11 | 10 |

Health status received from the Hospital

[Signature]
 Signature of the Hospital Head
 Rural Hospital, Ballarpur
 Dist. Chandrapur

INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): MIDC Chandrapur & MIDC Tadali
 2. Name of the major health centre/ organization: Chandrapur Health Care and Multispecialist Hospital and Research Centre
 3. Name and designation of the contact person: Dr. Rohan Aunchwar
9763724723
 4. Address: O/P Adarsh petrol pump sarkar nagar Chandrapur.
 5. Year of Establishment: 2013
- Email - corporatetech/mhrc@gmail.com

| Sl No. | Air Borne Diseases | No. of patients reported for the years | | | | | |
|--------|-----------------------------|--|-----------|-----------|-----------|-----------|-----------|
| | | 2017-2018 | 2017-2016 | 2016-2015 | 2015-2014 | 2014-2013 | 2013-2012 |
| 1. | Asthma | 210 | 288 | 117 | - Nil - | - | - |
| 2. | Acute Respiratory Infection | 120 | 125 | 110 | - Nil - | - | - |
| 3. | Bronchitis | 110 | 117 | 105 | - Nil - | - | - |
| 4. | Cancer | 3 | 2 | 1 | - Nil - | - | - |
| | | | | | | | |
| | Water Borne Diseases | 05 | 10 | 03 | - Nil - | 1 - | - |
| 5. | Gastroenteritis | 30 | 48 | 15 | - Nil - | - | - |
| 6. | Diarrhea | 10 | 28 | 10 | - Nil - | - | - |
| 7. | Renal diseases | 15 | 38 | 05 | - Nil - | - | - |
| 8. | Cancer | 3 | 2 | 1 | - Nil - | - | - |

Health status received from the Hospital

Signature of the Hospital Head/ Superintendent




INFORMATION ON HEALTH STATISTICS IN PIA

1. Name of the Polluted Industrial Area (PIA): MIDC Ballarpur
2. Name of the major health centre/ organization: Bilt Hospital, Ballarpur
3. Name and designation of the contact person: Dr. Vijay Wanjari
4. Address: BILT Ballarpur C.M.O
9588679530
5. Year of Establishment: 1953

| Sl No. | Air Borne Diseases | No. of patients reported for the years | | | | | |
|--------|-----------------------------|--|-----------|-----------|-----------|-----------|-----------|
| | | 2017-2018 | 2017-2016 | 2016-2015 | 2015-2014 | 2014-2013 | 2013-2012 |
| 1. | Asthma | 02 | 02 | 02 | 02 | | |
| 2. | Acute Respiratory Infection | 87 | 96 | 320 | 260 | | |
| 3. | Bronchitis | 07 | 07 | 14 | 10 | | |
| 4. | Cancer | NIL | NIL | NIL | NIL | | |
| | | | | | | | |
| | Water Borne Diseases | | | | | | |
| 5. | Gastroenteritis | 30 | 34 | 127 | 135 | | |
| 6. | Diarrhea | 71 | 77 | 134 | 120 | | |
| 7. | Renal diseases | | | | | | |
| 8. | Cancer | NIL | NIL | NIL | NIL | | |

Health status received from the Hospital


 Signature of the Hospital Head/ Superintendent
Dr. Vijay V. Wanjari
 M.B.B.S.
 R. No. 38074
 Chief Medical Officer
 B.G.P.P.L., Hospital, Ballarpur

Annexure II: Stack Emission Sampling and Analysis Methodology

| Sr. | Parameters | Method References | Techniques | Detection Limit |
|-----|--|--|---|-------------------------------------|
| 1. | Acid Mist (as Sulphuric Acid) | US EPA Method no.m-8 | Barium thorine titration Method | 0.6 mg/Nm ³ |
| 2. | Ammonia | IS 11255 (Part 6):1999, Reaffirmed 2003 | Titration/Nessler Reagent / Spectrophotometric Method | 1 mg/Nm ³ |
| 3. | Carbon Monoxide | USEPA Method 10B | GC-FID Method | 0.2 mg/Nm ³ |
| 4. | Chlorine | US EPA Method 26 for sampling | Titrimetric | 0.001 mg/Nm ³ |
| 5. | Fluoride (Gaseous) | US EPA Method 13 A | SPADNS Zirconium Lake Spectrophotometric Method | 0.025 mg/Nm ³ |
| 6. | Fluoride (Particulate) | US EPA Method 13 A | SPADNS Zirconium Lake Spectrophotometric Method | 0.005 mg/Nm ³ |
| 7. | Hydrogen Chloride | US EPA Method 26 for sampling | Titrimetric | 0.25 mg/Nm ³ |
| 8. | Hydrogen Sulphide | IS 11255 (Part 4):1985 | Titrimetric | 1 mg/Nm ³ |
| 9. | Oxides of Nitrogen | IS 11255 (Part 7): 2005 | PDSA Colorimetric Method | 10 mg/Nm ³ |
| 10. | Oxygen | IS 13270 : 1992 | ORSAT Apparatus | 1 % |
| 11. | Poly Aromatic Hydrocarbons (Particulate) | IS 5182 (Part 12) : 2004, Reaffirmed 2009 CPCB Guidelines, May 2011, Page No.39 | GC-FID Method | 0.25 mg/Nm ³ |
| 12. | Suspended Particulate Matter | IS 11255 (Part 1):1985, Reaffirmed 2003 | Gravimetric Method | 10 mg/Nm ³ |
| 13. | Sulphur Dioxide | IS 11255 (Part 2): 1985, Reaffirmed 2003 | Titrimetric IPA thorine Method | 5.0mg/Nm ³ 0.02kg/day |

| Sr. | Parameters | Method References | Techniques | Detection Limit |
|------------|----------------------------------|--------------------------------|--|--------------------------|
| 14. | BTX (Benzene, Toluene, Xylene) | NIOSH (NMAM) 1501 | Adsorption and Desorption followed by GC-FID analysis | 0.001 mg/Nm ³ |
| 15. | VOC (Volatile Organic Compounds) | NIOSH (NMAM) 1501 for sampling | Adsorption and Desorption followed by GC-FID or GC/MS analysis | - |
| i | Methyl Isobutyl Ketone | - | - | 0.001 mg/Nm ³ |
| ii | Benzene | - | - | 0.001 mg/Nm ³ |
| iii | Toluene | - | - | 0.001 mg/Nm ³ |
| iv | Xylene | - | - | 0.001 mg/Nm ³ |
| v | Ethyl Benzene | - | - | 0.001 mg/Nm ³ |
| vi | Ethyl Acetate | - | - | 0.001 mg/Nm ³ |

Annexure III: Ambient Air Sampling and Analysis Methodology

| Sr. | Parameters | Method References | Techniques | Detection Limit |
|-----|---|---|---|------------------------|
| 1. | Sulphur Dioxide (SO ₂) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.1 | Improved West & Gaeke Method | 4 µg/m ³ |
| 2. | Nitrogen Dioxide (NO ₂) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.7 | Modified Jacob & Hochheiser Method | 3 µg/m ³ |
| 3. | Particulate Matter (size less than 10 µm) or PM ₁₀ | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.11 | Gravimetric Method | 2 µg/m ³ |
| 4. | Particulate Matter (size less than 2.5 µm) or PM _{2.5} | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 15 | Gravimetric Method | 0.4 µg/m ³ |
| 5. | Ozone (O ₃) | APHA, Method No. 820, Page no. 836 | Chemical Method | 19.6 µg/m ³ |
| 6. | Lead (Pb) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47 | AAS Method | 0.02 µg/m ³ |
| 7. | Carbon Monoxide (CO) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume II, May 2011, Page No. 16 | Non Dispersive Infra Red (NDIR) spectroscopy | 0.05 mg/m ³ |
| 8. | Ammonia (NH ₃) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 35 | Indophenol Blue Method | 4.0µg/m ³ |
| 9. | Benzene (C ₆ H ₆) | IS 5182 (Part 11):2006 | Adsorption and Desorption followed by GC-FID analysis | 1.0 µg/m ³ |
| 10. | Benzo (a) Pyrene (BaP) – particulate phase only, | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 39 | Solvent extraction followed by GC-FID analysis | 0.2 ng/m ³ |

| Sr. | Parameters | Method References | Techniques | Detection Limit |
|------------|-------------------|--|-------------------|------------------------|
| 11. | Arsenic (As) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47 | AAS Method | 0.3ng/m ³ |
| 12. | Nickel (Ni) | CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47 | AAS Method | 3.0ng/m ³ |

Annexure IV: Water/Wastewater Sampling and Analysis Methodology

| Sr. | Parameters | Methods References | Techniques | Detection Limit |
|------------|---|---|---|------------------------|
| 1. | Sampling Procedure for Chemical Parameters | IS 3025 (Part 1): 1987, Reaffirmed 1998, Amds.1& APHA, 22 nd Ed., 2012, 1060 B, 1-39 | - | - |
| 2. | Sampling Procedure for Microbiological Parameters | APHA, 22 nd Ed., 2012,1060 B, 1-39, 9040, 9-17, and 9060B, 9-35 | - | - |
| 3. | Temperature | APHA, 22 nd Ed., 2012, 2550-B, 2-69 | By Thermometer | - |
| 4. | Colour | APHA, 22 nd Ed., 2012, 2120-B, 2-26 | Visible Comparison Method | 1 Hazen Unit |
| 5. | Odour | IS 3025 (Part 5): 1983, Reaffirmed 2006 | Qualitative Method | - |
| 6. | pH | APHA, 22 nd Ed., 2012, 4500-H ⁺ - B, 4-92 | By pH Meter | 1 |
| 7. | Oil & Grease | APHA, 22 nd Ed., 2012, 5520-B, 5-40 | Liquid -liquid Partition-Gravimetric Method | 1.0 mg/L |
| 8. | Suspended Solids | IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1 | Filtration /Gravimetric Method | 5.0 mg/L |
| 9. | Dissolved Oxygen | IS 3025 (Part 38): 1989, Reaffirmed 2009 | Iodometric Method-Azide modification | 0.05 mg/L |
| 10. | Chemical Oxygen Demand | APHA, 22 nd Ed., 2012, 5220-B, 5-17 | Open Reflux Method | 5.0 mg/L |
| 11. | Biochemical Oxygen Demand | IS 3025 (Part 44): 1993, Reaffirmed 2009, Amds.1 | Iodometric Method | 5.0 mg/L |
| 12. | Electrical Conductivity | APHA, 22 nd Ed., 2012, 2510- B, 2-54 | By Conductivity Meter | 0.1 µmho/cm |
| 13. | Nitrite-Nitrogen | APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120 | Colorimetric Method | 0.006 mg/L |

| Sr. | Parameters | Methods References | Techniques | Detection Limit |
|-----|--|--|---|-----------------|
| 14. | Nitrate-Nitrogen | APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122 | UV Spectrophotometer Screening Method | 0.2 mg/L |
| 15. | (NO ₂ + NO ₃)-Nitrogen | APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120 APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122 | Colorimetric Method V Spectrophotometer Screening Method | 0.2 mg/L |
| 16. | Free Ammonia | APHA, 22 nd Ed., 2012, 4500 NH ₃ , F, 4-115 | Colorimetric Method | 0.006 mg/L |
| 17. | Total Residual Chlorine | IS 3025 (Part 26) :1986, Reaffirmed 2009, Ed. 2.1 (2004-02) | Iodometric Method | 0.1 mg/L |
| 18. | Cyanide (CN) | APHA, 22 nd Ed., 2012, 4500-CN, C & E, 4-41 & 4-43 | Colorimetric Method | 0.001 mg/L |
| 19. | Fluoride (F) | APHA, 22 nd Ed., 2012, 4500-F ⁻ , D, 4-87 | SPADNS Method | 0.05 mg/L |
| 20. | Sulphide (S ²⁻) | APHA, 22 nd Ed., 2012, 4500 -S ²⁻ , C-4-175, F-4-178 | Iodometric Method | 0.08 mg/L |
| 21. | Dissolved Phosphate (P) | APHA, 22 nd Ed., 2012, 4500 P,E, 4-155 | Ascorbic Acid Method | 0.03 mg/L |
| 22. | Sodium Absorption Ratio | IS11624 :1986, Reaffirmed 2006 | By Calculation | 0.3 |
| 23. | Total Phosphorous (P) | APHA, 22 nd Ed., 2012, 4500 P,E, 4-155 | Ascorbic Acid Method | 0.03 mg/L |
| 24. | Total Kjeldahl Nitrogen | APHA, 22 nd Ed., 2012, 4500 NH ₃ , B & C, 4-110, 4-112 | Titrimetric Method | 0.1 mg/L |
| 25. | Total Ammonia (NH ₄ +NH ₃)-Nitrogen | APHA, 22 ^d Ed., 2012, 4500 NH ₃ , F, 4-115 | Colorimetric Method | 0.001 mg/L |
| 26. | Phenols (C ₆ H ₅ OH) | APHA, 22 nd Ed., 2012, 5530- B & C, 5-44 & 5-47 | Chloroform Extraction Method | 0.001 mg/L |

| Sr. | Parameters | Methods References | Techniques | Detection Limit |
|------------|---|--|----------------------------------|------------------------|
| 27. | Surface Active Agents | APHA, 22 nd Ed., 2012, 5540-B & C, 5-50 | Methylene Blue Extraction Method | 0.1 mg/L |
| 28. | Organo Chlorine Pesticides | APHA, 22 nd Ed., 2012, 6410B, 6-74 | GC MS-MS Method | 0.01 µg/L |
| 29. | Polynuclear aromatic hydrocarbons (PAH) | APHA, 22 nd Ed., 2012, 6410B, 6-74 | GC MS-MS Method | 0.01 µg/L |
| 30. | Polychlorinated Biphenyls (PCB) | APHA, 22 nd Ed., 2012, 6410B, 6-74 | GC MS-MS Method | 0.01 µg/L |
| 31. | Zinc (Zn) | IS 3025(Part 2): 2004 | ICP Method | 0.1 mg/L |
| 32. | Nickel (Ni) | IS 3025(Part 2): 2004 | ICP Method | 0.05 mg/L |
| 33. | Copper (Cu) | IS 3025(Part 2): 2004 | ICP Method | 0.03 mg/L |
| 34. | Hexavalent Chromium (Cr ⁶⁺) | APHA, 22 nd Ed., 2012, 3500-Cr, B, 3-69 | Colorimetric Method | 0.02 mg/L |
| 35. | Total Chromium (Cr) | IS 3025(Part 2): 2004 | ICP Method | 0.02 mg/L |
| 36. | Total Arsenic (As) | IS 3025(Part 2): 2004 | ICP Method | 0.005 mg/L |
| 37. | Lead (Pb) | IS 3025(Part 2): 2004 | ICP Method | 0.008 mg/L |
| 38. | Cadmium (Cd) | IS 3025(Part 2): 2004 | ICP Method | 0.002 mg/L |
| 39. | Mercury (Hg) | IS 3025(Part 2): 2004 | ICP Method | 0.0008 mg/L |
| 40. | Manganese (Mn) | IS 3025(Part 2): 2004 | ICP Method | 0.02 mg/L |
| 41. | Iron (Fe) | IS 3025(Part 2): 2004 | ICP Method | 0.06 mg/L |
| 42. | Vanadium (V) | IS 3025(Part 2): 2004 | ICP Method | 0.05 mg/L |

| Sr. | Parameters | Methods References | Techniques | Detection Limit |
|------------|----------------------------|---|--|------------------------|
| 43. | Selenium (Se) | IS 3025(Part 2): 2004 | ICP Method | 0.005 mg/L |
| 44. | Boron (B) | IS 3025(Part 2): 2004 | ICP Method | 0.1 mg/L |
| 45. | Total Coliforms | APHA, 22 nd Ed., 2012,9221-B, 9-66 | Multiple tube fermentation technique (MPN/100ml) | 1.1 MPN/100ml |
| 46. | Faecal Coliforms | APHA, 22 nd Ed., 2012,9221-E, 9-74 | Multiple tube fermentation technique (MPN/100ml) | 1.1 MPN/100ml |
| 47. | Bioassay (Zebra Fish) Test | IS 6582, 1971, Reaffirmed 1987 | Static Technique | - |

Annexure V: National Ambient Air Quality Standards, 2009



The Gazette of India

EXTRAORDINARY PART III-Section 4 PUBLISHED BY AUTHORITY
NEW DELHI, WEDNESDAY, **NOVEMBER 18, 2009** No. B-29016/20/90/PCI-I

National Ambient Air Quality Standards: Central Pollution Control Board

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No.14 of 1981), and in suppression of the Notification No(s). S.O.384(E), dated 11th April, 1994 and S.O.935(E), dated 14th October, 1998, the **Central Pollution Control Board** hereby notify the National Ambient Air Quality Standards **with immediate effect**, namely:

| Sr. No. | Pollutant | Time Weighted Average | Concentration in Ambient Air | | |
|---------|--|-----------------------|--|---|---|
| | | | Industrial, Residential, Rural and Other Areas | Ecologically Sensitive Areas (Notified by Central Government) | Methods of Measurement |
| (1) | (2) | (3) | (4) | (5) | (6) |
| 1 | Sulphur Dioxide (SO ₂) $\mu\text{g}/\text{m}^3$ | Annual * | 50 | 20 | – Improved West and Gaeke – Ultraviolet fluorescence |
| | | 24 hours ** | 80 | 80 | |
| 2 | Nitrogen Dioxide (NO ₂) $\mu\text{g}/\text{m}^3$ | Annual * | 40 | 30 | – Modified Jacob & Hochheiser (Na-Arsenite) – Chemiluminescence |
| | | 24 hours ** | 80 | 80 | |
| 3 | Particulate Matter (size less than 10 μm) or PM ₁₀ $\mu\text{g}/\text{m}^3$ | Annual * | 60 | 60 | – Gravimetric – TOEM – Beta attenuation |
| | | 24 hours ** | 100 | 100 | |
| 4 | Particulate Matter (size less than 2.5 μm) or PM _{2.5} $\mu\text{g}/\text{m}^3$ | Annual * | 40 | 40 | – Gravimetric – TOEM – Beta attenuation |
| | | 24 hours ** | 60 | 60 | |
| 5 | Ozone (O ₃) $\mu\text{g}/\text{m}^3$ | 8 hours ** | 100 | 100 | – UV photometric – Chemiluminescence – Chemical Method |
| | | 1 hour ** | 180 | 180 | |
| 6 | Lead (Pb) $\mu\text{g}/\text{m}^3$ | Annual * | 0.50 | 0.50 | – AAS/ICP method after sampling on EPM 2000 or equivalent filter paper – EDXRF using Teflon filter |
| | | 24 hours ** | 1.0 | 1.0 | |
| 7 | Carbon Monoxide (CO) mg/m^3 | 8 hours ** | 02 | 02 | – Non Dispersive Infra Red (NDIR) spectroscopy |
| | | 1 hour ** | 04 | 04 | |
| 8 | Ammonia (NH ₃) $\mu\text{g}/\text{m}^3$ | Annual * | 100 | 100 | – Chemiluminescence – Indophenol blue method |
| | | 24 hours ** | 400 | 400 | |
| 9 | Benzene (C ₆ H ₆) $\mu\text{g}/\text{m}^3$ | Annual * | 05 | 05 | – Gas Chromatography based continuous analyzer – Adsorption and Desorption followed by GC analysis |
| 10 | Benzo (a) Pyrene (BaP) – particulate phase only, ng/m^3 | Annual * | 01 | 01 | – Solvent extraction followed by HPLC/GC analysis |
| 11 | Arsenic (As) ng/m^3 | Annual * | 06 | 06 | – AAS/ICP method after sampling on EPM 2000 or equivalent filter paper. |
| 12 | Nickel (Ni) ng/m^3 | Annual * | 20 | 20 | – AAS/ICP method after sampling on EPM 2000 or equivalent filter paper. |

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 08 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2 % of the time, they may exceed the limits but not on two consecutive days of monitoring.

Note: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigation.

SANT PRASAD GAUTAM, Chairman, Central Pollution Control Board [ADVT-III/4/184/09/Exty.]

Note: The notifications on National Ambient Air Quality Standards were published by the Central Pollution Control Board in the Gazette of India. Extraordinary vide notification No(s). S.O. 384(E), dated 11th April, 1994 and S.O. 935(E), dated 14th October, 1998.

$\mu\text{g}/\text{m}^3$: micro-gram/ m^3 i.e. $10^{-6}\text{gm}/\text{m}^3$

ng/m^3 : nano-gram/ m^3 i.e. $10^{-9}\text{gm}/\text{m}^3$

Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)

| Sr. | Parameter | Standards | | | |
|-----|--|--------------------------------|---------------|---------------------|---|
| | | Inland surface Water | Public Sewers | Land for Irrigation | Marine Coastal Areas |
| 1. | Colour and Odour | See Note 1 | -- | See Note I | See Note 1 |
| 2. | Suspended solids, mg/L, Max. | 100 | 600 | 200 | a. For process waste water - 100 b. For cooling water effluent- 10 percent above total suspended matter of influent cooling water. |
| 3. | Particle size of suspended solids | Shall pass 850 micron IS Sieve | | | a. Floatable solids, Max 3 mm b. Settleable solids Max 850 microns |
| 4. | Dissolved solids (Inorganic), mg/L, Max. | 2100 | 2100 | 2100 | -- |
| 5. | pH value | 5.5 -9.0 | 5.5 -9.0 | 5.5 -9.0 | 5.5-9.0 |

| Sr. | Parameter | Standards | | | |
|-----|--|---|------------------------------|---------------------|------------------------------|
| | | Inland surface Water | Public Sewers | Land for Irrigation | Marine Coastal Areas |
| 6. | Temperature °C, Max | Shall not exceed 40 in any section of the stream within 15 mts. Downstream from the effluent outlet | 45 at the point of discharge | -- | 45 at the point of discharge |
| 7. | Oil and Grease, mg/L, Max | 10 | 20 | 10 | 20 |
| 8., | Total Residual chlorine, mg/L, Max | 1.0 | -- | -- | 1.0 |
| 9. | Ammonical Nitrogen (as N), mg/L, Max | 50 | 50 | -- | 50 |
| 10. | Total Kjeldahl Nitrogen (as N), mg/L, Max. | 100 | -- | -- | 100 |
| 11. | Free Ammonia (as NH ₃), mg/L, Max | 5.0 | -- | -- | 5.0 |
| 12. | Biochemical oxygen demand (5 days, at 20° c) mg/L, Max | 30 | 350 | 100 | 100 |
| 13. | Chemical oxygen demand, mg/L, Max | 250 | -- | -- | 250 |
| 14. | Arsenic (as As), mg/l, Max | 0.2 | 0.2 | 0.2 | 0.2 |
| 15. | Mercury (as Hg). Mg/L, Max | 0.01 | 0.01 | -- | 0.01 |
| 16. | Lead (as Pb), mg/L, Max | 0.1 | 1.0 | - | 1.0 |

| Sr. | Parameter | Standards | | | |
|-----|--|----------------------|---------------|---------------------|----------------------|
| | | Inland surface Water | Public Sewers | Land for Irrigation | Marine Coastal Areas |
| 17. | Cadmium (as Cd), mg/L, | 2.0 | 1.0 | -- | 2.0 |
| 18. | Hexavalent Chromium (as Cr ⁺⁶) mg/L, Max | .1 | 2.0 | -- | 1.0 |
| 19. | Total Chromium (as Cr), mg/L, Max | 2.0 | 2.0 | -- | 2.0 |
| 20. | Copper (as Cu), mg/L, Max. | 3.0 | 3.0 | -- | 3.0 |
| 21. | Zinc (as Zn), mg/L, Max. | 5.0 | 15 | 0-- | 15 |
| 22 | Selenium (as Se), mg/l, Max. | 0.05 | 0.05 | -- | 0.05 |
| 23 | Nickel (as Ni), mg/l, Max. | 3.0 | 3.0 | -- | 5.0 |
| 24 | Boron (as B), mg/l, Max. | 2.0 | 2.0 | 2.0 | -- |
| 25. | Percent Sodium, Max. | -- | 60 | 60 | -- |
| 26. | Residual Sodium carbonate, mg/l, Max. | -- | -- | 5.0 | -- |
| 27. | Cyanide (as Cn), mg/L, Max. | 0.2 | 2.0 | 0.2 | 0.2 |
| 28. | Chloride (as Cl), mg/L, Max. | 1000 | 1000 | 600 | -- |
| 29. | Fluoride (as F), mg/IL, Max. | 2.0 | 15 | -- | 15 |
| 30. | Dissolved Phosphate (as P), mg/L, Max. | 5.0 | -- | -- | -- |

| Sr. | Parameter | Standards | | | |
|-----|--|----------------------|------------------|---------------------|----------------------|
| | | Inland surface Water | Public Sewers | Land for Irrigation | Marine Coastal Areas |
| 31. | Sulphate (as SO ₄), mg/L, Max. | 1000 | 1000 | 1000 | -- |
| 32. | Sulphide (as S), mg/L, Max. | 2.0 | -- | -- | 5.0 |
| 33. | Pesticides | Absent | Absent | Absent | Absent |
| 34. | Phenolic compounds (as C ₆ H ₅ OH), mg/L, Max. | 1.0 | 5.0 | -- | 5.0 |
| 35. | Radioactive materials: | | | | |
| | a. Alpha emitters MC/ml., Max. | 10 ⁻⁷ | 10 ⁻⁷ | 10 ⁻⁸ | 10 ⁻⁷ |
| | b. Beta emitters µc/ml., Max | 10 ⁻⁶ | 10 ⁻⁶ | 10 ⁻⁷ | 10 ⁻⁶ |

Annexure VII: Drinking Water Specification-IS 10500:2012

| Sr. | Characteristic | Unit | Requirement (Acceptable Limit) | Permissible Limit in the Absence of Alternate Source |
|----------------|--|-------------|--------------------------------|--|
| Table 1 | Organoleptic and Physical Parameters | | | |
| 1. | Colour | Hazen units | Max 5 | Max 15 |
| 2. | Odour | - | Agreeable | Agreeable |
| 3. | pH value | - | 6.5-8.5 | No relaxation |
| 4. | Taste | - | Agreeable | Agreeable |
| 5. | Turbidity | NTU | Max 1 | Max 5 |
| 6. | Total dissolved solids | mg/L | Max 500 | Max 2000 |
| Table 2 | General parameters concerning substances undesirable in excessive amounts | | | |
| 7. | Aluminium (as Al) | mg/L | Max 0.03 | Max 0.2 |
| 8. | Ammonia (as total ammonia- N) | mg/L | Max 0.5 | No relaxation |
| 9. | Anionic detergents (as MBAS) | mg/L | Max 0.2 | Max 1.0 |
| 10. | Barium (as Ba) | mg/L | Max 0.7 | No relaxation |
| 11. | Boron (as B) | mg/L | Max 0.5 | Max 1.0 |
| 12. | Calcium (as Ca) | mg/L | Max 75 | Max 200 |
| 13. | Chloramines (as Cl ₂) | mg/L | Max 4.0 | No relaxation |
| 14. | Chlorides (as Cl) | mg/L | Max 250 | Max 1000 |
| 15. | Copper (as Cu) | mg/L | Max 0.05 | Max 1.5 |
| 16. | Fluoride (as F) | mg/L | Max 1.0 | Max 1.5 |
| 17. | Free residual chlorine | mg/L | Min 0.2 | Min 1 |

| Sr. | Characteristic | Unit | Requirement (Acceptable Limit) | Permissible Limit in the Absence of Alternate Source |
|----------------|--|------|--------------------------------|--|
| 18. | Iron (as Fe) | mg/L | Max 0.3 | No relaxation |
| 19. | Magnesium (as Mg) | mg/L | Max 30 | Max100 |
| 20. | Manganese (as Mn) | mg/L | Max 0.1 | Max 0.3 |
| 21. | Mineral Oil | mg/L | Max 0.5 | No relaxation |
| 22. | Nitrate (as NO ₃) | mg/L | Max 45 | No relaxation |
| 23. | Phenolic compounds (as C ₆ H ₅ OH) | mg/L | Max 0.001 | Max 0.002 |
| 24. | Selenium (as Se) | mg/L | Max 0.01 | No relaxation |
| 25. | Silver (as Ag) | mg/L | Max 0.1 | No relaxation |
| 26. | Sulphate (as SO ₄) | mg/L | Max 200 | Max 400 |
| 27. | Sulphide (as H ₂ S) | mg/L | Max 0.05 | No relaxation |
| 28. | Total Alkalinity as calcium carbonate | mg/L | Max 200 | Max600 |
| 29. | Total hardness (as CaCO ₃) | mg/L | Max 200 | Max 600 |
| 30. | Zinc (as Zn) | mg/L | Max 5 | Max15 |
| Table 3 | Parameters Concerning Toxic Substances | | | |
| 31. | Cadmium (as Cd) | mg/L | Max 0.003 | No relaxation |
| 32. | Cyanide (as CN) | mg/L | Max 0.05 | No relaxation |
| 33. | Lead (as Pb) | mg/L | Max 0.01 | No relaxation |
| 34. | Mercury (as Hg) | mg/L | Max 0.001 | No relaxation |
| 35. | Molybdenum (as Mo) | mg/L | Max 0.07 | No relaxation |
| 36. | Nickel (as Ni) | mg/L | Max 0.02 | No relaxation |
| 37. | Pesticides | mg/L | See Table 5 | No relaxation |
| 38. | Polychlorinatedbiphenyls | mg/L | Max 0.0005 | No relaxation |

| Sr. | Characteristic | Unit | Requirement (Acceptable Limit) | Permissible Limit in the Absence of Alternate Source |
|----------------|---|------|--------------------------------|--|
| 39. | Poly nuclear aromatic Hydrocarbons (as PAH) | mg/L | Max 0.0001 | No relaxation |
| 40. | Total Arsenic(as As) | mg/L | Max 0.01 | Max0.05 |
| 41. | Total Chromium (as Cr) | mg/L | Max 0.05 | No relaxation |
| 42. | Trihalomethanes | | | |
| a) | Bromoform | mg/L | Max 0.1 | No relaxation |
| b) | DibromochloroMethane | mg/L | Max 0.1 | No relaxation |
| c) | Bromodichloromethane | mg/L | Max 0.06 | No relaxation |
| d) | Chloroform | mg/L | Max 0.2 | No relaxation |
| Table 4 | Parameters Concerning Radioactive Substances | | | |
| 43. | Radioactive Materials | | | |
| a) | Alpha emitters | Bq/L | Max 0.1 | No relaxation |
| b) | Beta emitters | Bq/L | Max 1.0 | No relaxation |
| Table 5 | Pesticide Residues Limits and Test Method | | | |
| i) | Alachor | µg/L | 20 | No relaxation |
| ii) | Atrazine | µg/L | 2 | No relaxation |
| iii) | Aldrin/ Dieldrin | µg/L | 0.03 | No relaxation |
| iv) | Alpha HCH | µg/L | 0.01 | No relaxation |
| v) | Beta HCH | µg/L | 0.04 | No relaxation |
| vi) | Butachlor | µg/L | 125 | No relaxation |
| vii) | Chlorpyriphos | µg/L | 30 | No relaxation |
| viii) | Delta HCH | µg/L | 0.04 | No relaxation |
| ix) | 2,4- Dichlorophenoxyacetic acid | µg/L | 30 | No relaxation |

| Sr. | Characteristic | Unit | Requirement (Acceptable Limit) | Permissible Limit in the Absence of Alternate Source |
|----------------|---|---------|---------------------------------|--|
| x) | DDT (o,p&p,p – Isomers of DDT, DDE and DDD) | µg/L | 1 | No relaxation |
| xi) | Endosulfan (α,β & sulphate) | µg/L | 0.4 | No relaxation |
| xii) | Ethion | µg/L | 3 | No relaxation |
| xiii) | Gamma - HCH (Lindane) | µg/L | 2 | No relaxation |
| xiv) | Isoproturon | µg/L | 9 | No relaxation |
| xv) | Malathion | µg/L | 190 | No relaxation |
| xvi) | Methyl parathion | µg/L | 0.3 | No relaxation |
| xvii) | Monocrotophos | µg/L | 1 | No relaxation |
| xviii) | Phorate | µg/L | 2 | No relaxation |
| Table 6 | Bacteriological Quality of Drinking Water | | | |
| 44. | E.coli or thermotolerant coliform bacteria | /100 | Not detectable | - |
| 45. | Total coliform bacteria | /100 mL | Not detectable | - |
| | Virological Requirements | | | |
| 46. | MS2 phage | /1 L | Absent | - |
| | Biological Requirements | | | |
| 47. | Cryptosporidium | /10 L | Absent | - |
| 48. | Giardia | /10 L | Absent | - |
| 49. | Microscopic organisms such as algae, zooplanktons, flagellates, parasites and toxin producing organisms | | Free from microscopic organisms | - |

Annexure VIII: CPCB Water Quality Criteria:

| Designated best use | Quality Class | Primary Water Quality Criteria |
|--|----------------------|--|
| Drinking water source without conventional treatment but with chlorination | A | <ul style="list-style-type: none"> ➤ Total coliform organisms (MPN*/100 ml) shall be 50 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 6 mg/L or more, and ➤ Biochemical Oxygen Demand 2 mg/L or less |
| Outdoor bathing (organized) | B | <ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100 ml) shall be 500 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 5 mg/L or more, and ➤ Biochemical Oxygen Demand 3 mg/L or less |
| Drinking water source with conventional treatment | C | <ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100ml) shall be 5000 or less ➤ pH between 6 and 9 ➤ Dissolved Oxygen 4 mg/L or more, and ➤ Biochemical Oxygen Demand 3 mg/L or less |
| Propagation of wildlife and fisheries | D | <ul style="list-style-type: none"> ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 4 mg/L or more, and ➤ Free ammonia (as N) 1.2 mg/L or less |
| Irrigation, industrial cooling, and controlled disposal | E | <ul style="list-style-type: none"> ➤ pH between 6.0 and 8.5 ➤ Electrical conductivity less than 2250 micro mhos/cm, ➤ Sodium Absorption Ratio less than 26, ➤ and Boron less than 2 mg/l. |
| | Below E | <ul style="list-style-type: none"> ➤ Not Meeting A, B, C, D & E Criteria |

Annexure IX: Water Quality Parameters Requirements and Classification

Water quality parameters are classified into three categories, given in Table (i), (ii) and (iii) (Source: CPCB, 2002, "Water Quality Criteria and Goals", Monitoring of Indian National aquatic Resources Series: MINARS/17/2001-2002).

Table: Basic Water Quality Requirement and Classification (Surface Water + Ground Water)

i) Simple Parameters:

| Sr. | Parameters | Requirement for Waters of Class | | |
|-------|-----------------------------------|---------------------------------------|--|-----------------------------------|
| | | A-Excellent | B-Desirable | C-Acceptable |
| (i) | Sanitary Survey | Very Clean neighborhood and catchment | Reasonably clean neighborhood | Generally clean neighborhood |
| (ii) | General Appearance | No floating matter | No floating matter | No floating matter |
| (iii) | Colour | Absolutely Colourless | Almost colourless, very light shade if any | No colour of anthropogenic origin |
| (iv) | Smell | Odourless | Almost odourless | No unpleasant odour |
| (v) | Transparency | >1.0 depth | >0.5 to 0.1m depth | >0.2 to 0.5 m depth |
| (vi) | Ecological* (Presence of Animals) | Fish & Insects | Fish & Insects | Fish & Insects |

* Applicable to only surface water

ii) Regular Monitoring Parameters:

| Sr. | Parameters | Requirement for Waters of Class | | |
|-------|--|---------------------------------|-------------|--------------|
| | | A Excellent | B-Desirable | C-Acceptable |
| (i) | pH | 7.0 to 8.5 | 6.5 to 9.0 | 6.5 to 9.0 |
| (ii) | DO (% Saturation) | 90-110 | 80-120 | 60-140 |
| (iii) | BOD, mg/l | Below 2 | Below 5 | Below 8 |
| (iv) | EC, μ mhos/cm | <1000 | <2250 | <4000 |
| (v) | (NO ₂ +NO ₃)-Nitrogen, mg/l | <5 | <10 | <15 |
| (vi) | Suspended solid, mg/l | <25 | <50 | <100 |

| Sr. | Parameters | Requirement for Waters of Class | | |
|--------|-----------------------------|---------------------------------|--------------------|--------------------|
| | | A Excellent | B-Desirable | C-Acceptable |
| (vii) | Fecal Coliform, MPN/ 100 ml | <20 per 100 ml | <200 per 100 ml | <2000 per 100 ml |
| (viii) | Bio-assay (Zebra Fish) | No death in 5 days | No death in 3 days | No death in 2 days |

Note:

1. Dissolved Oxygen (DO) not applicable for ground waters.
2. Dissolved Oxygen in eutrophicated waters should include measurement for diurnal variation.
3. Suspended solid limit is applicable only during non-monsoon period.
4. Faecal Coliform values should meet for 90% times.
5. Static Bio-Assay method may be adopted.

iii) Specific Parameters: (Only in case of need/apprehensions)

| Sr. | Parameters | Requirement for Waters of Class | | |
|--------|---|---------------------------------|-------------|--------------|
| | | A- Excellent | B-Desirable | C-Acceptable |
| (i) | Total Phosphorous | <0.1 mg/l | < 0.2 mg/l | < 0.3 mg/l |
| (ii) | T.K.N | < 1.0 mg/l | <2.0 mg/l | <3.0 mg/l |
| (iii) | Total Ammonia (NH ₄ + NH ₃)-Nitrogen | < 0.5 mg/l | < 1.0 mg/l | < 1.5 mg/l |
| (iv) | Phenols | < 2µg/l | < 5µg/l | <10 µg/l |
| (v) | Surface Active Agents | <20 µg/l | <100µg/l | < 200µg/l |
| (vi) | Organo Chlorine Pesticides | < 0.05µg/l | < 0.1µg/l | < 0.2µg/l |
| (vii) | PAH | < 0.05µg/l | <0.1 µg/l | <0.2 µg/l |
| (viii) | PCB and PCT | < 0.01µg/l | < 0.01µg/l | < 0.02µg/l |
| (ix) | Zinc | < 100µg/l | < 200µg/l | <300 µg/l |
| (x) | Nickel | < 50µg/l | < 100µg/l | < 200µg/l |
| (xi) | Copper | < 20µg/l | < 50µg/l | <100µg/l |

| Sr. | Parameters | Requirement for Waters of Class | | |
|--------|------------------|---------------------------------|-------------|--------------|
| | | A- Excellent | B-Desirable | C-Acceptable |
| (xii) | Chromium (Total) | < 20µg/l | < 50µg/l | < 100µg/l |
| (xiii) | Arsenic (Total) | < 20µg/l | <50 µg/l | <100 µg/l |
| (xiv) | Lead | < 20µg/l | < 50µg/l | < 100µg/l |
| (xv) | Cadmium | < 1.0µg/l | <2.5 µg/l | < 5.0µg/l |
| (xvi) | Mercury | < 0.2µg/l | < 0.5µg/l | < 1.0µg/l |