

ACTION PLAN FOR INDUSTRIAL CLUSTER IN SEVERLY POLLUTED AREA

**Monitoring, sampling, analysis of Stack,
Ambient Air Quality, Surface Water,
Ground Water, Waste Water**

चेंबूर Chembur



Maharashtra Pollution Control Board

Kalptaru Point, Sion East, Mumbai - 400022

June, 2017

Index

Acknowledgement:	3
Abbreviations:	4
1. Introduction:	5
2. Scope of Work.....	5
2.1 Stack Emission Parameters.....	6
2.2 Ambient Air Quality Parameters	7
2.3 Water/Waste Water Parameters	7
2.3 Methodology followed in Sampling and Analysis	10
3. Result of Analysis:	10
3.1 Stack Emission:	10
3.2 Ambient Air Quality:	12
3.3 Water/ Waste WaterQuality:	16
3.4 Ground WaterQuality:	31
4. Summary of the results.....	40
4.1 Stack Emission Monitoring:.....	40
4.2 Ambient Air Quality Monitoring:	40
4.3 Waste Water Quality Monitoring:	41
4.4 Ground Water Quality Monitoring:	42
5. CEPI Score	43
5.1 Comparison of CEPI scores:	45
6. Conclusion	47
7. References	48
8. Annexure	49
Annexure I: Health related data in impact on humans	49
Annexure II: Stack Emission Sampling and Analysis Methodology	50
Annexure III: Ambient Air Sampling and Analysis Methodology	52
Annexure IV: Water/Wastewater Sampling and Analysis Methodology	54
Annexure V: National Ambient Air Quality Standards, 2009.....	58
Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI).....	59
Annexure VII: Drinking Water Specification-IS 10500:2012	63
Annexure VIII: CPCB Water Quality Criteria:	67
Annexure IX: Water Quality Parameters Requirements and Classification	68

Acknowledgement:

We gratefully acknowledge **Dr. P. Anbalagan**, Member Secretary, Maharashtra Pollution Control Board, for entrusting this very important and prestigious project to us.

Our special thanks are to Regional and Sub Regional Officer of the concerned areas, for guidance during the sampling. The contribution of Shri V M Motghare (Joint director APC) is appreciated.

We would also like to extend our thanks to the concerned staff of Regional Hospitals, who has provided us the health data, which is the most important component of this revised concept of CEPI.

By undertaking this project and completing in schedule time, we consider ourselves very lucky since we have helped the mankind by giving the data on pollution load and further action by the Board, to bring down the pollution level.

We also thank our associates for working on this project for making the write up, making graphs and feeding the data on computer.

This acknowledgement will be incomplete if we do not thank our laboratory analysts and others who made this project a success by timely analysing the samples.

We also thank our sampling team members for conducting the sampling in this vast area.

Abbreviations:

APHA	American Public Health Association
BDL	Below Detection Limit
BOD	Biochemical Oxygen Demand
CEPI	Comprehensive Environmental Pollution Index
CETP	Common Effluent Treatment Plant
COD	Chemical Oxygen Demand
CPA	Critically Polluted Areas
SPA	Severely Polluted Areas
DO	Dissolved Oxygen
ETP	Effluent Treatment Plant
MIBK	Methyl Isobutyl Ketone
MPCB	Maharashtra Pollution Control Board
NAAQS	National Ambient Air Quality Standards
NO_x	Oxides of Nitrogen
ND	Not Detected
PAH	Poly Aromatic Hydrocarbons
PCB	Poly Chlorinated Biphenyls
PCT	Poly Chlorinated Terphenyls
PM₁₀	Particulate Matter (size less than 10 µm)
PM_{2.5}	Particulate Matter (size less than 2.5 µm)
SO₂	Sulphur Dioxide
STAP	Short Term Action Plan
WHO	World Health Organization

1. Introduction:

Rapid modernization and industrialization worldwide has not only uprooted to the economic development, but has increased pollution of land, air and water. This has also destroyed our habitat and environment too. Pollutants discharged from the industries have widespread implications and one of the unpleasant effects on water bodies and air. Long term exposure to the polluted air and water causes chronic health problems, making the issue industrial pollution into severe one. So, scientists are exploring the quantum of pollution load as well as to devise certain strategies and technologies so that our sustainable development would not be jeopardized otherwise our long-cherished dream of establishing eco-socialism on this watery planet could not come true.

In view of this, Central Pollution Control Board (CPCB) has evolved the concept of Comprehensive Environmental Pollution Index (CEPI) during 2009-10 as a tool for comprehensive environmental assessment of prominent industrial clusters and formulation of remedial Action Plans for the identified critically polluted areas. Later-on proposals were received from the SPCBs, State Governments, and Industrial Associations and concerned Stake-holders for revisiting the criteria of assessment under CEPI concept. After careful examination and consideration of the suggestions of concerned stake-holders, it was decided to prepare the revised concept of CEPI by eliminating the subjective factors but retaining the factors which can be measured precisely. Hence, revised concept came into existence, which is termed as Revised CEPI Version 2016.

The present report is also based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial clusters or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data, ecological damage, and visual environmental conditions. A total of 88 industrial areas or clusters have been selected by the Central Pollution Control Board (CPCB) in consultation with the Ministry of Environment & Forests Government of India for the study. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed.

Chembur is a suburb in eastern Mumbai, India. Chembur has pollution problems and was ranked 46th in a list of the most polluted industrial clusters in India. Effluents from oil refineries, fertilizer plants and reactors located in Chembur are also said to have polluted sea water in Thane Creek and affected marine life. The Deonar dumping ground in Deonar has caused health issues for the residents of Chembur. In 2008, around 40 residents of Chembur went on a hunger strike to protest against the frequent fires and smoke. Again in 2012, the residents complained to the Brihanmumbai Municipal Corporation on the smoke coming out of the dumping ground, which has been affecting asthma patients.

2. Scope of Work

The Scope of Work consisted of the following:

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water, and Ground Water Quality for identified five Critically Polluted areas (CPAs) in Maharashtra i.e. **Chandrapur, Dombivli, Aurangabad, Navi Mumbai, and Tarapur** and 3 Severely Polluted areas (SPAs) in Maharashtra i.e. **Chembur, Pimpri-Chinchwad and Nashik** as per standard methods.

- At each of the 5 CPAs and 3 SPAs, 24 hourly ambient air quality monitoring to be carried out.
- Representative samples for surface water quality, waste water quality and ground water quality to be collected from prominent surface and ground water bodies located in and around the clusters/areas.
- Submission of complete monitoring, sampling and analysis reports including the summary of the parameters exceeding the prescribed standards/norms for all the 5 CPAs and 3 SPAs.
- Submission of 3 copies of final report with photographs at prominent locations and the CD (soft copy) on completion of the project for every critically polluted and severely polluted area separately.

Monitoring, Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water and Ground Water Quality for Chembur:

- The sampling was carried out in 6 days i.e. on 2nd, 3rd, 4th, 7th, 8th and 9th June 2017 for Chembur region.
- A total of 5 Stack Monitoring Samples, 6 Ambient Air Quality Monitoring Samples, 7 Waste Water Samples and 4 Ground Water Samples were collected and analyzed.
- Health data of last 05 years (2011-2016) was collected from the hospitals nearby industrial clusters under study.

2.1 Stack Emission Parameters

The Stack Emissions were analyzed with the following parameters:

1. Acid Mist
2. Ammonia
3. Carbon Monoxide
4. Chlorine
5. Fluoride(gaseous)
6. Fluoride (particulate)
7. Hydrogen Chloride
8. Hydrogen Sulphide
9. Oxides of Nitrogen
10. Oxygen
11. Polyaromatic Hydrocarbons (Particulate)
12. Suspended Particulate Matter
13. Sulphur Dioxide

14. Benzene
15. Toluene
16. Xylene
17. Volatile Organic Compounds (VOCs)

2.2 Ambient Air Quality Parameters

The Ambient Air Quality was analyzed with the following parameters:

1. Sulphur Dioxide (SO₂)
2. Nitrogen Dioxide (NO₂)
3. Particulate Matter (PM₁₀)
4. Particulate Matter (PM_{2.5})
5. Ozone (O₃)
6. Lead (Pb)
7. Carbon Monoxide (CO)
8. Ammonia (NH₃)
9. Benzene (C₆H₆)
10. Benzo (a) Pyrene (BaP) (Particulate Phase Only)
11. Arsenic (As)
12. Nickel (Ni)

2.3 Water/Waste Water Parameters

The Water/Waste Water was analyzed with the following parameters:

- a. Prominent Surface Water bodies such as outfalls of CETPs, ETPs, treated effluent drainage, river, canal, ponds, lakes and other such water supply resources flowing through the area or flowing adjoining the CPA.
- b. Ground Water Quality data of prominent ground water resources such as observation wells of Central Ground Water Board, drinking water wells, hand pumps, bore wells, hand pumps, bore wells and other such water supply resources located in the industrial cluster/area under consideration or in the peripheral areas.

Basic water quality parameters for surface water and ground water both are as follows:

i. Simple Parameters:

1. Sanitary Survey
2. General Appearance
3. Colour
4. Smell
5. Transparency
6. Ecological(Presence of animals like fish, insects) (Applicable to only surface water)

ii. Regular Monitoring Parameters:

7. pH
8. Oil & Grease
9. Suspended Solids
10. Dissolved Oxygen (% saturation) (Not applicable for ground waters)
11. Chemical Oxygen Demand
12. Biochemical Oxygen Demand
13. Electrical Conductivity
14. Nitrite-Nitrogen
15. Nitrate-Nitrogen
16. (NO₂ + NO₃)-Nitrogen
17. Free Ammonia
18. Total Residual Chlorine
19. Cyanide
20. Fluoride
21. Sulphide
22. Dissolved Phosphate
23. Sodium Absorption Ratio (SAR)

24. Total Coliforms (MPN/100 ml)

25. Faecal Coliforms (MPN/100 ml)

iii. Special Parameters:

26. Total Phosphorous

27. Total Kjeldahl Nitrogen(TKN)

28. Total Ammonia ($\text{NH}_4 + \text{NH}_3$)-Nitrogen

29. Phenols

30. Surface Active Agents

31. Organo Chlorine Pesticides

32. Polynuclear aromatic hydrocarbons (PAH)

33. Polychlorinated Biphenyls (PCB)and Polychlorinated Terphenyls (PCT)

34. Zinc

35. Nickel

36. Copper

37. Hexavalent Chromium

38. Chromium (Total)

39. Arsenic (Total)

40. Lead

41. Cadmium

42. Mercury

43. Manganese

44. Iron

45. Vanadium

46. Selenium

47. Boron

iv. Bioassay (Zebra Fish) Test: For specified samples only.

2.3 Methodology followed in Sampling and Analysis

Industries, places and locations that have been chosen for the sampling are representative of the city/area. Sampling has been done at the potential polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions. Methodology for sampling, preservation and analysis have been done according to the references incorporated. Methodology of various types of parameters is presented under following annexure:

1. Stack Emission Sampling and Analysis Methodology – **Annexure I**
2. Ambient Air Sampling and Analysis Methodology - **Annexure II**
3. Water/Wastewater Sampling and Analysis Methodology - **Annexure III**

3. Result of Analysis:

Results of Analysis are tabulated below for Stack Emission Monitoring, Ambient Air Quality Monitoring, Waste Water Analysis and Water Analysis. These are followed by their respective graphical representation.

*Kindly note:

- NA specifies the sample is not analysed for the specific parameter.
- BDL specifies that the result obtained is below detection limit.

Please Note: Industrial clusters observed with below detection limit parameters are NOT included into the graphs

3.1 Stack Emission:

Stack Emission Monitoring Results are compared against The Environment (Protection) Rules, 1986 General Emission Standard - Part D.

Sr.	Name of Industry	Stack Identity	Table No.
1.	Tata Power Chembur	Unit # 5	I
2.	RCF Mahul Village	Set plant Drink Mist Eliminator	I
3.	Bharat Petroleum Corporation Ltd.	HRSG-2	I
4.	HPCL (Refinery Plant)	NSU 101-F-1001	II
5.	HPCL (Refinery Plant)	CCR (Furnace)	II


Table No. I

Name of Industry			Tata Power Chembur	RCF Mahul Village	Bharat Petroleum Corporation Ltd.
Date of Sampling			02.06.17	03.06.17	07.06.17
Sr.	Parameter	Unit	Results		
1.	Particulate Matter (as PM)	mg/Nm ³	58	NA	BDL
	Std. Limit	mg/Nm³	150	150	100
2.	Sulphur Dioxide (as SO ₂)	mg/Nm ³	5.33	BDL	5.92
		kg/day	141	BDL	323
	Std. Limit	mg/Nm³	200	50	1700
3.	Nitrogen Dioxide (NO ₂)	mg/Nm ³	362	NA	361
	Std. Limit	mg/Nm³	150	-	450

Table No. II

Name of Industry			HPCL (Refinery Plant)	HPCL (Refinery Plant)
Date of Sampling			06.06.17	06.06.17
Sr.	Parameter	Unit	Results	
1.	Particulate Matter (as PM)	mg/Nm ³	12	BDL
	Std. Limit	mg/Nm³	100	100
2.	Sulphur Dioxide (as SO ₂)	mg/Nm ³	10.6	10.6
		kg/day	44.3	17.3
	Std. Limit	mg/Nm³	1700	1700
3.	Nitrogen Dioxide (NO ₂)	mg/Nm ³	595	385
	Std. Limit	mg/Nm³	450	450

Graphs: Stack Monitoring for Chembur:



3.2 Ambient AirQuality:

In order to arrive at conclusions, the Ambient Air Quality Monitoring Results are compared against National Ambient Air Quality Standards, 2009 (**Annexure IV**).

Sr.	Location	Location detail	Table No.
1.	Tata PowerVillage	Fire Station	I
2.	RCF Village	Admin Office	I
3.	Sea LordVillage	Main Gate	I
4.	Aegis Logistics Village	Near CPG Gate	II
5.	Bharat Petroleum Corporation Ltd.	Main Gate	II
6.	HPCLMumbai	Main Gate	II



Table No. I


Location				Tata Power Village	RCF Village	Sea Lord Village
Date of Sampling				03.06.17	04.06.17	04.06.17
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
2.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	4.36	25.7	3.23
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	58	111	112
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	15	29	25
5.	Ozone (O ₃)	µg/m ³	180	BDL	BDL	BDL
6.	Lead (Pb)	µg/m ³	1	BDL	BDL	BDL
7.	Carbon Monoxide (CO)	mg/m ³	4	0.78	0.89	1
8.	Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
9.	Benzene (C ₆ H ₆)	µg/m ³	5	BDL	21	10
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
11.	Arsenic (As)	ng/m ³	6	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m ³	20	BDL	BDL	BDL

Table No. II

Location				Aegis Logistics Village	Bharat Petroleum Corporation Ltd.	HPCL Mumbai
Date of Sampling				03.06.17	08.06.17	09.06.17
Sr.	Parameters	Unit	Std. Limit (NAAQS 2009)	Results		
1.	Sulphur Dioxide (SO ₂)	µg/m ³	80	BDL	BDL	BDL
2.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	8.5	9.74	BDL
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	100	87	133	97
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	60	24	35	26
5.	Ozone (O ₃)	µg/m ³	180	BDL	BDL	BDL
6.	Lead (Pb)	µg/m ³	1	BDL	0.021	BDL
7.	Carbon Monoxide (CO)	mg/m ³	4	0.98	1.06	1.55
8.	Ammonia (NH ₃)	µg/m ³	400	BDL	BDL	BDL
9.	Benzene (C ₆ H ₆)	µg/m ³	5	21	BDL	BDL
10.	Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	1	BDL	BDL	BDL
11.	Arsenic (As)	ng/m ³	6	BDL	BDL	BDL
12.	Nickel (Ni)	ng/m ³	20	BDL	3.05	BDL

Graphs: Ambient Air Quality Monitoring for Chembur:





3.3 Water/ Waste WaterQuality:

Water Analysis Results are compared against CPCB document on criteria for Comprehensive Environmental Assessment of Industrial Clusters-Water Quality Parameters Requirement and Classification (Annexure VI), CPCB Water Quality Criteria (Annexure V) and Drinking Water Specification, IS 10500:2012 (Annexure IV), Wastewater Analysis Results are compared with General Standards for Discharge of Environmental Pollutants Part A: Effluents, The Environment (Protection) Rules, 1986, Schedule VI.

Sr.	Location	Source	Table No.
1.	Tata Power	ETP Outlet	I
2.	Tata Power	STP Outlet	I
3.	RCF	ETP Outlet	I
4.	RCF	STP Outlet	II
5.	Sea Lord	ETP Outlet	II
6.	BPCL	ETP Outlet	II
7.	HPCL	ETP Outlet	III

Table No. I

Location				Tata Power	Tata Power	RCF
Date of Sampling				02.06.17	02.06.17	03.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Colour	Hazen		1	1	1
2.	Smell	-		Agreeable	Agreeable	Agreeable
3.	pH	-	5.5 -9.0	8.33	6.96	7.2
4.	Oil & Grease	mg/L	10.0	BDL	BDL	BDL
5.	Suspended Solids	mg/L	100.0	27	13	6
6.	Dissolved Oxygen (%Saturation)	%		75	110	80
7.	Chemical Oxygen Demand	mg/L	250.0	10	30	10
8.	Biochemical Oxygen Demand (3 days,27°C)	mg/L	30.0	3.2	9.7	3.2
9.	Electrical Conductivity (at 25°C)	µmhos/cm		110.4	334	85.4
10.	Nitrite Nitrogen (as NO ₂)	mg/L		BDL	2.84	BDL
11.	Nitrate Nitrogen (as NO ₃)	mg/L	10.0	0.36	17.5	11.9
12.	(NO ₂ + NO ₃)-Nitrogen	mg/L	5.0	0.37	20.3	11.9
13.	Free Ammonia (as NH ₃ -N)	mg/L	5.0	BDL	BDL	BDL
14.	Total Residual Chlorine	mg/L	1.0	BDL	0.18	BDL
15.	Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL

Location				Tata Power	Tata Power	RCF
Date of Sampling				02.06.17	02.06.17	03.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
16.	Fluoride (as F)	mg/L	2.0	BDL	0.34	0.16
17.	Sulphide (as S ²⁻)	mg/L	2.0	BDL	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L	5.0	0.12	0.36	BDL
19.	Sodium Absorption Ratio	-		0.17	0.97	2.57
20.	Total Coliforms	MPN index/100 mL	100.0	14	BDL	7.8
21.	Faecal Coliforms	MPN index/100 mL	1000.0	BDL	BDL	BDL
22.	Total Phosphate (as P)	mg/L	1.0	0.35	1.03	0.26
23.	Total Kjeldahl Nitrogen	mg/L	100.0	1	0.9	0.56
24.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	5.0	BDL	0.13	5.71
25.	Phenols (as C ₆ H ₅ OH)	mg/L	3.0	BDL	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL	BDL	BDL
27.	Organo Chlorine Pesticides					
I.	Alachlor	µg/L	2.0	BDL	BDL	BDL
II.	Atrazine	µg/L	0.2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.1	BDL	BDL	BDL
IV.	Dieldrin	µg/L	2.0	BDL	BDL	BDL

Location				Tata Power	Tata Power	RCF
Date of Sampling				02.0617	02.06.17	03.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
V.	Alpha HCH	µg/L	0.01	BDL	BDL	BDL
VI.	Beta HCH	µg/L	2.0	BDL	BDL	BDL
VII.	Chlorpyriphos	µg/L	3.0	BDL	BDL	BDL
VIII.	Butachlor	µg/L		BDL	BDL	BDL
IX.	Delta HCH	µg/L	0.2	BDL	BDL	BDL
X.	p,p DDT	µg/L	0.05	BDL	BDL	BDL
XI.	o,p DDT	µg/L	100.0	BDL	BDL	BDL
XII.	p,p DDE	µg/L	250.0	BDL	BDL	BDL
XIII.	o,p DDE	µg/L	30.0	BDL	BDL	BDL
XIV.	p,p DDD	µg/L		BDL	BDL	BDL
XV.	o,p DDD	µg/L		BDL	BDL	BDL
XVI.	Alpha Endosulfan	µg/L	10.0	BDL	BDL	BDL
XVII.	Beta Endosulfan	µg/L		BDL	BDL	BDL
XVIII.	Endosulfan Sulphate	µg/L	5.0	BDL	BDL	BDL
28.	Y HCH (Lindane)	µg/L	1.0	BDL	BDL	BDL
29.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL	BDL	BDL
30.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL	BDL	BDL
31.	Zinc (as Zn)	mg/L	5.0	0.101	0.109	BDL
32.	Nickel (as Ni)	mg/L	3.0	BDL	BDL	BDL
33.	Copper (as Cu)	mg/L		BDL	BDL	BDL

Location				Tata Power	Tata Power	RCF
Date of Sampling				02.0617	02.06.17	03.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
34.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.1	BDL	BDL	BDL
35.	Total Chromium (as Cr)	mg/L	2.0	BDL	BDL	BDL
36.	Total Arsenic (as As)	mg/L	0.2	BDL	BDL	BDL
37.	Lead (as Pb)	mg/L	0.1	BDL	0.122	BDL
38.	Cadmium (as Cd)	mg/L	2.0	BDL	BDL	BDL
39.	Mercury (as Hg)	mg/L	0.01	BDL	BDL	BDL
40.	Manganese (as Mn)	mg/L	2.0	BDL	0.026	BDL
41.	Iron (as Fe)	mg/L	3.0	0.294	0.97	BDL
42.	Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
43.	Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
44.	Boron (as B)	mg/L		BDL	0.262	0.106
45.	Bioassay Test on fish	% survival		100	100	80

Table No. II

Location				RCF	Sea Lord	BPCL
Date of Sampling				03.06.17	04.06.17	09.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
1.	Colour	Hazen		1	1	10
2.	Smell	-		Agreeable	Agreeable	Agreeable
3.	pH	-	5.5 -9.0	7.37	7.69	7.61
4.	Oil & Grease	mg/L	10.0	BDL	BDL	BDL
5.	Suspended Solids	mg/L	100.0	8	7	16
6.	Dissolved Oxygen (%Saturation)	%		55	75	50
7.	Chemical Oxygen Demand	mg/L	250.0	20	10	69
8.	Biochemical Oxygen Demand (3 days,27°C)	mg/L	30.0	7	3.2	24
9.	Electrical Conductivity (at 25°C)	µmhos/cm		913	1039	372
10.	Nitrite Nitrogen (as NO ₂)	mg/L		2.16	0.03	BDL
11.	Nitrate Nitrogen (as NO ₃)	mg/L	10.0	35.2	11.7	2.81
12.	(NO ₂ + NO ₃)-Nitrogen	mg/L	5.0	37.4	11.7	2.81
13.	Free Ammonia (as NH ₃ -N)	mg/L	5.0	BDL	BDL	BDL
14.	Total Residual Chlorine	mg/L	1.0	BDL	0.13	BDL
15.	Cyanide (as CN)	mg/L	0.2	BDL	BDL	BDL
16.	Fluoride (as F)	mg/L	2.0	BDL	BDL	0.2

Location				RCF	Sea Lord	BPCL
Date of Sampling				03.06.17	04.06.17	09.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
17.	Sulphide (as S ²⁻)	mg/L	2.0	BDL	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L	5.0	0.36	0.2	BDL
19.	Sodium Absorption Ratio	-		1.27	0.64	1.79
20.	Total Coliforms	MPN index/100 mL	100.0	7.8	79	140
21.	Faecal Coliforms	MPN index/100 mL	1000.0	BDL	BDL	70
22.	Total Phosphate (as P)	mg/L	1.0	0.94	0.7	BDL
23.	Total Kjeldahl Nitrogen	mg/L	100.0	21.3	BDL	16.1
24.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	5.0	0.36	BDL	1.89
25.	Phenols (as C ₆ H ₅ OH)	mg/L	3.0	BDL	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL	BDL	BDL
27.	Organo Chlorine Pesticides		0.1			
I.	Alachlor	µg/L	2.0	BDL	BDL	BDL
II.	Atrazine	µg/L	0.2	BDL	BDL	BDL
III.	Aldrin	µg/L	0.1	BDL	BDL	BDL
IV.	Dieldrin	µg/L	2.0	BDL	BDL	BDL
V.	Alpha HCH	µg/L	0.01	BDL	BDL	BDL

Location				RCF	Sea Lord	BPCL
Date of Sampling				03.06.17	04.06.17	09.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
VI.	Beta HCH	µg/L	2.0	BDL	BDL	BDL
VII.	Chlorpyriphos	µg/L	3.0	BDL	BDL	BDL
VIII.	Butachlor	µg/L		BDL	BDL	BDL
IX.	Delta HCH	µg/L	0.2	BDL	BDL	BDL
X.	p,p DDT	µg/L	0.05	BDL	BDL	BDL
XI.	o,p DDT	µg/L	100.0	BDL	BDL	BDL
XII.	p,p DDE	µg/L	250.0	BDL	BDL	BDL
XIII.	o,p DDE	µg/L	30.0	BDL	BDL	BDL
XIV.	p,p DDD	µg/L		BDL	BDL	BDL
XV.	o,p DDD	µg/L		BDL	BDL	BDL
XVI.	Alpha Endosulfan	µg/L	10.0	BDL	BDL	BDL
XVII.	Beta Endosulfan	µg/L		BDL	BDL	BDL
XVIII.	Endosulfan Sulphate	µg/L	5.0	BDL	BDL	BDL
28.	Y HCH (Lindane)	µg/L	1.0	BDL	BDL	BDL
29.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL	BDL	BDL
30.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL	BDL	BDL
31.	Zinc (as Zn)	mg/L	5.0	BDL	BDL	0.09
32.	Nickel (as Ni)	mg/L	3.0	BDL	BDL	BDL
33.	Copper (as Cu)	mg/L		BDL	BDL	BDL
34.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.1	BDL	BDL	BDL

Location				RCF	Sea Lord	BPCL
Date of Sampling				03.06.17	04.06.17	09.06.17
Sr.	Parameters	Unit	Std. Limit	Results		
35.	Total Chromium (as Cr)	mg/L	2.0	BDL	BDL	BDL
36.	Total Arsenic (as As)	mg/L	0.2	BDL	BDL	BDL
37.	Lead (as Pb)	mg/L	0.1	BDL	BDL	BDL
38.	Cadmium (as Cd)	mg/L	2.0	BDL	BDL	BDL
39.	Mercury (as Hg)	mg/L	0.01	BDL	BDL	BDL
40.	Manganese (as Mn)	mg/L	2.0	BDL	BDL	BDL
41.	Iron (as Fe)	mg/L	3.0	0.139	BDL	0.066
42.	Vanadium (as V)	mg/L	0.2	BDL	BDL	BDL
43.	Selenium (as Se)	mg/L	0.05	BDL	BDL	BDL
44.	Boron (as B)	mg/L		BDL	BDL	BDL
45.	Bioassay Test on fish	% survival		100	80	0

Table No. III

Location				HPCL
Date of Sampling				08.06.17
Sr.	Parameters	Unit	Std. Limit	Results
1.	Colour	Hazen		1
2.	Smell	-		Agreeable
3.	pH	-	5.5 -9.0	7.59
4.	Oil & Grease	mg/L	10.0	BDL



Location				HPCL
Date of Sampling				08.06.17
Sr.	Parameters	Unit	Std. Limit	Results
5.	Suspended Solids	mg/L	100.0	17
6.	Dissolved Oxygen (%Saturation)	%		35
7.	Chemical Oxygen Demand	mg/L	250.0	99
8.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30.0	34
9.	Electrical Conductivity (at 25°C)	µmhos/cm		1888
10.	Nitrite Nitrogen (as NO ₂)	mg/L		BDL
11.	Nitrate Nitrogen (as NO ₃)	mg/L	10.0	30
12.	(NO ₂ + NO ₃)-Nitrogen	mg/L	5.0	30
13.	Free Ammonia (as NH ₃ -N)	mg/L	5.0	BDL
14.	Total Residual Chlorine	mg/L	1.0	0.05
15.	Cyanide (as CN)	mg/L	0.2	BDL
16.	Fluoride (as F)	mg/L	2.0	0.4
17.	Sulphide (as S ²⁻)	mg/L	2.0	BDL
18.	Dissolved Phosphate (as P)	mg/L	5.0	BDL
19.	Sodium Absorption Ratio	-		2.66



Location				HPCL
Date of Sampling				08.06.17
Sr.	Parameters	Unit	Std. Limit	Results
20.	Total Coliforms	MPN index/100 mL	100.0	BDL
21.	Faecal Coliforms	MPN index/100 mL	1000.0	BDL
22.	Total Phosphate (as P)	mg/L	1.0	BDL
23.	Total Kjeldahl Nitrogen	mg/L	100.0	3.02
24.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	5.0	0.11
25.	Phenols (as C ₆ H ₅ OH)	mg/L	3.0	BDL
26.	Surface Active Agents (as MBAS)	mg/L	3.0	BDL
27.	Organo Chlorine Pesticides		0.1	
I.	Alachlor	µg/L	2.0	BDL
II.	Atrazine	µg/L	0.2	BDL
III.	Aldrin	µg/L	0.1	BDL
IV.	Dieldrin	µg/L	2.0	BDL
V.	Alpha HCH	µg/L	0.01	BDL
VI.	Beta HCH	µg/L	2.0	BDL
VII.	Chlorpyrifos	µg/L	3.0	BDL
VIII.	Butachlor	µg/L		BDL
IX.	Delta HCH	µg/L	0.2	BDL
X.	p,p DDT	µg/L	0.05	BDL

Location				HPCL
Date of Sampling				08.06.17
Sr.	Parameters	Unit	Std. Limit	Results
XI.	o,p DDT	µg/L	100.0	BDL
XII.	p,p DDE	µg/L	250.0	BDL
XIII.	o,p DDE	µg/L	30.0	BDL
XIV.	p,p DDD	µg/L		BDL
XV.	o,p DDD	µg/L		BDL
XVI.	Alpha Endosulfan	µg/L	10.0	BDL
XVII.	Beta Endosulfan	µg/L		BDL
XVIII.	Endosulfan Sulphate	µg/L	5.0	BDL
28.	Y HCH (Lindane)	µg/L	1.0	BDL
29.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	0.2	BDL
30.	Polychlorinated Biphenyls (PCB)	mg/L	2.0	BDL
31.	Zinc (as Zn)	mg/L	5.0	0.109
32.	Nickel (as Ni)	mg/L	3.0	BDL
33.	Copper (as Cu)	mg/L		BDL
34.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.1	BDL
35.	Total Chromium (as Cr)	mg/L	2.0	BDL
36.	Total Arsenic (as As)	mg/L	0.2	BDL
37.	Lead (as Pb)	mg/L	0.1	BDL

Location				HPCL
Date of Sampling				08.06.17
Sr.	Parameters	Unit	Std. Limit	Results
38.	Cadmium (as Cd)	mg/L	2.0	BDL
39.	Mercury (as Hg)	mg/L	0.01	BDL
40.	Manganese (as Mn)	mg/L	2.0	BDL
41.	Iron (as Fe)	mg/L	3.0	BDL
42.	Vanadium (as V)	mg/L	0.2	BDL
43.	Selenium (as Se)	mg/L	0.05	BDL
44.	Boron (as B)	mg/L		BDL
45.	Bioassay Test on fish	% survival		100

Graphs: Water/Waste Water Quality Monitoring for Chembur:





3.4 Ground Water Quality:

Sr.	Location	Source	Table No.
1.	RCF Village	Borewell water	I
2.	Sea Lord Village	Borewell water	I
3.	Bharat Petroleum Corporation Ltd.	BMC Water	II
4.	HPCL Mahul Village	Borewell water	II

Table No. I

Location				RCF -Mahul Village	Sea Lord
Date of Sampling				03.06.17	04.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
1.	Colour	Hazen	5	1	1
2.	Smell	-		Agreeable	Agreeable
3.	pH	-	6.5-8.5	7.43	7.37
4.	Oil & Grease	mg/L		BDL	BDL
5.	Suspended Solids	mg/L	100	12	7
6.	Dissolved Oxygen (% Saturation)	%		34	35
7.	Chemical Oxygen Demand	mg/L	250	41	34
8.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	17	12
9.	Electrical Conductivity (at 25°C)	µmho/cm		2440	1061
10.	Nitrite Nitrogen (as NO ₂)	mg/L		0.8	0.05
11.	Nitrate Nitrogen (as NO ₃)	mg/L	45	44	7.67
12.	(NO ₂ + NO ₃)-Nitrogen	mg/L		44.8	7.72

Location				RCF -Mahul Village	Sea Lord
Date of Sampling				03.06.17	04.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
13.	Free Ammonia (as NH ₃ -N)	mg/L	0.5	BDL	BDL
14.	Total Residual Chlorine	mg/L	0.2	BDL	0.12
15.	Cyanide (as CN)	mg/L	0.05	BDL	BDL
16.	Fluoride (as F)	mg/L	1.0	0.34	BDL
17.	Sulphide (as S ²⁻)	mg/L	1.0	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L	0.05	BDL	BDL
19.	Sodium Absorption Ratio	mg/L		0.84	0.76
20.	Total Coliforms	MPN index/ 100 ml		7.8	BDL
21.	Faecal Coliforms	MPN index/ 100 ml	BDL	BDL	BDL
22.	Total Phosphorous (as P)	mg/L	BDL	0.24	0.47
23.	Total Kjeldahl Nitrogen	mg/L	0.5	14.1	0.56
24.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	0.001	0.16	BDL
25.	Phenols (as C ₆ H ₅ OH)	mg/L	0.5	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	0.001	BDL	BDL
27.	Organo Chlorine Pesticides				
I.	Alachlor	µg/L	0.05	BDL	BDL
II.	Atrazine	µg/L	20	BDL	BDL
III.	Aldrin	µg/L	2	BDL	BDL

Location				RCF -Mahul Village	Sea Lord
Date of Sampling				03.06.17	04.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
IV.	Dieldrin	µg/L	0.03	BDL	BDL
V.	Alpha HCH	µg/L	0.03	BDL	BDL
VI.	Beta HCH	µg/L	0.01	BDL	BDL
VII.	Delta HCH	µg/L	0.04	BDL	BDL
VIII.	Chlorpyriphos	µg/L		BDL	BDL
IX.	Butachlor	µg/L	125	BDL	BDL
X.	p,p DDT	µg/L	0.04	BDL	BDL
XI.	o,p DDT	µg/L	1.0	BDL	BDL
XII.	p,p DDE	µg/L	1.0	BDL	BDL
XIII.	o,p DDE	µg/L	1.0	BDL	BDL
XIV.	p,p DDD	µg/L	1.0	BDL	BDL
XV.	o,p DDD	µg/L	1.0	BDL	BDL
XVI.	Alpha Endosulfan	µg/L	1.0	BDL	BDL
XVII.	Beta Endosulfan	µg/L	0.4	BDL	BDL
XVIII.	Endosulfan Sulphate	µg/L	0.4	BDL	BDL
XIX.	Y HCH (Lindane)	µg/L	0.4	BDL	BDL
28.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	2.0	BDL	BDL
29.	Polychlorinated Biphenyls (PCB)	mg/L	0.0001	BDL	BDL
30.	Zinc (as Zn)	mg/L	0.0005	BDL	BDL
31.	Nickel (as Ni)	mg/L	5.0	BDL	BDL
32.	Copper (as Cu)	mg/L	0.02	BDL	BDL
33.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.05	BDL	BDL
34.	Total Chromium (as Cr)	mg/L	1	BDL	BDL

Location				RCF -Mahul Village	Sea Lord
Date of Sampling				03.06.17	04.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
35.	Total Arsenic (as As)	mg/L	0.05	BDL	BDL
36.	Lead (as Pb)	mg/L	0.01	BDL	BDL
37.	Cadmium (as Cd)	mg/L	0.01	BDL	BDL
38.	Mercury (as Hg)	mg/L	0.003	BDL	BDL
39.	Manganese (as Mn)	mg/L	0.001	BDL	BDL
40.	Iron (as Fe)	mg/L	0.1	0.16	BDL
41.	Vanadium (as V)	mg/L	0.3	BDL	BDL
42.	Selenium (as Se)	mg/L		BDL	BDL
43.	Boron (as B)	mg/L	0.01	BDL	BDL
44.	Bioassay Test on fish	% survival		100	80

Table No. II

Location				Bharat Petroleum Corporation Ltd.	HPCLMahul Village
Date of Sampling				09.06.17	08.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
1.	Colour	Hazen	5	1	1
2.	Smell	-		Agreeable	Agreeable
3.	pH	-	6.5-8.5	7.54	7.31
4.	Oil & Grease	mg/L		BDL	BDL
5.	Suspended Solids	mg/L	100	8	9
6.	Dissolved Oxygen (%Saturation)	%		43	52


Location				Bharat Petroleum Corporation Ltd.	HPCL Mahul Village
Date of Sampling				09.06.17	08.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
7.	Chemical Oxygen Demand	mg/L	250	50	58
8.	Biochemical Oxygen Demand (3 days, 27°C)	mg/L	30	18	20
9.	Electrical Conductivity (at 25°C)	µmho/cm		82.8	509
10.	Nitrite Nitrogen (as NO ₂)	mg/L		BDL	BDL
11.	Nitrate Nitrogen (as NO ₃)	mg/L	45	0.35	BDL
12.	(NO ₂ + NO ₃)-Nitrogen	mg/L		0.35	0.12
13.	Free Ammonia (as NH ₃ -N)	mg/L	0.5	BDL	BDL
14.	Total Residual Chlorine	mg/L	0.2	BDL	BDL
15.	Cyanide (as CN)	mg/L	0.05	BDL	BDL
16.	Fluoride (as F)	mg/L	1.0	BDL	BDL
17.	Sulphide (as S ²⁻)	mg/L	1.0	BDL	BDL
18.	Dissolved Phosphate (as P)	mg/L	0.05	BDL	BDL
19.	Sodium Absorption Ratio	mg/L		0.24	1.08
20.	Total Coliforms	MPN index/ 100 ml		7.8	BDL
21.	Faecal Coliforms	MPN index/ 100 ml	BDL	BDL	BDL



Location				Bharat Petroleum Corporation Ltd.	HPCL Mahul Village
Date of Sampling				09.06.17	08.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
22.	Total Phosphorous (as P)	mg/L	BDL	BDL	BDL
23.	Total Kjeldahl Nitrogen	mg/L	0.5	0.34	0.22
24.	Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	0.001	BDL	BDL
25.	Phenols (as C ₆ H ₅ OH)	mg/L	0.5	BDL	BDL
26.	Surface Active Agents (as MBAS)	mg/L	0.001	BDL	BDL
27.	Organo Chlorine Pesticides				
I.	Alachlor	µg/L	0.05	BDL	BDL
II.	Atrazine	µg/L	20	BDL	BDL
III.	Aldrin	µg/L	2	BDL	BDL
IV.	Dieldrin	µg/L	0.03	BDL	BDL
V.	Alpha HCH	µg/L	0.03	BDL	BDL
VI.	Beta HCH	µg/L	0.01	BDL	BDL
VII.	Delta HCH	µg/L	0.04	BDL	BDL
VIII.	Chlorpyrifos	µg/L		BDL	BDL
IX.	Butachlor	µg/L	125	BDL	BDL
X.	p,p DDT	µg/L	0.04	BDL	BDL
XI.	o,p DDT	µg/L	1.0	BDL	BDL
XII.	p,p DDE	µg/L	1.0	BDL	BDL
XIII.	o,p DDE	µg/L	1.0	BDL	BDL
XIV.	p,p DDD	µg/L	1.0	BDL	BDL


Location				Bharat Petroleum Corporation Ltd.	HPCL Mahul Village
Date of Sampling				09.06.17	08.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
XV.	o,p DDD	µg/L	1.0	BDL	BDL
XVI.	Alpha Endosulfan	µg/L	1.0	BDL	BDL
XVII.	Beta Endosulfan	µg/L	0.4	BDL	BDL
XVIII.	Endosulfan Sulphate	µg/L	0.4	BDL	BDL
XIX.	Y HCH (Lindane)	µg/L	0.4	BDL	BDL
28.	Polynuclear aromatic hydrocarbons (as PAH)	mg/L	2.0	BDL	BDL
29.	Polychlorinated Biphenyls (PCB)	mg/L	0.0001	BDL	BDL
30.	Zinc (as Zn)	mg/L	0.0005	0.355	0.142
31.	Nickel (as Ni)	mg/L	5.0	BDL	BDL
32.	Copper (as Cu)	mg/L	0.02	BDL	BDL
33.	Hexavalent Chromium (as Cr ⁶⁺)	mg/L	0.05	BDL	BDL
34.	Total Chromium (as Cr)	mg/L	1	BDL	BDL
35.	Total Arsenic (as As)	mg/L	0.05	BDL	BDL
36.	Lead (as Pb)	mg/L	0.01	BDL	BDL
37.	Cadmium (as Cd)	mg/L	0.01	BDL	BDL
38.	Mercury (as Hg)	mg/L	0.003	BDL	BDL
39.	Manganese (as Mn)	mg/L	0.001	BDL	0.032
40.	Iron (as Fe)	mg/L	0.1	BDL	0.147
41.	Vanadium (as V)	mg/L	0.3	BDL	BDL
42.	Selenium (as Se)	mg/L		BDL	BDL
43.	Boron (as B)	mg/L	0.01	BDL	BDL

Location				Bharat Petroleum Corporation Ltd.	HPCL Mahul Village
Date of Sampling				09.06.17	08.06.17
Sr.	Parameters	Unit	Std. Limit	Results	
44.	Bioassay Test on fish	% survival		100	100

Graphs: Ground Water Quality Monitoring for Chembur:







4. Summary of the results

Based on the study done, the results are summarised and concluded as follows:

4.1 Stack Emission Monitoring:

Five industries from Chembur region were selected for Stack emission monitoring.

- 1. Particulate matter (PM):** Out the 5stacks; Particulate matter was collected only from 4 stacks. All the results obtained are within the standard emission for the specified industry.
- 2. Sulphur dioxide (SO₂):** 4 stacks out of the 5 stacks results is within the limits. One stack the result obtained was below the detectable limit.
- 3. Nitrogen dioxide (NO₂):** NO₂ was sampled from 4 stacks. The higher concentration of NO₂ was observed at HPCL refinery plant stack NSU 101-F-1001 with 595 mg/Nm³.

4.2 Ambient Air Quality Monitoring:

Six ambient air samples were collected from Chembur region. The parameters monitored were studied as per the NAAQ standards. The variations of each parameter within the area under study are discussed below:

- 1. Sulphur dioxide (SO₂):** All 6 locations results showed below the detection limit.
- 2. Nitrogen dioxide (NO₂):** Values of nitrogen dioxide are observed well within the standard limit of 80µg/m³ at 5 locations monitored and at HPCL location the result was observed below the detectable limit.

- 3. Particulate Matter (PM₁₀):** 3 sampled locations in Chembur region showed higher level of PM₁₀ concentration than the standard limit of NAAQS. The level of PM₁₀ was higher at BPCL, RCF and Sea Lord with 133µg/m³, 111µg/m³ and 112µg/m³ respectively.
- 4. Particulate Matter (PM_{2.5}):** PM_{2.5} concentration was well within the standard limit at all 6 locations monitored.
- 5. Ozone (O₃):** Ozone was found to be below detectable limit in all 6 locations monitored.
- 6. Lead (Pb):** Only at BPCL the lead concentration was observed out of 6 locations monitored and was well within the NAAQS standard.
- 7. Carbon Monoxide (CO):** Concentration of carbon monoxide has been found to well within the limits in all 6 locations monitored with the highest concentration at HPCL with 1.55 mg/m³.
- 8. Ammonia (NH₃):** Ammonia was below the detectable limit in all 6 locations monitored.
- 9. Benzene (C₆H₆):** Out of 6 locations monitored, 3 locations were having benzene concentration higher than 5 µg/m³ which is the standard limit as per NAAQS.
- 10. Benzo(a)pyrene (BaP):** BaP was below detectable limit in all 6 locations monitored.
- 11. Arsenic (As):** As was also below detectable limit in all 6 locations monitored.
- 12. Nickel (Ni):** Concentration of Nickel was below detectable limit at 5 locations monitored. The highest level of Nickel was observed at BPCL with 3.05 ng/m³.

4.3 Waste Water Quality Monitoring:

To understand the quality of treated effluent, samples were collected from 7 industries of Chembur. Considering the general parameters of all the industries mentioned, following are the conclusions:

- 1. Colour:** Colour units were found highest at BPCL with 10 Hazen unit.
- 2. Odour:** odour of all waste water samples collected is found agreeable.
- 3. pH:** it is observed in between 6.9 and 8.3 which is well within the range.
- 4. Suspended Solids:** Suspended solids of all 7 water sample is well within the limits and ranged in between 6mg/L to 27 mg/L.
- 5. Chemical Oxygen Demand:** All samples collected, were well within the limit required as per standard. The highest COD was observed at HPCL with 99mg/L concentration.
- 6. Biochemical Oxygen Demand:** One out of the 7 samples collected was exceeding the limit required as per standard of BOD. The highest BOD was observed at HPCL with 34 mg/L concentration.
- 7. Sulphide:** 7 samples collected were found to have below detectable limit.

- 8. Total Ammonia:** one water samples collected had high concentration of Ammonia with 5.7 mg/L.
- 9. Total Kjeldahl Nitrogen:** high concentration of Total Kjeldahl Nitrogen was observed at RCF with 21.3 mg/L.
- 10. Fish Bioassay:** 100% Survival was attained in 4 water samples collected for Bioassay test and in 1 water samples, no fishes survived at all.
- 11. Heavy metals:** All the heavy metals are found below the standard limits in all the samples.

4.4 Ground Water Quality Monitoring:

Four ground water samples were collected from Chembur region.

- 1) Colour** (Hazen Units): Colour units are well within the limits at all 4 water samples collected.
- 2) Odour:** odour of all the samples is found agreeable.
- 3) Chemical Oxygen Demand:** The COD of all 4 samples are well within the limits and highest concentration was observed at HPCL with 58 mg/L.
- 4) Biological Oxygen Demand:** BOD of all 4 samples was found in the range between 12 mg/L to 20 mg/L.

Following are the parameters which are compared with ISO 10500:2012 Drinking water specifications.

- 1) Nitrite:** Values of Nitrite at all location was well within the standard at 2 locations and at two locations it was observed below the detectable limit.
- 2) Nitrate:** Results of Nitrate are also observed below standard limit (45mg/l). Highest concentration of Nitrate was observed at RCF with 44 mg/l.
- 3) Residual Free Chlorine:** Values are below the detectable limit in all 4 samples collected.
- 4) Total Ammonia:** Values are below the detectable limit in 3 samples collected. At RCF Mahul borewell sample, 0.16 mg/L total ammonia was observed.
- 5) Fluoride:** Values are below the acceptable standards, below <1 mg/L.
- 6) Sulphide:** sulphide concentration is below detectable limit in all 4 samples collected.
- 7) Sodium Absorption Ratio:** These values fit within range of water quality criteria of CPCB.
- 8) Total Kjeldahl nitrogen:** All 4 water sample collected exceeded the standard limit of TKN and ranged in between 0.22 mg/L to 14.1 mg/L concentration.
- 9) Fish Bioassay:** Only at Sea Loard village borewell water sample 80% survival was observed. Remaining all location 100% survival was observed.

10) Boron: Values are below the acceptable standards.

11) Surface Active Agents: All 4 samples showed below detectable limit.

5. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as early warning tool which helps in categorization of industrial clusters/areas in terms of priority of needing attention.

CPCB had evolved certain methodology to calculate CEPI, in which a score has been fixed for different environmental components based on the level of pollution. The scoring system involves an algorithm that takes into account the basic selection criteria. This approach is based on the basic hazard assessment logic that can be summarized as below.

Hazard = pollutant source, pathways, and receptor

CPCB has calculated CEPI for the identified critically polluted industrial clusters. It is calculated separately for air, water, and land. The basic framework and scoring system of the CEPI – based on three factors namely pollutant, pathway, and receptor – has been described further under this section.


To overcome the subjectivity, revised concept is proposed by eliminating the subjective factors as described in the previous section, but retaining the factors which can be measured precisely.

- i. Revised concept is prepared by eliminating the debatable factors but retaining the factors which can be measured precisely.
- ii. It is decided to develop the Comprehensive Environmental Pollution Index (CEPI) retaining the existing algorithm of Source, Pathway and Receptor.
- iii. Health component was also retained in the revised concept in line with the suggestions of Secretary, MoEFCC during the meeting held in MoEF.

Outlines of revised CEPI 2016 criteria

The outlines of the revised CEPI criteria are as follows:

1. It is proposed to develop the Comprehensive Environmental Pollution Index (CEPI) based on Sources of pollution, real time observed values of the pollutants in the ambient air, surface water and ground water in & around the industrial cluster and health related statistics.
2. For assessment of the environmental quality of the area i.e. CEPI score, the concept of SNLF i.e. a surrogate number which represents the level of exposure (a function of percentage sample Exceedance & Exceedance Factor) shall be used.
3. Health component to be evaluated based on the health data available from major hospitals in the area was also retained in the revised concept.
4. The evaluation criterion of the revised CEPI version 2016 is described in the flowchart given below:



Here, health data collected for Receptor Score C is included in **Annexure I**

Based on Sub-index Score (score of individual environmental component like air, water etc.):

- **Score more than 63:** A Critical Level of Pollution in the respective level of environmental component
- **Score between 51-63:** Severe to critical level of pollution with reference to respective environmental component

Cut-off Score

- **Score 50:** Severely Polluted Industrial Clusters/areas
- **Score 60:** Critically Polluted Industrial Clusters/areas

Based on Aggregated CEPI Score (score includes sub-index score of all individual environmental components together):

- **Aggregated CEPI score >70:** Critically polluted areas
- **Aggregated CEPI score between 60-70:** Severely polluted areas

Since the inception of the programme, MPCB has also formulated Action Plans to mitigate the environmental pollution problems for each of the 8 Critically Polluted Areas (CPAs) in Maharashtra. Based on available information, parameters selected and monitored in continuation with this, CEPI has been calculated and Short-Term Action Plan (STAP) as well as Long Term Action Plan (LTAP) was prepared in 2010.

Subsequently NAAQS 2009 came in force. List of parameters to be considered increased and expanded including more critical and hazardous pollutants like benzene, BaP, Metals, etc. existing in the environment. There was revision of standards (limiting values) as well. In this present report of 2016 prepared by MPCB, CEPI is calculated considering all these revised standards' limiting values, list of parameters and complete scope of monitoring.

The result shows that CEPI score of present report is 63.52. The present study is the compilation of pre-monsoon season, which also affects the score value. It should be noticed here that MPCB's efforts through the formulation of action plans decreased the overall concentration of pollutants in all aspects i.e. air, land and water in Navi Mumbai area in past three years. This has also resulted in decreased score of CEP now.

The result shows that CEPI score of present report is 44.3. The present study is the compilation of pre-monsoon season, which also affects the score value. It should be noticed here that MPCB's efforts through the formulation of action plans decreased the overall concentration of pollutants in all aspects i.e. air, land and water in Chembur area in past three years. This has also resulted in decreased score of CEPI.

5.1 Comparison of CEPI scores:

Results show that present CEPI score (44.3) of Chembur considering all revised standards is lesser than post monsoon score (February 2017) of 63.2.

Detailed results of Air, Water and Land are given below:

Air

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
Present Report June, 2017 (Revised CEPI 2016)	3	3.3	9.9	-	-	-	9	-	-	-	5	10	33.9
February, 2017	3	5	15	5	0	0	5	5	5	0	25	10	55
CPCB Report 2009	5.75	5	28.7	6	0	0	6	5	3	0	15	10	59.75

Water:

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
Present Report June, 2017 (Revised CEPI 2016)	2.6	4.1	10.6	-	-	-	8				10	10	38.66
February, 2017	2	3.8	7.6	5	0	3	8	5	3	0	15	10	40.6
CPCB Report 2009	3	5	15	7.8	1.5	1.5	10.7	5	2	5	15	10	50.75

Land:

	A1	A2	A	B1	B2	B3	B	C1	C2	C3	C	D	CEPI
Present Report June, 2017 (Revised CEPI 2016)	3.8	3.1	6.2	-	-	-	9	-	-	-	10	10	40.78
February, 2017	3	4.3	12.9	5	3	3	11	4	2	3	11	10	44.9
CPCB Report 2009	3	5	15	3	1.5	1.5	6	5	2	5	15	10	46.00

Aggregated CEPI:

	Air Index	Water Index	Land Index	CEPI
Present Report June, 2017 (Revised CEPI 2016)	33.9	38.66	34.2	44.3
February, 2017	55	40.6	44.9	63.2
CPCB Report 2009	59.75	50.75	46.00	69.19

6. Conclusion

We have taken samples of 5 stacks from various industries around the region to carry out the study. Only Nitrogen dioxide of HPCL refinery plant stack NSU 101-F-1001 was observed exceeding the standard limit prescribed. All other results obtained were well within the limits prescribed to specific industry by the Pollution control board. The refinery plants, chemical industry and power plant which were monitored also have implemented Environmental protection measures as suggested by statutory bodies like CPCB and State PCBs and complied with standard limits and regulations.

Six ambient air samples were also collected in checking the ambient air quality of the region. PM₁₀ and Benzene was found to have exceeded the limit as per NAAQS in only some regions monitored. Automobile exhaust accounts for the concentration of Benzene and PM₁₀ in the area. The Concentration of Benzene is also high due to the presence of refinery plant and Power plant.

The waste water samples were collected from the ETP outlet and STP outlet of the region. Only the concentration of nitrogen was found to be beyond the limit in some of the samples identified. We can correct this by taking better measures in the treatment plant so that the outlet water is in the prescribed limit for disposal.

In the ground water samples collected, Electrical Conductivity, Total Kjeldahl Nitrogen and Manganese was found in higher concentration. The ground water collected is from Borewell and is not used for drinking purpose.

The overall pollution load in the region is reduced and continuous efforts have been inputted by the Regional pollution control board and state pollution control board inbrining the pollution lesser.

	A1	A2	A	B	C	D	CEPI
Air Index	3	3.3	9.9	9	5	10	33.9
Water Index	2.6	4.1	10.66	8	10	10	38.66
Land Index	3.8	3.1	11.78	9	10	10	40.78
Aggregated CEPI							44.3

7. References

- 1) Criteria for Comprehensive Environmental Assessment of Industrial Clusters, December 2009,CPCB, EIAS/4/2009-10
- 2) Comprehensive Environmental Assessment of Industrial Clusters, December 2009,CPCB, EIAS/5/2009-10
- 3) Action Plan for Industrial Cluster: Chandrapur, November 2010,MPCB
- 4) Action Plan for Industrial Cluster: Chembur, November 2010,MPCB
- 5) Action Plan for Industrial Cluster: Aurangabad, November 2010,MPCB
- 6) Action Plan for Industrial Cluster: NaviMumbai, November 2010,MPCB
- 7) Action Plan for Industrial Cluster: Navi Mumbai, November 2010, MPCB
- 8) Standard Methods for the Examination of Water and Waste Water, American Public Health Association, 22nd Edition, 2012.
- 9) IS 3025 (various parts)
- 10) www.mpcb.gov.in
- 11) www.cpcb.gov.in

8. Annexure

Annexure I: Health related data in impact on humans

C: Receptor

Component C (Impact on Human Health) 10	
Main - 10	
% increase in cases	Marks
<5%	0
5-10%	5
>10%	10

- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, total no. of cases related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/ ground water Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

Attached below health data collected for the Chembur region

MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office, Mumbai

Phone: - (022) - 2550 5928
Fax.: - (022) - 2550 5926
E-mail: romumbai@mpcb.gov.in
Website: - http://mpcb.gov.in



Raikar Chambers, A Wing,
216, IIInd floor, Near Jain Mandir,
Deonar Gaon Road, Govandi (E),
Mumbai-88.

No. MPCB/ROM/TB-1175

Date: - 29 / 06 / 2017

To

1. Sai Hospital, Govandi (W), Mumbai
2. Mangal Anand Hospital, Chembur, Mumbai
3. BARC Hospital, Anushakti Nagar, Mumbai

Sub :- Health related data collection for CEPI REV.

Ref :- Request from M/s. Ashwamedh Engineers &
Consultant C.S.I. vide letter dated 19.06.2017.

Sir,

Board has issued work order vide *letter* dated 29.05.2017 for the Monitoring Sampling, Analysis for Stack, Ambient Air Quality, Surface Water, Waste Water and Ground Water Quality in critically polluted areas in Maharashtra including Mumbai for Pre-Monsoon season. Further vide mail from JD Air Section dtd. 07.06.2017 has asked to collect the Health related data for CEPI revision to M/s. Ashwamedh Engineers, accordingly you are requested to give the data in prescribed format for Health related data in respect of disease for the year 2012, 2013, 2014, 2015, 2016 & 2017 at earliest.

As per the directions from CPCB vide letter dtd. 26.04.2016, they have mentioned revised CEPI score calculation where the weight age for Health is related study is 10. In this regard you are requested to give information as per the side directions at the earliest.

[Signature]
(M. R. Lad)

Regional Officer, Mumbai

Copy Submitted to-
- JD (APC), MPC Board, Sion, Mumbai.

			Diseases caused by Air pollution					Diseases caused by Water pollution				
	Name of Hospital	Year	Asthma	Bronchitis	Pulmonary cancer	Mesothelioma (lung cancer)	Acute respiratory infections	Gastroenteritis	Typhoid	Diarrhoea	Liver damage and even cancer (due to presence of chlorinated solvents in the polluted water)	Kidney damage (because of various harmful chemicals present in the polluted water)
	SURANA HOSPITAL	2012										
		2013										
		2014										
		2015	78	18	-	-	98	78	20	46	-	-
		2016	100	30	-	-	110	100	40	42	-	-
		2017	20	10	-	-	42	20	10	15	-	-



Note - Ca Lung / Ca Pulmonary
Cancers are not from Mumbai
only. go. i. cancers are from
outside Maharashtra.

BARC Hospital

[illegible]

Name of Hospital	Year	Diseases caused by Air pollution					Diseases caused by Water pollution				
		Asthma	Bronchitis	Pulmonary cancer	Mesothelioma (lung cancer)	Acute respiratory infections	Gastroenteritis	Typhoid	Diarrhea	Over damage and even cancer (due to presence of chlorinated solvents in the polluted water)	Kidney damage (because of various harmful chemicals present in the polluted water)
SAI HOSPITAL	2012										
	2013										
	2014										
	2015	25	15	-	1	30	60	40	36	-	-
	2016	38	25	2	1	35	50	30	30	-	-
	2017			1		15	30	21	12	-	-



Annexure II: Stack Emission Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Acid Mist (as Sulphuric Acid)	US EPA Method no.m-8	Barium thorine titration Method	0.6 mg/Nm ³
2.	Ammonia	IS 11255 (Part 6):1999, Reaffirmed 2003	Titration/Nessler Reagent / Spectrophotometric Method	1 mg/Nm ³
3.	Carbon Monoxide	USEPA Method 10B	GC-FID Method	0.2 mg/Nm ³
4.	Chlorine	US EPA Method 26 for sampling	Titrimetric	0.001 mg/Nm ³
5.	Fluoride (Gaseous)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.025 mg/Nm ³
6.	Fluoride (Particulate)	US EPA Method 13 A	SPADNS Zirconium Lake Spectrophotometric Method	0.005 mg/Nm ³
7.	Hydrogen Chloride	US EPA Method 26 for sampling	Titrimetric	0.25 mg/Nm ³
8.	Hydrogen Sulphide	IS 11255 (Part 4):1985	Titrimetric	1 mg/Nm ³
9.	Oxides of Nitrogen	IS 11255 (Part 7): 2005	PDSA Colorimetric Method	10 mg/Nm ³
10.	Oxygen	IS 13270: 1992	ORSAT Apparatus	1 %
11.	Poly Aromatic Hydrocarbons (Particulate)	IS 5182 (Part 12): 2004, Reaffirmed 2009 CPCB Guidelines, May 2011, Page No.39	GC-FID Method	0.25 mg/Nm ³
12.	Suspended Particulate Matter	IS 11255 (Part 1):1985, Reaffirmed 2003	Gravimetric Method	10 mg/Nm ³
13.	Sulphur Dioxide	IS 11255 (Part 2): 1985, Reaffirmed 2003	Titrimetric IPA thorine Method	5.0mg/Nm ³

Sr.	Parameters	Method References	Techniques	Detection Limit
				0.02kg/day
14.	BTX (Benzene, Toluene, Xylene)	NIOSH (NMAM) 1501	Adsorption and Desorption followed by GC-FID analysis	0.001 mg/Nm ³
15.	VOC (Volatile Organic Compounds)	NIOSH (NMAM) 1501 for sampling	Adsorption and Desorption followed by GC-FID or GC/MS analysis	-
i	Methyl Isobutyl Ketone	-	-	0.001 mg/Nm ³
ii	Benzene	-	-	0.001 mg/Nm ³
iii	Toluene	-	-	0.001 mg/Nm ³
iv	Xylene	-	-	0.001 mg/Nm ³
v	Ethyl Benzene	-	-	0.001 mg/Nm ³
vi	Ethyl Acetate	-	-	0.001 mg/Nm ³

Annexure III: Ambient Air Sampling and Analysis Methodology

Sr.	Parameters	Method References	Techniques	Detection Limit
1.	Sulphur Dioxide (SO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.1	Improved West &Gaeke Method	4 µg/m ³
2.	Nitrogen Dioxide (NO ₂)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.7	Modified Jacob &Hochheiser Method	3 µg/m ³
3.	Particulate Matter (size less than 10 µm) or PM ₁₀	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No.11	Gravimetric Method	2 µg/m ³
4.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 15	Gravimetric Method	0.4 µg/m ³
5.	Ozone (O ₃)	APHA, Method No. 820, Page no. 836	Chemical Method	19.6 µg/m ³
6.	Lead (Pb)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.02 µg/m ³
7.	Carbon Monoxide (CO)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume II, May 2011, Page No. 16	Non Dispersive Infra Red (NDIR) spectroscopy	0.05 mg/m ³
8.	Ammonia (NH ₃)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 35	Indophenol Blue Method	4.0µg/m ³
9.	Benzene (C ₆ H ₆)	IS 5182 (Part 11):2006	Adsorption and Desorption followed by GC-FID analysis	1.0 µg/m ³
10.	Benzo (a) Pyrene (BaP) – particulate phase only,	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 39	Solvent extraction followed by GC-FID analysis	0.2 ng/m ³

Sr.	Parameters	Method References	Techniques	Detection Limit
11.	Arsenic (As)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	0.3ng/m ³
12.	Nickel (Ni)	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, May 2011, Page No. 47	AAS Method	3.0ng/m ³

Annexure IV: Water/Wastewater Sampling and Analysis Methodology

Sr.	Parameters	Methods References	Techniques	Detection Limit
1.	Sampling Procedure for Chemical Parameters	IS 3025 (Part 1): 1987, Reaffirmed 1998, Amds.1& APHA, 22 nd Ed., 2012, 1060 B, 1-39	-	-
2.	Sampling Procedure for Microbiological Parameters	APHA, 22 nd Ed., 2012, 1060 B, 1-39, 9040, 9-17, and 9060B, 9-35	-	-
3.	Temperature	APHA, 22 nd Ed., 2012, 2550-B, 2-69	By Thermometer	-
4.	Colour	APHA, 22 nd Ed., 2012, 2120-B, 2-26	Visible Comparison Method	1 Hazen Unit
5.	Odour	IS 3025 (Part 5): 1983, Reaffirmed 2006	Qualitative Method	-
6.	pH	APHA, 22 nd Ed., 2012, 4500-H ⁺ - B, 4-92	By pH Meter	1
7.	Oil & Grease	APHA, 22 nd Ed., 2012, 5520-B, 5-40	Liquid -liquid Partition-Gravimetric Method	1.0 mg/L
8.	Suspended Solids	IS 3025 (Part 17): 1984, Reaffirmed 2006, Amds.1	Filtration /Gravimetric Method	5.0 mg/L
9.	Dissolved Oxygen	IS 3025 (Part 38): 1989, Reaffirmed 2009	Iodometric Method-Azide modification	0.05 mg/L
10.	Chemical Oxygen Demand	APHA, 22 nd Ed., 2012, 5220-B, 5-17	Open Reflux Method	5.0 mg/L
11.	Biochemical Oxygen Demand	IS 3025 (Part 44): 1993, Reaffirmed 2009, Amds.1	Iodometric Method	5.0 mg/L
12.	Electrical Conductivity	APHA, 22 nd Ed., 2012, 2510- B, 2-54	By Conductivity Meter	0.1 μ mho/cm
13.	Nitrite-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120	Colorimetric Method	0.006 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
14.	Nitrate-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	UV Spectrophotometer Screening Method	0.2 mg/L
15.	(NO ₂ + NO ₃)-Nitrogen	APHA, 22 nd Ed., 2012, 4500-NO ₂ -B, 4-120 APHA, 22 nd Ed., 2012, 4500-NO ₃ , B-4-122	Colorimetric Method V Spectrophotometer Screening Method	0.2 mg/L
16.	Free Ammonia	APHA, 22 nd Ed., 2012, 4500 NH ₃ , F, 4 -115	Colorimetric Method	0.006 mg/L
17.	Total Residual Chlorine	IS 3025 (Part 26):1986, Reaffirmed 2009, Ed. 2.1(2004-02)	Iodometric Method	0.1 mg/L
18.	Cyanide (CN)	APHA, 22 nd Ed., 2012, 4500-CN, C & E, 4-41 & 4-43	Colorimetric Method	0.001 mg/L
19.	Fluoride (F)	APHA, 22 nd Ed., 2012, 4500-F, D, 4-87	SPADNS Method	0.05 mg/L
20.	Sulphide (S ²⁻)	APHA, 22 nd Ed., 2012, 4500 -S ²⁻ , C-4-175, F-4-178	Iodometric Method	0.08 mg/L
21.	Dissolved Phosphate (P)	APHA, 22 nd Ed., 2012, 4500 P, E, 4-155	Ascorbic Acid Method	0.03 mg/L
22.	Sodium Absorption Ratio	IS 11624 :1986, Reaffirmed 2006	By Calculation	0.3
23.	Total Phosphorous (P)	APHA, 22 nd Ed., 2012, 4500 P, E, 4-155	Ascorbic Acid Method	0.03 mg/L
24.	Total Kjeldahl Nitrogen	APHA, 22 nd Ed., 2012, 4500 NH ₃ , B & C, 4 -110, 4-112	Titrimetric Method	0.1 mg/L
25.	Total Ammonia (NH ₄ + NH ₃)-Nitrogen	APHA, 22 ^d Ed., 2012, 4500 NH ₃ , F, 4 -115	Colorimetric Method	0.001 mg/L
26.	Phenols (C ₆ H ₅ OH)	APHA, 22 nd Ed., 2012, 5530- B & C, 5-44 & 5-47	Chloroform Extraction Method	0.001 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
27.	Surface Active Agents	APHA, 22 nd Ed., 2012, 5540-B & C, 5-50	Methylene Blue Extraction Method	0.1 mg/L
28.	Organo Chlorine Pesticides	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
29.	Polynuclear aromatic hydrocarbons (PAH)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
30.	Polychlorinated Biphenyls (PCB)	APHA, 22 nd Ed., 2012, 6410B, 6-74	GC MS-MS Method	0.01 µg/L
31.	Zinc (Zn)	IS 3025(Part 2): 2004	ICP Method	0.1 mg/L
32.	Nickel (Ni)	IS 3025(Part 2): 2004	ICP Method	0.05 mg/L
33.	Copper (Cu)	IS 3025(Part 2): 2004	ICP Method	0.03 mg/L
34.	Hexavalent Chromium (Cr ⁶⁺)	APHA, 22 nd Ed., 2012, 3500-Cr, B, 3-69	Colorimetric Method	0.02 mg/L
35.	Total Chromium (Cr)	IS 3025(Part 2): 2004	ICP Method	0.02 mg/L
36.	Total Arsenic (As)	IS 3025(Part 2): 2004	ICP Method	0.005 mg/L
37.	Lead (Pb)	IS 3025(Part 2): 2004	ICP Method	0.008 mg/L
38.	Cadmium (Cd)	IS 3025(Part 2): 2004	ICP Method	0.002 mg/L
39.	Mercury (Hg)	IS 3025(Part 2): 2004	ICP Method	0.0008 mg/L
40.	Manganese (Mn)	IS 3025(Part 2): 2004	ICP Method	0.02 mg/L
41.	Iron (Fe)	IS 3025(Part 2): 2004	ICP Method	0.06 mg/L
42.	Vanadium (V)	IS 3025(Part 2): 2004	ICP Method	0.05 mg/L

Sr.	Parameters	Methods References	Techniques	Detection Limit
43.	Selenium (Se)	IS 3025(Part 2): 2004	ICP Method	0.005 mg/L
44.	Boron (B)	IS 3025(Part 2): 2004	ICP Method	0.1 mg/L
45.	Total Coliforms	APHA, 22 nd Ed., 2012,9221-B, 9-66	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
46.	Faecal Coliforms	APHA, 22 nd Ed., 2012,9221-E, 9-74	Multiple tube fermentation technique (MPN/100ml)	1.1 MPN/100ml
47.	Bioassay Test (Zebra Fish)	IS 6582, 1971, Reaffirmed 1987	Static Technique	-

Annexure V: National Ambient Air Quality Standards, 2009

The Gazette of India

EXTRAORDINARY PART III-Section 4 PUBLISHED BY AUTHORITY
NEW DELHI, WEDNESDAY, **NOVEMBER 18, 2009** No. B-29016/20/90/PCI-I

National Ambient Air Quality Standards: Central Pollution Control Board

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No.14 of 1981), and in suppression of the Notification No(s). S.O.384(E), dated 11th April, 1994 and S.O.935(E), dated 14th October, 1998, the **Central Pollution Control Board** hereby notify the National Ambient Air Quality Standards **with immediate effect**, namely:

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient Air		
			Industrial, Residential, Rural and Other Areas	Ecologically Sensitive Areas (Notified by Central Government)	Methods of Measurement
(1)	(2)	(3)	(4)	(5)	(6)
1	Sulphur Dioxide (SO ₂) $\mu\text{g}/\text{m}^3$	Annual *	50	20	– Improved West and Gaeke – Ultraviolet fluorescence
		24 hours **	80	80	
2	Nitrogen Dioxide (NO ₂) $\mu\text{g}/\text{m}^3$	Annual *	40	30	– Modified Jacob & Hochheiser (Na-Arsenite) – Chemiluminescence
		24 hours **	80	80	
3	Particulate Matter (size less than 10 μm) or PM ₁₀ $\mu\text{g}/\text{m}^3$	Annual *	60	60	– Gravimetric – TOEM – Beta attenuation
		24 hours **	100	100	
4	Particulate Matter (size less than 2.5 μm) or PM _{2.5} $\mu\text{g}/\text{m}^3$	Annual *	40	40	– Gravimetric – TOEM – Beta attenuation
		24 hours **	60	60	
5	Ozone (O ₃) $\mu\text{g}/\text{m}^3$	8 hours **	100	100	– UV photometric – Chemiluminescence – Chemical Method
		1 hour **	180	180	
6	Lead (Pb) $\mu\text{g}/\text{m}^3$	Annual *	0.50	0.50	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper – EDXRF using Teflon filter
		24 hours **	1.0	1.0	
7	Carbon Monoxide (CO) mg/m^3	8 hours **	02	02	– Non Dispersive Infra Red (NDIR) spectroscopy
		1 hour **	04	04	
8	Ammonia (NH ₃) $\mu\text{g}/\text{m}^3$	Annual *	100	100	– Chemiluminescence – Indophenol blue method
		24 hours **	400	400	
9	Benzene (C ₆ H ₆) $\mu\text{g}/\text{m}^3$	Annual *	05	05	– Gas Chromatography based continuous analyzer – Adsorption and Desorption followed by GC analysis
10	Benzo (a) Pyrene (BaP) – particulate phase only, ng/m^3	Annual *	01	01	– Solvent extraction followed by HPLC/GC analysis
11	Arsenic (As) ng/m^3	Annual *	06	06	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.
12	Nickel (Ni) ng/m^3	Annual *	20	20	– AAS/ICP method after sampling on EPM 2000 or equivalent filter paper.

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 08 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2 % of the time, they may exceed the limits but not on two consecutive days of monitoring.

Note: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigation.

SANT PRASAD GAUTAM, Chairman, Central Pollution Control Board [ADVT-III/4/184/09/Exty.]

Note: The notifications on National Ambient Air Quality Standards were published by the Central Pollution Control Board in the Gazette of India. Extraordinary vide notification No(s). S.O. 384(E), dated 11th April, 1994 and S.O. 935(E), dated 14th October, 1998.

$\mu\text{g}/\text{m}^3$: micro-gram/ m^3 i.e. $10^{-6}\text{gm}/\text{m}^3$

ng/m^3 : nano-gram/ m^3 i.e. $10^{-9}\text{gm}/\text{m}^3$

Annexure VI: General Standards for Discharge of Environmental Pollutants, Part A: Effluents (The Environment (Protection) Rules, 1986, Schedule VI)

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
1.	Colour and Odour	See Note 1	--	See Note I	See Note 1
2.	Suspended solids, mg/L, Max.	100	600	200	a. For process waste water - 100 b. For cooling water effluent- 10 percent above total suspended matter of influent cooling water.
3.	Particle size of suspended solids	Shall pass 850 micron IS Sieve			a. Floatable solids, Max 3 mm b. Settleable solids Max 850 microns
4.	Dissolved solids (Inorganic), mg/L, Max.	2100	2100	2100	--
5.	pH value	5.5 -9.0	5.5 -9.0	5.5 -9.0	5.5-9.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
6.	Temperature °C, Max	Shall not exceed 40 in any section of the stream within 15 mts. Downstream from the effluent outlet	45 at the point of discharge	--	45 at the point of discharge
7.	Oil and Grease, mg/L, Max	10	20	10	20
8.,	Total Residual chlorine, mg/L, Max	1.0	--	--	1.0
9.	Ammonical Nitrogen (as N), mg/L, Max	50	50	--	50
10.	Total Kjeldahl Nitrogen (as N), mg/L, Max.	100	--	--	100
11.	Free Ammonia (as NH ₃), mg/L, Max	5.0	--	--	5.0
12.	Biochemical oxygen demand (5 days, at 20° c) mg/L, Max	30	350	100	100
13.	Chemical oxygen demand, mg/L, Max	250	--	--	250
14.	Arsenic (as As), mg/l, Max	0.2	0.2	0.2	0.2
15.	Mercury (as Hg). Mg/L, Max	0.01	0.01	--	0.01
16.	Lead (as Pb), mg/L, Max	0.1	1.0	-	1.0
17.	Cadmium (as Cd), mg/L,	2.0	1.0	--	2.0

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
18.	Hexavalent Chromium (as Cr ⁺⁶) mg/L, Max	.1	2.0	--	1.0
19.	Total Chromium (as Cr), mg/L, Max	2.0	2.0	--	2.0
20.	Copper (as Cu), mg/L, Max.	3.0	3.0	--	3.0
21.	Zinc (as Zn), mg/L, Max.	5.0	15	0--	15
22.	Selenium (as Se), mg/l, Max.	0.05	0.05	--	0.05
23.	Nickel (as Ni), mg/l, Max.	3.0	3.0	--	5.0
24.	Boron (as B), mg/l, Max.	2.0	2.0	2.0	--
25.	Percent Sodium, Max.	--	60	60	--
26.	Residual Sodium carbonate, mg/l, Max.	--	--	5.0	--
27.	Cyanide (as Cn), mg/L, Max.	0.2	2.0	0.2	0.2
28.	Chloride (as Cl), mg/L, Max.	1000	1000	600	--
29.	Fluoride (as F), mg/IL, Max.	2.0	15	--	15
30.	Dissolved Phosphate (as P), mg/L, Max.	5.0	--	--	--

Sr.	Parameter	Standards			
		Inland surface Water	Public Sewers	Land for Irrigation	Marine Coastal Areas
31.	Sulphate (as SO ₄), mg/L, Max.	1000	1000	1000	--
32.	Sulphide (as S), mg/L, Max.	2.0	--	--	5.0
33.	Pesticides	Absent	Absent	Absent	Absent
34.	Phenolic compounds (as C ₆ H ₅ OH), mg/L, Max.	1.0	5.0	--	5.0
35.	Radioactive materials:				
	a. Alpha emitters MC/ml., Max.	10 ⁻⁷	10 ⁻⁷	10 ⁻⁸	10 ⁻⁷
	b. Beta emitters µc/ml., Max	10 ⁻⁶	10 ⁻⁶	10 ⁻⁷	10 ⁻⁶

Annexure VII: Drinking Water Specification-IS 10500:2012

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
Table 1	Organoleptic and Physical Parameters			
1.	Colour	Hazen units	Max 5	Max 15
2.	Odour	-	Agreeable	Agreeable
3.	pH value	-	6.5-8.5	No relaxation
4.	Taste	-	Agreeable	Agreeable
5.	Turbidity	NTU	Max 1	Max 5
6.	Total dissolved solids	mg/L	Max 500	Max 2000
Table 2	General parameters concerning substances undesirable in excessive amounts			
7.	Aluminium (as Al)	mg/L	Max 0.03	Max 0.2
8.	Ammonia (as total ammonia- N)	mg/L	Max 0.5	No relaxation
9.	Anionic detergents (as MBAS)	mg/L	Max 0.2	Max 1.0
10.	Barium (as Ba)	mg/L	Max 0.7	No relaxation
11.	Boron (as B)	mg/L	Max 0.5	Max 1.0
12.	Calcium (as Ca)	mg/L	Max 75	Max 200
13.	Chloramines (as Cl ₂)	mg/L	Max 4.0	No relaxation
14.	Chlorides (as Cl)	mg/L	Max 250	Max 1000
15.	Copper (as Cu)	mg/L	Max 0.05	Max 1.5
16.	Fluoride (as F)	mg/L	Max 1.0	Max 1.5
17.	Free residual chlorine	mg/L	Min 0.2	Min 1

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
18.	Iron (as Fe)	mg/L	Max 0.3	No relaxation
19.	Magnesium (as Mg)	mg/L	Max 30	Max100
20.	Manganese (as Mn)	mg/L	Max 0.1	Max 0.3
21.	Mineral Oil	mg/L	Max 0.5	No relaxation
22.	Nitrate (as NO ₃)	mg/L	Max 45	No relaxation
23.	Phenolic compounds (as C ₆ H ₅ OH)	mg/L	Max 0.001	Max 0.002
24.	Selenium (as Se)	mg/L	Max 0.01	No relaxation
25.	Silver (as Ag)	mg/L	Max 0.1	No relaxation
26.	Sulphate (as SO ₄)	mg/L	Max 200	Max 400
27.	Sulphide (as H ₂ S)	mg/L	Max 0.05	No relaxation
28.	Total Alkalinity as calcium carbonate	mg/L	Max 200	Max600
29.	Total hardness (as CaCO ₃)	mg/L	Max 200	Max 600
30.	Zinc (as Zn)	mg/L	Max 5	Max15
Table 3	Parameters Concerning Toxic Substances			
31.	Cadmium (asCd)	mg/L	Max 0.003	No relaxation
32.	Cyanide (asCN)	mg/L	Max 0.05	No relaxation
33.	Lead (as Pb)	mg/L	Max 0.01	No relaxation
34.	Mercury (asHg)	mg/L	Max 0.001	No relaxation
35.	Molybdenum (as Mo)	mg/L	Max 0.07	No relaxation
36.	Nickel (as Ni)	mg/L	Max 0.02	No relaxation
37.	Pesticides	mg/L	See Table 5	No relaxation
38.	Polychlorinatedbiphenyls	mg/L	Max 0.0005	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
39.	Poly nuclear aromatic Hydrocarbons (as PAH)	mg/L	Max 0.0001	No relaxation
40.	Total Arsenic(as As)	mg/L	Max 0.01	Max0.05
41.	Total Chromium (as Cr)	mg/L	Max 0.05	No relaxation
42.	Trihalomethanes			
a)	Bromoform	mg/L	Max 0.1	No relaxation
b)	DibromochloroMethane	mg/L	Max 0.1	No relaxation
c)	Bromodichloromethane	mg/L	Max 0.06	No relaxation
d)	Chloroform	mg/L	Max 0.2	No relaxation
Table 4	Parameters Concerning Radioactive Substances			
43.	Radioactive Materials			
a)	Alpha emitters	Bq/L	Max 0.1	No relaxation
b)	Beta emitters	Bq/L	Max 1.0	No relaxation
Table 5	Pesticide Residues Limits and Test Method			
i)	Alachor	µg/L	20	No relaxation
ii)	Atrazine	µg/L	2	No relaxation
iii)	Aldrin/ Dieldrin	µg/L	0.03	No relaxation
iv)	Alpha HCH	µg/L	0.01	No relaxation
v)	Beta HCH	µg/L	0.04	No relaxation
vi)	Butachlor	µg/L	125	No relaxation
vii)	Chlorpyriphos	µg/L	30	No relaxation
viii)	Delta HCH	µg/L	0.04	No relaxation
ix)	2,4- Dichlorophenoxyacetic acid	µg/L	30	No relaxation

Sr.	Characteristic	Unit	Requirement (Acceptable Limit)	Permissible Limit in the Absence of Alternate Source
x)	DDT (o,p&p,p — Isomers of DDT, DDE and DDD)	µg/L	1	No relaxation
xi)	Endosulfan (α,β& sulphate)	µg/L	0.4	No relaxation
xii)	Ethion	µg/L	3	No relaxation
xiii)	Gamma - HCH (Lindane)	µg/L	2	No relaxation
xiv)	Isoproturon	µg/L	9	No relaxation
xv)	Malathion	µg/L	190	No relaxation
xvi)	Methyl parathion	µg/L	0.3	No relaxation
xvii)	Monocrotophos	µg/L	1	No relaxation
xviii)	Phorate	µg/L	2	No relaxation
Table 6 Bacteriological Quality of Drinking Water				
44.	E.coli or thermotolerant coliform bacteria	/100	Not detectable	-
45.	Total coliform bacteria	/100 mL	Not detectable	-
Virological Requirements				
46.	MS2 phage	/1 L	Absent	-
Biological Requirements				
47.	Cryptosporidium	/10 L	Absent	-
48.	Giardia	/10 L	Absent	-
49.	Microscopic organisms such as algae,zooplanktons,flagellates,parasites and toxin producing organisms		Free from microscopic organisms	-

Annexure VIII: CPCB Water Quality Criteria:

Designated best use	Quality Class	Primary Water Quality Criteria
Drinking water source without conventional treatment but with chlorination	A	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN*/100 ml) shall be 50 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 6 mg/L or more, and ➤ Biochemical Oxygen Demand 2 mg/L or less
Outdoor bathing (organized)	B	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100 ml) shall be 500 or less ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 5 mg/L or more, and ➤ Biochemical Oxygen Demand 3 mg/L or less
Drinking water source with conventional treatment	C	<ul style="list-style-type: none"> ➤ Total coliform organisms (MPN/100ml) shall be 5000 or less ➤ pH between 6 and 9 ➤ Dissolved Oxygen 4 mg/L or more, and ➤ Biochemical Oxygen Demand 3 mg/L or less
Propagation of wildlife and fisheries	D	<ul style="list-style-type: none"> ➤ pH between 6.5 and 8.5 ➤ Dissolved Oxygen 4 mg/L or more, and ➤ Free ammonia (as N) 1.2 mg/L or less
Irrigation, industrial cooling, and controlled disposal	E	<ul style="list-style-type: none"> ➤ pH between 6.0 and 8.5 ➤ Electrical conductivity less than 2250 micro mhos/cm, ➤ Sodium Absorption Ratio less than 26, ➤ and Boron less than 2 mg/l.
	Below E	<ul style="list-style-type: none"> ➤ Not Meeting A, B, C, D & E Criteria

Annexure IX: Water Quality Parameters Requirements and Classification

Water quality parameters are classified into three categories, given in Table (i), (ii) and (iii) (Source: CPCB, 2002, "Water Quality Criteria and Goals", Monitoring of Indian National aquatic Resources Series: MINARS/17/2001-2002).

Table: Basic Water Quality Requirement and Classification (Surface Water + Ground Water)

i) Simple Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A-Excellent	B-Desirable	C-Acceptable
(i)	Sanitary Survey	Very Clean neighborhood and catchment	Reasonably clean neighborhood	Generally clean neighborhood
(ii)	General Appearance	No floating matter	No floating matter	No floating matter
(iii)	Colour	Absolutely Colourless	Almost colourless, very light shade if any	No colour of anthropogenic origin
(iv)	Smell	Odourless	Almost odourless	No unpleasant odour
(v)	Transparency	>1.0 depth	>0.5 to 0.1m depth	>0.2 to 0.5 m depth
(vi)	Ecological* (Presence of Animals)	Fish & Insects	Fish & Insects	Fish & Insects

* Applicable to only surface water

ii) Regular Monitoring Parameters:

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(i)	pH	7.0 to 8.5	6.5 to 9.0	6.5 to 9.0
(ii)	DO (% Saturation)	90-110	80-120	60-140
(iii)	BOD, mg/l	Below 2	Below 5	Below 8
(iv)	EC, μ mhos/cm	<1000	<2250	<4000
(v)	(NO ₂ +NO ₃)-Nitrogen, mg/l	<5	<10	<15
(vi)	Suspended solid, mg/l	<25	<50	<100

Sr.	Parameters	Requirement for Waters of Class		
		A Excellent	B-Desirable	C-Acceptable
(vii)	Fecal Coliform, MPN/ 100 ml	<20 per 100 ml	<200 per 100 ml	<2000 per 100 ml
(viii)	Bio-assay (Zebra Fish)	No death in 5 days	No death in 3 days	No death in 2 days

Note:

1. Dissolved Oxygen (DO) not applicable for ground waters.
2. Dissolved Oxygen in eutrophicated waters should include measurement for diurnal variation.
3. Suspended solid limit is applicable only during non-monsoon period.
4. Faecal Coliform values should meet for 90% times.
5. Static Bio-Assay method may be adopted.

iii) Specific Parameters: (Only in case of need/apprehensions)

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(i)	Total Phosphorous	<0.1 mg/l	< 0.2 mg/l	< 0.3 mg/l
(ii)	T.K.N	< 1.0 mg/l	<2.0 mg/l	<3.0 mg/l
(iii)	Total Ammonia (NH ₄ + NH ₃)- Nitrogen	< 0.5 mg/l	< 1.0 mg/l	< 1.5 mg/l
(iv)	Phenols	< 2µg/l	< 5µg/l	<10 µg/l
(v)	Surface Active Agents	<20 µg/l	<100µg/l	< 200µg/l
(vi)	Organo Chlorine Pesticides	< 0.05µg/l	< 0.1µg/l	< 0.2µg/l
(vii)	PAH	< 0.05µg/l	<0.1 µg/l	<0.2 µg/l
(viii)	PCB and PCT	< 0.01µg/l	< 0.01µg/l	< 0.02µg/l
(ix)	Zinc	< 100µg/l	< 200µg/l	<300 µg/l
(x)	Nickel	< 50µg/l	< 100µg/l	< 200µg/l
(xi)	Copper	< 20µg/l	< 50µg/l	<100µg/l

Sr.	Parameters	Requirement for Waters of Class		
		A- Excellent	B-Desirable	C-Acceptable
(xii)	Chromium (Total)	< 20µg/l	< 50µg/l	< 100µg/l
(xiii)	Arsenic (Total)	< 20µg/l	<50 µg/l	<100 µg/l
(xiv)	Lead	< 20µg/l	< 50µg/l	< 100µg/l
(xv)	Cadmium	< 1.0µg/l	<2.5 µg/l	< 5.0µg/l
(xvi)	Mercury	< 0.2µg/l	< 0.5µg/l	< 1.0µg/l