MAHARASHTRA POLLUTION CONTROL BOARD REGIONAL OFFICE-RAIGAD

Tel. No. 2757 2620 Fax No. 2756 2132 Email: roraigad@mpcb.gov.in



Raigad Bhavan, 6th Floor, Sec-11, C.B.D. Belapur, Navi Mumbai 400 614,

No. MPCB/ROR/TB/LY0619170316

Dated: \ 9/06/2014.

To,
M/s Sky Lab Analytical Laboratory,
Near Phadke Hospital, Parnaka,
Kalyan(W),

Sub: Comprehensive study on polluted stretches of Kundalika –Are Khurd, Dist. Raigad

Ref: 1) CPCB Letter No.A-14011/1/2012-MON, dt 20/09/2013.

- 2) Your Quotation dt 05/05/2014.
- Office note 140523FT0473 which has got approval on 09/06/2014 for your quotation from competent authority.

Sir,

Your quotation dtd 05/05/2014 submitted to Regional Office ,Raigad of Rs 3.70 Lakhs plus service taxes as applicable (Rs Three lakh seventy thousand only plus service taxes as applicable) regarding comprehensive study on river Kundalika-Are khurd , Raigad has been accepted by the Board and the Board is pleased to issue work order for carrying out the comprehensive study of polluted river stretch of Kundalika river as per the CPCB guidelines dtd . 25 June 2013.

Scope of work:

- 1.1 The study shall be carried out as per the CPCB's terms of reference dtd 25 June 2013. You shall assess pollution sources & estimate pollution load on Kundalika river water Are khurd, Raigad. The report shall cover location of cities and town etc. on the bank of polluted river stretch, industrial pollution, domestic pollution and assess the river water quality, flow etc. related with the river water pollution. You shall also suggest /recommended possible remedies (ETPs/STPs etc) necessary for abatement of pollution.
- 1.2 You shall monitor river water quality U/S and D/S of towns and confluence of any major tributary rivers with river Kundalika.
- 1.3 All the logistic support required for work will be your responsibility.
- 1.4 The analysis of the samples should be carried out from MoEF approved laboratories.

Jace)

Mrs Chochod de verditul

24 614