
EXECUTIVE SUMMARY

1. Introduction

- Environmental Clearance is sought for 16 Sand Ghat Spots located in Karad, Koregaon, Phaltan & Man Talukas in Satara District.
- ❖ As Per Government of Maharashtra Letter No: Sankirn- 2019/P.K.01/Ta.K.3 dated Dec 3, 2019, Public Hearing must be conducted for mines less than 5Hectares.
- Sneha Hi-Tech Products was awarded work to obtain Environmental Clearances for Sand Spots of Satara by Collector Office, Satara with WO. No.
 - Ja. Kra. Gounkhanij/ Kavi/14/SR/15/21 dated 13/10/2021.
- Mining plans for the Sand Spots have been approved by DGM, Nagpur.
- Application in Form-1M, PFR, EMP, RA, DSR along with the Approved Mining Plans for Sand Spots will be submitted along with Public Hearing Proceedings for Environmental Clearance.

2. Location Map



3. List of Sand Spots

Sr	Name of	Name	Name of	Adjacent Land	Total	Sand Ghat			Mineabl	Upset
N	Sand	of Toluko	River	Gut No.	Area in		ment in		e Sand	Price
0	Ghat	Taluka			На.	Length	Width	Depth	in Brass	
1	Wathar Spot 2	Karad	Dakshin Mand	1740 to 1755	1.04	416	25	1	1470	1014300 0
2	Wathar Spot 3	Karad	Dakshin Mand	1684, 1683, 1526 and 1458 to 1483	1.44	480	30	1	2544	1755360 0
3	Kale	Karad	Dakshin Mand	1213, 415/1/2, 413, 418-420, 425, 428, 1851,1852,1854, 1855/2, 1861, 1868	1.22	814	15	1	4314	2976660 0
4	Khalkarwa di Spot 1	Karad	Uttar Mand	38	1.00	400	25	1	1413	9749700
5	Khalkarwa di Spot 2	Karad	Uttar Mand	90, 105, 106	1.05	350	30	1	1855	1279950 0
6	Tadwale Sammat	Koregao n	Wangana	776, 775, 779, 772, 771, 770, 769, 768, 767, 765, 681, 682, 684,685, 688, 690, 691, 613, 710, 711, 713	1.00	400	25	1	1413	9749700
7	Kawadew adi	Koregao n	Wangana	440, 430, 432	1.00	340	30	1	1802	1243380 0
8	Pimpode Khurd	Koregao n	Wasana	444, 442, 446, 453, 454, 455, 479, 480, 481/A/2, 482	1.00	400	25	1	1413	9749700
9	Jinti	Phaltan	Nira Mand	1092	1.20	400	30	1	4240	2925600 0
10	Shirtaav	Man	Manganga	243 to 257	1.20	480	25	1	1696	1170240 0
11	Bidal Spot 2	Man	Manganga	419, 420, 524, 525, 526	1.00	200	50	1	2473	1706370 0
12	Bidal Spot 3	Man	Manganga	280, 281, 282, 283, 284, 285 & 286	1.1250	375	30	1	1988	1371720 0
13	Bidal Spot 4	Man	Manganga	275, 109, 110, 111	1.10	440	25	1	1555	1072950 0
14	Bidal Spot 6	Man	Manganga	182, 156, 157, 158	1.00	250	40	1	2208	1523520 0
15	Palshi Spot 1	Man	Manganga	1353, 1364, 1366, 1296, 1282, 1297	1.3750	550	25	1	4859	3352710 0
16	Palshi Spot 2	Man	Manganga	1259, 1413, 1396, 1397, 1402, 1403	1.40	700	20	1	4947	3413430 0

4. Mining Methodology

 Method of Mining: Opencast manual method without drilling & blasting. Only manual labor with hand tools such as spade, ghamelas will be used. Excavation of sand is done from dry riverbed only.

The following process is followed for the estimation of sand in sand ghat:

- ❖ The demarcation and benchmarking of the sand ghat is done as per 10m x 10m interval.
- Auger driller is used to find out the depth of sand in each grid.
- ❖ Auger driller is used to create the holes in sand ghat using a 10mx10m grid pattern.
- The depth of holes is measured by using measuring tape.
- Aftertakingallthereadingstheaveragedepthofsandghatoftheriveriscalculatedinmeters.
- 2. Machinery / Equipment required: Spades, Ghamela, Tractor with trolley.
- 3. Transportation: By tractor trolley from sand spot to stockyard & to consumers.
- 4. Reclamation: Mined out area will be replenished automatically after the monsoon. Plantation will be carried out along the riverbank and along the transport road.

5. Environmental Management Plan

1. Air Pollution Control Measures

- Periodic water sprinkling on the kutcha road used for sand transport.
- ❖ Transport of sand by tractor trolleys, trucks covered with tarpaulin.
- ❖ Spillage of sand during transport shall be prevented by proper sealing of gaps.
- Plantation will be done along riverbanks and on free spaces near the sand spots.

2. Noise Control Measures

- Mining and sand transport will be carried out during the day time only.
- Only noise due to sand transport is expected, periodic maintenance of sand transportation vehicles will be ensured to minimize noise.
- The speed of sand transport vehicles will be regulated.

3. Water Pollution Control Measures

- Sand mining will be carried out in dry riverbed only.
- ❖ The depth of the mine pit will be maintained above the river water level.
- River streams will not be diverted to form in active channels.
- Washing of vehicles in the river will be prohibited.

- No effluent will be generated from mining activities.
- Provision of mobile toilets for workers.
- Mining will be avoided during monsoon and floods which will allow the sand deposit to replenish.

4. Land Environment

- Sand mining will create temporary pits in the dry riverbed, which will be replenished during monsoon.
- Waste material like polythene bags, jute bags, etc. will not be allowed to remain/spill in the riverbed.
- Mining will not exceed the allowed extraction capacity.
- Plantation will be developed along the riverbank and nearby free spaces.

5. Green Belt Development Plan

Location of greenbelt	On the banks of both sides of the lease boundary & Haul Road outside riverbed			
No. of plants to be planted	500 Plants per hectare			
Spacing of plants	2 m grid interval			
Species selected	Native species			

Tree species recommended for Plantation

Botanical name	Local name	Importance			
Azadirachta Indica	Neem	Neem oil & neem products			
Tectona Grandis	Teak	Antibacterial, Antifungal, Antiulcer			
Ficus Religiosa	Peepal	Medicinal use, Fruits & figs			
Bambusa Vulgaris	Bamboo	Anthelmintic Anti-inflammatory, Astringent Properties			
Madhuca Longifolia	Mahua	Acts as a Stimulant & cough relief			

6. Occupational Health Safety Management

- Mine operators will be provided with personal protective equipment.
- Safety helmets and footwear, in addition to ear, eye, and hand protection devices.
- Dust masks will be provided for workers.
- A potable drinking water shelter for mine workers will be provided.
- First aid kit will be provided at the mine site.

7. Conclusion

- Applied 16 Sand Ghat Spots located in Karad, Koregaon, Phaltan & Man Talukas in Satara District, Maharashtra having lease area of less than 5Ha, fall under B2 category as per MoEF&CC guidelines.
- Quarries are not likely to cause a significant impact on the environment due to the small scale of mining and will prove beneficial to the nearby community.
- The proposed project would provide indirect employment opportunities to local residents.
- The proposed project will also make a positive contribution to the social infrastructure and overall development of the region.
- All environmental issues like air, water, noise, soil, solid waste management, etc. will be dealt with as per the MoEF&CC guidelines.