


## 1. कार्यकारी सारांश

### परिचय

- ❖ सातारा जिल्ह्यातील कराड, कोरेगाव, फलटण आणि माण तालुक्यात असलेल्या १६ रेंती घाटांसाठी पर्यावरण मंजूरी मागितली आहे.
- ❖ महाराष्ट्र शासनाच्या पत्र क्रमांक: संकिरण- 2019/P.K.01/Ta.K.3 दिनांक 3 डिसेंबर 2019 नुसार, 5 हेक्टरपेक्षा कमी खाणींसाठी जनसुनावणी घेणे आवश्यक आहे.
- ❖ स्नेहा हाय-टेक प्रॉडक्ट्सला सातारा येथील वाळूच्या ठिकाणांसाठी पर्यावरणविषयक मंजूरी मिळविण्यासाठी जिल्हाधिकारी कार्यालय, सातारा यांच्याकडून WO सोबत काम देण्यात आले.  
जा. क्र. गौणखानीज/कवी/14/SR/15/21 दिनांक 13/10/2021.
- ❖ वाळूच्या ठिकाणांसाठी खाणकाम योजनांना डीजीएम, नागपूर यांनी मान्यता दिली आहे.
- ❖ फॉर्म-1M, PFR, EMP, RA, DSR मधील अर्ज, वाळूच्या ठिकाणांसाठी मंजूर खाण योजनांसह पर्यावरणीय मंजूरीसाठी सार्वजनिक सुनावणीच्या कार्यवाहीसह सादर केले जातील.

## 2. स्थान नकाशा



**3. वाळूच्या ठिकाणांची यादी**

Sr No	Name of Sand Ghat	Name of Taluka	Name of River	Adjacent Land Gut No.	Total Area in Ha.	Sand Ghat Measurement in meter			Mineable Sand in Brass	Upset Price
						Length	Width	Depth		
1	Wathar Spot 2	Karad	Dakshin Mand	1740 to 1755	1.04	416	25	1	1470	10143000
2	Wathar Spot 3	Karad	Dakshin Mand	1684, 1683, 1526 and 1458 to 1483	1.44	480	30	1	2544	17553600
3	Kale	Karad	Dakshin Mand	1213, 415/1/2, 413, 418-420, 425, 428, 1851, 1852, 1854, 1855/2, 1861, 1868	1.22	814	15	1	4314	29766600
4	Khalkarwadi Spot 1	Karad	Uttar Mand	38	1.00	400	25	1	1413	9749700
5	Khalkarwadi Spot 2	Karad	Uttar Mand	90, 105, 106	1.05	350	30	1	1855	12799500
6	Tadwale Sammat	Koregaon	Wangana	776, 775, 779, 772, 771, 770, 769, 768, 767, 765, 681, 682, 684, 685, 688, 690, 691, 613, 710, 711, 713	1.00	400	25	1	1413	9749700
7	Kawadewadi	Koregaon	Wangana	440, 430, 432	1.00	340	30	1	1802	12433800
8	Pimpode Khurd	Koregaon	Wasana	444, 442, 446, 453, 454, 455, 479, 480, 481/A/2, 482	1.00	400	25	1	1413	9749700
9	Jinti	Phaltan	Nira Mand	1092	1.20	400	30	1	4240	29256000
10	Shirtaav	Man	Manganga	243 to 257	1.20	480	25	1	1696	11702400
11	Bidal Spot 2	Man	Manganga	419, 420, 524, 525, 526	1.00	200	50	1	2473	17063700
12	Bidal Spot 3	Man	Manganga	280, 281, 282, 283, 284, 285 & 286	1.1250	375	30	1	1988	13717200
13	Bidal Spot 4	Man	Manganga	275, 109, 110, 111	1.10	440	25	1	1555	10729500
14	Bidal Spot 6	Man	Manganga	182, 156, 157, 158	1.00	250	40	1	2208	15235200
15	Palshi Spot 1	Man	Manganga	1353, 1364, 1366, 1296, 1282, 1297	1.3750	550	25	1	4859	33527100
16	Palshi Spot 2	Man	Manganga	1259, 1413, 1396, 1397, 1402, 1403	1.40	700	20	1	4947	34134300

## 2. Mining Methodology

1. Method of Mining: Opencast manual method without drilling & blasting. Only manual labor with hand tools such as spade, ghamelas will be used. Excavation of sand is done from dry riverbed only.

The following process is followed for the estimation of sand in sand ghat:

- ❖ The demarcation and benchmarking of the sand ghat is done as per 10m x 10m interval.
  - ❖ Auger driller is used to find out the depth of sand in each grid.
  - ❖ Auger driller is used to create the holes in sand ghat using a 10mx10m grid pattern.
  - ❖ The depth of holes is measured by using measuring tape.
  - ❖ After taking all the readings the averaged depth of sand ghat of the river is calculated in meters.
2. Machinery / Equipment required: Spades, Ghamela, Tractor with trolley.
  3. Transportation: By tractor trolley from sand spot to stockyard & to consumers.
  4. Reclamation: Mined out area will be replenished automatically after the monsoon. Plantation will be carried out along the riverbank and along the transport road.

## 5. Environmental Management Plan

### 1. Air Pollution Control Measures

- ❖ Periodic water sprinkling on the kutcha road used for sand transport.
- ❖ Transport of sand by tractor trolleys, trucks covered with tarpaulin.
- ❖ Spillage of sand during transport shall be prevented by proper sealing of gaps.
- ❖ Plantation will be done along riverbanks and on free spaces near the sand spots.

### 2. Noise Control Measures

- ❖ Mining and sand transport will be carried out during the day time only.
- ❖ Only noise due to sand transport is expected, periodic maintenance of sand transportation vehicles will be ensured to minimize noise.
- ❖ The speed of sand transport vehicles will be regulated.

### 3. Water Pollution Control Measures

- ❖ Sand mining will be carried out in dry riverbed only.
- ❖ The depth of the mine pit will be maintained above the river water level.
- ❖ River streams will not be diverted to form in active channels.
- ❖ Washing of vehicles in the river will be prohibited.

- ❖ No effluent will be generated from mining activities.
- ❖ Provision of mobile toilets for workers.
- ❖ Mining will be avoided during monsoon and floods which will allow the sand deposit to replenish.

#### 4. Land Environment

- ❖ Sand mining will create temporary pits in the dry riverbed, which will be replenished during monsoon.
- ❖ Waste material like polythene bags, jute bags, etc. will not be allowed to remain/spill in the riverbed.
- ❖ Mining will not exceed the allowed extraction capacity.
- ❖ Plantation will be developed along the riverbank and nearby free spaces.

#### 5. Green Belt Development Plan

<b>Location of greenbelt</b>	On the banks of both sides of the lease boundary & Haul Road outside riverbed
<b>No. of plants to be planted</b>	500 Plants per hectare
<b>Spacing of plants</b>	2 m grid interval
<b>Species selected</b>	Native species

#### Tree species recommended for Plantation

Botanical name	Local name	Importance
Azadirachta Indica	Neem	Neem oil & neem products
Tectona Grandis	Teak	Antibacterial, Antifungal, Antiulcer
Ficus Religiosa	Peepal	Medicinal use, Fruits & figs
Bambusa Vulgaris	Bamboo	Anthelmintic Anti-inflammatory, Astringent Properties
Madhuca Longifolia	Mahua	Acts as a Stimulant & cough relief

## 6. Occupational Health Safety Management

- ❖ Mine operators will be provided with personal protective equipment.
- ❖ Safety helmets and footwear, in addition to ear, eye, and hand protection devices.
- ❖ Dust masks will be provided for workers.
- ❖ A potable drinking water shelter for mine workers will be provided.
- ❖ First aid kit will be provided at the mine site.

## 7. Conclusion

- ❖ Applied 16 Sand Ghat Spots located in Karad, Koregaon, Phaltan & Man Talukas in Satara District, Maharashtra having lease area of less than 5Ha, fall under B2 category as per MoEF&CC guidelines.
- ❖ Quarries are not likely to cause a significant impact on the environment due to the small scale of mining and will prove beneficial to the nearby community.
- ❖ The proposed project would provide indirect employment opportunities to local residents.
- ❖ The proposed project will also make a positive contribution to the social infrastructure and overall development of the region.
- ❖ All environmental issues like air, water, noise, soil, solid waste management, etc. will be dealt with as per the MoEF&CC guidelines.