EXECUTIVE SUMMARY ON DRAFT ENVIRONMENTAL MANAGEMENT PLAN

FOR

SAND GHATS

AT

WARDHA DISTRICT

STATE – MAHARASHTRA

FOR PUBLIC HEARING FOR 14 SAND GHATS

PROPONENT

DISTRICT MINING OFFICER, COLLECTOR OFFICE, WARDHA

CONSULTANT

68,MAHAKALI NAGAR-2 NEAR MANEWADA SQUARE NAGPUR 440 024

AUGUST 2022

Introduction:

District Collector, Wardha intends to auction sand ghats and appointed District Mining Officer Wardha as project proponent as per sand mining guidelines dated 28.01.2022. Total 14 sand ghats are identified by Taluka level Technical Committee chaired by Tahsildar and Dy. Engineer Irrigation, Junior Geologist, Directorate of Geology and Mining, Junior Geologist G.S.D.A., representative of Maharashtra Pollution Control Board for scooping of sand by manual method.

List of sand ghats proposed for auction prior environmental clearance are as below

Table 1.0 Details of Sand Ghat:

Table 1.0 Details of Sand Ghat:

Sr. No.	Taluka	Name of Sand Ghat	Name of Village	Nearest Gut No.	Name of River/ Stream	Dimensions of Sand Ghat in cum.	Area in Ha	Sand Proposed for scooping in Brass	Length of Approach Road	Width of Approach	No. of Workers	No. of Tractors	No of Trees along Bank	No of Trees along village Road	Water Requirement in cum/day	EMP cost in Rs.
1	Arvi	Salfal	Salfal	18,17/1/A,16,15,14,9/1,8,7	Wardha	600 m x 35 m x 0.60 m	2.10	4452	1440	6	28	18	120	1440	1.56	1582000
2	Arvi	Partoda-1	Partoda	1,/2	Wardha	250 m x 40 m x 0.30 m	1.00	1060	478	6	28	5	50	475	1.56	785600
3	Hinganghat	Chikmoh	Chikmoh	107,108,109,129,130,131, 228,149,150,152,153	Vana	800 m x 45 m x 1.00 m	3.60	12721	1646	6	48	50	160	1640	1.96	2108000
4	Hinganghat	Tembha	Tembha	154,155,156,160,161, 162,188,187,189,198	Vana	400 m x 35 m x 1.00 m	1.40	4947	1435	6	38	20	80	1430	1.76	1735000
5	Hinganghat	Nandra rith	Nandra rith	81,82,83,72,71,70,69,68, 65,64,60,59,58/A,58/B,57/A, 57/B,56,55	Vana	400 m x 35 m x 1.00 m	1.40	4947	1750	6	38	20	80	1750	1.76	1975000
6	Hinganghat	Ajansara	Ajansara	80,82	Wardha	350 m x 30 m x 0.90	1.05	3339	1550	6	38	13	70	1550	1.76	1771500
7	Hinganghat	Sawangi rith	Sawangi rith	84,95	Wardha	350 m x 30 m x 0.95	1.05	3525	1960	6	38	14	70	1960	1.76	2074000
8	Hinganghat	Kuran Rith	Kuran Rith	68/1,68/2,67/1B,69	Wardha	270 m x 40 m x 1.0	1.08	3816	1600	6	38	15	50	1600	1.76	1767500
9	Hinganghat	Dhivri Pimpri	Dhivri Pimpri	9,156,155,154,153, 151,150,149	Wana	500 m x 60 m x 1.0	3.00	10600	1350	6	48	42	100	1350	1.96	1836000
10	Hinganghat	Sati	Sati	95/3,95/2,95/5,95/6	Wardha	200 m x 50 m x 0.40	1.00	1413	1650	6	28	6	40	1650	1.56	1593000
11	Hinganghat	Dorla	Dorla	89,91/A,91/B,92, 93,94,95	Wardha	350 m x 30 m x 0.95 m	1.05	3525	1874	6	38	14	70	1850	1.76	1862000
12	Hinganghat	Dhochi	Dhochi	125/1/A,127,128,135, 172/1,173/1,174/A,130/1, 129/1,136,168,169/1,170/1	Wardha	290 m x 40 m x 0.8 m	1.16	3279	2941	6	38	13	60	2940	1.76	2579500

13	Hinganghat Yeli	Yeli	73/1,73/2,74/1,74/2, 75/1,75/2,76/1,76/2, 77,81,82,92/1,92/2, 93/1,93/2	Vana	625 m x 35 m x 1.0 m	2.18	7730	2661	6	48	31	125	2660	1.96	2630000
14	Samudrapur Mandgaon-4	Mandgaon	140/1/A,140/1/B, 140/2,141,142	Dham	425 m x 25 m x 0.4 m	1.06	1502	2520	6	28	6	85	2500	1.56	2229500

• Status of Statutory Clearances for Sand Ghat

Name & Address of Allottee	District Mining Officer Wardha/ Successful Bidder Wardha				
	District, Wardha				
Status of the lease	New, Individual/ Project Proponent/Successful Bidder for				
	auction of sand ghat by District Collector Wardha.				
Mineral for which lessee	Ordinary Sand for Construction purpose				
intends to mine					
Name & Address of the	Taluka level Technical Committee chaired by Tahsildar and				
Prospecting Agency	Dy. Engineer Irrigation, Junior Geologist, Directorate of				
	Geology and Mining, Junior Geologist G.S.D.A.,				
	representative of Maharashtra Pollution Control Board.				
Grampanchayat NOC	Received from Gramsabha as per public consultation procedure				
	defined in sand mining guidelines of Maharashtra State dated				
	28.01.2022.				
Plan Period for Activity	Up to one year from the date of allotment of sand ghat or up to				
	scooping of Allotted/Permitted quantity mined out, whichever				
	is earlier excluding stipulated monsoon period between 10 June				
	-30 September				

• Method of Mining:

The mining will be manual opencast mining method of scooping using simple tool like spade/pawdas.

- a. Over burden/Soil Removal:
 - No overburden/Soil is anticipated.
- b. Scooping of Sand /Loading
 - The ordinary sand will be loaded manually by labours.
- c. Hauling
 - Ordinary sand is transported through tractors /trucks with permissible quantity.
- d. No machinery will be utilized.
- e. Period of scooping of sand will be for one year excluding monsoon period of 10th June -30th Sept or as defined by district collector.

- About 28-48 labours per ghat will be required.
- The site services will be provided by allottee/Successful Bidder, Office, First Aid and Rest Shelters will be temporarily constructed 20m away from the bank of river.
- Applied area for sand extraction is covered by dark basalt and which has been derived/ transported from black basalt of surrounding flat and well tilled area. The sand of the applied area is found to be underlain by dark basalt of the river bed.
- Anticipated Environmental impacts and Management Plan

A summary of air pollution control measures is given below:

S. No	Impact Source	Impact	Control measure
1	Transport Road	On Air Quality On Land / Rd stability/ Rd degradation	 Compaction, gradation and drainage on both sides & development of green belts Proper maintenance. Regular water spraying. Avoiding over filling of tractor and consequent spillage on the roads Air quality will be monitoring at impacted village.
2	Truck/ Tractor Movement	Air Quality	 No overloading of trucks. Sand carrying trucks will be effectively covered by tarpaulin to avoid escape of fines to the atmosphere. Enforcing speed limit. Regular monitoring of the exhaust fumes. No Engine of tractor/truck will be kept on during the filling. If possible entry be restricted to river bed
3	Ramp and Sand Reach	Mining Operations	 Regular ramp Inspection and Ramp maintenance Provision of dusk masks. Mining will be done during day time between fixed

			hours only.
4	Bank Management	Bank Erosion/	Green belt along bank
		Flood Plain	 Plantation of wide leaf tall trees on banks and grass
		management	along slanting portion of bank.

• Occupational Health and Services

1	Occupational	Safety of Workers and	Providing a working environment that is conducive to safety &
	Health & Safety	Mining Operations	health
	Measures to		The management of occupational safety & health is the prime
	Control Dust		responsibility of mine owner.
	Inhalation		Provision of necessary personal protective equipments
			Ensuring employees at all levels receive appropriate training
			and are competent to carry out their duties and responsibilities
			Provision of First Aid and Drinking Water, Temporary
			rest Room

• Noise control measures will be provided in the proposed crushing and screening plant.

- In addition, personnel working near high noise level generating sources will be provided with ear muffs
- No equipment generating Noise excluding tractor/truck will be permitted.
- No tractor engine will be kept idle.
- Conduct periodic audiometric tests for employees working close to high noise generating areas such as compressors, the loading and unloading sections, etc
- Provision of PPE's will be made and their proper usage will be ensured for hearing protection of the workers as well as visitors.

• Traffic Management

- •The mineral transporting vehicles will be registered with the forest department/revenue department and only registered vehicles will be used for mineral transport.
- The PUC certificate for exhaust emissions for all the transport vehicles will be made mandatory.
- All the vehicles will be properly maintained to control emissions and noise generation.
- Drivers of all the vehicles will strictly follow traffic rules.
- Speeds of the mineral transport vehicles will be regulated.
- Overloading of the tractors will not be allowed
- The mineral transporting tractors will be properly covered with tarpaulin to avoid fugitive emissions.
- Batch transport system will be adopted in consultation with the other sand ghat operators in the area to avoid excess traffic at a time on the road.
- Mineral transportation will be done only during day time only.
- Strict action will be taken against any driver, who do not comply the traffic rules.

Plantation program

It is proposed to plant local species during the monsoon period along bank of river and village roads.

List of Species Proposed for green Belt Development

Local species like Neem, peepal, subabhul, Karanj, Gulmohar etc will be planted.

• Successful Bidder/ Sand Ghat allottee will implement the Environmental Management Plan for the amount as per Table 1.0 on his own.

Successful Bidder/ Sand Ghat allottee will submit compliance to terms of conditions stipulated in the prior environmental clearance to the District Mining Officer and respective Tahsildar with

the expenses made on implementation of environmental management plan.

District Mining Officer/respective Tahsildar will monitor the implementation of approved environmental management plan along with District Level Committee headed by District Collector as stipulated in Sand Mining Rules 2022.