

Executive summary for Environment
management plan of Hingoli District
Sand Ghats

(Area of sand ghats- 1-4.99 Ha)

For 25 sand ghats Public Hearing

Project Proponent

District Mining Officer, Hingoli

Environmental Consultant



M/s Anacon Laboratories Pvt. Ltd., Nagpur

QCI-NABET Accredited EIA Consultant for Mining of Minerals (Sector 1 1(a))

MoEF&CC (GOI) Recognized Laboratory

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

Lab. & Consultancy: FP-34, 35, Food Park,

MIDC, Butibori, Nagpur – 441122

Email: ngp@anaccon.in

Website: www.anacconlaboratories.com

Executive summary of Environment Management Plan of the Hingoli District

1.0 INTRODUCTION

Hingoli District Collector is planning to auction the sand spots in the district for the year 2022-23 as sand is the major material for the infrastructural development. As per EIA notification 2006 prior environmental clearance is needed for start of mining, so as a procedure of EC Public hearing is primary stage.

As per Maharashtra sand policy 28/01/2022, District mining officer is project proponent initially and after auction of sand ghats environmental clearance will be transferred to successful bidder. Total 59 Sand ghats are surveyed but only 25 ghats are finalized for EC as per feasibility checked by Taluka level Technical Committee headed by Tahsildar and team members are Dy. Engineer Irrigation department, Junior Geologist appointed by Directorate of Geology and Mining, Junior Geologist from G.S.D.A. Hingoli and representative of Maharashtra Pollution Control Board. Manual method of mining will be adopted for scooping of sand from designated area of River bed.

1.1 SALIENT FEATURES OF THE PROPOSED SAND GHATS

The mining will be carried out manually with opencast method of mining by engaging labours with help of crow bars, hand shovel, pick axes and baskets. Loading is proposed to be carried out manually and transportation of mineral from the mine to the depot is proposed through tractor with trolley arrangement. As the mineral is dry, loose in nature, no drilling and blasting are required and hence it is not proposed. Sand excavated manually, will be loaded directly into vehicles.

Mining of sand is proposed to be carried out by the manual method. It involves following steps

- i. River Bed Mining activities do not involve top soil excavation.
- ii. Excavation of sand is done by using spade and bucket.
- iii. Drilling and blasting are not required.
- iv. Mining will be carried out during Auction allotted period or as per EC letter.
- v. Transport of sand from the river bed to destination will be carried out by tractor-trolley
- vi. No machinery will be used during mining operations
- vii. No pumping of water from river bed is envisaged as the proposed sand ghat is completely dry and their approach roads are also dry and accessible.

Executive summary of Environment Management Plan of the Hingoli District

- viii. The deposits occur at the middle/bottom of the river. During the entire lease period, the deposit will be worked from the top surface to permissible maximum mineable depth suggested by Joint survey of Taluka committee.
- ix. The entire quantity of sand excavated will be transported and will be used for infrastructure development purpose. Thus, there will not be generations of any solid waste from mining activity, only very small amount of solid waste generated by the use of plastic wrappers of food items which is consumed by labors but it will be collected separately and disposed of at common waste treatment area nearby.
- x. Mining will be carried out as per the approved Mining Plan.
- xi. It is proposed to employ the local people wherever possible in the proposed project activities. Direct employment from these proposed sand ghat is mentioned in the list attached herewith.

Details of sand ghats are attached in **Table 01:**

2.0 IMPACT ON SURROUNDING ENVIRONMENT& MITIGATION MEASURES

2.1 GENERAL:

Mining projects may have likely impacted on the various environmental components viz. Air, Water, Noise, Land, Biological Environment and Socio-economics. The magnitude of impact of sand ghat projects and their mitigation measures are provided as follows.

2.2 LAND ENVIRONMENT:

Deviation from planned mining procedure can lead to bank erosion /cutting and thereby river channel shifting degradation of land, causing loss of properties and degradation surrounding of landscape.

Mitigation Measures:

- Sand will be mined out in lease area as per the mining plan.
- The mining will remain confined to river bed only and in no case disturb any surface area outside which may affect topography or drainage.
- No stream should be diverted for the propose of sand mining.
- All the provisions stipulated in the Maharashtra Minor Mineral Extraction (Development and Regulation) Rules, 2013, will be meticulously followed.

It is ensured to compliance of the various point mentioned in sustainable

Executive summary of Environment Management Plan of the Hingoli District

Sand Mining Guidelines issued by MoEF&CC.

2.3 WATER ENVIRONMENT

Disturbance of natural drainage, flow of water and ground water table due to excavation of sand from river in absence of scientific mining. If excess excavation of sand done in the project area, then depletion of ground water level causes the drought in summer season & effect on public life in all respect like farming, drinking water issue etc. Adverse Effect on aquatic life like fish, prawn and other living organism.

Mitigation Measures:

- In the projects, it is not proposed to divert or truncate any stream.
- No proposal is envisaged for pumping of water either from the river or tapping the ground water.
- In the lean months, the proposed sand mining will not expose the base flow of the river and hence, there will not be any adverse impact on surface hydrology and ground water regime due to this project.
- The proponent will adhere all guidelines and rules for proper and scientific method of mining during the period of extracting the sand.
- Sand mining will be carried out in dry river bed portion only.
- The excavation of sand will be scientifically carried out up to the permissible thickness of sand in line with Joint Survey Report. There will not be any intersection with ground water table.

2.4 AIR ENVIRONMENT:

In river bed mining activities, vehicle is the source of both particulate and gaseous pollutants while the dust particles of sand act as particulate pollutants especially during loading and transportation. In general SPM (Suspended particulate matters PM10) and to a limited extent of Sulphur dioxide (SO₂) and Nitrous Oxides (NO_x) will be due to fossil fuel-based vehicles, in the region which may be within the permissible limits, as it is a small-scale quarrying. The dust liberated in mining and other related operations is injurious to health if inhaled. The fugitive dust generation during mining and transportation requires some mitigation.

Mitigation Measures:

- Proper mitigation measures like water sprinkling on haul roads approaching the lease area and up to river bank will be adopted to control fugitive dust emission.
- Over loading of tractor trollies and consequent spillage on the roads will be avoided.
- Measures such as covering tarpaulins over the loaded trollies will

Executive summary of Environment Management Plan of the Hingoli District

prevent spreading of sand.

- It will be ensured that all transportation vehicles will carry a valid PUC certificate.
- Plantation of trees along the roads to help reduce the impact of dust in the nearby villages.
- Periodic air monitoring will be proposed to monitor the ambient air quality.

2.5 NOISE ENVIRONMENT

Sand mining will be done by manual method, so no noise generated during mining, however noise will be generated at Ghat from movements of tractors which is used for transportation.

Mitigation Measures

- Manual excavation is allowed in project site, No Machinery will be deployed inside the river bed.
- Noise arising out due to transportation shall be abated and controlled at source to keep within permissible limit.
- Restricted working hours. Sand mining operation has to be carried out between 6 am to 6 pm.

2.6 BIOLOGICAL ENVIRONMENT

Excessive and unscientific riverbed sand mining results in the destruction of aquatic and riparian habitat through large changes in the channel morphology.

➤ Terrestrial Ecology

Flora: The area is completely barren and devoid of any significant vegetation in the river. The lease area is totally covered by sand and not having any tree species, only some grasses observed in patches. So, there is no chance of cutting of any tree due to mining operation

Fauna: As there is no forest cover in sand ghat area, no significant wild life observed in this area. Thus, there will be no significant impact of the river quarry mining project on the biological environment in lease area.

➤ Aquatic Ecology

No adverse impacts will be envisaged on the existing aquatic fauna, on downstream side (away from site) as the mining confined to above water

Executive summary of Environment Management Plan of the Hingoli District

level only and not disturbing the water table.

Mitigation Measures:

- No mining will be carried out during the monsoon season i.e. from 10th June to 30th September to minimize impact on aquatic life, which is mainly breeding season.
- Mining will be carried out on the dry part of the river bed to avoid disturbance to the aquatic habitat and movement of fish species.
- No adverse impacts will be envisaged on the existing aquatic fauna, on downstream side (away from site) as the mining confined to above water level only and at all touching/disturbing water table.

2.7 PLANTATION

The entire mining area falls within river course and gets flooded during monsoons; therefore, no plantation is possible within this area. Plantation will mainly be done along the haulage road and along the length of the river bank or approach road to depot or places as recommended by Gram Panchayat, also additional plantation will be proposed where there is sand ghat location is not nearer to entry point of approach road. Number of trees will be planted with various types of species. Native plants like Mango, Neem, Eucalyptus, Peepal, Gulmohar, and other local species will be selected in suitable combination, so that they can grow fast and also have good leaf cover.

2.8 OCCUPATIONAL HEALTH

1. Occupational health surveillance program for workers is undertaken periodically.
2. First Aid Facility at the proposed mining Site.

3.0 OTHER SAFETY PRECAUTIONS

1. Fencing of approach road for avoiding un-authorized entry to the active sand ghat.
2. Provision of Boards displaying all information as regards to mining of sand including quantity, period of mining activity and details of project proponent.
3. Display of warning signal boards at prominent locations.
4. Maintenance of approach road to sand ghat.
5. Deployment of adequate security arrangement.
6. Provision of safety equipment to workers.
7. Strict prohibition of use of any fuel for cooking or burning of waste or

Executive summary of Environment Management Plan of the Hingoli District

any other material.

8. Adequate provision for collection and disposal of domestic solid waste.
9. Awareness for safety and health to the workers deployed at sandghat.

4.0 STATUTORY REQUIREMENTS

It is accepted that effective resource management cannot be done in isolation. The Department therefore vigorously pursues approaches towards coordination and integration where possible, so as to lead to coordinated regulatory systems.

A regulatory system consists of both statutory and non-statutory components. In the Sectoral-specific strategy for prospecting and mining, the Department participates within an integrated environmental management system which is administered in terms of the Acts and Rules. Other Acts dealing with matters relating to the conservation and protection of the environment and which a holder of a mining authorization must also take cognizance of, include inter alia, the following:

- Maharashtra State Sand Policy 2022
- Sustainable sand mining and management guidelines, MoEF & CC, 2016
- Maharashtra Minor Mineral Extraction Development and Regulation) Rules, 2013.
- The Environment (Protection) Act, 1986
- Enforcement and Monitoring Guidelines for Sand mining, MoEF & CC, 2020
- Hon. NGT's decisions and Hon. Supreme Court of India's Decisions.

Sr. No.	Taluka	Name Of Village/Sand Ghat	Name of River	Survey No./Gut No.	Length	Width	Depth	Area in Sq.m	(Ha)	Quantity (Brass)	Road Length (m)	Road Width (m)	Total Plantation	Tractors	Man power	Total	EMP Cost
1.	Aundha Na.	Pur	Kayadhu	59, 60	435	25	0.5	10875	1.09	1921	322	3.5	379	4	17	4.48	3,18,300/-
2.	Aundha Na.	Matha	Purna	291,292,293,298	350	30	0.6	10500	1.05	2226	783	3	642	5	21	8.50	5,18,500/-
3.	Aundha Na.	Ankhali	Purna	347,348,349,355,364	335	30	0.5	10050	1.01	1776	444	3	487	4	17	5.74	3,54,600/-
4.	Aundha Na.	Pota Khu.	Purna	37,21	400	25	0.5	10000	1.00	1767	355	3.5	378	4	17	4.64	3,31,300/-
5.	Aundha Na.	Nandkheda	Purna	36,19,20,22,24	360	35	0.5	12600	1.26	2226	1310	3	835	5	21	12.30	6,02,300/-
6.	Basmat	Dhaulgaon	Purna	207,208,209,211,212	460	22	0.5	10120	1.01	1788	266	3	601	4	17	5.53	3,88,000/-
7.	Basmat	Parli	purna	338,319	380	45	0.5	17100	1.71	3021	1039	3	710	6	25	10.33	5,47,500/-
8.	Kalmanuri	Swangi Bhu.	Kayadhu	84,83,82,81,80,79,75,73,74,72,69,70,64,65,63,62	537	30	0.5	16110	1.61	2846	530	3	534	6	25	6.73	4,33,300/-
9.	Kalmanuri	Chafnath	Kayadhu	54,55, 56, 57, 58, 60, 61	450	50	0.6	22500	2.25	4770	1133	3.5	792	10	41	11.85	6,86,800/-
10.	Kalmanuri	Nandapur	Kayadhu	412, 414, 415, 417, 418, 419, 420, 421, 422	500	30	0.5	15000	1.50	2650	135	3.5	430	5	21	3.99	4,00,200/-
11.	Kalmanuri	Salegaon	Kayadhu	186, 187, 188, 189	510	40	0.5	20400	2.04	3604	623	3	567	7	29	7.53	4,93,900/-
12.	Kalmanuri	Sodegaon	Kayadhu	352,391,384,383,378,377,373,372,371	490	22	0.5	10780	1.08	1905	851	3	671	4	17	8.87	4,24,400/-
13.	Kalmanuri	Kasbe Dhawandha	Kayadhu	48,43,42,41,40,39,2,56,57,58,59,61,62,64,65,66,67	740	30	0.5	22200	2.22	3922	529	3.5	635	8	33	7.61	5,79,000/-
14.	Kalmanuri	Sapali 1	Kayadhu	5,6,7	530	20	0.5	10600	1.06	1873	790	3	705	4	17	8.78	4,81,200/-
15.	Kalmanuri	Sapali 2	Kayadhu	31,32,33,34,35,36	343	30	0.5	10290	1.03	1818	939	3.5	676	4	17	9.35	4,99,800/-
16.	Kalmanuri	Chikhali	Kayadhu	31,32/1	386	26	0.5	10036	1.00	1773	307	3	372	4	17	4.36	3,64,600/-
17.	Kalmanuri	Kanhegaon	Kayadhu	25,26,27,31	500	20	0.5	10000	1.00	1767	437	3.5	469	4	17	5.59	4,03,000/-
18.	Kalmanuri	Yegaon	Kayadhu	43,45	350	30	0.5	10500	1.05	1855	931	3	651	4	17	9.15	5,54,900/-
19.	Hingoli	Hingni	Kayadhu	363,364,368,369,370	400	30	0.5	12000	1.20	2120	797	3.2	599	4	17	8.17	5,47,200/-
20.	Hingoli	Khed	Kayadhu	141,147,148,149,153,154	440	35	0.5	15400	1.54	2721	967	3	704	6	25	9.93	5,87,500/-
21.	Hingoli	Durgdhamni	Kayadhu	11,12,13	293	35	0.5	10255	1.03	1812	481	3	387	4	17	5.32	4,04,500/-

Sr. No.	Taluka	Name Of Village/Sand Ghat	Name of River	Survey No./Gut No.	Length	Width	Depth	Area in Sq.m	(Ha)	Quantity (Brass)	Road Length (m)	Road Width (m)	Total Plantation	Tractors	Man power	Total	EMP Cost
22.	Hingoli	Amla	Kayadhu	297,296,295,294,293,292,291,290	360	30	0.5	10800	1.08	1908	554	3	457	4	17	6.11	4,77,600/-
23.	Sengaon	Waychal Pimpri	Penganga	520,521	258	45	0.5	11610	1.16	2051	313	3.5	286	4	17	3.87	4,06,400/-
24.	Sengaon	Bramhawadi	Purna	144,145,148,142,140	470	40	0.6	18800	1.88	3986	2271	3	1371	8	33	20.73	9,50,800/-
25.	Sengaon	Limbala Amdari	Purna	14	250	50	0.6	12500	1.25	2650	1185	3.2	718	5	21	10.97	6,05,200/-