MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437 Fax: 24093814 / 24044532 website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8, Near Sion Circle, Sion (E) Mumbai - 400 022

No. BO/JD (WPC) /PH/B- 908

Date: 3 /03/2014

OFFICE ORDER NO. E - 2/ OF 2014

In compliance of Notification S. O. 1533 dt. 14/09/2006, amended Notification S. O 3067 (E) dt. 01/12/2009 and CRZ Notification dt. 06/01/2011 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel for proposed redevelopment of project in respect of M/s. Everest Goods Pvt. Ltd. proposed redevelopment of plot bearing C. S. No. 8/492 of Malabar Cumbala Hill Division, Building no 11, bearing cess No. D-2883(18) siutuated at Labunbam Road, Mumbai – 400 007.

District Magistrate, Mumbai
Or his representative not below the
Rank of an Additional District Magistrate

Chairman

2) Representative of Maharashtra Pollution Control Board

Convener

Sub Regional Officer, M. P. C. Board, Mumbai - I will work as;

Member,

The Members are requested to make it convenient to attend the Public Hearing on 05.03.2014 at 12.00 noon in District Collector Office, Old custom House, Shahid Bhagat Singh Road, Fort, Mumbai – 400 001 positively.

This is issued with the approval of Member Secretary, MPC Board.

(Bharat B. Nimbarte)

Water Pollution Abatement Engineer

Copy submitted for Information to:

- 1) The Principal Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai 400032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Mumbai, Dist. Mumbai

Copy to project proponent:

M/s. Everest Goods Pvt. Ltd. Mumbai

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Mumbai.
- 2) Sub Regional Officer, M. P. C. Board, Mumbai I. He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai- For information & display on website. Soft copy sent to EIC section.