

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://www.mpcb.gov.in>
E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 3783


Date: 18 / 09 / 2017

OFFICE ORDER NO. E- 72 OF 2017

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of **Propose Kaleshwaram Project at Meddigada Bandhar, Vill: Pochampalli, Tal: Shiromcha, Dist: Gadchiroli, Maharashtra [karimnagar District of Telangna]** Proposed by Chief Engineer, Kaleshwaram Project Irrigation and CAD Department, Government of Telangana, is as below;

- | | |
|--|----------|
| 1) District Magistrate, Gadchiroli
Or his representative not below the
Rank of an Additional District Magistrate | Chairman |
| 2) Regional Officer, M.P.C Board, Chandrapur | Member |
| 3) Sub -Regional Officer, M. P. C. Chandrapur
Will work as; | Convener |

The Members are requested to make it convenient to attend the Public hearing dt. 27.09.2017, 2.00 PM at village Pochampalli, Tal: Shiromcha, Dist: Gadchiroli, Maharashtra Positively.


(Dr. P. Anbalagan IAS)
Member Secretary

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032.
- 2) The Chairman M. P. C. Board, Mumbai.

Copy for Information to:

District Collector, Gadchiroli .

Copy to project proponent:

Chief Engineer, Kaleshwaram Project Irrigation and CAD Department,
Government of Telangana

Copy for Information & necessary action to:

1. Regional Officer, M. P. C. Board, Chandrapur .
1. Sub Regional Officer, M. P. C. Board, Chandrapur - He is instructed to ensure that the copies are served to all concerned.
2. EIC, M. P. C. Board, Mumbai - For information & display on website. – Soft copy of Executive Summary sent to EIC section.