# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701 Fax: 24024068 / 24023515 Website: <u>http://www.mpcb.gov.in</u> E-mail: <u>idwater@mpcb.gov.in</u>

•



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

No. BO/JD (WPC)/PH/B- 5276

Date20 /11/2013

## OFFICE ORDER NO. E- /08 OF 2013

In compliance of Notification S. O. 1533 dtd. 14/09/2006 and amended Notification S. O 3067 (E) dt. 01/12/2009 and CRZ notification dtd.6<sup>th</sup> January 2011 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of Redevelopment of Construction Project of **M/s. Excel Arcade Pvt. Ltd**, at CTS no. 356 (Pt), Hariyali Gaon, Kannamwar Nagar, Vikhroli (E), Mumbai. is as below;

- District Magistrate, Mumbai Suburban Or his representative not below the Rank of an Additional District Magistrate
- Representative of Maharashtra Pollution Control Board Sub Regional Officer, M. P. C. Board, Mumbai - III will work as;

The Members are requested to make it convenient to attend the Public Hearing on 30/11/2013 at 11.00 a.m. at Kamgar Kalyan Mandal Hall, Kannamwar Nagar - 2, Vikhroli (E), Mumbai – 400 083, positively.

(P.K. Mirashe) Assistant Secretary (Technical)

Member, Convener.

#### Copy submitted for Information to:

- The Principal Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400032
  The Object of Maharashtra (Mantralaya)
- 2) The Chairman M. P. C. Board, Mumbai
- 3) The Member Secretary, M. P. C. Board, Mumbai

### Copy for Information to:

District Collector, Mumbai Suburban, Dist. Mumbai Suburban

#### Copy to project proponent:

M/s. Excel Arcade Pvt. Ltd, at CTS no. 356 (Pt), Hariyali Gaon, Kannamwar Nagar, Vikhroli (E), Mumbai.

## Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Mumbai.
- 2) Sub Regional Officer, Mumbai III, M. P. C. Board, Mumbai.
- 3) EIC, M. P. C. Board, Mumbai- For information & display on website. Soft copy already sent to EIC section.