MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437

Fax: 24093814 / 24044532 website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8, Near Sion Circle, Síon (E) Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 457

Date: 5/4/2016

OFFICE ORDER NO. E- 36 OF 2016

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of proposed project of redevelopment of existing residential Bungalow Known as 'Kusum Bunglow' proposed by M/s. Vineet Rajkumar Mittal at Plot Bearing C.S. No. 1066, FP No.30 E. of TPS Santacruz, T/154, Juhu Tara Road, Koliwada Naka, Mumbai-400049 is as below;

District Magistrate, Mumbai
 Or his representative not below the
 Rank of an Additional District Magistrate
 Representative of Maharashtra Pollution Control Board

2) Regional Officer, Mumbai

Member

Chairman

3) Sub Regional Officer, M. P. C. Board, Mumbai –II will work as:

Convener

The Members are requested to make it convenient to attend the Public Hearing dt.20.04.2016 at 11.30 am. at Chetna College, S/341, Government Colony, Bandra (E), Mumbai -400051, positively.

(Dr. P. Anbalagan IAS)

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Mumbai.

Copy to project proponent:

M/s. Vineet Rajkumar Mittal at Plot Bearing C.S. No. 1066, FP No.30 E. of TPS Santacruz, T/154, Juhu Tara Road, Koliwada Naka, Mumbai-400049

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Mumbai.
- 2) Sub Regional Officer, M. P. C. Board, Mumbai-II He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai For information & display on website. Soft copy of Executive Summary sent to EIC section.