

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://www.mpcb.gov.in>
E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No. BO/JD (WPC)/PH/B-635


Date: // /02/2014

OFFICE ORDER NO. E- // OF 2014

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S. O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of Construction of **Chandrabhaga Barrage Larger Minor Irrigation Project across River Chandrabhaga** near Village – Sangawa (Kh), Tal – Daryapur, Dist – Amravati by **Purna Medium Project Division Achalapur, Dist – Amravati of Vidharbha Irrigation Development Corporation** is as below;

- 1) **District Magistrate, Amravati**
Or his representative not below the
Rank of an **Additional District Magistrate** **Chairman**
- 2) Representative of Maharashtra Pollution Control Board }
Sub Regional Officer, M. P. C. Board, Amravati - I } **Member, Convener**
will work as;

The Members are requested to make it convenient to attend the Public Hearing on **28.02.2014 at 11.00 a.m.** at project site **Sangawa (Kh), Tal – Daryapur, Dist – Amravati** positively.


(Rajeev Kumar Mital, IAS)
Member Secretary

Copy submitted for Information to:

- 1) The Principal Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Amravati, Dist. Amravati

Copy to project proponent:

Executive Engineer, Amravati Irrigation Division, Amravati.

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Amravati
- 2) Sub Regional Officer, M. P. C. Board, Amravati – I - He is instructed to ensure that the copies are served to all concerned.
- ✓ 3) EIC, M. P. C. Board, Mumbai- For information & display on website. – Soft copy of Executive Summary sent to EIC section.