MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437

Fax: 24093814 / 24044532

website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8, Near Sion Circle, Sion (E) Mumbai - 400 022

No. BO/JD (WPC)/PH/B- ₹ 48

Date: 19 / 01 / 2018

Chairman

OFFICE ORDER NO. E- 05 OF 2018

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect Proposed Augmentation of refrigerated LPG (Propane/Butane) Import facility with provision of additional Storage of 2x12000 MT and Associated facilities at BPCL Uan LPG Plant Proposed by M/s. Bharat Petroleum Corporation Ltd (LPG Plant),Tal: Uran, Dist: Raigad, is as below;

- District Magistrate, Raigad
 Or his representative not below the
 Rank of an Additional District Magistrate
 Representative of Maharashtra Pollution Control Board
- 2) Regional Officer, M.P C. Board, Navi-Mumbai Member
- 3) Sub Regional Officer, M. P. C. Board, Taloja Convener will work as:

The Members are requested to make it convenient to attend the Public Hearing dt. 30.01.2018 at 11.30 am at Shri Thankeshwar Rangmanch Ground, Bhendkhal, BPCL, Tal: Uran, Dist: Raigad, Positively.

(Dr. P/Anbalagan IAS) Member Secretary

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Raigad

Copy to project proponent:

M/s.Bharat Petroleum Corporation Ltd (LPG Plant), Tal: Uran, Dist: Raigad Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Navi-Mumbai .
- 2) Sub Regional Officer, M. P. C. Board, Taloja He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai For information & display on website. Soft copy of Executive Summary sent to EIC section.