

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://www.mpcb.gov.in>
E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 704

Date: 23/02/2018

OFFICE ORDER NO. E- ¹² ~~704~~ OF 2018

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of **Proposed 30 KLPD Molasses Based Distillery Unit** Proposed by **M/s. Dwarkadish Sakhar Karkhana Ltd, Sheware, Tal: Satana (Baglan), Dist: Nashik**, is as below;

- | | | |
|----|--|-----------------|
| 1) | District Magistrate, Nashik
Or his representative not below the
Rank of an Additional District Magistrate
Representative of Maharashtra Pollution Control Board | Chairman |
| 2) | Regional Officer, M.P C. Board, Nashik | Member |
| 3) | Sub Regional Officer, M. P. C. Board, Nashik
will work as: | Convener |

The Members are requested to make it convenient to attend the Public Hearing dt. **27.02.2018 at 11.00 am** in the premises of **M/s. Dwarkadish Sakhar Karkhana Ltd, Sheware, Tal: Satana (Baglan), Dist: Nashik**, Positively.


(Dr. P. Anbalagan IAS)
Member Secretary

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Nashik

Copy to project proponent:

M/s. Dwarkadish Sakhar Karkhana Ltd, Sheware, Tal: Satana (Baglan), Dist: Nashik.

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Nashik .
- 2) Sub Regional Officer, M. P. C. Board, Nashik - He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai - For information & display on website. - Soft copy of Executive Summary sent to EIC section.