MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437

Fax: 24093814 / 24044532

website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8 Near Sion Circle, Sion (E) Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 4 200

Date: 23 / 10 /2019

OFFICE ORDER NO. E- 77 OF 2019

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of Proposed Sugar plant expansion from 1250 TCD to 5000 TCD, Co-genration power plant 15 MW & 60 KLPD Distillery/Ethanol plant Proposed by M/s. Shree Renuka Sugar Itd, Vill: Devnandra, Tal: Pathri, Dist: Parbhani, Maharashtra. is as below;

District Magistrate, Parbhani
Or his representative not below the
Rank of an Additional District Magistrate
Representative of Maharashtra Pollution Control Board

Chairman

2) Regional Officer, M.P C. Board, Aurangabad

Member

3) Sub Regional Officer, M. P. C. Board, Parbhani will work as:

Convener

The Members are requested to make it convenient to attend the Public Hearing dt. 01.11.2019 at 04.00 pm at Shree Renuka Sugar Itd, Vill: Devnandra, Tal: Pathri, Dist: Parbhani, Maharashtra. Positively.

(E. Ravendiran, IAS) Member Secretary

Copy submitted for Information to:

- 1) The Principal Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Parbhani.

Copy for Information & necessary action to:

1) Regional Officer, M. P. C. Board, Aurangabad.

2) Sub Regional Officer, M. P. C. Board, Parbhani - He is instructed to ensure that the copies are served to all concerned.

3) EIC, M. P. C. Board, Mumbai - For information & display on website. - Soft copy of Executive Summary sent to EIC section.

Copy to project proponent:

M/s. Shree Renuka Sugar Itd, Vill: Devnandra, Tal: Pathri, Dist: Parbhani, Maharashtra.