

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://mpcb.gov.in>
E-mail: jdwater@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No: BO/JD (WPC)/PH/B-SSD

Date: 19/12/2015

To,
The Additional Chief Secretary,
Department of Environment, Government of Maharashtra,
15th floor, New Administration building,
Mantralaya, Mumbai-400 032.

Sub: Environmental Clearance Proceedings of Public Hearing in respect of proposed project of **Mumari Dam, under Bhatsa Irrigation** proposed by **M/s. Bhatsa Dam Division-1, Mauje : Sarangpuri, Tal: Shapur, Dist: Thane.**

Ref: Sub-Regional Office, Kalyan-III, letter dated: 07.11.2015 received on 10/11/2015.

Sir,

The Public hearing for the proposed project of **Mumari Dam, under Bhatsa Irrigation** proposed by **M/s. Bhatsa Dam Division-1, Mauje : Sarangpuri, Tal: Shapur, Dist: Thane.** The public hearing was conducted dt. 06.10. 2015 at 11.00 am. at Community Centre, Bhatsa Nagar Vasahat, Tal: Shapur, Dist: Thane. The minutes of the public hearing approved and duly signed by the Public hearing panel along with the proceedings are enclosed.

- Minutes of public hearing duly signed by the Chairman of public hearing panel (in English & Marathi)
 - Copy of Office Order .
 - Video DVD and Photograph of Public Hearing.
 - List of participants.
 - Newspaper Notices for Environmental Public Hearing in English & Marathi.
- This is submitted for further necessary action please,

Yours Sincerely,

Dr. Y. B. Sontakke
Joint Director (WPC)

Encl.: As above

Copy submitted for information:

The Member Secretary, MPCB, Sion Mumbai.

Copy to the applicant of the project:

M/s. Bhatsa Dam Division-1, Mauje : Sarangpuri, Tal: Shapur, Dist: Thane.

Copy for information & necessary action to:

- 1) The Regional Officer, MPCB, Kalyan ,
- 2) The Sub Regional Officer, MPCB Kalyan - III,
- 3) EIC, M. P. C. Board, Mumbai - For information & display of Minutes on website