

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://mpcb.gov.in>
E-mail: jdwater@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No: BO/JD (WPC)/PH/B- 05

Date: 07/10/2015

To,
The Secretary,
Environment Department,
Govt. of Maharashtra,
Mantralaya,
Mumbai- 400 032

Sub: Environmental Clearance - Proceedings of Public Hearing in respect of **Additional construction of new Ground Storage Tanks of capacity 3064 KL** proposed by **M/s. Bharat Petroleum Corporation Limited**, at POL Depot, Borkhedi, Tal. & Dist - Nagpur.

Sir,

The Public Hearing for the proposed **Additional construction of new Ground Storage Tanks of capacity 3064 KL** proposed by **M/s. Bharat Petroleum Corporation Limited**, at POL Depot, Borkhedi, Tal. & Dist - Nagpur was conducted on **28.10.2014** at **11.00 a.m.**

The minutes of the public hearing approved and duly signed by the Chairman of Public hearing panel along with the proceedings are enclosed.

- Minutes of public hearing duly signed by the Chairman of public hearing panel (in English & Marathi)
- Copy of Office Order
- Copies of Executive summary of EIA; (in English & Marathi)
- EIA Report
- Video DVD and Photograph of Public Hearing.
- List of participants.
- Newspaper Notices for Environmental Public Hearing in English & Marathi.

This is submitted for further necessary action please,

Yours Sincerely,

Encl.: As above

(Dr. Y. B. Sontakke)

Joint Director (Water Pollution Control)

Copy submitted to:

1) The Member Secretary, MPCB, Mumbai.

Copy to the applicant of the project:

M/s. Bharat Petroleum Corporation Limited, at POL Depot, Borkhedi, Tal. & Dist - Nagpur

Copy for information & necessary action to:

1) The Regional Officer, MPCB, Nagpur.

2) The Sub Regional Officer, MPCB, Nagpur - II,

3) EIC, M. P. C. Board, Mumbai - For information & display of Minutes on website -soft copy of Minutes of Public hearing is sent by Nagpur - II.