



महाराष्ट्र प्रदूषण नियंत्रण मंडळ
MAHARASHTRA POLLUTION CONTROL BOARD

कल्पतरू पॉइंट २, ३ आणि ४ था मजला, मूवीमॅक्स सिनेमा समोर,
श्रीव सर्कल जवळ, शीव (पु). मुंबई - ४०० ०२२

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. MovieMax Cinema,
Near Sion Circle, Sion (E), Mumbai - 400 022



LiFE
Lifestyle for
Environment



ईमेल / Email: ee@mpcb.gov.in
संकेत स्थळ / Website: www.mpcb.gov.in

दूरध्वनी / Tel: 022-67808888

Notice

To,

Sub. :- Request for Proposal (RFP) for Carpentry Work at Sub – Regional Office, Pune - 2

.....

Maharashtra Pollution Control Board invites sealed quotations for Carpentry Work at Sub - Regional Office, Pune-2 located at 1st Floor, opposite Mahendra & Mahendra gate no. 1 & 2, Capital Square, Nighoje, Chakan MIDC, Phase 4, Pune – 410501. The detailed specifications of the work is mentioned in the below annexure. If require you may visit the site by prior appointment on any working day for assessment of the work and submit your quotation to the Executive Engineer, MPCB, 4th Floor Kalpataru Point, Opp. MovieMax Cinema, Near Sion Circle, Sion (E), 400 022 on this address within 7 (Seven) working days from the date of this letter.

The Member Secretary, Maharashtra Pollution Control Board reserves all right to reject any or all quotations without assigning any reason.

Annexure

Sr. No.	Description of Item	Qty	Rate	Amount
A.	Interior Work			
1.	Supplying and installation of partly glazed and partly ACP aluminium partition, fabricated from heavy-duty extruded built-up standard aluminium tubular sections [insert section size, e.g., 2.5" x 1.5" or 63.5mm x 38.1mm] of approved make. The aluminium sections shall be [insert finish, e.g., powder-coated / anodized / wood-grain finish] with a minimum thickness of [insert gauge/thickness, e.g., 1.5mm / 16 SWG]. The partition shall be partly paneled at the bottom/solid areas with [insert thickness, e.g., 3mm / 4mm] thick exterior/interior grade Aluminium Composite Panel (ACP) of approved make and shade. The upper/vision areas shall be glazed with [insert thickness, e.g., 5mm / 8mm] thick clear [float / toughened] glass. The work includes providing and fixing all necessary accessories, including aluminium snap beading/glazing clips, EPDM rubber / neoprene weather gaskets, heavy-duty concealed aluminium cleats, stainless steel screws, and dash fasteners for anchoring the frame securely to the floor, ceiling, and adjacent walls. All perimeter gaps to be properly sealed with	552	Sqft	

	high-quality weather silicone sealant. The rate shall include all materials, labor, tools, scaffolding, and transportation, complete in all respects as per architectural drawings and the direction of the Engineer-in-charge.			
2.	Supplying and installation of partly glazed and partly solid aluminium door, fabricated from heavy-duty extruded standard aluminium tubular sections of approved make. The door shall consist of an outer frame [insert size, e.g., 63.5mm x 38.1mm] and door shutter comprising vertical stiles, top rail, bottom rail, and middle lock rail [insert size, e.g., 85mm x 44.5mm]. The aluminium sections shall be [insert finish, e.g., powder-coated / anodized / wood-grain finish] with a minimum thickness of [insert gauge/thickness, e.g., 1.5mm / 2.0mm]. The bottom half of the door (up to lock rail height) shall be paneled with a flush solid infill of [insert thickness and material, e.g., 4mm exterior grade ACP / 12mm Bakelite sheet / 12mm pre-laminated particle board] of approved shade. The upper half (vision area) shall be glazed with [insert thickness, e.g., 5mm / 8mm] thick clear [float / toughened] glass. The work includes providing and fixing all necessary hardware and accessories, including aluminium snap beading/glazing clips, EPDM rubber / neoprene weather gaskets, heavy-duty concealed aluminium cleats, and stainless steel screws. The door shall be equipped with [insert hardware specs: e.g., heavy-duty floor spring / hydraulic door closer, SS 'D' or 'C' type push/pull handles (300mm length), mortise lock, concealed tower bolts, and heavy-duty pivots/hinges]. The frame shall be securely anchored to the floor and walls using dash fasteners, with all perimeter gaps perfectly sealed using high-quality weather silicone sealant. The rate shall include all materials, labor, tools, scaffolding, and transportation, complete in all respects	2.00	Nos	
3.	Providing and fixing in position 12 mm thick Toughened Fully Clear Glass Double Door by using various glass patch fittings to be fixed with necessary fittings on the ceiling duly finished without giving any load on the false ceiling by using necessary what ever necessary and required numbers to complete the job in all respect. Rate including cost of door with approval hardware such as patch fitting lock, handle, Floor Spring etc.Complete	1.00	Nos	
4.	Providing and fixing BLACKOUT Fabric with composite material of High Tenacity Polyester Yarn Fabric with PVC Coating & Fungistatic Treatment of Hunter Douglas,B99 Serge Ferrari,MAP,Softlite Impex,Mado approved make manual Roller blinds with end brackets, components, bottom bar & fabric with manual operation and warranty of minimum 5 years and Greenguard Certificate – UL 2818 Gold Certification as per specifications. Fabric to be as per approved sample. manual system to include chain ball operation.	220	Sqft	
5.	Providing and Fixing Soft Fibre Acoustical Suspended Ceiling System ,suitable for Green Building application, with Recycled content of 66% GW and 74% RW. The tile shall be laid on precoated G.I channel 32 with 15 mm wide T - section flanges colour white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm and 600 mm Cross Tees with a web height of 32 mm and a load carrying capacity of 7 Kilograms/M2 with a minimum pull out strength of 100	325	Sqft	

	Kilograms. The T Sections have a Galvanizing of 90 grams per M2 and need to be installed with Suspension system.			
	Total			

Your Sealed quotations shall be reached this office within 7 (Seven) days from the date of issuing this letter. The Member Secretary, Maharashtra Pollution Control Board reserves the right to reject any or all quotations without giving any reason.

Terms & Conditions

1. Rates quoted shall be inclusive of all labour, materials, transportation, tools, taxes (excluding GST) and other incidental charges, unless specifically mentioned otherwise.
2. All materials used shall be of good quality and conform to applicable IS/BIS standards.
3. The work shall be completed as per the specifications and instructions of the authorized officer.
4. The contractor shall follow all applicable safety rules and regulations.
5. Any defective work/material shall be rectified/replaced by the contractor at his own cost.
6. Payment shall be made after satisfactory completion and certification of the work.
7. GST will be paid at actual.
8. The decision of the competent authority regarding acceptance of the quotation shall be final.
9. The Member Secretary reserves the right to accept or reject any or all quotations without assigning any reason.

Digitally signed by
Bhalachandra Ramdas Jagtap
Date: 14-10-2026 13:16:28

(B. R. Jagtap)
Executive Engineer

Copy to – Chief Accounts Officer - 2, MPC Board, Sion, Mumbai – 400022.