

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023516

Website: <http://mpcb.mah.nic.in>

E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd - 4th Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai-400 022.

No.BO/P&L Divn.I/BM/B-4433

Date: 10/05/2008

STANDING ORDER

Sub : Proposal for approval of maintaining of Consent Passbook by the 'Green' Category of industries, operations or processes.

Ref : Minutes of the 147th Meeting of the Board held on 22/4/2008 and 28/4/2008.


The proposal for approval of Consent Passbook by the 'Green' Category of industries, operations or processes was put up before the 147th Meeting of the Board held on 22/4/2008 and 28/4/2008 respectively. The proposal was discussed and approved by the Board.

The Board approved a new practice of maintaining of Consent Passbook for the 'Green' category of industries, operations or processes, taking into consideration less generation of pollutants, requiring less changes in the renewal application/s as well as consents granted by the Board. The practice has been adopted in order to bring greater simplification of the work in respect of grant of consent/s to the 'Green' category of industries and to reduce the workload.

As per Sub-section 6 of Section 25 of the Water (Prevention and Control of Pollution) Act, 1974, every State Board shall maintain a register containing particulars of conditions imposed on the industries, operations or processes in respect of any outlet or any effluent, from any land or premises etc. In respect of 'Green' category of industries, less pollutants are being generated and there are less changes in the consent conditions as well as uniform conditions are being prescribed for various 'Green' category of industries. Therefore, it is approved by the Board that consent passbook with the office number of Sub-Regional Officer will be maintained in each Sub-Regional Office. Instead of issuance of renewal of consent orders separately each time, the entry of renewal / amendment will be made directly into the consent passbook, in case, no change in investment is made. The product capacity changed / additional products will also be entered into the respective columns.

A sample copy of approved consent passbook is enclosed for further implementation. The Board has approved the implementation of the consent passbook system for 'Green' category of industries, operations or processes with an immediate effect. The Regional Officer (Co-Ordination) will take appropriate

steps to take the requirement in respect of consent passbook for 'Green' category of industries, operations or processes from various regions and will make available the required number of consent passbooks to be printed. The Regional Officer (Co-Ordination) will take review of the implementation of a new practice of maintaining a consent passbook for 'Green' category of industries after expiry of 6 months period, shall be submitted to the Member Secretary, so as to consider further modifications, if any required in the said practice.


(Sanjay Khandare)
Member Secretary

Encl: As above.

Copy submitted to: The Hon'ble Chairman, MPCB, Mumbai – for favour of information.

Copy f.w.cs. to:

- 1) I/C Water Pollution Abatement Engineer/I/c Air Pollution Abatement Engineer/ Principal Scientific Officer/Chief Accounts Officer/Sr.Law Officer(P&L Divn.II)/Sr.Administrative Officer, MPCB, Mumbai – for information and necessary action.
- 2) Regional Officer-HQ/P&P/Co-Ordination/PCI-II/Project Leader(Zoning Atlas), MPCB, Mumbai – for information and necessary action.
- 3) Law Officer (P&L Divn.I & II)/Statistical Officer, MPCB, Mumbai – for information and necessary action.

Copy to:

- 1) Regional Officer, MPCB- Mumbai/Thane /Navi Mumbai/Raigad/ Kalyan/ Pune/ Nashik/Aurangabad/Nagpur/Amravati/Kolhapur – for information and necessary action.
- 2) Incharge-Central Lab., Navi Mumbai – for information and necessary action.
- 3) Incharge, Regional Lab., Pune/Nagpur/Aurangabad/Thane/Chiplun/Nashik – for information and necessary action.
- 4) Sub-Regional Officer, MPCB, Mumbai-I/II/III/IV / Thane-I/II/Tarapur-I/II / Navi Mumbai-I/II/Taloja/Raigad-I/II/Mahad / Kalyan-I/II/III / Pune-I/II/Pimpri-Chinchwad/ Satara/Solapur/Nashik/Jalgaon-I/II/Ahmednagar/ Aurangabad -I/II/Latur/ Nanded/Parbhani/Nagpur-I/II/Bhandara/Chandrapur / Amravati-I/II/Akola/ Kolhapur/Sangli/Ratnagiri/Chiplun – for information and necessary action.
- 5) All Sub-Regional Officers at HQ for information and necessary action

Maharashtra Pollution Control Board

Consent to Establish/Operate under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization/Renewal of authorization under rule 5 of Hazardous Waste (M&H) Rules, 1989 as amended is granted as detailed below:-

- 1) Name and Address of the industry :
- 2) Dt. Of Commissioning :
- 3) i) Telephone No. :
- ii) Fax No. :
- iii) E-mail Address :
- 4) DIC Reg. No. :
- 5) Fixed capital investment:
- 6) Consent No. :
- 7) Date of issue :
- 8) Validity Period from : To:

9)

Sr. No.	Products	Quantity / Yr

CS/15

10) **Sewage Treatment:-** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:-

Suspended Solids	Not to exceed	100 mg/l.
B.O.D. 3 days 20° C	Not to exceed	100 mg/l.

11) **Sewage Disposal:** Treated effluent shall be connected to soak pit which shall be cleaned periodically OR the overflow shall be connected to sewerage system provided by MIDC / local body / on land for gardening.

12) **Hazardous Waste:** - The industry shall not be generate any hazardous waste.

13) **Air pollution :** Industry shall install comprehensive control system as is control system warranted with reference to generation of emissions and Operate and maintain the same so as to achieve the level of Pollutants to the following standards.

- i) SPW/TPM : mg/Nm³
- ii) SO₂ : kg/Day

14) **Air pollution Sources :**

15) **Stack height :** Attached to

16) **D.G. Set capacity :** Fuel used

17) **Details of Fees Paid:-**

Rs. : D.D./Pay Order/Chalan No.

Date :- Bank :-

D.R.No. Dtd.:-

18) The industry shall comply the conditions stipulated in the annex.I

Date :-

Authorized Signatory & Seal

Consent to Establish/ Operate/Renewal / Amendment in Consent

1) Consent to Establish/Operate/Renewal / Amendment No.

Date : valid up to

2) Fees paid in Rs. for years;

3) D.D/ Cheque/Pay order/ Chalan No.

Date Name of the Bank

4) D.R. No. Date :

5) Consent renewal / amendment fees not collected since, no change in capital investment. Only products capacity change / additional products.
6) Issued with change/ without any change as below :-

Sr. No.	Products	Quantity / Yr

Date :

Authorized Signatory & Seal

05/17
Consent to Establish/ Operate/Renewal / Amendment in Consent

1) Consent to Establish/Operate/Renewal / Amendment No.

Date : valid up to

2) Fees paid in Rs. for years;

3) D.D/ Cheque/Pay order/ Chalan No.

Date Name of the Bank

4) D.R. No. Date :

5) Consent renewal / amendment fees not collected since, no change in capital investment. Only products capacity change / additional products.
6) Issued with change/ without any change as below :-

Sr. No.	Products	Quantity / Yr

Date :

Authorized Signatory & Seal

Annex. - I : Conditions of the Consent :

1. The consent shall cease to be valid in case of expiry of the validity or suspension or cancellation of the existing consents under Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous Waste (Management & Handling) Rules, 1989, as amended, issued by the Maharashtra Pollution Control Board (MPCB) and shall remain invalid till consent (s) / authorization are obtained.
2. This consent pass book shall be produced at the time of inspection upon request of an officer authorized by the Maharashtra Pollution Control Board.
3. The industry shall not rent/land / sell / transfer this consent certificate.
4. Any change in the products, disposal facility and equipment as given in the application shall only be carried out with prior permission of MPCB.
5. The unit should take appropriate and adequate measures to control fugitive emissions.
6. The unit should carry out stack emission and Ambient Air Quality monitoring for consented parameters and monitoring reports shall be submitted to the Maharashtra Pollution Control Board, where ever applicable.
7. Application (in triplicate) u/s. 26 of the Water (Prevention & Control of Pollution) Act, 1974 and u/s. 21 of Air (Prevention & Control of Pollution) Act, 1981 for establish / operate / renewal / expansion / modification of consent shall be made at least one month before expiry

8. At the time of submission of the application for renewal of consent, the unit should submit a copy of the "Consent Pass Book" along with a statement showing point wise compliance status of the above conditions.

9. D.G. Set Conditions :-

1. Noise from the D.G. set should be controlled by providing an acoustic enclosure or treating the room acoustically.
2. The acoustic enclosure / acoustic treatment of the room should be designed 25 dB (A) insertion loss or for meeting the ambient noise standard whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provide. The measurement of insertion loss will be done at 0.5 meters from acoustic enclosure / room and then average.
3. The industry shall take adequate measures for noise levels from its own sources within the premises as respect of noise to less than 75 dB (A) during day time and 70 dB(A) during the night time. Day time is reckoned between 5 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.
4. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirement by proper siting and control measures.
5. Installation of DG set must be strictly in compliance with recommendation of DG set manufacturer.
6. A proper routing and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacture which would help to prevent noise levels of DG set from deteriorating with use.
7. Industry shall not cause any nuisance into the surrounding area due to operation of the DG set.
10. The applicant shall provide ports in the chimney / (s) and facility, such as ladder, platform, etc., for monitoring the air emissions and the same shall be opened for inspection to / and for use of the Board's staff. The chimney / (s) vents attached to various sources of emission shall be painted / displayed to facilitate identification.

8

11. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75 dB (A)

during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 9 a.m. and night time is reckoned between 9 p.m. and 6 a.m.

12. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

15. Application shall be made to the Maharashtra Pollution Control Board to amend the consent pass book for any change in production activity / products

16. Board reserves right to revoke, suspend or amend the consent issued.

8

11. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75 dB (A)

during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 9 a.m. and night time is reckoned between 9 p.m. and 6 a.m.

12. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

15. Application shall be made to the Maharashtra Pollution Control Board to amend the consent pass book for any change in production activity / products

16. Board reserves right to revoke, suspend or amend the consent issued.