

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.gov.in>

E-mail: ast@mpcb.gov.in

No. BO/AS(T)/Circular/B-4678



Kalpataru Point, 2nd - 4th Floor
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai-400 022.

Date: 29/08/2011

CIRCULAR

110914F70344


Sub: Procedure for Certification about Pollution Load.

Ref: Board Circular dtd. 31.08.2000.

.....

The Chairman, MPCB discussed on the procedure to be followed in case of industries claimed for "No increase in pollution load" during the CAC meeting held on 17.08.2011. It was noted that Board has issued a comprehensive circular vide above referred circular dtd. 31.8.2000, outlining the procedure to be adopted for such cases. However, it is found that industries are submitting different formats for certificates about pollution load.

Hence, all HOD/RO/SRO's shall strictly follow the procedure mentioned in the above said circular hereafter.


(V. B. Waghjale)
Assistant Secretary (Technical)

Copy Submitted to:

Member Secretary, M.P.C. Board, Mumbai

Copy for information and necessary action to:

1. Sr. L.O./ CAO/JD(WPC)/ JD(APC)/ JD(PAMS)/ RO(HQ), MPC Board, Mumbai
2. Regional Officer, MPC Board : Mumbai/ Navi-Mumbai/ Thane/ Kalyan/ Raigad/ Kolhapur/ Pune/ Aurangabad/ Nashik/ Nagpur/ Amravati/ Chandrapur
3. Sub-Regional Officer, MPC Board : Mumbai-I/II/III/IV; Navi-Mumbai-I/II/III(Taloja); Raigad-I/II/Mahad; Thane-I/II/Tarapur-I/II; Kalyan-I/II/III/Bhiwandi; Pune- I/II/ Satara/Solapur; Kolhapur/Ratnagiri/Chiplun/Sangli; Amravati-I/II/Akola; Aurangabad-I/II/Latur/ Nanded/ Parbhani; Nashik/Jalgaon-I/II/Ahmednagar; Nagpur-I/II/III/Chandrapur/Bhandara.